




MBA

Balls - Polypropylene



Excellent for liquid level float applications.

Tolerance and sphericity: up to and including 25.4mm diameter = +/-0.0508mm, over 25.4mm diameter +/-0.0762mm.

Very resistant to most acids and alkalies.

Excellent for liquid level float applications.

Unpolished.

Specific Gravity: 0.91.

This catalogue to be read in conjunction with information at <http://www.minibearings.com.au/ical/balls/>

<http://www.minibearings.com.au/categories/balls/all/pics/>

Balls - Polypropylene

Part Number	Diameter (D) mm <i>inches</i>	Material	Precision Grade	Hardness	Properties	Colour	Specific Gravity
BL-03.175-PP	3.18 <i>0.125</i>	Polypropylene	Commercial		Excellent for liquid level float applications.	White	0.91
BL-04.762-PP	4.76 <i>0.187</i>	Polypropylene	Commercial		Excellent for liquid level float applications.	White	0.91

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Balls - Polypropylene

Part Number	Diameter (D) mm <i>inches</i>	Material	Precision Grade	Hardness	Properties	Colour	Specific Gravity
BL-05.556-PP	5.56 <i>0.219</i>	Polypropylene	Commercial		Excellent for liquid level float applications.	White	0.91
BL-06.350-PP	6.35 <i>0.250</i>	Polypropylene	Commercial		Excellent for liquid level float applications.	White	0.91
BL-09.525-PP	9.53 <i>0.375</i>	Polypropylene	Commercial		Excellent for liquid level float applications.	White	0.91
BL-12.700-PP	12.70 <i>0.500</i>	Polypropylene	Commercial		Excellent for liquid level float applications.	White	0.91
# BL-15.875-PP	15.88 <i>0.625</i>	Polypropylene	Commercial		Excellent for liquid level float applications.	White	0.91
# BL-17.463-PP	17.46 <i>0.687</i>	Polypropylene	Commercial		Excellent for liquid level float applications.	White	0.91
BL-19.050-PP	19.05 <i>0.750</i>	Polypropylene	Commercial		Excellent for liquid level float applications.	White	0.91
# BL-22.225-PP	22.23 <i>0.875</i>	Polypropylene	Commercial		Excellent for liquid level float applications.	White	0.91

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Balls - Polypropylene

Part Number	Diameter (D) mm <i>inches</i>	Material	Precision Grade	Hardness	Properties	Colour	Specific Gravity
BL-25.400-PP	25.40 <i>1.000</i>	Polypropylene	Commercial		Excellent for liquid level float applications.	White	0.91
# BL-31.750-PP	31.75 <i>1.250</i>	Polypropylene	Commercial		Excellent for liquid level float applications.	White	0.91
# BL-34.925-PP	34.93 <i>1.375</i>	Polypropylene	Commercial		Excellent for liquid level float applications.	White	0.91
# BL-38.100-PP	38.10 <i>1.500</i>	Polypropylene	Commercial		Excellent for liquid level float applications.	White	0.91
# BL-50.800-PP	50.80 <i>2.000</i>	Polypropylene	Commercial		Excellent for liquid level float applications.	White	0.91
# BL-63.500-PP	63.50 <i>2.500</i>	Polypropylene	Commercial		Excellent for liquid level float applications.	White	0.91
# BL-69.850-PP	69.85 <i>2.750</i>	Polypropylene	Commercial		Excellent for liquid level float applications.	White	0.91
# BL-76.200-PP	76.20 <i>3.000</i>	Polypropylene	Commercial		Excellent for liquid level float applications.	White	0.91

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Balls - Polypropylene

Part Number	Diameter (D) mm	Material	Precision Grade	Hardness	Properties	Colour	Specific Gravity
	<i>inches</i>						
# BL-101.600-PP	101.60	Polypropylene	Grade 3		Excellent for liquid level float applications.	White	0.91
	<i>4.000</i>						

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to catalogues@minibearings.com.au
