




MBA

Bearings - Ball - 316 Stainless Steel



Food and Medical grade Stainless Steel - Non Hardenable.

Tolerances differ from standard bearing types - see below. Due to the tolerance range it is recommended that each actual bearing is measured to calculate fits.

ID +0.0762 mm / -0.000 mm OD +0.000 mm / -0.0762 mm Width +/- 0.127 mm.

Rings machined from solid rod stock producing true running concentric bearings.

Low load, low speed applications requiring maximum corrosion resistance.

Polymer cages, grade 200 type 316 stainless balls, AISI 316 stainless races.

This catalogue to be read in conjunction with information at <http://www.minibearings.com.au/ical/precision/316/>

<http://www.minibearings.com.au/categories/shafting/all/pics/>

Bearings - Ball - 316 Stainless Steel

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>				
# S6-624	4.000	13.000	5.000		316 Grade Stainless Steel (Non Hardened)	Semi-Precision	Open	R
	<i>0.157</i>	<i>0.512</i>	<i>0.197</i>					

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Ball - 316 Stainless Steel

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>				
# S6-634	4.000	16.000	5.000		316 Grade Stainless Steel (Non Hardened)	Semi-Precision	Open	R
	<i>0.157</i>	<i>0.630</i>	<i>0.197</i>					
# S6-625	5.000	16.000	5.000		316 Grade Stainless Steel (Non Hardened)	Semi-Precision	Open	R
	<i>0.197</i>	<i>0.630</i>	<i>0.197</i>					
# S6-635	5.000	19.000	6.000		316 Grade Stainless Steel (Non Hardened)	Semi-Precision	Open	R
	<i>0.197</i>	<i>0.748</i>	<i>0.236</i>					
# S6-606	6.000	17.000	6.000		316 Grade Stainless Steel (Non Hardened)	Semi-Precision	Open	R
	<i>0.236</i>	<i>0.669</i>	<i>0.236</i>					
# S6-626	6.000	19.000	6.000		316 Grade Stainless Steel (Non Hardened)	Semi-Precision	Open	R
	<i>0.236</i>	<i>0.748</i>	<i>0.236</i>					
# S6-636	6.000	22.000	7.000		316 Grade Stainless Steel (Non Hardened)	Semi-Precision	Open	R
	<i>0.236</i>	<i>0.866</i>	<i>0.276</i>					
S6-R4	6.350	15.875	4.978		316 Grade Stainless Steel (Non Hardened)	Semi-Precision	Open	R
	<i>0.250</i>	<i>0.625</i>	<i>0.196</i>					

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Ball - 316 Stainless Steel

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>				
# S6-DRR-R4G	6.350	15.875	9.525		316 Grade Stainless Steel (Non Hardened)	Semi-Precision	Open	DRR
	<i>0.250</i>	<i>0.625</i>	<i>0.375</i>					
# S6-R4-12G	6.350	19.050	5.556		316 Grade Stainless Steel (Non Hardened)	Semi-Precision	Open	R
	<i>0.250</i>	<i>0.750</i>	<i>0.219</i>					
# S6-R4-12B	6.350	19.050	7.144		316 Grade Stainless Steel (Non Hardened)	Semi-Precision	Open	R
	<i>0.250</i>	<i>0.750</i>	<i>0.281</i>					
# S6-DRR-R4-12E	6.350	19.050	9.525		316 Grade Stainless Steel (Non Hardened)	Semi-Precision	Open	DRR
	<i>0.250</i>	<i>0.750</i>	<i>0.375</i>					
# S6-607	7.000	19.000	6.000		316 Grade Stainless Steel (Non Hardened)	Semi-Precision	Open	R
	<i>0.276</i>	<i>0.748</i>	<i>0.236</i>					
# S6-627	7.000	22.000	7.000		316 Grade Stainless Steel (Non Hardened)	Semi-Precision	Open	R
	<i>0.276</i>	<i>0.866</i>	<i>0.276</i>					
# S6-637	7.000	26.000	9.000		316 Grade Stainless Steel (Non Hardened)	Semi-Precision	Open	R
	<i>0.276</i>	<i>1.024</i>	<i>0.354</i>					

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Ball - 316 Stainless Steel

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>				
# S6-608	8.000	22.000	7.000		316 Grade Stainless Steel (Non Hardened)	Semi-Precision	Open	R
	<i>0.315</i>	<i>0.866</i>	<i>0.276</i>					
# S6-628	8.000	24.000	8.000		316 Grade Stainless Steel (Non Hardened)	Semi-Precision	Open	R
	<i>0.315</i>	<i>0.945</i>	<i>0.315</i>					
# S6-638	8.000	28.000	9.000		316 Grade Stainless Steel (Non Hardened)	Semi-Precision	Open	R
	<i>0.315</i>	<i>1.102</i>	<i>0.354</i>					
# S6-609	9.000	24.000	7.000		316 Grade Stainless Steel (Non Hardened)	Semi-Precision	Open	R
	<i>0.354</i>	<i>0.945</i>	<i>0.276</i>					
# S6-629	9.000	26.000	8.000		316 Grade Stainless Steel (Non Hardened)	Semi-Precision	Open	R
	<i>0.354</i>	<i>1.024</i>	<i>0.315</i>					
# S6-639	9.000	30.000	10.000		316 Grade Stainless Steel (Non Hardened)	Semi-Precision	Open	R
	<i>0.354</i>	<i>1.181</i>	<i>0.394</i>					
# S6-R6	9.525	22.225	5.556		316 Grade Stainless Steel (Non Hardened)	Semi-Precision	Open	R
	<i>0.375</i>	<i>0.875</i>	<i>0.219</i>					

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Ball - 316 Stainless Steel

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>				
# S6-R6A	9.525	22.225	7.144		316 Grade Stainless Steel (Non Hardened)	Semi-Precision	Open	R
	<i>0.375</i>	<i>0.875</i>	<i>0.281</i>					
# S6-DRR-R6E	9.525	22.225	11.113		316 Grade Stainless Steel (Non Hardened)	Semi-Precision	Open	DRR
	<i>0.375</i>	<i>0.875</i>	<i>0.438</i>					
# S6-R12212	9.525	34.925	11.113		316 Grade Stainless Steel (Non Hardened)	Semi-Precision	Open	R
	<i>0.375</i>	<i>1.375</i>	<i>0.438</i>					
# S6-DRR-R12212	9.525	34.925	11.113		316 Grade Stainless Steel (Non Hardened)	Semi-Precision	Open	DRR
	<i>0.375</i>	<i>1.375</i>	<i>0.438</i>					
# S6-6000	10.000	26.000	8.000		316 Grade Stainless Steel (Non Hardened)	Semi-Precision	Open	R
	<i>0.394</i>	<i>1.024</i>	<i>0.315</i>					
# S6-MR2810	10.000	28.000	8.000		316 Grade Stainless Steel (Non Hardened)	Semi-Precision	Open	R
	<i>0.394</i>	<i>1.102</i>	<i>0.315</i>					
# S6-6200	10.000	30.000	9.000		316 Grade Stainless Steel (Non Hardened)	Semi-Precision	Open	R
	<i>0.394</i>	<i>1.181</i>	<i>0.354</i>					

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Ball - 316 Stainless Steel

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>				
# S6-DRR-6200B	10.000	30.000	14.300		316 Grade Stainless Steel (Non Hardened)	Semi-Precision	Open	DRR
	<i>0.394</i>	<i>1.181</i>	<i>0.563</i>					
# S6-6300	10.000	35.000	11.000		316 Grade Stainless Steel (Non Hardened)	Semi-Precision	Open	R
	<i>0.394</i>	<i>1.378</i>	<i>0.433</i>					
# S6-6001B	12.000	28.000	7.000		316 Grade Stainless Steel (Non Hardened)	Semi-Precision	Open	R
	<i>0.472</i>	<i>1.102</i>	<i>0.276</i>					
S6-6001	12.000	28.000	8.000		316 Grade Stainless Steel (Non Hardened)	Semi-Precision	Open	R
	<i>0.472</i>	<i>1.102</i>	<i>0.315</i>					
# S6-MR3012	12.000	30.000	8.000		316 Grade Stainless Steel (Non Hardened)	Semi-Precision	Open	R
	<i>0.472</i>	<i>1.181</i>	<i>0.315</i>					
# S6-6201	12.000	32.000	10.000		316 Grade Stainless Steel (Non Hardened)	Semi-Precision	Open	R
	<i>0.472</i>	<i>1.260</i>	<i>0.394</i>					
# S6-DRR-6201B	12.000	32.000	15.900		316 Grade Stainless Steel (Non Hardened)	Semi-Precision	Open	DRR
	<i>0.472</i>	<i>1.260</i>	<i>0.626</i>					

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Ball - 316 Stainless Steel

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>				
# S6-6301	12.000	37.000	12.000		316 Grade Stainless Steel (Non Hardened)	Semi-Precision	Open	R
	<i>0.472</i>	<i>1.457</i>	<i>0.472</i>					
# S6-DRR-R8B	12.700	28.575	11.113		316 Grade Stainless Steel (Non Hardened)	Semi-Precision	Open	DRR
	<i>0.500</i>	<i>1.125</i>	<i>0.438</i>					
# S6-R12216	12.700	34.925	11.113		316 Grade Stainless Steel (Non Hardened)	Semi-Precision	Open	R
	<i>0.500</i>	<i>1.375</i>	<i>0.438</i>					
# S6-R8	12.700	28.575	6.350		316 Grade Stainless Steel (Non Hardened)	Semi-Precision	Open	R
	<i>0.500</i>	<i>1.125</i>	<i>0.250</i>					
# S6-6002A	15.000	32.000	8.000		316 Grade Stainless Steel (Non Hardened)	Semi-Precision	Open	R
	<i>0.591</i>	<i>1.260</i>	<i>0.315</i>					
# S6-6002	15.000	32.000	9.000		316 Grade Stainless Steel (Non Hardened)	Semi-Precision	Open	R
	<i>0.591</i>	<i>1.260</i>	<i>0.354</i>					
S6-6202	15.000	35.000	11.000		316 Grade Stainless Steel (Non Hardened)	Semi-Precision	Open	R
	<i>0.591</i>	<i>1.378</i>	<i>0.433</i>					

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Ball - 316 Stainless Steel

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>				
# S6-DRR-6202A	15.000	35.000	15.900		316 Grade Stainless Steel (Non Hardened)	Semi-Precision	Open	DRR
	<i>0.591</i>	<i>1.378</i>	<i>0.626</i>					
# S6-6302	15.000	42.000	13.000		316 Grade Stainless Steel (Non Hardened)	Semi-Precision	Open	R
	<i>0.591</i>	<i>1.654</i>	<i>0.512</i>					
# S6-R11820	15.875	28.575	6.350		316 Grade Stainless Steel (Non Hardened)	Semi-Precision	Open	R
	<i>0.625</i>	<i>1.125</i>	<i>0.250</i>					
# S6-R10G	15.875	34.925	9.525		316 Grade Stainless Steel (Non Hardened)	Semi-Precision	Open	R
	<i>0.625</i>	<i>1.375</i>	<i>0.375</i>					
# S6-DRR-R10D	15.875	34.95	11.113		316 Grade Stainless Steel (Non Hardened)	Semi-Precision	Open	DRR
	<i>0.625</i>	<i>1.376</i>	<i>0.438</i>					
# S6-R10D	15.875	34.925	11.113		316 Grade Stainless Steel (Non Hardened)	Semi-Precision	Open	R
	<i>0.625</i>	<i>1.375</i>	<i>0.438</i>					
# S6-6003A	17.000	35.000	8.000		316 Grade Stainless Steel (Non Hardened)	Semi-Precision	Open	R
	<i>0.669</i>	<i>1.378</i>	<i>0.315</i>					

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Ball - 316 Stainless Steel

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>				
# S6-6003	17.000	35.000	10.000		316 Grade Stainless Steel (Non Hardened)	Semi-Precision	Open	R
	<i>0.669</i>	<i>1.378</i>	<i>0.394</i>					
# S6-6203	17.000	40.000	12.000		316 Grade Stainless Steel (Non Hardened)	Semi-Precision	Open	R
	<i>0.669</i>	<i>1.575</i>	<i>0.472</i>					
# S6-DRR-6203B	17.000	40.000	17.500		316 Grade Stainless Steel (Non Hardened)	Semi-Precision	Open	DRR
	<i>0.669</i>	<i>1.575</i>	<i>0.689</i>					
# S6-6303	17.000	47.000	14.000		316 Grade Stainless Steel (Non Hardened)	Semi-Precision	Open	R
	<i>0.669</i>	<i>1.850</i>	<i>0.551</i>					
# S6-R12	19.050	41.275	7.938		316 Grade Stainless Steel (Non Hardened)	Semi-Precision	Open	R
	<i>0.750</i>	<i>1.625</i>	<i>0.313</i>					
# S6-R12A	19.050	41.275	7.938		316 Grade Stainless Steel (Non Hardened)	Semi-Precision	Open	R
	<i>0.750</i>	<i>1.625</i>	<i>0.313</i>					
# S6-DRR-R12E	19.050	41.275	15.875		316 Grade Stainless Steel (Non Hardened)	Semi-Precision	Open	DRR
	<i>0.750</i>	<i>1.625</i>	<i>0.625</i>					

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Ball - 316 Stainless Steel

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>				
# S6-6004B	20.000	42.000	8.000		316 Grade Stainless Steel (Non Hardened)	Semi-Precision	Open	R
	<i>0.787</i>	<i>1.654</i>	<i>0.315</i>					
# S6-6004	20.000	42.000	12.000		316 Grade Stainless Steel (Non Hardened)	Semi-Precision	Open	R
	<i>0.787</i>	<i>1.654</i>	<i>0.472</i>					
# S6-6204	20.000	47.000	14.000		316 Grade Stainless Steel (Non Hardened)	Semi-Precision	Open	R
	<i>0.787</i>	<i>1.850</i>	<i>0.551</i>					
# S6-DRR-5204	20.000	47.000	20.630		316 Grade Stainless Steel (Non Hardened)	Semi-Precision	Open	DRR
	<i>0.787</i>	<i>1.850</i>	<i>0.812</i>					
# S6-6304	20.000	52.000	15.000		316 Grade Stainless Steel (Non Hardened)	Semi-Precision	Open	R
	<i>0.787</i>	<i>2.047</i>	<i>0.591</i>					
# S6-6005A	25.000	47.000	8.000		316 Grade Stainless Steel (Non Hardened)	Semi-Precision	Open	R
	<i>0.984</i>	<i>1.850</i>	<i>0.315</i>					
# S6-6005	25.000	47.000	12.000		316 Grade Stainless Steel (Non Hardened)	Semi-Precision	Open	R
	<i>0.984</i>	<i>1.850</i>	<i>0.472</i>					

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Ball - 316 Stainless Steel

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>				
# S6-6205	25.000	52.000	15.000		316 Grade Stainless Steel (Non Hardened)	Semi-Precision	Open	R
	<i>0.984</i>	<i>2.047</i>	<i>0.591</i>					
# S6-DRR-5205	25.000	52.000	20.630		316 Grade Stainless Steel (Non Hardened)	Semi-Precision	Open	DRR
	<i>0.984</i>	<i>2.047</i>	<i>0.812</i>					
# S6-6305	25.000	62.000	17.000		316 Grade Stainless Steel (Non Hardened)	Semi-Precision	Open	R
	<i>0.984</i>	<i>2.441</i>	<i>0.669</i>					
# S6-R16A	25.400	50.800	12.700		316 Grade Stainless Steel (Non Hardened)	Semi-Precision	Open	R
	<i>1.000</i>	<i>2.000</i>	<i>0.500</i>					
# S6-6006A	30.000	55.000	9.000		316 Grade Stainless Steel (Non Hardened)	Semi-Precision	Open	R
	<i>1.181</i>	<i>2.165</i>	<i>0.354</i>					
# S6-6006	30.000	55.000	13.000		316 Grade Stainless Steel (Non Hardened)	Semi-Precision	Open	R
	<i>1.181</i>	<i>2.165</i>	<i>0.512</i>					
# S6-6206	30.000	62.000	16.000		316 Grade Stainless Steel (Non Hardened)	Semi-Precision	Open	R
	<i>1.181</i>	<i>2.441</i>	<i>0.630</i>					

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Ball - 316 Stainless Steel

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>				
# S6-DRR-5206	30.000	62.000	23.810		316 Grade Stainless Steel (Non Hardened)	Semi-Precision	Open	DRR
	<i>1.181</i>	<i>2.441</i>	<i>0.937</i>					
# S6-6007A	35.000	62.000	9.000		316 Grade Stainless Steel (Non Hardened)	Semi-Precision	Open	R
	<i>1.378</i>	<i>2.441</i>	<i>0.354</i>					
# S6-6007	35.000	62.000	14.000		316 Grade Stainless Steel (Non Hardened)	Semi-Precision	Open	R
	<i>1.378</i>	<i>2.441</i>	<i>0.551</i>					
# SSR16DR-1-1/4B-6	KMS Part	-						
# SSR12-6-716W	-	-	-					
# SSR8DR-1/2B-6	KMS Part	-						
# SSR8-1/2B-6	KMS Part	-						
# SSR12-6-516W	-	-	-					
# SSR16DR-1B-6	KMS Part	-						
# SSR8A-6-12B	-	-	-					
# SSR16-1B-6	KMS Part	-						

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Ball - 316 Stainless Steel

Part Number	ID (d) mm <i>inches</i>	OD (D) mm <i>inches</i>	Width (B) mm <i>inches</i>	Inner Ring Width (Bn) mm <i>inches</i>	Material	Precision Grade	Closure Type	Bearing Type
# SSR16DR-6-1-14B	-	-	-	-				
# SSR8DR-6-12B	-	-	-	-				
# SSR16DR-6-1B	-	-	-	-				
# SSR8DR-3/8B-6	KMS Part	-	-	-				
# SSR20-6	-	-	-	-				
# SSR16-6-1 14B	-	-	-	-				
# SSR16-1-1/4B-6	KMS Part	-	-	-				
# SSR8A-6-38B	-	-	-	-				
# SSR8DR-6-38B	-	-	-	-				
# SSR18DR-6	-	-	-	-				
# SSR8-5/8B-6	KMS Part	-	-	-				
# SSR8A-1/2B-6	KMS Part	-	-	-				
# SSR18-6	-	-	-	-				
# SSR8A-3/8B-6	KMS Part	-	-	-				

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Ball - 316 Stainless Steel

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>				
# SSR20DR-6	-	-	-					
# SSR16-6-1B	-	-	-					

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to catalogues@minibearings.com.au
