




MBA

Bearings - Ball - 440C Stainless 6000 / 6200 / 6300 Series



Stainless Steel 440C Grade - Hardened - Precision - Corrosion Resistant.

Single Row Radial Ball Bearings.

Not all bearings are readily available. Please enquire.

This catalogue to be read in conjunction with information at <http://www.minibearings.com.au/ical/bearings/>

<http://www.minibearings.com.au//categories/shafting/all/pics/>

Bearings - Ball - 440C Stainless 6000 / 6200 / 6300 Series

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>				
S6000-2RS	10.000	26.000	8.000		AIS I 440C Stainless Steel	Abec 1	2RS	R
	<i>0.394</i>	<i>1.024</i>	<i>0.315</i>					
S6000-ZZ	10.000	26.000	8.000		AIS I 440C Stainless Steel	Abec 1	ZZ	R
	<i>0.394</i>	<i>1.024</i>	<i>0.315</i>					
S6000-2RB-KSK	10.000	26.000	8.000		AIS I 440C Stainless Steel	Abec 1	2RB	R
	<i>0.394</i>	<i>1.024</i>	<i>0.315</i>					

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Ball - 440C Stainless 6000 / 6200 / 6300 Series

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>				
S6200-2RS	10.000	30.000	9.000		AIS I 440C Stainless Steel	Abec 1	2RS	R
	<i>0.394</i>	<i>1.181</i>	<i>0.354</i>					
S6200-ZZ	10.000	30.000	9.000		AIS I 440C Stainless Steel	Abec 1	ZZ	R
	<i>0.394</i>	<i>1.181</i>	<i>0.354</i>					
S6200-2RB-KSK	10.000	30.000	9.000		AIS I 440C Stainless Steel	Abec 1	2RB	R
	<i>0.394</i>	<i>1.181</i>	<i>0.354</i>					
# S6300-ZZ	10.000	35.000	11.000		AIS I 440C Stainless Steel	Abec 1	ZZ	R
	<i>0.394</i>	<i>1.378</i>	<i>0.433</i>					
# S6300-2RS	10.000	35.000	11.000		AIS I 440C Stainless Steel	Abec 1	2RS	R
	<i>0.394</i>	<i>1.378</i>	<i>0.433</i>					
# S6001-ZZ	12.000	28.000	8.000		AIS I 440C Stainless Steel	Abec 1	ZZ	R
	<i>0.472</i>	<i>1.102</i>	<i>0.315</i>					
# S6001-Z-dry	12.000	28.000	8.000		AIS I 440C Stainless Steel	Abec 1	Z	R
	<i>0.472</i>	<i>1.102</i>	<i>0.315</i>					
S6001-2RS	12.000	28.000	8.000		AIS I 440C Stainless Steel	Abec 1	2RS	R
	<i>0.472</i>	<i>1.102</i>	<i>0.315</i>					

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Ball - 440C Stainless 6000 / 6200 / 6300 Series

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>				
S6201-2RS	12.000	32.000	10.000		AIS I 440C Stainless Steel	Abec 1	2RS	R
	<i>0.472</i>	<i>1.260</i>	<i>0.394</i>					
# S6201-ZZ	12.000	32.000	10.000		AIS I 440C Stainless Steel	Abec 1	ZZ	R
	<i>0.472</i>	<i>1.260</i>	<i>0.394</i>					
S6201-2RB-KSK	12.000	32.000	10.000		AIS I 440C Stainless Steel	Abec 1	2RB	R
	<i>0.472</i>	<i>1.260</i>	<i>0.394</i>					
# S6301-ZZ	12.000	37.000	12.000		AIS I 440C Stainless Steel	Abec 1	ZZ	R
	<i>0.472</i>	<i>1.457</i>	<i>0.472</i>					
S6301-2RS	12.000	37.000	12.000		AIS I 440C Stainless Steel	Abec 1	2RS	R
	<i>0.472</i>	<i>1.457</i>	<i>0.472</i>					
S6002-2RS	15.000	32.000	9.000		AIS I 440C Stainless Steel	Abec 1	2RS	R
	<i>0.591</i>	<i>1.260</i>	<i>0.354</i>					
# S6002-ZZ	15.000	32.000	9.000		AIS I 440C Stainless Steel	Abec 1	ZZ	R
	<i>0.591</i>	<i>1.260</i>	<i>0.354</i>					
S6202-ZZ	15.000	35.000	11.000		AIS I 440C Stainless Steel	Abec 1	ZZ	R
	<i>0.591</i>	<i>1.378</i>	<i>0.433</i>					

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Ball - 440C Stainless 6000 / 6200 / 6300 Series

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>				
S6202-2RSC3	15.000	35.000	11.000		AIS I 440C Stainless Steel	Abec 1	2RS	R
	<i>0.591</i>	<i>1.378</i>	<i>0.433</i>					
S6202-2RB-KSK	15.000	35.000	11.000		AIS I 440C Stainless Steel	Abec 1	2RB	R
	<i>0.591</i>	<i>1.378</i>	<i>0.433</i>					
# S6302-ZZ-KSK	15.000	42.000	13.000		AIS I 440C Stainless Steel	Abec 1	ZZ	R
	<i>0.591</i>	<i>1.654</i>	<i>0.512</i>					
# S6302-ZZ	15.000	42.000	13.000		AIS I 440C Stainless Steel	Abec 1	ZZ	R
	<i>0.591</i>	<i>1.654</i>	<i>0.512</i>					
S6302-2RS	15.000	42.000	13.000		AIS I 440C Stainless Steel	Abec 1	2RS	R
	<i>0.591</i>	<i>1.654</i>	<i>0.512</i>					
S6003-2RS	17.000	35.000	10.000		AIS I 440C Stainless Steel	Abec 1	2RS	R
	<i>0.669</i>	<i>1.378</i>	<i>0.394</i>					
# S6003-ZZ	17.000	35.000	10.000		AIS I 440C Stainless Steel	Abec 1	ZZ	R
	<i>0.669</i>	<i>1.378</i>	<i>0.394</i>					
S6203-2RB-KSK	17.000	40.000	12.000		AIS I 440C Stainless Steel	Abec 1	2RB	R
	<i>0.669</i>	<i>1.575</i>	<i>0.472</i>					

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Ball - 440C Stainless 6000 / 6200 / 6300 Series

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>				
S6203-ZZ	17.000	40.000	12.000		AIS I 440C Stainless Steel	Abec 1	ZZ	R
	<i>0.669</i>	<i>1.575</i>	<i>0.472</i>					
S6203-2RS	17.000	40.00	12.000		AIS I 440C Stainless Steel	Abec 1	2RS	R
	<i>0.669</i>	<i>1.575</i>	<i>0.472</i>					
# S6303-ZZ	17.000	47.000	14.000		AIS I 440C Stainless Steel	Abec 1	ZZ	R
	<i>0.669</i>	<i>1.850</i>	<i>0.551</i>					
S6303-2RS	17.000	47.000	14.000		AIS I 440C Stainless Steel	Abec 1	2RS	R
	<i>0.669</i>	<i>1.850</i>	<i>0.551</i>					
# S6004-2RB-KSK	20.000	42.000	12.000		AIS I 440C Stainless Steel	Abec 1	2RB	R
	<i>0.787</i>	<i>1.654</i>	<i>0.472</i>					
# S6004-ZZ	20.000	42.000	12.000		AIS I 440C Stainless Steel	Abec 1	ZZ	R
	<i>0.787</i>	<i>1.654</i>	<i>0.472</i>					
S6004-2RS	20.000	42.000	12.000		AIS I 440C Stainless Steel	Abec 1	2RS	R
	<i>0.787</i>	<i>1.654</i>	<i>0.472</i>					
# S6204	20.000	47.000	14.000		AIS I 440C Stainless Steel	Abec 1	Open	R
	<i>0.787</i>	<i>1.850</i>	<i>0.551</i>					

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Ball - 440C Stainless 6000 / 6200 / 6300 Series

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>				
# S6204-2RB-KSK	20.000	47.000	14.000		AIS I 440C Stainless Steel	Abec 1	2RB	R
	<i>0.787</i>	<i>1.850</i>	<i>0.551</i>					
S6204-2RS	20.000	47.000	14.000		AIS I 440C Stainless Steel	Abec 1	2RS	R
	<i>0.787</i>	<i>1.850</i>	<i>0.551</i>					
# S6204-ZZ	20.000	47.000	14.000		AIS I 440C Stainless Steel	Abec 1	ZZ	R
	<i>0.787</i>	<i>1.850</i>	<i>0.551</i>					
# S6304-ZZ	20.000	52.000	15.000		AIS I 440C Stainless Steel	Abec 1	ZZ	R
	<i>0.787</i>	<i>2.047</i>	<i>0.591</i>					
S6304-2RS	20.000	52.000	15.000		AIS I 440C Stainless Steel	Abec 1	2RS	R
	<i>0.787</i>	<i>2.047</i>	<i>0.591</i>					
# S6005-ZZ	25.000	47.000	12.000		AIS I 440C Stainless Steel	Abec 1	ZZ	R
	<i>0.984</i>	<i>1.850</i>	<i>0.472</i>					
S6005-2RS	25.000	47.000	12.000		AIS I 440C Stainless Steel	Abec 1	2RS	R
	<i>0.984</i>	<i>1.850</i>	<i>0.472</i>					
S6205-2RS	25.000	52.000	15.000		AIS I 440C Stainless Steel	Abec 1	2RS	R
	<i>0.984</i>	<i>2.047</i>	<i>0.591</i>					

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Ball - 440C Stainless 6000 / 6200 / 6300 Series

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>				
# S6205-ZZ	25.000	52.000	15.000		AIS I 440C Stainless Steel	Abec 1	ZZ	R
	<i>0.984</i>	<i>2.047</i>	<i>0.591</i>					
# S6305-ZZ	25.000	62.000	17.000		AIS I 440C Stainless Steel	Abec 1	ZZ	R
	<i>0.984</i>	<i>2.441</i>	<i>0.669</i>					
S6305-2RS	25.000	62.000	17.000		AIS I 440C Stainless Steel	Abec 1	2RS	R
	<i>0.984</i>	<i>2.441</i>	<i>0.669</i>					
S6006-ZZ	30.000	55.000	13.000		AIS I 440C Stainless Steel	Abec 1	ZZ	R
	<i>1.181</i>	<i>2.165</i>	<i>0.512</i>					
# S6006-2RS	30.000	55.000	13.000		AIS I 440C Stainless Steel	Abec 1	2RS	R
	<i>1.181</i>	<i>2.165</i>	<i>0.512</i>					
S6206-2RS	30.000	62.000	16.000		AIS I 440C Stainless Steel	Abec 1	2RS	R
	<i>1.181</i>	<i>2.441</i>	<i>0.630</i>					
S6206-ZZ	30.000	62.000	16.000		AIS I 440C Stainless Steel	Abec 1	ZZ	R
	<i>1.181</i>	<i>2.441</i>	<i>0.630</i>					
# S6206-2RB-KSK	30.000	62.000	16.000		AIS I 440C Stainless Steel	Abec 1	2RB	R
	<i>1.181</i>	<i>2.441</i>	<i>0.630</i>					

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Ball - 440C Stainless 6000 / 6200 / 6300 Series

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>				
S6306-2RS	30.000	72.000	19.000		AIS I 440C Stainless Steel	Abec 1	2RS	R
	<i>1.181</i>	<i>2.835</i>	<i>0.748</i>					
# S6306-ZZ	30.000	72.000	19.000		AIS I 440C Stainless Steel	Abec 1	ZZ	R
	<i>1.181</i>	<i>2.835</i>	<i>0.748</i>					
S6007-2RS	35.000	62.000	14.000		AIS I 440C Stainless Steel	Abec 1	2RS	R
	<i>1.378</i>	<i>2.441</i>	<i>0.551</i>					
# S6007-ZZ	35.000	62.000	14.000		AIS I 440C Stainless Steel	Abec 1	ZZ	R
	<i>1.378</i>	<i>2.441</i>	<i>0.551</i>					
# S6207-ZZ	35.000	72.000	17.000		AIS I 440C Stainless Steel	Abec 1	ZZ	R
	<i>1.378</i>	<i>2.835</i>	<i>0.669</i>					
S6207-2RS	35.000	72.000	17.000		AIS I 440C Stainless Steel	Abec 1	2RS	R
	<i>1.378</i>	<i>2.835</i>	<i>0.669</i>					
# S6307-2RS	35.000	80.000	21.000		AIS I 440C Stainless Steel	Abec 1	2RS	R
	<i>1.378</i>	<i>3.150</i>	<i>0.827</i>					
S6008-2RS	40.000	68.000	15.000		AIS I 440C Stainless Steel	Abec 1	2RS	R
	<i>1.575</i>	<i>2.677</i>	<i>0.591</i>					

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Ball - 440C Stainless 6000 / 6200 / 6300 Series

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>				
# S6008-ZZ	40.000	68.000	15.000		AIS I 440C Stainless Steel	Abec 1	ZZ	R
	<i>1.575</i>	<i>2.677</i>	<i>0.591</i>					
# S6208-ZZ	40.000	80.000	18.000		AIS I 440C Stainless Steel	Abec 1	ZZ	R
	<i>1.575</i>	<i>3.150</i>	<i>0.709</i>					
# S6208-2RS	40.000	80.000	18.000		AIS I 440C Stainless Steel	Abec 1	2RS	R
	<i>1.575</i>	<i>3.150</i>	<i>0.709</i>					
S6009-2RS	45.000	75.000	16.000		AIS I 440C Stainless Steel	Abec 1	2RS	R
	<i>1.772</i>	<i>2.953</i>	<i>0.630</i>					
# S6010-2RS	50.000	80.000	16.000		AIS I 440C Stainless Steel	Abec 1	2RS	R
	<i>1.969</i>	<i>3.150</i>	<i>0.630</i>					

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to catalogues@minibearings.com.au
