




MBA

Bearings - Ball - Single Row - Angular Contact



Including miniature sizes down to 8mm from stock and even smaller available.

<http://www.minibearings.com.au//categories/shafting/all/pics/>

Bearings - Ball - Single Row - Angular Contact

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Flange Diameter (DF) mm	Flange Width (BF) mm	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>				
# A-SR1-4-KB-gr5	1.984	6.350	2.381				AIS I 440C Stainless Steel / Phenolic Cage	Abec 5	Open	AC
	<i>0.078</i>	<i>0.250</i>	<i>0.094</i>							
# A-SF692-KB-grP5-G48	2.000	6.000	2.300		7.5	0.6	AIS I 440C Stainless Steel / Phenolic Cage	Abec 5	Open	AC
	<i>0.079</i>	<i>0.236</i>	<i>0.091</i>		<i>0.295</i>	<i>0.024</i>				

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Ball - Single Row - Angular Contact

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Flange Diameter (DF) mm	Flange Width (BF) mm	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>				
# A-S692-KB-gr5	2.000	6.000	2.300				AIS I 440C Stainless Steel / Phenolic Cage	Abec 5	Open	AC
	<i>0.079</i>	<i>0.236</i>	<i>0.091</i>							
# A-SFR1-5-KB-gr5-G48	2.381	7.938	2.779		9.119	0.584	AIS I 440C Stainless Steel / Phenolic Cage	Abec 5	Open	AC
	<i>0.094</i>	<i>0.313</i>	<i>0.109</i>		<i>0.359</i>	<i>0.023</i>				
# A-SR1-5-KB-gr5	2.381	7.938	2.779				AIS I 440C Stainless Steel / Phenolic Cage	Abec 5	Open	AC
	<i>0.094</i>	<i>0.313</i>	<i>0.109</i>							
# A-SF602X-KB-grP5-G48	2.500	8.000	2.800		9.5	0.7	AIS I 440C Stainless Steel / Phenolic Cage	Abec 5	Open	AC
	<i>0.098</i>	<i>0.315</i>	<i>0.110</i>		<i>0.374</i>	<i>0.028</i>				
# A-S602X-KB-gr5	2.500	8.000	2.800				AIS I 440C Stainless Steel / Phenolic Cage	Abec 5	Open	AC
	<i>0.098</i>	<i>0.315</i>	<i>0.110</i>							
A-S623-KB-gr5	3.000	10.000	4.000				AIS I 440C Stainless Steel / Phenolic Cage	Abec 5	Open	AC
	<i>0.118</i>	<i>0.394</i>	<i>0.157</i>							

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Ball - Single Row - Angular Contact

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Flange Diameter (DF) mm	Flange Width (BF) mm	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>				
# A-SR2-KB-gr5	3.175	9.525	3.969				AIS I 440C Stainless Steel / Phenolic Cage	Abec 5	Open	AC
	<i>0.125</i>	<i>0.375</i>	<i>0.156</i>							
# A-SFR2-KB-gr5-G48	3.175	9.525	3.969		11.176	0.762	AIS I 440C Stainless Steel / Phenolic Cage	Abec 5	Open	AC
	<i>0.125</i>	<i>0.375</i>	<i>0.156</i>		<i>0.440</i>	<i>0.030</i>				
# A-S624-KC-gr5	4.000	13.000	5.000				AIS I 440C Stainless Steel / Phenolic Cage	Abec 5	Open	AC
	<i>0.157</i>	<i>0.512</i>	<i>0.197</i>							
A-S634-KC-gr5	4.000	16.000	5.000				AIS I 440C Stainless Steel / Phenolic Cage	Abec 5	Open	AC
	<i>0.157</i>	<i>0.630</i>	<i>0.197</i>							
# A-SFR3-KC-gr5-G48	4.763	12.700	3.969		14.351	1.067	AIS I 440C Stainless Steel / Phenolic Cage	Abec 5	Open	AC
	<i>0.188</i>	<i>0.500</i>	<i>0.156</i>		<i>0.565</i>	<i>0.042</i>				
A-SR3-KC-gr5	4.763	12.700	3.969				AIS I 440C Stainless Steel / Phenolic Cage	Abec 5	Open	AC
	<i>0.188</i>	<i>0.500</i>	<i>0.156</i>							

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Ball - Single Row - Angular Contact

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Flange Diameter (DF) mm	Flange Width (BF) mm	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>				
# A-S625-KC-gr5	5.000	16.000	5.000				AIS I 440C Stainless Steel / Phenolic Cage	Abec 5	Open	AC
	<i>0.197</i>	<i>0.630</i>	<i>0.197</i>							
A-606-30-T9H-DFLjP5	6.000	17.000	6.000				SAE52100 Chrome Steel / Polyamide Cage	P5	Open	AC
	<i>0.236</i>	<i>0.669</i>	<i>0.236</i>							
# A-S626-KC-gr5	6.000	19.000	6.000				AIS I 440C Stainless Steel / Phenolic Cage	Abec 5	Open	AC
	<i>0.236</i>	<i>0.748</i>	<i>0.236</i>							
# A-SFR4-KC-gr5-G48	6.350	15.875	4.978		17.526	1.067	AIS I 440C Stainless Steel / Phenolic Cage	Abec 5	Open	AC
	<i>0.250</i>	<i>0.625</i>	<i>0.196</i>		<i>0.690</i>	<i>0.042</i>				
A-SR4-KC-gr5	6.350	15.875	4.978				AIS I 440C Stainless Steel / Phenolic Cage	Abec 5	Open	AC
	<i>0.250</i>	<i>0.625</i>	<i>0.196</i>							
# A-S608-KC-gr5	8.000	22.000	7.000				AIS I 440C Stainless Steel / Phenolic Cage	Abec 5	Open	AC
	<i>0.315</i>	<i>0.866</i>	<i>0.276</i>							

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Ball - Single Row - Angular Contact

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Flange Diameter (DF) mm	Flange Width (BF) mm	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>				
A-608-30-T9H-DFMjP5	8.000	22.000	7.000				SAE52100 Chrome Steel / Polyamide Cage	P5	Open	AC
	<i>0.315</i>	<i>0.866</i>	<i>0.276</i>							
# A-6800-30	10.000	19.000	5.000				SAE52100 Chrome Steel	Abec 1	Open	AC
	<i>0.394</i>	<i>0.748</i>	<i>0.197</i>							
# A-6900-15-T9H-SULjP4	10.000	22.000	6.000				SAE52100 Chrome Steel / Polyamide Cage	Abec 1	Open	AC
	<i>0.394</i>	<i>0.866</i>	<i>0.236</i>							
A-6000-30	10.000	26.000	8.000				SAE52100 Chrome Steel	Abec 1	Open	AC
	<i>0.394</i>	<i>1.024</i>	<i>0.315</i>							
A-6200-30-T9HjP4	10.000	30.000	9.000				SAE52100 Chrome Steel / Polyamide Cage	P4	Open	AC
	<i>0.394</i>	<i>1.181</i>	<i>0.354</i>							
# A-6300-15-jP4	10.000	35.000	11.000				SAE52100 Chrome Steel	Abec 1	Open	AC
	<i>0.394</i>	<i>1.378</i>	<i>0.433</i>							
# A-6801-30	12.000	21.000	5.000				SAE52100 Chrome Steel	Abec 1	Open	AC
	<i>0.472</i>	<i>0.827</i>	<i>0.197</i>							

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Ball - Single Row - Angular Contact

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Flange Diameter (DF) mm	Flange Width (BF) mm	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>				
# A-6901-15-CSN-KC-2RSu5	12.000	24.000	6.000				SAE52100 Chrome Steel / Phenolic Cage / Si3N4 Ceramic Balls	Abec 5	2RS	AC
	<i>0.472</i>	<i>0.945</i>	<i>0.236</i>							
# A-CZR6901-PK-CSN-PPu5	12.000	24.000	6.000				ZrO2 Zirconia / PEEK Cage / Si3N4 Ceramic Balls	Abec 5	PP	AC
	<i>0.472</i>	<i>0.945</i>	<i>0.236</i>							
# A-6901-15-jP4	12.000	24.000	6.000				SAE52100 Chrome Steel	Abec 1	Open	AC
	<i>0.472</i>	<i>0.945</i>	<i>0.236</i>							
A-6001-15-T9H-jP5	12.000	28.000	8.000				SAE52100 Chrome Steel / Polyamide Cage	Abec 1	Open	AC
	<i>0.472</i>	<i>1.102</i>	<i>0.315</i>							
# A-W6201J-20	12.000	32.000	6.000	6.50			SAE52100 Chrome Steel	Abec 1	Open	AC
	<i>0.472</i>	<i>1.260</i>	<i>0.236</i>	<i>0.256</i>						
# A-6201-15-KC-DULjP4	12.000	32.000	10.000				SAE52100 Chrome Steel / Phenolic Cage	P4	Open	AC
	<i>0.472</i>	<i>1.260</i>	<i>0.394</i>							
# A-6201-40	12.000	32.000	10.000				SAE52100 Chrome Steel	Abec 1	Open	AC
	<i>0.472</i>	<i>1.260</i>	<i>0.394</i>							

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Ball - Single Row - Angular Contact

Part Number	ID (d) mm <i>inches</i>	OD (D) mm <i>inches</i>	Width (B) mm <i>inches</i>	Inner Ring Width (Bn) mm <i>inches</i>	Flange Diameter (DF) mm <i>inches</i>	Flange Width (BF) mm <i>inches</i>	Material	Precision Grade	Closure Type	Bearing Type
# A-6301-15-jP4	12.000 <i>0.472</i>	37.000 <i>1.457</i>	12.000 <i>0.472</i>				SAE52100 Chrome Steel	Abec 1	Open	AC
# A-6802-30	15.000 <i>0.591</i>	24.000 <i>0.945</i>	5.000 <i>0.197</i>				SAE52100 Chrome Steel	Abec 1	Open	AC
# A-6902-15-jP4	15.000 <i>0.591</i>	28.000 <i>1.102</i>	7.000 <i>0.276</i>				SAE52100 Chrome Steel	Abec 1	Open	AC
# A-6002-15-T9H-jP4	15.000 <i>0.591</i>	32.000 <i>1.260</i>	9.000 <i>0.354</i>				SAE52100 Chrome Steel / Polyamide Cage	P4	Open	AC
# A-6002-30	15.000 <i>0.591</i>	32.000 <i>1.260</i>	9.000 <i>0.354</i>				SAE52100 Chrome Steel	Abec 1	Open	AC
A-6202-15-T9H-SULjP4	15.000 <i>0.591</i>	35.000 <i>1.378</i>	11.000 <i>0.433</i>				SAE52100 Chrome Steel / Polyamide Cage	P4	Open	AC
# A-6302-15-jP4	15.000 <i>0.591</i>	42.000 <i>1.654</i>	13.000 <i>0.512</i>				SAE52100 Chrome Steel	Abec 1	Open	AC

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Ball - Single Row - Angular Contact

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Flange Diameter (DF) mm	Flange Width (BF) mm	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>				
# A-WR11720	15.875	26.988	6.350	7.142			AIS I 440C Stainless Steel	Abec 1	Open	AC
	<i>0.625</i>	<i>1.063</i>	<i>0.250</i>	<i>0.281</i>						
# A-R11720	15.875	26.988	6.350				AIS I 440C Stainless Steel	Abec 1	Open	AC
	<i>0.625</i>	<i>1.063</i>	<i>0.250</i>							
# A-R11720A-ZZ	15.875	26.988	7.142				AIS I 440C Stainless Steel	Abec 1	ZZ	AC
	<i>0.625</i>	<i>1.063</i>	<i>0.281</i>							
# A-MR3816A	16.000	38.000	12.000				SAE52100 Chrome Steel	Abec 1	Open	AC
	<i>0.630</i>	<i>1.496</i>	<i>0.472</i>							
# A-6803-30	17.000	26.000	5.000				SAE52100 Chrome Steel	Abec 1	Open	AC
	<i>0.669</i>	<i>1.024</i>	<i>0.197</i>							
# A-6903-15-jP4	17.000	30.000	7.000				SAE52100 Chrome Steel	Abec 1	Open	AC
	<i>0.669</i>	<i>1.181</i>	<i>0.276</i>							
# A-6003-15-jP4	17.000	35.000	10.000				SAE52100 Chrome Steel	Abec 1	Open	AC
	<i>0.669</i>	<i>1.378</i>	<i>0.394</i>							
A-6203-15-T9H-DBLjP4	17.000	40.000	12.000				SAE52100 Chrome Steel / Polyamide Cage	P4	Open	AC
	<i>0.669</i>	<i>1.575</i>	<i>0.472</i>							

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Ball - Single Row - Angular Contact

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Flange Diameter (DF) mm	Flange Width (BF) mm	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>				
# A-6303-15-jP4	17.000	47.000	14.000				SAE52100 Chrome Steel	Abec 1	Open	AC
	<i>0.669</i>	<i>1.850</i>	<i>0.551</i>							
# A-WR11924	19.050	30.163	6.350	7.142			AIS I 440C Stainless Steel	Abec 1	Open	AC
	<i>0.750</i>	<i>1.188</i>	<i>0.250</i>	<i>0.281</i>						
# A-R11924	19.050	30.163	6.350				AIS I 440C Stainless Steel	Abec 1	Open	AC
	<i>0.750</i>	<i>1.188</i>	<i>0.250</i>							
# A-R11924A-ZZ	19.050	30.163	7.142				AIS I 440C Stainless Steel	Abec 1	ZZ	AC
	<i>0.750</i>	<i>1.188</i>	<i>0.281</i>							
# A-6804-30	20.000	32.000	7.000				SAE52100 Chrome Steel	Abec 1	Open	AC
	<i>0.787</i>	<i>1.260</i>	<i>0.276</i>							
# A-6904-15-jP4	20.000	37.000	9.000				SAE52100 Chrome Steel	Abec 1	Open	AC
	<i>0.787</i>	<i>1.457</i>	<i>0.354</i>							
# A-6004-15-jP4	20.000	42.000	12.000				SAE52100 Chrome Steel	Abec 1	Open	AC
	<i>0.787</i>	<i>1.654</i>	<i>0.472</i>							
A-6204-15-T9H-DBLjP4	20.000	47.000	14.000				SAE52100 Chrome Steel / Polyamide Cage	P4	Open	AC
	<i>0.787</i>	<i>1.850</i>	<i>0.551</i>							

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Ball - Single Row - Angular Contact

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Flange Diameter (DF) mm	Flange Width (BF) mm	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>				
# A-6304-15-jP4	20.000	52.000	15.000				SAE52100 Chrome Steel	Abec 1	Open	AC
	<i>0.787</i>	<i>2.047</i>	<i>0.591</i>							
# A-R12128	22.225	33.338	6.350				AIS I 440C Stainless Steel	Abec 1	Open	AC
	<i>0.875</i>	<i>1.313</i>	<i>0.250</i>							
# A-WR12128	22.225	33.338	6.350	7.142			AIS I 440C Stainless Steel	Abec 1	Open	AC
	<i>0.875</i>	<i>1.313</i>	<i>0.250</i>	<i>0.281</i>						
# A-R12128A-ZZ	22.225	33.338	7.142				AIS I 440C Stainless Steel	Abec 1	ZZ	AC
	<i>0.875</i>	<i>1.313</i>	<i>0.281</i>							
# A-6805-30	25.000	37.000	7.000				SAE52100 Chrome Steel	Abec 1	Open	AC
	<i>0.984</i>	<i>1.457</i>	<i>0.276</i>							
# A-6905-15-jP4	25.000	42.000	9.000				SAE52100 Chrome Steel	Abec 1	Open	AC
	<i>0.984</i>	<i>1.654</i>	<i>0.354</i>							
A-6005-15-T9H-DULjP4	25.000	47.000	12.000				SAE52100 Chrome Steel / Polyamide Cage	P4	Open	AC
	<i>0.984</i>	<i>1.850</i>	<i>0.472</i>							

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Ball - Single Row - Angular Contact

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Flange Diameter (DF) mm	Flange Width (BF) mm	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>				
A-6205-15-T9H-DBLjP4	25.000	52.000	15.000				SAE52100 Chrome Steel / Polyamide Cage	P4	Open	AC
	<i>0.984</i>	<i>2.047</i>	<i>0.591</i>							
# A-6305-15-jP4	25.000	62.000	17.000				SAE52100 Chrome Steel	Abec 1	Open	AC
	<i>0.984</i>	<i>2.441</i>	<i>0.669</i>							
# A-R12232	25.400	34.925	4.762				SAE52100 Chrome Steel	Abec 1	Open	AC
	<i>1.000</i>	<i>1.375</i>	<i>0.187</i>							
# A-R12434	26.988	38.100	6.350				AIS I 440C Stainless Steel	Abec 1	Open	AC
	<i>1.063</i>	<i>1.500</i>	<i>0.250</i>							
# A-WR12434	26.988	38.100	6.350	7.142			AIS I 440C Stainless Steel	Abec 1	Open	AC
	<i>1.063</i>	<i>1.500</i>	<i>0.250</i>	<i>0.281</i>						
# A-R12434A-ZZ	26.988	38.100	7.142				AIS I 440C Stainless Steel	Abec 1	ZZ	AC
	<i>1.063</i>	<i>1.500</i>	<i>0.281</i>							
# A-6806-30	30.000	42.000	7.000				SAE52100 Chrome Steel	Abec 1	Open	AC
	<i>1.181</i>	<i>1.654</i>	<i>0.276</i>							
# A-6906-15-jP4	30.000	47.000	9.000				SAE52100 Chrome Steel	Abec 1	Open	AC
	<i>1.181</i>	<i>1.850</i>	<i>0.354</i>							

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Ball - Single Row - Angular Contact

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Flange Diameter (DF) mm	Flange Width (BF) mm	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>				
# A-6006-15-T9H-DULjP4	30.000	55.000	13.000				SAE52100 Chrome Steel / Polyamide Cage	P4	Open	AC
	<i>1.181</i>	<i>2.165</i>	<i>0.512</i>							
A-6206-15-KC-DULjP4	30.000	62.000	16.000				SAE52100 Chrome Steel / Phenolic Cage	P4	Open	AC
	<i>1.181</i>	<i>2.441</i>	<i>0.630</i>							
# A-MR71.930	30.000	71.900	19.000				SAE52100 Chrome Steel	Abec 1	Open	AC
	<i>1.181</i>	<i>2.831</i>	<i>0.748</i>							
# A-6306-15-jP4	30.000	72.000	19.000				SAE52100 Chrome Steel	Abec 1	Open	AC
	<i>1.181</i>	<i>2.835</i>	<i>0.748</i>							
# A-R12842	33.338	44.450	6.350				AIS I 440C Stainless Steel	Abec 1	Open	AC
	<i>1.313</i>	<i>1.750</i>	<i>0.250</i>							
# A-WR12842	33.338	44.450	6.350	7.142			AIS I 440C Stainless Steel	Abec 1	Open	AC
	<i>1.313</i>	<i>1.750</i>	<i>0.250</i>	<i>0.281</i>						
# A-R12842A-ZZ	33.338	44.450	7.142				AIS I 440C Stainless Steel	Abec 1	ZZ	AC
	<i>1.313</i>	<i>1.750</i>	<i>0.281</i>							
# A-6807-30	35.000	47.000	7.000				SAE52100 Chrome Steel	Abec 1	Open	AC
	<i>1.378</i>	<i>1.850</i>	<i>0.276</i>							

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Ball - Single Row - Angular Contact

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Flange Diameter (DF) mm	Flange Width (BF) mm	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>				
# A-R13048	38.100	47.625	4.762				SAE52100 Chrome Steel	Abec 1	Open	AC
	<i>1.500</i>	<i>1.875</i>	<i>0.187</i>							
# A-WR13250	39.688	50.800	6.350	7.142			AIS I 440C Stainless Steel	Abec 1	Open	AC
	<i>1.563</i>	<i>2.000</i>	<i>0.250</i>	<i>0.281</i>						
# A-R13250	39.688	50.800	6.350				AIS I 440C Stainless Steel	Abec 1	Open	AC
	<i>1.563</i>	<i>2.000</i>	<i>0.250</i>							
# A-R13250A-ZZ	39.688	50.800	7.142				AIS I 440C Stainless Steel	Abec 1	ZZ	AC
	<i>1.563</i>	<i>2.000</i>	<i>0.281</i>							
# A-6808-30	40.000	52.000	7.000				SAE52100 Chrome Steel	Abec 1	Open	AC
	<i>1.575</i>	<i>2.047</i>	<i>0.276</i>							
# A-6809-30	45.000	58.000	7.000				SAE52100 Chrome Steel	Abec 1	Open	AC
	<i>1.772</i>	<i>2.283</i>	<i>0.276</i>							
# A-R13658	46.038	57.150	6.350				AIS I 440C Stainless Steel	Abec 1	Open	AC
	<i>1.813</i>	<i>2.250</i>	<i>0.250</i>							
# A-WR13658	46.038	57.150	6.350	7.142			AIS I 440C Stainless Steel	Abec 1	Open	AC
	<i>1.813</i>	<i>2.250</i>	<i>0.250</i>	<i>0.281</i>						

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Ball - Single Row - Angular Contact

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Flange Diameter (DF) mm	Flange Width (BF) mm	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>				
# A-R13658A-ZZ	46.038	57.150	7.142				AIS I 440C Stainless Steel	Abec 1	ZZ	AC
	<i>1.813</i>	<i>2.250</i>	<i>0.281</i>							

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to catalogues@minibearings.com.au

