




MBA

Bearings - Ball - Single Row - Radial - Flanged - High Precision



Stainless and Chrome Steel Bearings with Flanges - Abec 5 and Abec 7.

Single Row Radial Ball Bearings. Miniature sizes from 1mm bore to over 50mm bore.

Not all bearings are readily available. Please enquire.

True high precision bearings are not recommended for skates or fishing reels.

High precision bearings are used in accurately balanced application such as spindles, gyros and medical equipment.

If your application is not of a precision nature, standard bearings may be more suitable (and less expensive).

This catalogue to be read in conjunction with information at <http://www.minibearings.com.au/ical/bearings/>

<http://www.minibearings.com.au//skate/>

<http://www.minibearings.com.au//categories/shafting/all/pics/>

Bearings - Ball - Single Row - Radial - Flanged - High Precision

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Flange Dia (DF) / Width (BF) mm	Lubricant	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>					
# SFR09-MC3gr5-L23	1.016	3.175	1.191		4.343 / 0.330	Oil / Windsorube L245X	AIS I 440C Stainless Steel	Abec 5	Open	FR
	<i>0.040</i>	<i>0.125</i>	<i>0.047</i>							

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Ball - Single Row - Radial - Flanged - High Precision

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Flange Dia (DF) / Width (BF) mm	Lubricant	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>					
# SFR09-MC3gr7-L23	1.016	3.175	1.191		4.343 / 0.330	Oil / Windsorlube L245X	AIS I 440C Stainless Steel	Abec 7	Open	FR
	<i>0.040</i>	<i>0.125</i>	<i>0.047</i>							
# SFR09-C5-13-u7-AF12	1.016	3.175	1.194		4.343 / 0.330	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	Abec 7	Open	FR
	<i>0.040</i>	<i>0.125</i>	<i>0.047</i>							
# SFR0-C5-13-u5-AF12	1.191	3.967	1.588		5.156 / 0.330	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	Abec 5	Open	FR
	<i>0.047</i>	<i>0.156</i>	<i>0.063</i>							
# SFR0-C5-13-u5-G5	1.191	3.967	1.588		5.156 / 0.330	Grease / Beacon 325	AIS I 440C Stainless Steel	Abec 5	Open	FR
	<i>0.047</i>	<i>0.156</i>	<i>0.063</i>							
# SFR0-C5-13-u7-G5	1.191	3.967	1.588		5.156 / 0.330	Grease / Beacon 325	AIS I 440C Stainless Steel	Abec 7	Open	FR
	<i>0.047</i>	<i>0.156</i>	<i>0.063</i>							
# SFR0-C5-13-u7-AF12	1.191	3.967	1.588		5.156 / 0.330	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	Abec 7	Open	FR
	<i>0.047</i>	<i>0.156</i>	<i>0.063</i>							
# SFR0-C5-13-u7-LDS18	1.191	3.967	1.588		5.156 / 0.330	Grease / Kluber Isoflex LDS 18 SpecialA	AIS I 440C Stainless Steel	Abec 7	Open	FR
	<i>0.047</i>	<i>0.156</i>	<i>0.063</i>							

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Ball - Single Row - Radial - Flanged - High Precision

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Flange Dia (DF) / Width (BF) mm	Lubricant	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>					
# SFR0-C5-13-u5-LDS18	1.191	3.967	1.588		5.156 / 0.330	Grease / Kluber Isoflex LDS 18 SpecialA	AIS I 440C Stainless Steel	Abec 5	Open	FR
	<i>0.047</i>	<i>0.156</i>	<i>0.063</i>							
# SFR0A-Z-C5-13-u5-AF12	1.191	3.967	2.381		5.156 / 0.787	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	Abec 5	Z	FR
	<i>0.047</i>	<i>0.156</i>	<i>0.094</i>							
# SFR0A-ZZS-C5-13-u7-G5	1.191	3.967	2.381		5.156 / 0.787	Grease / Beacon 325	AIS I 440C Stainless Steel	Abec 7	ZZS	FR
	<i>0.047</i>	<i>0.156</i>	<i>0.094</i>							
# SFR0A-Z-C5-13-u7-LDS18	1.191	3.967	2.381		5.156 / 0.787	Grease / Kluber Isoflex LDS 18 SpecialA	AIS I 440C Stainless Steel	Abec 7	Z	FR
	<i>0.047</i>	<i>0.156</i>	<i>0.094</i>							
# SFR0A-Z-C5-13-u5-G5	1.191	3.967	2.381		5.156 / 0.787	Grease / Beacon 325	AIS I 440C Stainless Steel	Abec 5	Z	FR
	<i>0.047</i>	<i>0.156</i>	<i>0.094</i>							
# SFR0A-ZZS-C5-13-u7-LDS18	1.191	3.967	2.381		5.156 / 0.787	Grease / Kluber Isoflex LDS 18 SpecialA	AIS I 440C Stainless Steel	Abec 7	ZZS	FR
	<i>0.047</i>	<i>0.156</i>	<i>0.094</i>							
# SFR0A-Z-C5-13-u5-LDS18	1.191	3.967	2.381		5.156 / 0.787	Grease / Kluber Isoflex LDS 18 SpecialA	AIS I 440C Stainless Steel	Abec 5	Z	FR
	<i>0.047</i>	<i>0.156</i>	<i>0.094</i>							

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Ball - Single Row - Radial - Flanged - High Precision

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Flange Dia (DF) / Width (BF) mm	Lubricant	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>					
# SFR0A-ZZS-C5-13-u5-LDS18	1.191	3.967	2.381		5.156 / 0.787	Grease / Kluber Isoflex LDS 18 SpecialA	AIS I 440C Stainless Steel	Abec 5	ZZS	FR
	<i>0.047</i>	<i>0.156</i>	<i>0.094</i>							
# SFR0A-ZZS-C5-13-u5-G5	1.191	3.967	2.381		5.156 / 0.787	Grease / Beacon 325	AIS I 440C Stainless Steel	Abec 5	ZZS	FR
	<i>0.047</i>	<i>0.156</i>	<i>0.094</i>							
# SFR0A-ZZS-C5-13-u5-AF12	1.191	3.967	2.381		5.156 / 0.787	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	Abec 5	ZZS	FR
	<i>0.047</i>	<i>0.156</i>	<i>0.094</i>							
# SFR0A-Z-C5-13-u7-AF12	1.191	3.967	2.381		5.156 / 0.787	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	Abec 7	Z	FR
	<i>0.047</i>	<i>0.156</i>	<i>0.094</i>							
# SFR0A-ZZS-C5-13-u7-AF12	1.191	3.967	2.381		5.156 / 0.787	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	Abec 7	ZZS	FR
	<i>0.047</i>	<i>0.156</i>	<i>0.094</i>							
# SFR0A-Z-C5-13-u7-G5	1.191	3.967	2.381		5.156 / 0.787	Grease / Beacon 325	AIS I 440C Stainless Steel	Abec 7	Z	FR
	<i>0.047</i>	<i>0.156</i>	<i>0.094</i>							
# SFWR0-MC3gr5	1.191	3.967	1.588	2.381	5.156 / 0.330	Grease / Standard	AIS I 440C Stainless Steel	Abec 5	Open	FWR
	<i>0.047</i>	<i>0.156</i>	<i>0.063</i>	<i>0.094</i>						
# SFR0-MC3gr5	1.191	3.967	1.588		5.156 / 0.330	Grease / Standard	AIS I 440C Stainless Steel	Abec 5	Open	FR
	<i>0.047</i>	<i>0.156</i>	<i>0.063</i>							

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Ball - Single Row - Radial - Flanged - High Precision

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Flange Dia (DF) / Width (BF) mm	Lubricant	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>					
# SFR0-MC3gr7	1.191	3.967	1.588		5.156 / 0.330	Grease / Standard	AIS I 440C Stainless Steel	Abec 7	Open	FR
	<i>0.047</i>	<i>0.156</i>	<i>0.063</i>							
# SFWR0-MC3gr7	1.191	3.967	1.588	2.381	5.156 / 0.330	Grease / Standard	AIS I 440C Stainless Steel	Abec 7	Open	FWR
	<i>0.047</i>	<i>0.156</i>	<i>0.063</i>	<i>0.094</i>						
# SFR0A-ZZMC3gr5	1.191	3.967	2.381		5.156 / 0.787	Grease / Standard	AIS I 440C Stainless Steel	Abec 5	ZZ	FR
	<i>0.047</i>	<i>0.156</i>	<i>0.094</i>							
# SFR0A-ZZMC3gr7	1.191	3.967	2.381		5.156 / 0.787	Grease / Standard	AIS I 440C Stainless Steel	Abec 7	ZZ	FR
	<i>0.047</i>	<i>0.156</i>	<i>0.094</i>							
# SFR1-MC3gr7	1.397	4.763	1.984		5.944 / 0.584	Grease / Standard	AIS I 440C Stainless Steel	Abec 7	Open	FR
	<i>0.055</i>	<i>0.188</i>	<i>0.078</i>							
# SFR1-MC3gr5	1.397	4.763	1.984		5.944 / 0.584	Grease / Standard	AIS I 440C Stainless Steel	Abec 5	Open	FR
	<i>0.055</i>	<i>0.188</i>	<i>0.078</i>							
# SFR1B-ZZMC3gr5	1.397	4.763	2.779		5.944 / 0.787	Grease / Standard	AIS I 440C Stainless Steel	Abec 5	ZZ	FR
	<i>0.055</i>	<i>0.188</i>	<i>0.109</i>							
# SFR1B-ZZMC3gr7	1.397	4.763	2.779		5.944 / 0.787	Grease / Standard	AIS I 440C Stainless Steel	Abec 7	ZZ	FR
	<i>0.055</i>	<i>0.188</i>	<i>0.109</i>							

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Ball - Single Row - Radial - Flanged - High Precision

Part Number	ID (d) mm <i>inches</i>	OD (D) mm <i>inches</i>	Width (B) mm <i>inches</i>	Inner Ring Width (Bn) mm <i>inches</i>	Flange Dia (DF) / Width (BF) mm <i>inches</i>	Lubricant	Material	Precision Grade	Closure Type	Bearing Type
# SFR1B-FFMC3gr5	1.397 <i>0.055</i>	4.763 <i>0.188</i>	2.779 <i>0.109</i>		5.944 / 0.787	Grease / Standard	AIS I 440C Stainless Steel	Abec 5	FF	FR
# SFR1B-FFMC3gr7	1.397 <i>0.055</i>	4.763 <i>0.188</i>	2.779 <i>0.109</i>		5.944 / 0.787	Grease / Standard	AIS I 440C Stainless Steel	Abec 7	FF	FR
# SFR1-C5-13-u5-G5	1.397 <i>0.055</i>	4.763 <i>0.188</i>	1.984 <i>0.078</i>		5.944 / 0.584	Grease / Beacon 325	AIS I 440C Stainless Steel	Abec 5	Open	FR
# SFR1-C5-13-u7-LDS18	1.397 <i>0.055</i>	4.763 <i>0.188</i>	1.984 <i>0.078</i>		5.944 / 0.584	Grease / Kluber Isoflex LDS 18 SpecialA	AIS I 440C Stainless Steel	Abec 7	Open	FR
# SFR1-C5-13-u7-AF12	1.397 <i>0.055</i>	4.763 <i>0.188</i>	1.984 <i>0.078</i>		5.944 / 0.584	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	Abec 7	Open	FR
# SFR1-C5-13-u5-AF12	1.397 <i>0.055</i>	4.763 <i>0.188</i>	1.984 <i>0.078</i>		5.944 / 0.584	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	Abec 5	Open	FR
# SFR1-C5-13-u7-G5	1.397 <i>0.055</i>	4.763 <i>0.188</i>	1.984 <i>0.078</i>		5.944 / 0.584	Grease / Beacon 325	AIS I 440C Stainless Steel	Abec 7	Open	FR

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Ball - Single Row - Radial - Flanged - High Precision

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Flange Dia (DF) / Width (BF) mm	Lubricant	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>					
# SFR1-C5-13-u5-LDS18	1.397	4.763	1.984		5.944 / 0.584	Grease / Kluber Isoflex LDS 18 SpecialA	AIS I 440C Stainless Steel	Abec 5	Open	FR
	<i>0.055</i>	<i>0.188</i>	<i>0.078</i>							
# SFR1B-Z-C5-13-u5-LDS18	1.397	4.763	2.779		5.944 / 0.787	Grease / Kluber Isoflex LDS 18 SpecialA	AIS I 440C Stainless Steel	Abec 5	Z	FR
	<i>0.055</i>	<i>0.188</i>	<i>0.109</i>							
# SFR1B-ZZS-C5-13-u5-AF12	1.397	4.763	2.779		5.944 / 0.787	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	Abec 5	ZZS	FR
	<i>0.055</i>	<i>0.188</i>	<i>0.109</i>							
# SFR1B-ZZS-C5-13-u5-G5	1.397	4.763	2.779		5.944 / 0.787	Grease / Beacon 325	AIS I 440C Stainless Steel	Abec 5	ZZS	FR
	<i>0.055</i>	<i>0.188</i>	<i>0.109</i>							
# SFR1B-Z-C5-13-u7-LDS18	1.397	4.763	2.779		5.944 / 0.787	Grease / Kluber Isoflex LDS 18 SpecialA	AIS I 440C Stainless Steel	Abec 7	Z	FR
	<i>0.055</i>	<i>0.188</i>	<i>0.109</i>							
# SFR1B-ZZS-C5-13-u5-LDS18	1.397	4.763	2.779		5.944 / 0.787	Grease / Kluber Isoflex LDS 18 SpecialA	AIS I 440C Stainless Steel	Abec 5	ZZS	FR
	<i>0.055</i>	<i>0.188</i>	<i>0.109</i>							

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Ball - Single Row - Radial - Flanged - High Precision

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Flange Dia (DF) / Width (BF) mm	Lubricant	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>					
# SFR1B-ZZS-C5-13-u7-LDS18	1.397	4.763	2.779		5.944 / 0.787	Grease / Kluber Isoflex LDS 18 SpecialA	AIS I 440C Stainless Steel	Abec 7	ZZS	FR
	<i>0.055</i>	<i>0.188</i>	<i>0.109</i>							
# SFR1B-Z-C5-13-u7-G5	1.397	4.763	2.779		5.944 / 0.787	Grease / Beacon 325	AIS I 440C Stainless Steel	Abec 7	Z	FR
	<i>0.055</i>	<i>0.188</i>	<i>0.109</i>							
# SFR1B-Z-C5-13-u7-AF12	1.397	4.763	2.779		5.944 / 0.787	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	Abec 7	Z	FR
	<i>0.055</i>	<i>0.188</i>	<i>0.109</i>							
# SFR1B-ZZS-C5-13-u7-AF12	1.397	4.763	2.779		5.944 / 0.787	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	Abec 7	ZZS	FR
	<i>0.055</i>	<i>0.188</i>	<i>0.109</i>							
# SFR1B-Z-C5-13-u5-G5	1.397	4.763	2.779		5.944 / 0.787	Grease / Beacon 325	AIS I 440C Stainless Steel	Abec 5	Z	FR
	<i>0.055</i>	<i>0.188</i>	<i>0.109</i>							
# SFR1B-Z-C5-13-u5-AF12	1.397	4.763	2.779		5.944 / 0.787	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	Abec 5	Z	FR
	<i>0.055</i>	<i>0.188</i>	<i>0.109</i>							
# SFR1B-ZZS-C5-13-u7-G5	1.397	4.763	2.779		5.944 / 0.787	Grease / Beacon 325	AIS I 440C Stainless Steel	Abec 7	ZZS	FR
	<i>0.055</i>	<i>0.188</i>	<i>0.109</i>							
# SF681X-MC3gr5-L23	1.500	4.000	1.200		5.000 / 0.400	Grease / Standard	AIS I 440C Stainless Steel	Abec 5	Open	FR
	<i>0.059</i>	<i>0.157</i>	<i>0.047</i>							

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Ball - Single Row - Radial - Flanged - High Precision

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Flange Dia (DF) / Width (BF) mm	Lubricant	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>					
SF681X-MC3gr7-L23	1.500	4.000	1.200		5.000 / 0.400	Oil / Windsorlube L245X	AIS I 440C Stainless Steel	Abec 7	Open	FR
	<i>0.059</i>	<i>0.157</i>	<i>0.047</i>							
# SF681XA-ZZMC3gr7	1.500	4.000	2.000		5.000 / 0.600	Grease / Standard	AIS I 440C Stainless Steel	Abec 7	ZZ	FR
	<i>0.059</i>	<i>0.157</i>	<i>0.079</i>							
# SF691X-ZZMC3b7	1.500	5.000	2.000		6.500 / 0.600	Grease / Standard	AIS I 440C Stainless Steel	Abec 7	ZZ	FR
	<i>0.059</i>	<i>0.197</i>	<i>0.079</i>							
# SF691X-MC3gr5	1.500	5.000	2.000		6.500 / 0.600	Grease / Standard	AIS I 440C Stainless Steel	Abec 5	Open	FR
	<i>0.059</i>	<i>0.197</i>	<i>0.079</i>							
# SF691X-MC3gr7	1.500	5.000	2.000		6.500 / 0.600	Grease / Standard	AIS I 440C Stainless Steel	Abec 7	Open	FR
	<i>0.059</i>	<i>0.197</i>	<i>0.079</i>							
# SF691XA-ZZMC3gr7	1.500	5.000	2.600		6.500 / 0.800	Grease / Standard	AIS I 440C Stainless Steel	Abec 7	ZZ	FR
	<i>0.059</i>	<i>0.197</i>	<i>0.102</i>							
# SF691XA-ZZMC3gr5	1.500	5.000	2.600		6.500 / 0.800	Grease / Standard	AIS I 440C Stainless Steel	Abec 5	ZZ	FR
	<i>0.059</i>	<i>0.197</i>	<i>0.102</i>							
# SFR1-4C-MC3-L23u5	1.984	6.350	1.588		7.518 / 0.457	Oil / Windsorlube L245X	AIS I 440C Stainless Steel	Abec 5	Open	FR
	<i>0.078</i>	<i>0.250</i>	<i>0.063</i>							

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Ball - Single Row - Radial - Flanged - High Precision

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Flange Dia (DF) / Width (BF) mm	Lubricant	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>					
# SFR1-4-C5-13-u5-AF12	1.984	6.350	2.381		7.518 / 0.584	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	Abec 5	Open	FR
	<i>0.078</i>	<i>0.250</i>	<i>0.094</i>							
# SFR1-4-C5-13-u5-LDS18	1.984	6.350	2.381		7.518 / 0.584	Grease / Kluber Isoflex LDS 18 SpecialA	AIS I 440C Stainless Steel	Abec 5	Open	FR
	<i>0.078</i>	<i>0.250</i>	<i>0.094</i>							
# SFR1-4-C5-13-u5-G5	1.984	6.350	2.381		7.518 / 0.584	Grease / Beacon 325	AIS I 440C Stainless Steel	Abec 5	Open	FR
	<i>0.078</i>	<i>0.250</i>	<i>0.094</i>							
# SFR1-4-C5-13-u7-G5	1.984	6.350	2.381		7.518 / 0.584	Grease / Beacon 325	AIS I 440C Stainless Steel	Abec 7	Open	FR
	<i>0.078</i>	<i>0.250</i>	<i>0.094</i>							
# SFR1-4-C5-13-u7-LDS18	1.984	6.350	2.381		7.518 / 0.584	Grease / Kluber Isoflex LDS 18 SpecialA	AIS I 440C Stainless Steel	Abec 7	Open	FR
	<i>0.078</i>	<i>0.250</i>	<i>0.094</i>							
# SFR1-4-C5-13-u7-AF12	1.984	6.350	2.381		7.518 / 0.584	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	Abec 7	Open	FR
	<i>0.078</i>	<i>0.250</i>	<i>0.094</i>							
# SFR1-4-MC3gr5	1.984	6.350	2.381		7.518 / 0.584	Grease / Standard	AIS I 440C Stainless Steel	Abec 5	Open	FR
	<i>0.078</i>	<i>0.250</i>	<i>0.094</i>							

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Ball - Single Row - Radial - Flanged - High Precision

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Flange Dia (DF) / Width (BF) mm	Lubricant	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>					
# SFR1-4-MC3gr7	1.984	6.350	2.381		7.518 / 0.584	Grease / Standard	AIS I 440C Stainless Steel	Abec 7	Open	FR
	<i>0.078</i>	<i>0.250</i>	<i>0.094</i>							
# SFR1-4B-Z-C5-13-u5-LDS18	1.984	6.350	3.571		7.518 / 0.787	Grease / Kluber Isoflex LDS 18 SpecialA	AIS I 440C Stainless Steel	Abec 5	Z	FR
	<i>0.078</i>	<i>0.250</i>	<i>0.141</i>							
# SFR1-4B-Z-C5-13-u7-LDS18	1.984	6.350	3.571		7.518 / 0.787	Grease / Kluber Isoflex LDS 18 SpecialA	AIS I 440C Stainless Steel	Abec 7	Z	FR
	<i>0.078</i>	<i>0.250</i>	<i>0.141</i>							
# SFR1-4B-Z-C5-13-u5-G5	1.984	6.350	3.571		7.518 / 0.787	Grease / Beacon 325	AIS I 440C Stainless Steel	Abec 5	Z	FR
	<i>0.078</i>	<i>0.250</i>	<i>0.141</i>							
# SFR1-4B-Z-C5-13-u7-AF12	1.984	6.350	3.571		7.518 / 0.787	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	Abec 7	Z	FR
	<i>0.078</i>	<i>0.250</i>	<i>0.141</i>							
# SFR1-4B-Z-C5-13-u5-AF12	1.984	6.350	3.571		7.518 / 0.787	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	Abec 5	Z	FR
	<i>0.078</i>	<i>0.250</i>	<i>0.141</i>							
# SFR1-4B-ZZS-C5-13-u7-LDS18	1.984	6.350	3.571		7.518 / 0.787	Grease / Kluber Isoflex LDS 18 SpecialA	AIS I 440C Stainless Steel	Abec 7	ZZS	FR
	<i>0.078</i>	<i>0.250</i>	<i>0.141</i>							

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Ball - Single Row - Radial - Flanged - High Precision

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Flange Dia (DF) / Width (BF) mm	Lubricant	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>					
# SFR1-4B-ZZS-C5-13-u5-AF12	1.984	6.350	3.571		7.518 / 0.787	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	Abec 5	ZZS	FR
	<i>0.078</i>	<i>0.250</i>	<i>0.141</i>							
# SFR1-4B-ZZS-C5-13-u7-AF12	1.984	6.350	3.571		7.518 / 0.787	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	Abec 7	ZZS	FR
	<i>0.078</i>	<i>0.250</i>	<i>0.141</i>							
# SFR1-4B-ZZS-C5-13-u7-G5	1.984	6.350	3.571		7.518 / 0.787	Grease / Beacon 325	AIS I 440C Stainless Steel	Abec 7	ZZS	FR
	<i>0.078</i>	<i>0.250</i>	<i>0.141</i>							
# SFR1-4B-ZZS-C5-13-u5-G5	1.984	6.350	3.571		7.518 / 0.787	Grease / Beacon 325	AIS I 440C Stainless Steel	Abec 5	ZZS	FR
	<i>0.078</i>	<i>0.250</i>	<i>0.141</i>							
# SFR1-4B-Z-C5-13-u7-G5	1.984	6.350	3.571		7.518 / 0.787	Grease / Beacon 325	AIS I 440C Stainless Steel	Abec 7	Z	FR
	<i>0.078</i>	<i>0.250</i>	<i>0.141</i>							
# SFR1-4B-ZZS-C5-13-u5-LDS18	1.984	6.350	3.571		7.518 / 0.787	Grease / Kluber Isoflex LDS 18 SpecialA	AIS I 440C Stainless Steel	Abec 5	ZZS	FR
	<i>0.078</i>	<i>0.250</i>	<i>0.141</i>							
# SFR1-4B-FFMC3gr7	1.984	6.350	3.571		7.518 / 0.787	Grease / Standard	AIS I 440C Stainless Steel	Abec 7	FF	FR
	<i>0.078</i>	<i>0.250</i>	<i>0.141</i>							
# SFR1-4B-ZZSMC3gr5	1.984	6.350	3.571		7.518 / 0.787	Grease / Standard	AIS I 440C Stainless Steel	Abec 5	ZZS	FR
	<i>0.078</i>	<i>0.250</i>	<i>0.141</i>							

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Ball - Single Row - Radial - Flanged - High Precision

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Flange Dia (DF) / Width (BF) mm	Lubricant	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>					
# SFR1-4B-ZZSMC3gr7	1.984	6.350	3.571		7.518 / 0.787	Grease / Standard	AIS I 440C Stainless Steel	Abec 7	ZZS	FR
	<i>0.078</i>	<i>0.250</i>	<i>0.141</i>							
# SFR1-4B-FFMC3gr5	1.984	6.350	3.571		7.518 / 0.787	Grease / Standard	AIS I 440C Stainless Steel	Abec 5	FF	FR
	<i>0.078</i>	<i>0.250</i>	<i>0.141</i>							
# SFR1-4UF0.457-ZZu5	1.984	6.350	2.381		7.518 / 0.457	Grease / STANDARD	AIS I 440C Stainless Steel	Abec 5	ZZ	FR
	<i>0.078</i>	<i>0.250</i>	<i>0.094</i>							
# SF682-CSN-MC3gr5-L23	2.000	5.000	1.500		6.100 / 0.500	Oil / Windsorube L245X	AIS I 440C Stainless Steel / Si3N4 Ceramic Balls	Abec 5	Open	FR
	<i>0.079</i>	<i>0.197</i>	<i>0.059</i>							
# SF682-MC3gr5-L23	2.000	5.000	1.500		6.100 / 0.500	Oil / Windsorube L245X	AIS I 440C Stainless Steel	Abec 5	Open	FR
	<i>0.079</i>	<i>0.197</i>	<i>0.059</i>							
# SF682A-ZZMC3gr7	2.000	5.000	2.300		6.100 / 0.600	Grease / Standard	AIS I 440C Stainless Steel	Abec 7	ZZ	FR
	<i>0.079</i>	<i>0.197</i>	<i>0.091</i>							
# SF682A-ZZMC3gr5	2.000	5.000	2.300		6.100 / 0.600	Grease / Standard	AIS I 440C Stainless Steel	Abec 5	ZZ	FR
	<i>0.079</i>	<i>0.197</i>	<i>0.091</i>							
# SF692-C5-13-uP4-AF12	2.000	6.000	2.300		7.500 / 0.600	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	P4	Open	FR
	<i>0.079</i>	<i>0.236</i>	<i>0.091</i>							

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Ball - Single Row - Radial - Flanged - High Precision

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Flange Dia (DF) / Width (BF) mm	Lubricant	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>					
# SF692-MC3gr7	2.000	6.000	2.300		7.500 / 0.600	Grease / Standard	AIS I 440C Stainless Steel	Abec 7	Open	FR
	<i>0.079</i>	<i>0.236</i>	<i>0.091</i>							
# SF692-FFMC3gr5	2.000	6.000	2.300		7.500 / 0.600	Grease / Standard	AIS I 440C Stainless Steel	Abec 5	FF	FR
	<i>0.079</i>	<i>0.236</i>	<i>0.091</i>							
# SF692-C5-13-uP5-AF12	2.000	6.000	2.300		7.500 / 0.600	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	P5	Open	FR
	<i>0.079</i>	<i>0.236</i>	<i>0.091</i>							
# SF692-FFMC3gr7	2.000	6.000	2.300		7.500 / 0.600	Grease / Standard	AIS I 440C Stainless Steel	Abec 7	FF	FR
	<i>0.079</i>	<i>0.236</i>	<i>0.091</i>							
SF692-ZZMC3gr5-L23	2.000	6.000	2.300		7.500 / 0.600	Grease / Standard	AIS I 440C Stainless Steel	Abec 5	ZZ	FR
	<i>0.079</i>	<i>0.236</i>	<i>0.091</i>							
# SF692-ZZMC3gr7	2.000	6.000	2.300		7.500 / 0.600	Grease / Standard	AIS I 440C Stainless Steel	Abec 7	ZZ	FR
	<i>0.079</i>	<i>0.236</i>	<i>0.091</i>							
# SF692-MC3gr5	2.000	6.000	2.300		7.500 / 0.600	Grease / Standard	AIS I 440C Stainless Steel	Abec 5	Open	FR
	<i>0.079</i>	<i>0.236</i>	<i>0.091</i>							
# SF692A-ZZS-C5-13-uP4-AF12	2.000	6.000	3.000		7.500 / 0.800	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	P4	ZZS	FR
	<i>0.079</i>	<i>0.236</i>	<i>0.118</i>							

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Ball - Single Row - Radial - Flanged - High Precision

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Flange Dia (DF) / Width (BF) mm	Lubricant	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>					
SF692A-ZZS-C5-13-uP5-AF12	2.000	6.000	3.000		7.500 / 0.800	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	P5	ZZS	FR
	<i>0.079</i>	<i>0.236</i>	<i>0.118</i>							
# SFR133-MC3gr7	2.381	4.763	1.588		5.944 / 0.457	Grease / Standard	AIS I 440C Stainless Steel	Abec 7	Open	FR
	<i>0.094</i>	<i>0.188</i>	<i>0.063</i>							
# SFWR133-MC3gr5	2.381	4.763	1.588	2.381	5.944 / 0.457	Grease / Standard	AIS I 440C Stainless Steel	Abec 5	Open	FWR
	<i>0.094</i>	<i>0.188</i>	<i>0.063</i>	<i>0.094</i>						
# SFWR133-MC3gr7	2.381	4.763	1.588	2.381	5.944 / 0.457	Grease / Standard	AIS I 440C Stainless Steel	Abec 7	Open	FWR
	<i>0.094</i>	<i>0.188</i>	<i>0.063</i>	<i>0.094</i>						
# SFR133-FC-MC3gr7	2.381	4.763	1.588		Dental Special - Not Specified	Oil / STANDARD	AIS I 440C Stainless Steel	Abec 7	Open	FR
	<i>0.094</i>	<i>0.188</i>	<i>0.063</i>							
# SFR133-MC3gr5	2.381	4.763	1.588		5.944 / 0.457	Grease / Standard	AIS I 440C Stainless Steel	Abec 5	Open	FR
	<i>0.094</i>	<i>0.188</i>	<i>0.063</i>							
# SFR133-C5-13-u5-G5	2.381	4.763	1.588		5.944 / 0.457	Grease / Beacon 325	AIS I 440C Stainless Steel	Abec 5	Open	FR
	<i>0.094</i>	<i>0.188</i>	<i>0.063</i>							
# SFR133-C5-13-u5-AF12	2.381	4.763	1.588		5.944 / 0.457	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	Abec 5	Open	FR
	<i>0.094</i>	<i>0.188</i>	<i>0.063</i>							

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Ball - Single Row - Radial - Flanged - High Precision

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Flange Dia (DF) / Width (BF) mm	Lubricant	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>					
# SFR133-C5-13-u5-LDS18	2.381	4.763	1.588		5.944 / 0.457	Grease / Kluber Isoflex LDS 18 SpecialA	AIS I 440C Stainless Steel	Abec 5	Open	FR
	<i>0.094</i>	<i>0.188</i>	<i>0.063</i>							
# SFR133-C5-13-u7-G5	2.381	4.763	1.588		5.944 / 0.457	Grease / Beacon 325	AIS I 440C Stainless Steel	Abec 7	Open	FR
	<i>0.094</i>	<i>0.188</i>	<i>0.063</i>							
# SFR133-C5-13-u7-LDS18	2.381	4.763	1.588		5.944 / 0.457	Grease / Kluber Isoflex LDS 18 SpecialA	AIS I 440C Stainless Steel	Abec 7	Open	FR
	<i>0.094</i>	<i>0.188</i>	<i>0.063</i>							
# SFR133-C5-13-u7-AF12	2.381	4.763	1.588		5.944 / 0.457	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	Abec 7	Open	FR
	<i>0.094</i>	<i>0.188</i>	<i>0.063</i>							
# SFR133A-Z-C5-13-u5-LDS18	2.381	4.763	2.381		5.944 / 0.787	Grease / Kluber Isoflex LDS 18 SpecialA	AIS I 440C Stainless Steel	Abec 5	Z	FR
	<i>0.094</i>	<i>0.188</i>	<i>0.094</i>							
# SFR133A-Z-C5-13-u5-AF12	2.381	4.763	2.381		5.944 / 0.787	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	Abec 5	Z	FR
	<i>0.094</i>	<i>0.188</i>	<i>0.094</i>							
# SFR133A-ZZS-C5-13-u7-G5	2.381	4.763	2.381		5.944 / 0.787	Grease / Beacon 325	AIS I 440C Stainless Steel	Abec 7	ZZS	FR
	<i>0.094</i>	<i>0.188</i>	<i>0.094</i>							

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Ball - Single Row - Radial - Flanged - High Precision

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Flange Dia (DF) / Width (BF) mm	Lubricant	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>					
# SFR133A-Z-C5-13-u7-LDS18	2.381	4.763	2.381		5.944 / 0.787	Grease / Kluber Isoflex LDS 18 SpecialA	AIS I 440C Stainless Steel	Abec 7	Z	FR
	<i>0.094</i>	<i>0.188</i>	<i>0.094</i>							
# SFR133A-Z-C5-13-u7-G5	2.381	4.763	2.381		5.944 / 0.787	Grease / Beacon 325	AIS I 440C Stainless Steel	Abec 7	Z	FR
	<i>0.094</i>	<i>0.188</i>	<i>0.094</i>							
# SFR133A-ZZS-C5-13-u7-LDS18	2.381	4.763	2.381		5.944 / 0.787	Grease / Kluber Isoflex LDS 18 SpecialA	AIS I 440C Stainless Steel	Abec 7	ZZS	FR
	<i>0.094</i>	<i>0.188</i>	<i>0.094</i>							
# SFR133A-ZZS-C5-13-u5-LDS18	2.381	4.763	2.381		5.944 / 0.787	Grease / Kluber Isoflex LDS 18 SpecialA	AIS I 440C Stainless Steel	Abec 5	ZZS	FR
	<i>0.094</i>	<i>0.188</i>	<i>0.094</i>							
# SFR133A-Z-C5-13-u7-AF12	2.381	4.763	2.381		5.944 / 0.787	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	Abec 7	Z	FR
	<i>0.094</i>	<i>0.188</i>	<i>0.094</i>							
# SFR133A-Z-C5-13-u5-G5	2.381	4.763	2.381		5.944 / 0.787	Grease / Beacon 325	AIS I 440C Stainless Steel	Abec 5	Z	FR
	<i>0.094</i>	<i>0.188</i>	<i>0.094</i>							
# SFR133A-ZZS-C5-13-u5-G5	2.381	4.763	2.381		5.944 / 0.787	Grease / Beacon 325	AIS I 440C Stainless Steel	Abec 5	ZZS	FR
	<i>0.094</i>	<i>0.188</i>	<i>0.094</i>							

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Ball - Single Row - Radial - Flanged - High Precision

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Flange Dia (DF) / Width (BF) mm	Lubricant	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>					
# SFR133A-ZZS-C5-13-u7-AF12	2.381	4.763	2.381		5.944 / 0.787	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	Abec 7	ZZS	FR
	<i>0.094</i>	<i>0.188</i>	<i>0.094</i>							
# SFR133A-ZZS-C5-13-u5-AF12	2.381	4.763	2.381		5.944 / 0.787	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	Abec 5	ZZS	FR
	<i>0.094</i>	<i>0.188</i>	<i>0.094</i>							
# SFWR133A-ZZMC3gr5	2.381	4.763	2.381	3.175	5.944 / 0.787	Grease / Standard	AIS I 440C Stainless Steel	Abec 5	ZZ	FWR
	<i>0.094</i>	<i>0.188</i>	<i>0.094</i>	<i>0.125</i>						
# SFR133A-ZZSMC3gr5	2.381	4.763	2.381		5.944 / 0.787	Grease / Standard	AIS I 440C Stainless Steel	Abec 5	ZZS	FR
	<i>0.094</i>	<i>0.188</i>	<i>0.094</i>							
# SFWR133A-ZZMC3gr7	2.381	4.763	2.381	3.175	5.944 / 0.787	Grease / Standard	AIS I 440C Stainless Steel	Abec 7	ZZ	FWR
	<i>0.094</i>	<i>0.188</i>	<i>0.094</i>	<i>0.125</i>						
# SFR133A-ZZSMC3gr7	2.381	4.763	2.381		5.944 / 0.787	Grease / Standard	AIS I 440C Stainless Steel	Abec 7	ZZS	FR
	<i>0.094</i>	<i>0.188</i>	<i>0.094</i>							
# SFR133A-ZZSgr5D78	2.381	4.763	2.381		5.944 / 0.787	Grease / Standard	AIS I 440C Stainless Steel	Abec 5	ZZS	FR
	<i>0.094</i>	<i>0.188</i>	<i>0.094</i>							
# SFR143A-MC3bP4	2.381	6.350	2.381		7.520 / 0.580	Oil / STANDARD	AIS I 440C Stainless Steel	P4	Open	FR
	<i>0.094</i>	<i>0.250</i>	<i>0.094</i>							

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Ball - Single Row - Radial - Flanged - High Precision

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Flange Dia (DF) / Width (BF) mm	Lubricant	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>					
# SFR143B-ZZMC3bP4	2.381	6.350	2.779		7.520 / 0.790	Oil / STANDARD	AIS I 440C Stainless Steel	P4	ZZ	FR
	<i>0.094</i>	<i>0.250</i>	<i>0.109</i>							
# SFR1-5-MC3gr5	2.381	7.938	2.779		9.119 / 0.584	Grease / Standard	AIS I 440C Stainless Steel	Abec 5	Open	FR
	<i>0.094</i>	<i>0.313</i>	<i>0.109</i>							
# SFWR1-5-MC3gr7	2.381	7.938	2.779	3.571	9.119 / 0.584	Grease / Standard	AIS I 440C Stainless Steel	Abec 7	Open	FWR
	<i>0.094</i>	<i>0.313</i>	<i>0.109</i>	<i>0.141</i>						
# SFWR1-5-MC3gr5	2.381	7.938	2.779	3.571	9.119 / 0.584	Grease / Standard	AIS I 440C Stainless Steel	Abec 5	Open	FWR
	<i>0.094</i>	<i>0.313</i>	<i>0.109</i>	<i>0.141</i>						
# SFR1-5-MC3gr7	2.381	7.938	2.779		9.119 / 0.584	Grease / Standard	AIS I 440C Stainless Steel	Abec 7	Open	FR
	<i>0.094</i>	<i>0.313</i>	<i>0.109</i>							
# SFR1-5-C5-13-u7-AF12	2.381	7.938	2.779		9.119 / 0.457	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	Abec 7	Open	FR
	<i>0.094</i>	<i>0.313</i>	<i>0.109</i>							
# SFR1-5-C5-13-u7-LDS18	2.381	7.938	2.779		9.119 / 0.457	Grease / Kluber Isoflex LDS 18 SpecialA	AIS I 440C Stainless Steel	Abec 7	Open	FR
	<i>0.094</i>	<i>0.313</i>	<i>0.109</i>							
# SFR1-5-C5-13-u5-G5	2.381	7.938	2.779		9.119 / 0.457	Grease / Beacon 325	AIS I 440C Stainless Steel	Abec 5	Open	FR
	<i>0.094</i>	<i>0.313</i>	<i>0.109</i>							

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Ball - Single Row - Radial - Flanged - High Precision

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Flange Dia (DF) / Width (BF) mm	Lubricant	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>					
# SFR1-5-C5-13-u5-AF12	2.381	7.938	2.779		9.119 / 0.457	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	Abec 5	Open	FR
	<i>0.094</i>	<i>0.313</i>	<i>0.109</i>							
# SFR1-5-C5-13-u7-G5	2.381	7.938	2.779		9.119 / 0.457	Grease / Beacon 325	AIS I 440C Stainless Steel	Abec 7	Open	FR
	<i>0.094</i>	<i>0.313</i>	<i>0.109</i>							
# SFR1-5-C5-13-u5-LDS18	2.381	7.938	2.779		9.119 / 0.457	Grease / Kluber Isoflex LDS 18 SpecialA	AIS I 440C Stainless Steel	Abec 5	Open	FR
	<i>0.094</i>	<i>0.313</i>	<i>0.109</i>							
# SFR1-5A-ZZS-C5-13-u5-G5	2.381	7.938	3.571		9.119 / 0.787	Grease / Beacon 325	AIS I 440C Stainless Steel	Abec 5	ZZS	FR
	<i>0.094</i>	<i>0.313</i>	<i>0.141</i>							
# SFR1-5A-ZZS-C5-13-u5-AF12	2.381	7.938	3.571		9.119 / 0.787	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	Abec 5	ZZS	FR
	<i>0.094</i>	<i>0.313</i>	<i>0.141</i>							
# SFR1-5A-ZZS-C5-13-u7-AF12	2.381	7.938	3.571		9.119 / 0.787	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	Abec 7	ZZS	FR
	<i>0.094</i>	<i>0.313</i>	<i>0.141</i>							
# SFR1-5A-ZZS-C5-13-u7-LDS18	2.381	7.938	3.571		9.119 / 0.787	Grease / Kluber Isoflex LDS 18 SpecialA	AIS I 440C Stainless Steel	Abec 7	ZZS	FR
	<i>0.094</i>	<i>0.313</i>	<i>0.141</i>							

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Ball - Single Row - Radial - Flanged - High Precision

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Flange Dia (DF) / Width (BF) mm	Lubricant	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>					
# SFR1-5A-Z-C5-13-u7-LDS18	2.381	7.938	3.571		9.119 / 0.787	Grease / Kluber Isoflex LDS 18 SpecialA	AIS I 440C Stainless Steel	Abec 7	Z	FR
	<i>0.094</i>	<i>0.313</i>	<i>0.141</i>							
# SFR1-5A-ZZS-C5-13-u7-G5	2.381	7.938	3.571		9.119 / 0.787	Grease / Beacon 325	AIS I 440C Stainless Steel	Abec 7	ZZS	FR
	<i>0.094</i>	<i>0.313</i>	<i>0.141</i>							
# SFR1-5A-Z-C5-13-u7-AF12	2.381	7.938	3.571		9.119 / 0.787	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	Abec 7	Z	FR
	<i>0.094</i>	<i>0.313</i>	<i>0.141</i>							
# SFR1-5A-Z-C5-13-u5-AF12	2.381	7.938	3.571		9.119 / 0.787	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	Abec 5	Z	FR
	<i>0.094</i>	<i>0.313</i>	<i>0.141</i>							
# SFR1-5A-ZZS-C5-13-u5-LDS18	2.381	7.938	3.571		9.119 / 0.787	Grease / Kluber Isoflex LDS 18 SpecialA	AIS I 440C Stainless Steel	Abec 5	ZZS	FR
	<i>0.094</i>	<i>0.313</i>	<i>0.141</i>							
# SFR1-5A-Z-C5-13-u5-G5	2.381	7.938	3.571		9.119 / 0.787	Grease / Beacon 325	AIS I 440C Stainless Steel	Abec 5	Z	FR
	<i>0.094</i>	<i>0.313</i>	<i>0.141</i>							
# SFR1-5A-Z-C5-13-u5-LDS18	2.381	7.938	3.571		9.119 / 0.787	Grease / Kluber Isoflex LDS 18 SpecialA	AIS I 440C Stainless Steel	Abec 5	Z	FR
	<i>0.094</i>	<i>0.313</i>	<i>0.141</i>							

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Ball - Single Row - Radial - Flanged - High Precision

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Flange Dia (DF) / Width (BF) mm	Lubricant	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>					
# SFR1-5A-Z-C5-13-u7-G5	2.381	7.938	3.571		9.119 / 0.787	Grease / Beacon 325	AIS I 440C Stainless Steel	Abec 7	Z	FR
	<i>0.094</i>	<i>0.313</i>	<i>0.141</i>							
# SFR1-5A-FFMC3gr5	2.381	7.938	3.571		9.119 / 0.787	Grease / Standard	AIS I 440C Stainless Steel	Abec 5	FF	FR
	<i>0.094</i>	<i>0.313</i>	<i>0.141</i>							
# SFR1-5A-ZZSMC3gr5	2.381	7.938	3.571		9.119 / 0.787	Grease / Standard	AIS I 440C Stainless Steel	Abec 5	ZZS	FR
	<i>0.094</i>	<i>0.313</i>	<i>0.141</i>							
# SFR1-5A-ZZSMC3gr7	2.381	7.938	3.571		9.119 / 0.787	Grease / Standard	AIS I 440C Stainless Steel	Abec 7	ZZS	FR
	<i>0.094</i>	<i>0.313</i>	<i>0.141</i>							
# SFR1-5A-FFMC3gr7	2.381	7.938	3.571		9.119 / 0.787	Grease / Standard	AIS I 440C Stainless Steel	Abec 7	FF	FR
	<i>0.094</i>	<i>0.313</i>	<i>0.141</i>							
# SF682X-MC3gr5	2.500	6.000	1.800		7.100 / 0.500	Grease / Standard	AIS I 440C Stainless Steel	Abec 5	Open	FR
	<i>0.098</i>	<i>0.236</i>	<i>0.071</i>							
# SF682X-MC3gr7	2.500	6.000	1.800		7.100 / 0.500	Grease / Standard	AIS I 440C Stainless Steel	Abec 7	Open	FR
	<i>0.098</i>	<i>0.236</i>	<i>0.071</i>							
# SF682XA-ZZMC3gr5	2.500	6.000	2.600		7.100 / 0.800	Grease / Standard	AIS I 440C Stainless Steel	Abec 5	ZZ	FR
	<i>0.098</i>	<i>0.236</i>	<i>0.102</i>							

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Ball - Single Row - Radial - Flanged - High Precision

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Flange Dia (DF) / Width (BF) mm	Lubricant	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>					
# SF682XA-ZZMC3gr7	2.500	6.000	2.600		7.100 / 0.800	Grease / Standard	AIS I 440C Stainless Steel	Abec 7	ZZ	FR
	<i>0.098</i>	<i>0.236</i>	<i>0.102</i>							
# SF692X-MC3gr5	2.500	7.000	2.500		8.500 / 0.700	Grease / STANDARD	AIS I 440C Stainless Steel	Abec 5	Open	FR
	<i>0.098</i>	<i>0.276</i>	<i>0.098</i>							
# SF692X-MC3gr7	2.500	7.000	2.500		8.500 / 0.700	Grease / STANDARD	AIS I 440C Stainless Steel	Abec 7	Open	FR
	<i>0.098</i>	<i>0.276</i>	<i>0.098</i>							
# SF692X-ZZMC3b7	2.500	7.000	2.500		8.500 / 0.700	Grease / STANDARD	AIS I 440C Stainless Steel	Abec 7	ZZ	FR
	<i>0.098</i>	<i>0.276</i>	<i>0.098</i>							
# SF692XA-ZZMC3gr5	2.500	7.000	3.500		8.500 / 0.900	Grease / Standard	AIS I 440C Stainless Steel	Abec 5	ZZ	FR
	<i>0.098</i>	<i>0.276</i>	<i>0.138</i>							
# SF692XA-ZZMC3gr7	2.500	7.000	3.500		8.500 / 0.900	Grease / Standard	AIS I 440C Stainless Steel	Abec 7	ZZ	FR
	<i>0.098</i>	<i>0.276</i>	<i>0.138</i>							
# SF692XA-ZZMC3gr5-AF12	2.500	7.000	3.500		8.500 / 0.900	Oil / Standard	AIS I 440C Stainless Steel	Abec 5	ZZ	FR
	<i>0.098</i>	<i>0.276</i>	<i>0.138</i>							
# SF602X-FFMC3gr5	2.500	8.000	2.800		9.500 / 0.700	Grease / Standard	AIS I 440C Stainless Steel	Abec 5	FF	FR
	<i>0.098</i>	<i>0.315</i>	<i>0.110</i>							

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Ball - Single Row - Radial - Flanged - High Precision

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Flange Dia (DF) / Width (BF) mm	Lubricant	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>					
# SF602X-MC3gr5	2.500	8.000	2.800		9.500 / 0.700	Grease / Standard	AIS I 440C Stainless Steel	Abec 5	Open	FR
	<i>0.098</i>	<i>0.315</i>	<i>0.110</i>							
# SF602X-MC3gr7	2.500	8.000	2.800		9.500 / 0.700	Grease / Standard	AIS I 440C Stainless Steel	Abec 7	Open	FR
	<i>0.098</i>	<i>0.315</i>	<i>0.110</i>							
# SF602X-MC3-AF12gr5	2.500	8.000	2.800		9.500 / 0.700	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	Abec 5	Open	FR
	<i>0.098</i>	<i>0.315</i>	<i>0.110</i>							
# SF602XA-ZZS-C5-13-uP4-AF12	2.500	8.000	4.000		9.500 / 0.900	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	P4	ZZS	FR
	<i>0.098</i>	<i>0.315</i>	<i>0.157</i>							
# SF602XA-ZZS-C5-13-uP5-AF12	2.500	8.000	4.000		9.500 / 0.900	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	P5	ZZS	FR
	<i>0.098</i>	<i>0.315</i>	<i>0.157</i>							
# SF602XA-ZZMC3gr7	2.500	8.000	4.000		9.500 / 0.900	Grease / Standard	AIS I 440C Stainless Steel	Abec 7	ZZ	FR
	<i>0.098</i>	<i>0.315</i>	<i>0.157</i>							
# SF602XA-ZZMC3gr5	2.500	8.000	4.000		9.500 / 0.900	Grease / Standard	AIS I 440C Stainless Steel	Abec 5	ZZ	FR
	<i>0.098</i>	<i>0.315</i>	<i>0.157</i>							
# SFMR63-C5-13-uP5-AF12	3.000	6.000	2.000		7.200 / 0.600	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	P5	Open	FR
	<i>0.118</i>	<i>0.236</i>	<i>0.079</i>							

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Ball - Single Row - Radial - Flanged - High Precision

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Flange Dia (DF) / Width (BF) mm	Lubricant	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>					
# SFMR63-C5-13-uP4-AF12	3.000	6.000	2.000		7.200 / 0.600	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	P4	Open	FR
	<i>0.118</i>	<i>0.236</i>	<i>0.079</i>							
# SFMR63A-ZZS-C5-13-uP4-AF12	3.000	6.000	2.500		7.200 / 0.600	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	P4	ZZS	FR
	<i>0.118</i>	<i>0.236</i>	<i>0.098</i>							
# SFMR63A-ZZS-C5-13-uP5-AF12	3.000	6.000	2.500		7.200 / 0.600	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	P5	ZZS	FR
	<i>0.118</i>	<i>0.236</i>	<i>0.098</i>							
# SF683-MC3gr7	3.000	7.000	2.000		8.100 / 0.500	Grease / Standard	AIS I 440C Stainless Steel	Abec 7	Open	FR
	<i>0.118</i>	<i>0.276</i>	<i>0.079</i>							
# SF683-MC3gr5	3.000	7.000	2.000		8.100 / 0.500	Grease / Standard	AIS I 440C Stainless Steel	Abec 5	Open	FR
	<i>0.118</i>	<i>0.276</i>	<i>0.079</i>							
# SF683A-ZZMC3gr7-L23	3.000	7.000	3.000		8.100 / 0.800	Grease / Windsorlube L245X (L23)	AIS I 440C Stainless Steel	Abec 7	ZZ	FR
	<i>0.118</i>	<i>0.276</i>	<i>0.118</i>							
# SF683A-ZZMC3gr5	3.000	7.000	3.000		8.100 / 0.800	Grease / Standard	AIS I 440C Stainless Steel	Abec 5	ZZ	FR
	<i>0.118</i>	<i>0.276</i>	<i>0.118</i>							
# SF693-C5-13-uP5-AF12	3.000	8.000	3.000		9.500 / 0.700	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	P5	Open	FR
	<i>0.118</i>	<i>0.315</i>	<i>0.118</i>							

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Ball - Single Row - Radial - Flanged - High Precision

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Flange Dia (DF) / Width (BF) mm	Lubricant	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>					
# SF693-C5-13-uP4-AF12	3.000	8.000	3.000		9.500 / 0.700	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	P4	Open	FR
	<i>0.118</i>	<i>0.315</i>	<i>0.118</i>							
# SF693-MC3gr5	3.000	8.000	3.000		9.500 / 0.700	Grease / Standard	AIS I 440C Stainless Steel	Abec 5	Open	FR
	<i>0.118</i>	<i>0.315</i>	<i>0.118</i>							
# SF693-ZZMC3gr7	3.000	8.000	3.000		9.500 / 0.700	Grease / Standard	AIS I 440C Stainless Steel	Abec 7	ZZ	FR
	<i>0.118</i>	<i>0.315</i>	<i>0.118</i>							
# SF693-MC3gr7	3.000	8.000	3.000		9.500 / 0.700	Grease / Standard	AIS I 440C Stainless Steel	Abec 7	Open	FR
	<i>0.118</i>	<i>0.315</i>	<i>0.118</i>							
# SF693-MC3-AF12gr5	3.000	8.000	3.000		9.500 / 0.700	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	Abec 5	Open	FR
	<i>0.118</i>	<i>0.315</i>	<i>0.118</i>							
SF693A-ZZS-C5-13-uP5-AF12	3.000	8.000	4.000		9.500 / 0.900	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	P5	ZZS	FR
	<i>0.118</i>	<i>0.315</i>	<i>0.157</i>							
# SF693A-ZZS-C5-13-uP4-AF12	3.000	8.000	4.000		9.500 / 0.900	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	P4	ZZS	FR
	<i>0.118</i>	<i>0.315</i>	<i>0.157</i>							
# SF693A-ZZMC3j5-AF12	3.000	8.000	4.000		9.500 / 0.900	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	Abec 5	ZZ	FR
	<i>0.118</i>	<i>0.315</i>	<i>0.157</i>							

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Ball - Single Row - Radial - Flanged - High Precision

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Flange Dia (DF) / Width (BF) mm	Lubricant	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>					
# SF693A-FFMC3gr7	3.000	8.000	4.000		9.500 / 0.900	Grease / Standard	AIS I 440C Stainless Steel	Abec 7	FF	FR
	<i>0.118</i>	<i>0.315</i>	<i>0.157</i>							
# SF693A-FFMC3gr5	3.000	8.000	4.000		9.500 / 0.900	Grease / Standard	AIS I 440C Stainless Steel	Abec 5	FF	FR
	<i>0.118</i>	<i>0.315</i>	<i>0.157</i>							
# SF623-ZZMC3gr7	3.000	10.000	4.000		11.500 / 1.000	Grease / Standard	AIS I 440C Stainless Steel	Abec 7	ZZ	FR
	<i>0.118</i>	<i>0.394</i>	<i>0.157</i>							
# SF623-FFMC3gr5	3.000	10.000	4.000		11.500 / 1.000	Grease / Standard	AIS I 440C Stainless Steel	Abec 5	FF	FR
	<i>0.118</i>	<i>0.394</i>	<i>0.157</i>							
# SF623-MC3gr7	3.000	10.000	4.000		11.500 / 1.000	Grease / Standard	AIS I 440C Stainless Steel	Abec 7	Open	FR
	<i>0.118</i>	<i>0.394</i>	<i>0.157</i>							
# SF623-MC3gr5	3.000	10.000	4.000		11.500 / 1.000	Grease / Standard	AIS I 440C Stainless Steel	Abec 5	Open	FR
	<i>0.118</i>	<i>0.394</i>	<i>0.157</i>							
# SF623-ZZMC3gr5	3.000	10.000	4.000		11.500 / 1.000	Grease / Standard	AIS I 440C Stainless Steel	Abec 5	ZZ	FR
	<i>0.118</i>	<i>0.394</i>	<i>0.157</i>							
# SF623-FFMC3gr7	3.000	10.000	4.000		11.500 / 1.000	Grease / Standard	AIS I 440C Stainless Steel	Abec 7	FF	FR
	<i>0.118</i>	<i>0.394</i>	<i>0.157</i>							

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Ball - Single Row - Radial - Flanged - High Precision

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Flange Dia (DF) / Width (BF) mm	Lubricant	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>					
# SFR144-C5-13-u5-AF12	3.175	6.350	2.381		7.518 / 0.584	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	Abec 5	Open	FR
	<i>0.125</i>	<i>0.250</i>	<i>0.094</i>							
# SFR144-C5-13-u5-LDS18	3.175	6.350	2.381		7.518 / 0.584	Grease / Kluber Isoflex LDS 18 SpecialA	AIS I 440C Stainless Steel	Abec 5	Open	FR
	<i>0.125</i>	<i>0.250</i>	<i>0.094</i>							
# SFR144-C5-13-u5-G5	3.175	6.350	2.381		7.518 / 0.584	Grease / Beacon 325	AIS I 440C Stainless Steel	Abec 5	Open	FR
	<i>0.125</i>	<i>0.250</i>	<i>0.094</i>							
# SFR144-C5-13-u7-AF12	3.175	6.350	2.381		7.518 / 0.584	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	Abec 7	Open	FR
	<i>0.125</i>	<i>0.250</i>	<i>0.094</i>							
# SFR144-C5-13-u7-LDS18	3.175	6.350	2.381		7.518 / 0.584	Grease / Kluber Isoflex LDS 18 SpecialA	AIS I 440C Stainless Steel	Abec 7	Open	FR
	<i>0.125</i>	<i>0.250</i>	<i>0.094</i>							
# SFR144-C5-13-u7-G5	3.175	6.350	2.381		7.518 / 0.584	Grease / Beacon 325	AIS I 440C Stainless Steel	Abec 7	Open	FR
	<i>0.125</i>	<i>0.250</i>	<i>0.094</i>							
SFR144-CSN-D28	3.175	6.350	2.381		7.518 / 0.584	Oil / Minasure RPM	AIS I 440C Stainless Steel / Si3N4 Ceramic Balls	Abec 7	Open	FR
	<i>0.125</i>	<i>0.250</i>	<i>0.094</i>							

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Ball - Single Row - Radial - Flanged - High Precision

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Flange Dia (DF) / Width (BF) mm	Lubricant	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>					
SFWR144-MC3gr5-L23	3.175	6.350	2.381	3.175	7.518 / 0.584	Oil / Windsorlube L245X	AIS I 440C Stainless Steel	Abec 5	Open	FWR
	<i>0.125</i>	<i>0.250</i>	<i>0.094</i>	<i>0.125</i>						
# SFR144-MC3gr7	3.175	6.350	2.381		7.518 / 0.584	Grease / Standard	AIS I 440C Stainless Steel	Abec 7	Open	FR
	<i>0.125</i>	<i>0.250</i>	<i>0.094</i>							
SFR144-D28-ZSo	3.175	6.350	2.381		7.518 / 0.584	Oil / Standard	AIS I 440C Stainless Steel	Abec 7	ZS	FR
	<i>0.125</i>	<i>0.250</i>	<i>0.094</i>							
SFR144-D28-KC	3.175	6.350	2.381		7.518 / 0.584	Oil / Standard	AIS I 440C Stainless Steel / Phenolic Cage	Abec 7	Open	FR
	<i>0.125</i>	<i>0.250</i>	<i>0.094</i>							
# SFR144-MC3gr5	3.175	6.350	2.381		7.518 / 0.584	Grease / Standard	AIS I 440C Stainless Steel	Abec 5	Open	FR
	<i>0.125</i>	<i>0.250</i>	<i>0.094</i>							
SFR144A-D27-ZZS	3.175	6.350	2.779		7.518 / 0.787	Oil / Standard	AIS I 440C Stainless Steel	Abec 7	ZZS	FR
	<i>0.125</i>	<i>0.250</i>	<i>0.109</i>							
SFR144A-ZZSMC3j5-L23	3.175	6.350	2.779		7.518 / 0.787	Oil / Windsorlube L245X	AIS I 440C Stainless Steel	Abec 5	ZZS	FR
	<i>0.125</i>	<i>0.250</i>	<i>0.109</i>							

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Ball - Single Row - Radial - Flanged - High Precision

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Flange Dia (DF) / Width (BF) mm	Lubricant	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>					
SFR144A-ZZSMC3gr7-dry	3.175	6.350	2.779		7.518 / 0.787	Dry / No Lubricant	AIS I 440C Stainless Steel	Abec 7	ZZS	FR
	<i>0.125</i>	<i>0.250</i>	<i>0.109</i>							
SFR144A-D29N-ZSo	3.175	6.350	2.779		7.518 / 0.400	Oil / STANDARD	AIS I 440C Stainless Steel	Abec 7	ZS	FR
	<i>0.125</i>	<i>0.250</i>	<i>0.109</i>							
SFR144A-D27-ZSo	3.175	6.350	2.779		7.518 / 0.787	Oil / Standard	AIS I 440C Stainless Steel	Abec 7	ZS	FR
	<i>0.125</i>	<i>0.250</i>	<i>0.109</i>							
SFR144A-ZZSMC3gr7-L23	3.175	6.350	2.779		7.518 / 0.787	Oil / Windsorube L245X	AIS I 440C Stainless Steel	Abec 7	ZZS	FR
	<i>0.125</i>	<i>0.250</i>	<i>0.109</i>							
# SFWR144A-ZZSMC3gr5	3.175	6.350	2.779	3.571	7.518 / 0.787	Grease / Standard	AIS I 440C Stainless Steel	Abec 5	ZZS	FWR
	<i>0.125</i>	<i>0.250</i>	<i>0.109</i>	<i>0.141</i>						
# SFR144A-D96	3.175	6.350	2.779		7.518 / 0.787	Grease / Standard	AIS I 440C Stainless Steel	Abec 7	Open	FR
	<i>0.125</i>	<i>0.250</i>	<i>0.109</i>							
# SFR144A-D94	3.175	6.350	2.779		7.518 / 0.787	Grease / Standard	AIS I 440C Stainless Steel	Abec 7	Open	FR
	<i>0.125</i>	<i>0.250</i>	<i>0.109</i>							
SFR144A-CSN-D27-Zso	3.175	6.350	2.779		7.518 / 0.787	Oil / Undisclosed	AIS I 440C Stainless Steel / Si3N4 Ceramic Balls	Abec 7	ZS	FR
	<i>0.125</i>	<i>0.250</i>	<i>0.109</i>							

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Ball - Single Row - Radial - Flanged - High Precision

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Flange Dia (DF) / Width (BF) mm	Lubricant	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>					
# SFR144A-ZZSMC3gr5	3.175	6.350	2.779		7.518 / 0.787	Grease / Standard	AIS I 440C Stainless Steel	Abec 5	ZZS	FR
	<i>0.125</i>	<i>0.250</i>	<i>0.109</i>							
# SFR144A-CSN-D29N-Zso	3.175	6.350	2.779		7.518 / 0.400	Oil / STANDARD	AIS I 440C Stainless Steel / Si3N4 Ceramic Balls	Abec 7	ZS	FR
	<i>0.125</i>	<i>0.250</i>	<i>0.109</i>							
# SFWR144A-ZZSMC3gr7	3.175	6.350	2.779	3.571	7.518 / 0.787	Grease / Standard	AIS I 440C Stainless Steel	Abec 7	ZZS	FWR
	<i>0.125</i>	<i>0.250</i>	<i>0.109</i>	<i>0.141</i>						
# SFR144A-Z-C5-13-u7-G5	3.175	6.350	2.779		7.518 / 0.787	Grease / Beacon 325	AIS I 440C Stainless Steel	Abec 7	Z	FR
	<i>0.125</i>	<i>0.250</i>	<i>0.109</i>							
# SFR144A-ZZS-C5-13-u5-G5	3.175	6.350	2.779		7.518 / 0.787	Grease / Beacon 325	AIS I 440C Stainless Steel	Abec 5	ZZS	FR
	<i>0.125</i>	<i>0.250</i>	<i>0.109</i>							
# SFR144A-ZZS-C5-13-u5-LDS18	3.175	6.350	2.779		7.518 / 0.787	Grease / Kluber Isoflex LDS 18 SpecialA	AIS I 440C Stainless Steel	Abec 5	ZZS	FR
	<i>0.125</i>	<i>0.250</i>	<i>0.109</i>							
# SFR144A-Z-C5-13-u7-AF12	3.175	6.350	2.779		7.518 / 0.787	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	Abec 7	Z	FR
	<i>0.125</i>	<i>0.250</i>	<i>0.109</i>							

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Ball - Single Row - Radial - Flanged - High Precision

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Flange Dia (DF) / Width (BF) mm	Lubricant	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>					
# SFR144A-Z-C5-13-u5-AF12	3.175	6.350	2.779		7.518 / 0.787	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	Abec 5	Z	FR
	<i>0.125</i>	<i>0.250</i>	<i>0.109</i>							
# SFR144A-ZZS-C5-13-u7-AF12	3.175	6.350	2.779		7.518 / 0.787	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	Abec 7	ZZS	FR
	<i>0.125</i>	<i>0.250</i>	<i>0.109</i>							
# SFR144A-Z-C5-13-u7-LDS18	3.175	6.350	2.779		7.518 / 0.787	Grease / Kluber Isoflex LDS 18 SpecialA	AIS I 440C Stainless Steel	Abec 7	Z	FR
	<i>0.125</i>	<i>0.250</i>	<i>0.109</i>							
# SFR144A-ZZS-C5-13-u5-AF12	3.175	6.350	2.779		7.518 / 0.787	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	Abec 5	ZZS	FR
	<i>0.125</i>	<i>0.250</i>	<i>0.109</i>							
# SFR144A-Z-C5-13-u5-LDS18	3.175	6.350	2.779		7.518 / 0.787	Grease / Kluber Isoflex LDS 18 SpecialA	AIS I 440C Stainless Steel	Abec 5	Z	FR
	<i>0.125</i>	<i>0.250</i>	<i>0.109</i>							
# SFR144A-ZZS-C5-13-u7-LDS18	3.175	6.350	2.779		7.518 / 0.787	Grease / Kluber Isoflex LDS 18 SpecialA	AIS I 440C Stainless Steel	Abec 7	ZZS	FR
	<i>0.125</i>	<i>0.250</i>	<i>0.109</i>							
# SFR144A-Z-C5-13-u5-G5	3.175	6.350	2.779		7.518 / 0.787	Grease / Beacon 325	AIS I 440C Stainless Steel	Abec 5	Z	FR
	<i>0.125</i>	<i>0.250</i>	<i>0.109</i>							

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Ball - Single Row - Radial - Flanged - High Precision

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Flange Dia (DF) / Width (BF) mm	Lubricant	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>					
# SFR144A-ZZS-C5-13-u7-G5	3.175	6.350	2.779		7.518 / 0.787	Grease / Beacon 325	AIS I 440C Stainless Steel	Abec 7	ZZS	FR
	<i>0.125</i>	<i>0.250</i>	<i>0.109</i>							
# SFWR2-5-MC3gr5	3.175	7.938	2.779	3.571	9.119 / 0.584	Grease / Standard	AIS I 440C Stainless Steel	Abec 5	Open	FWR
	<i>0.125</i>	<i>0.313</i>	<i>0.109</i>	<i>0.141</i>						
# SFR2-5-MC3gr5	3.175	7.938	2.779		9.119 / 0.584	Grease / Standard	AIS I 440C Stainless Steel	Abec 5	Open	FR
	<i>0.125</i>	<i>0.313</i>	<i>0.109</i>							
# SFR2-5-MC3gr7	3.175	7.938	2.779		9.119 / 0.584	Grease / Standard	AIS I 440C Stainless Steel	Abec 7	Open	FR
	<i>0.125</i>	<i>0.313</i>	<i>0.109</i>							
# SFWR2-5-MC3gr7	3.175	7.938	2.779	3.571	9.119 / 0.584	Grease / Standard	AIS I 440C Stainless Steel	Abec 7	Open	FWR
	<i>0.125</i>	<i>0.313</i>	<i>0.109</i>	<i>0.141</i>						
# SFR2-5-C5-13-u5-G5	3.175	7.938	2.779		9.119 / 0.584	Grease / Beacon 325	AIS I 440C Stainless Steel	Abec 5	Open	FR
	<i>0.125</i>	<i>0.313</i>	<i>0.109</i>							
# SFR2-5-C5-13-u5-LDS18	3.175	7.938	2.779		9.119 / 0.584	Grease / Kluber Isoflex LDS 18 SpecialA	AIS I 440C Stainless Steel	Abec 5	Open	FR
	<i>0.125</i>	<i>0.313</i>	<i>0.109</i>							
# SFR2-5-C5-13-u7-G5	3.175	7.938	2.779		9.119 / 0.584	Grease / Beacon 325	AIS I 440C Stainless Steel	Abec 7	Open	FR
	<i>0.125</i>	<i>0.313</i>	<i>0.109</i>							

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Ball - Single Row - Radial - Flanged - High Precision

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Flange Dia (DF) / Width (BF) mm	Lubricant	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>					
# SFR2-5-C5-13-u5-AF12	3.175	7.938	2.779		9.119 / 0.584	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	Abec 5	Open	FR
	<i>0.125</i>	<i>0.313</i>	<i>0.109</i>							
# SFR2-5-C5-13-u7-LDS18	3.175	7.938	2.779		9.119 / 0.584	Grease / Kluber Isoflex LDS 18 SpecialA	AIS I 440C Stainless Steel	Abec 7	Open	FR
	<i>0.125</i>	<i>0.313</i>	<i>0.109</i>							
# SFR2-5-C5-13-u7-AF12	3.175	7.938	2.779		9.119 / 0.584	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	Abec 7	Open	FR
	<i>0.125</i>	<i>0.313</i>	<i>0.109</i>							
# SFR2-5A-Z-C5-13-u5-G5	3.175	7.938	3.571		9.119 / 0.787	Grease / Beacon 325	AIS I 440C Stainless Steel	Abec 5	Z	FR
	<i>0.125</i>	<i>0.313</i>	<i>0.141</i>							
# SFR2-5A-Z-C5-13-u5-LDS18	3.175	7.938	3.571		9.119 / 0.787	Grease / Kluber Isoflex LDS 18 SpecialA	AIS I 440C Stainless Steel	Abec 5	Z	FR
	<i>0.125</i>	<i>0.313</i>	<i>0.141</i>							
# SFR2-5A-Z-C5-13-u5-AF12	3.175	7.938	3.571		9.119 / 0.787	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	Abec 5	Z	FR
	<i>0.125</i>	<i>0.313</i>	<i>0.141</i>							
# SFR2-5A-Z-C5-13-u7-G5	3.175	7.938	3.571		9.119 / 0.787	Grease / Beacon 325	AIS I 440C Stainless Steel	Abec 7	Z	FR
	<i>0.125</i>	<i>0.313</i>	<i>0.141</i>							

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Ball - Single Row - Radial - Flanged - High Precision

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Flange Dia (DF) / Width (BF) mm	Lubricant	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>					
# SFR2-5A-Z-C5-13-u7-LDS18	3.175	7.938	3.571		9.119 / 0.787	Grease / Kluber Isoflex LDS 18 SpecialA	AIS I 440C Stainless Steel	Abec 7	Z	FR
	<i>0.125</i>	<i>0.313</i>	<i>0.141</i>							
# SFR2-5A-ZZS-C5-13-u7-G5	3.175	7.938	3.571		9.119 / 0.787	Grease / Beacon 325	AIS I 440C Stainless Steel	Abec 7	ZZS	FR
	<i>0.125</i>	<i>0.313</i>	<i>0.141</i>							
# SFR2-5A-Z-C5-13-u7-AF12	3.175	7.938	3.571		9.119 / 0.787	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	Abec 7	Z	FR
	<i>0.125</i>	<i>0.313</i>	<i>0.141</i>							
# SFR2-5A-ZZS-C5-13-u5-AF12	3.175	7.938	3.571		9.119 / 0.787	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	Abec 5	ZZS	FR
	<i>0.125</i>	<i>0.313</i>	<i>0.141</i>							
# SFR2-5A-ZZS-C5-13-u7-AF12	3.175	7.938	3.571		9.119 / 0.787	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	Abec 7	ZZS	FR
	<i>0.125</i>	<i>0.313</i>	<i>0.141</i>							
# SFR2-5A-ZZS-C5-13-u5-LDS18	3.175	7.938	3.571		9.119 / 0.787	Grease / Kluber Isoflex LDS 18 SpecialA	AIS I 440C Stainless Steel	Abec 5	ZZS	FR
	<i>0.125</i>	<i>0.313</i>	<i>0.141</i>							
# SFR2-5A-ZZS-C5-13-u5-G5	3.175	7.938	3.571		9.119 / 0.787	Grease / Beacon 325	AIS I 440C Stainless Steel	Abec 5	ZZS	FR
	<i>0.125</i>	<i>0.313</i>	<i>0.141</i>							

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Ball - Single Row - Radial - Flanged - High Precision

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Flange Dia (DF) / Width (BF) mm	Lubricant	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>					
# SFR2-5A-FFMC3gr5	3.175	7.938	3.571		9.119 / 0.787	Grease / Standard	AIS I 440C Stainless Steel	Abec 5	FF	FR
	<i>0.125</i>	<i>0.313</i>	<i>0.141</i>							
# SFR2-5A-ZZMC3gr7	3.175	7.938	3.571		9.119 / 0.787	Grease / Standard	AIS I 440C Stainless Steel	Abec 7	ZZ	FR
	<i>0.125</i>	<i>0.313</i>	<i>0.141</i>							
# SFR2-5A-FFMC3gr7	3.175	7.938	3.571		9.119 / 0.787	Grease / Standard	AIS I 440C Stainless Steel	Abec 7	FF	FR
	<i>0.125</i>	<i>0.313</i>	<i>0.141</i>							
# SFR2-5A-ZZMC3gr5	3.175	7.938	3.571		9.119 / 0.787	Grease / Standard	AIS I 440C Stainless Steel	Abec 5	ZZ	FR
	<i>0.125</i>	<i>0.313</i>	<i>0.141</i>							
# SFR2-6-MC3b7	3.175	9.525	2.779		10.719 / 0.584	Grease / Standard	AIS I 440C Stainless Steel	Abec 7	Open	FR
	<i>0.125</i>	<i>0.375</i>	<i>0.109</i>							
# SFR2-6-MC3b5	3.175	9.525	2.779		10.719 / 0.584	Grease / Standard	AIS I 440C Stainless Steel	Abec 5	Open	FR
	<i>0.125</i>	<i>0.375</i>	<i>0.109</i>							
# SFR2-6-C5-13-u7-AF12	3.175	9.525	2.779		10.719 / 0.584	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	Abec 7	Open	FR
	<i>0.125</i>	<i>0.375</i>	<i>0.109</i>							
# SFR2-6-C5-13-u5-AF12	3.175	9.525	2.779		10.719 / 0.584	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	Abec 5	Open	FR
	<i>0.125</i>	<i>0.375</i>	<i>0.109</i>							

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Ball - Single Row - Radial - Flanged - High Precision

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Flange Dia (DF) / Width (BF) mm	Lubricant	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>					
# SFR2-6-C5-13-u5-LDS18	3.175	9.525	2.779		10.719 / 0.584	Grease / Kluber Isoflex LDS 18 SpecialA	AIS I 440C Stainless Steel	Abec 5	Open	FR
	<i>0.125</i>	<i>0.375</i>	<i>0.109</i>							
# SFR2-6-C5-13-u5-G5	3.175	9.525	2.779		10.719 / 0.584	Grease / Beacon 325	AIS I 440C Stainless Steel	Abec 5	Open	FR
	<i>0.125</i>	<i>0.375</i>	<i>0.109</i>							
# SFR2-6-C5-13-u7-LDS18	3.175	9.525	2.779		10.719 / 0.584	Grease / Kluber Isoflex LDS 18 SpecialA	AIS I 440C Stainless Steel	Abec 7	Open	FR
	<i>0.125</i>	<i>0.375</i>	<i>0.109</i>							
# SFR2-6-C5-13-u7-G5	3.175	9.525	2.779		10.719 / 0.584	Grease / Beacon 325	AIS I 440C Stainless Steel	Abec 7	Open	FR
	<i>0.125</i>	<i>0.375</i>	<i>0.109</i>							
# SFR2-6A-ZZS-C5-13-u5-LDS18	3.175	9.525	3.571		10.719 / 0.787	Grease / Kluber Isoflex LDS 18 SpecialA	AIS I 440C Stainless Steel	Abec 5	ZZS	FR
	<i>0.125</i>	<i>0.375</i>	<i>0.141</i>							
# SFR2-6A-Z-C5-13-u7-LDS18	3.175	9.525	3.571		10.719 / 0.787	Grease / Kluber Isoflex LDS 18 SpecialA	AIS I 440C Stainless Steel	Abec 7	Z	FR
	<i>0.125</i>	<i>0.375</i>	<i>0.141</i>							
# SFR2-6A-Z-C5-13-u7-G5	3.175	9.525	3.571		10.719 / 0.787	Grease / Beacon 325	AIS I 440C Stainless Steel	Abec 7	Z	FR
	<i>0.125</i>	<i>0.375</i>	<i>0.141</i>							

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Ball - Single Row - Radial - Flanged - High Precision

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Flange Dia (DF) / Width (BF) mm	Lubricant	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>					
# SFR2-6A-ZZS-C5-13-u5-G5	3.175	9.525	3.571		10.719 / 0.787	Grease / Beacon 325	AIS I 440C Stainless Steel	Abec 5	ZZS	FR
	<i>0.125</i>	<i>0.375</i>	<i>0.141</i>							
# SFR2-6A-Z-C5-13-u5-LDS18	3.175	9.525	3.571		10.719 / 0.787	Grease / Kluber Isoflex LDS 18 SpecialA	AIS I 440C Stainless Steel	Abec 5	Z	FR
	<i>0.125</i>	<i>0.375</i>	<i>0.141</i>							
# SFR2-6A-ZZS-C5-13-u7-G5	3.175	9.525	3.571		10.719 / 0.787	Grease / Beacon 325	AIS I 440C Stainless Steel	Abec 7	ZZS	FR
	<i>0.125</i>	<i>0.375</i>	<i>0.141</i>							
# SFR2-6A-Z-C5-13-u5-G5	3.175	9.525	3.571		10.719 / 0.787	Grease / Beacon 325	AIS I 440C Stainless Steel	Abec 5	Z	FR
	<i>0.125</i>	<i>0.375</i>	<i>0.141</i>							
# SFR2-6A-ZZS-C5-13-u7-AF12	3.175	9.525	3.571		10.719 / 0.787	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	Abec 7	ZZS	FR
	<i>0.125</i>	<i>0.375</i>	<i>0.141</i>							
# SFR2-6A-Z-C5-13-u5-AF12	3.175	9.525	3.571		10.719 / 0.787	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	Abec 5	Z	FR
	<i>0.125</i>	<i>0.375</i>	<i>0.141</i>							
# SFR2-6A-ZZS-C5-13-u5-AF12	3.175	9.525	3.571		10.719 / 0.787	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	Abec 5	ZZS	FR
	<i>0.125</i>	<i>0.375</i>	<i>0.141</i>							

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Ball - Single Row - Radial - Flanged - High Precision

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Flange Dia (DF) / Width (BF) mm	Lubricant	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>					
# SFR2-6A-ZZS-C5-13-u7-LDS18	3.175	9.525	3.571		10.719 / 0.787	Grease / Kluber Isoflex LDS 18 SpecialA	AIS I 440C Stainless Steel	Abec 7	ZZS	FR
	<i>0.125</i>	<i>0.375</i>	<i>0.141</i>							
# SFR2-6A-Z-C5-13-u7-AF12	3.175	9.525	3.571		10.719 / 0.787	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	Abec 7	Z	FR
	<i>0.125</i>	<i>0.375</i>	<i>0.141</i>							
# SFR2-6A-ZZMC5gr7-1275D-L23	3.175	9.525	3.571		10.719 / 0.787	Oil / Windsorube L245X	AIS I 440C Stainless Steel	Abec 7	ZZ	FR
	<i>0.125</i>	<i>0.375</i>	<i>0.141</i>							
# SFR2-ZZMC3gr5-L23	3.175	9.525	3.969		11.176 / 0.762	Oil / Windsorube L245X	AIS I 440C Stainless Steel	Abec 5	ZZ	FR
	<i>0.125</i>	<i>0.375</i>	<i>0.156</i>							
# SFR2-FFMC5gr7-L23-1475D	3.175	9.525	3.969		11.176 / 0.762	Oil / Windsorube L245X	AIS I 440C Stainless Steel	Abec 7	FF	FR
	<i>0.125</i>	<i>0.375</i>	<i>0.156</i>							
# SFR2-MC3gr5	3.175	9.525	3.969		11.176 / 0.762	Grease / Standard	AIS I 440C Stainless Steel	Abec 5	Open	FR
	<i>0.125</i>	<i>0.375</i>	<i>0.156</i>							
# SFR2-FFMC3gr5	3.175	9.525	3.969		11.176 / 0.762	Grease / Standard	AIS I 440C Stainless Steel	Abec 5	FF	FR
	<i>0.125</i>	<i>0.375</i>	<i>0.156</i>							

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Ball - Single Row - Radial - Flanged - High Precision

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Flange Dia (DF) / Width (BF) mm	Lubricant	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>					
# SFR2-FFMC3gr7	3.175	9.525	3.969		11.176 / 0.762	Grease / Standard	AIS I 440C Stainless Steel	Abec 7	FF	FR
	<i>0.125</i>	<i>0.375</i>	<i>0.156</i>							
# SFR2-MC3gr7	3.175	9.525	3.969		11.176 / 0.762	Grease / Standard	AIS I 440C Stainless Steel	Abec 7	Open	FR
	<i>0.125</i>	<i>0.375</i>	<i>0.156</i>							
# SFR2-ZZMC5gr7	3.175	9.525	3.969		11.176 / 0.762	Grease / Standard	AIS I 440C Stainless Steel	Abec 7	ZZ	FR
	<i>0.125</i>	<i>0.375</i>	<i>0.156</i>							
# SFR2-ZZS-C5-13-u5-AF12	3.175	9.525	3.969		11.176 / 0.762	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	Abec 5	ZZS	FR
	<i>0.125</i>	<i>0.375</i>	<i>0.156</i>							
# SFR2-C5-13-u5-AF12	3.175	9.525	3.969		11.176 / 0.762	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	Abec 5	Open	FR
	<i>0.125</i>	<i>0.375</i>	<i>0.156</i>							
# SFR2-Z-C5-13-u5-G5	3.175	9.525	3.969		11.176 / 0.762	Grease / Beacon 325	AIS I 440C Stainless Steel	Abec 5	Z	FR
	<i>0.125</i>	<i>0.375</i>	<i>0.156</i>							
# SFR2-C5-13-u7-LDS18	3.175	9.525	3.969		11.176 / 0.762	Grease / Kluber Isoflex LDS 18 SpecialA	AIS I 440C Stainless Steel	Abec 7	Open	FR
	<i>0.125</i>	<i>0.375</i>	<i>0.156</i>							
# SFR2-ZZS-C5-13-u7-G5	3.175	9.525	3.969		11.176 / 0.762	Grease / Beacon 325	AIS I 440C Stainless Steel	Abec 7	ZZS	FR
	<i>0.125</i>	<i>0.375</i>	<i>0.156</i>							

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Ball - Single Row - Radial - Flanged - High Precision

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Flange Dia (DF) / Width (BF) mm	Lubricant	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>					
# SFR2-ZZS-C5-13-u5-LDS18	3.175	9.525	3.969		11.176 / 0.762	Grease / Kluber Isoflex LDS 18 SpecialA	AIS I 440C Stainless Steel	Abec 5	ZZS	FR
	<i>0.125</i>	<i>0.375</i>	<i>0.156</i>							
# SFR2-C5-13-u7-AF12	3.175	9.525	3.969		11.176 / 0.762	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	Abec 7	Open	FR
	<i>0.125</i>	<i>0.375</i>	<i>0.156</i>							
# SFR2-ZZS-C5-13-u5-G5	3.175	9.525	3.969		11.176 / 0.762	Grease / Beacon 325	AIS I 440C Stainless Steel	Abec 5	ZZS	FR
	<i>0.125</i>	<i>0.375</i>	<i>0.156</i>							
# SFR2-ZZS-C5-13-u7-AF12	3.175	9.525	3.969		11.176 / 0.762	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	Abec 7	ZZS	FR
	<i>0.125</i>	<i>0.375</i>	<i>0.156</i>							
# SFR2-Z-C5-13-u7-LDS18	3.175	9.525	3.969		11.176 / 0.762	Grease / Kluber Isoflex LDS 18 SpecialA	AIS I 440C Stainless Steel	Abec 7	Z	FR
	<i>0.125</i>	<i>0.375</i>	<i>0.156</i>							
# SFR2-Z-C5-13-u7-AF12	3.175	9.525	3.969		11.176 / 0.762	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	Abec 7	Z	FR
	<i>0.125</i>	<i>0.375</i>	<i>0.156</i>							
# SFR2-Z-C5-13-u7-G5	3.175	9.525	3.969		11.176 / 0.762	Grease / Beacon 325	AIS I 440C Stainless Steel	Abec 7	Z	FR
	<i>0.125</i>	<i>0.375</i>	<i>0.156</i>							

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Ball - Single Row - Radial - Flanged - High Precision

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Flange Dia (DF) / Width (BF) mm	Lubricant	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>					
# SFR2-Z-C5-13-u5-LDS18	3.175	9.525	3.969		11.176 / 0.762	Grease / Kluber Isoflex LDS 18 SpecialA	AIS I 440C Stainless Steel	Abec 5	Z	FR
	<i>0.125</i>	<i>0.375</i>	<i>0.156</i>							
# SFR2-Z-C5-13-u5-AF12	3.175	9.525	3.969		11.176 / 0.762	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	Abec 5	Z	FR
	<i>0.125</i>	<i>0.375</i>	<i>0.156</i>							
# SFR2-C5-13-u5-LDS18	3.175	9.525	3.969		11.176 / 0.762	Grease / Kluber Isoflex LDS 18 SpecialA	AIS I 440C Stainless Steel	Abec 5	Open	FR
	<i>0.125</i>	<i>0.375</i>	<i>0.156</i>							
# SFR2-ZZS-C5-13-u7-LDS18	3.175	9.525	3.969		11.176 / 0.762	Grease / Kluber Isoflex LDS 18 SpecialA	AIS I 440C Stainless Steel	Abec 7	ZZS	FR
	<i>0.125</i>	<i>0.375</i>	<i>0.156</i>							
# SFR2-C5-13-u7-G5	3.175	9.525	3.969		11.176 / 0.762	Grease / Beacon 325	AIS I 440C Stainless Steel	Abec 7	Open	FR
	<i>0.125</i>	<i>0.375</i>	<i>0.156</i>							
# SFR2-C5-13-u5-G5	3.175	9.525	3.969		11.176 / 0.762	Grease / Beacon 325	AIS I 440C Stainless Steel	Abec 5	Open	FR
	<i>0.125</i>	<i>0.375</i>	<i>0.156</i>							
# SFWR155-MC3gr7	3.969	7.938	2.779	3.571	9.119 / 0.584	Grease / STANDARD	AIS I 440C Stainless Steel	Abec 7	Open	FWR
	<i>0.156</i>	<i>0.313</i>	<i>0.109</i>	<i>0.141</i>						

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Ball - Single Row - Radial - Flanged - High Precision

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Flange Dia (DF) / Width (BF) mm	Lubricant	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>					
# SFR155-MC3gr7	3.969	7.938	2.779		9.119 / 0.584	Grease / Standard	AIS I 440C Stainless Steel	Abec 7	Open	FR
	<i>0.156</i>	<i>0.313</i>	<i>0.109</i>							
# SFR155-MC3gr5	3.969	7.938	2.779		9.119 / 0.584	Grease / Standard	AIS I 440C Stainless Steel	Abec 5	Open	FR
	<i>0.156</i>	<i>0.313</i>	<i>0.109</i>							
# SFWR155-MC3gr5	3.969	7.938	2.779	3.571	9.119 / 0.584	Grease / STANDARD	AIS I 440C Stainless Steel	Abec 5	Open	FWR
	<i>0.156</i>	<i>0.313</i>	<i>0.109</i>	<i>0.141</i>						
# SFR155A-ZZSMC3gr7	3.969	7.938	3.175		9.119 / 0.914	Grease / Standard	AIS I 440C Stainless Steel	Abec 7	ZZS	FR
	<i>0.156</i>	<i>0.313</i>	<i>0.125</i>							
# SFWR155A-ZZSMC3gr5	3.969	7.938	3.175	3.969	9.119 / 0.914	Grease / Standard	AIS I 440C Stainless Steel	Abec 5	ZZS	FWR
	<i>0.156</i>	<i>0.313</i>	<i>0.125</i>	<i>0.156</i>						
# SFWR155A-ZZSMC3gr7	3.969	7.938	3.175	3.969	9.119 / 0.914	Grease / Standard	AIS I 440C Stainless Steel	Abec 7	ZZS	FWR
	<i>0.156</i>	<i>0.313</i>	<i>0.125</i>	<i>0.156</i>						
# SFR155A-ZZSMC3gr5	3.969	7.938	3.175		9.119 / 0.914	Grease / Standard	AIS I 440C Stainless Steel	Abec 5	ZZS	FR
	<i>0.156</i>	<i>0.313</i>	<i>0.125</i>							
# SFR155-C5-13-u5-LDS18	3.969	7.938	2.779		9.119 / 0.584	Grease / Kluber Isoflex LDS 18 SpecialA	AIS I 440C Stainless Steel	Abec 5	Open	FR
	<i>0.156</i>	<i>0.313</i>	<i>0.109</i>							

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Ball - Single Row - Radial - Flanged - High Precision

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Flange Dia (DF) / Width (BF) mm	Lubricant	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>					
# SFR155-C5-13-u5-G5	3.969	7.938	2.779		9.119 / 0.584	Grease / Beacon 325	AIS I 440C Stainless Steel	Abec 5	Open	FR
	<i>0.156</i>	<i>0.313</i>	<i>0.109</i>							
# SFR155-C5-13-u7-AF12	3.969	7.938	2.779		9.119 / 0.584	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	Abec 7	Open	FR
	<i>0.156</i>	<i>0.313</i>	<i>0.109</i>							
# SFR155-C5-13-u7-LDS18	3.969	7.938	2.779		9.119 / 0.584	Grease / Kluber Isoflex LDS 18 SpecialA	AIS I 440C Stainless Steel	Abec 7	Open	FR
	<i>0.156</i>	<i>0.313</i>	<i>0.109</i>							
# SFR155-C5-13-u5-AF12	3.969	7.938	2.779		9.119 / 0.584	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	Abec 5	Open	FR
	<i>0.156</i>	<i>0.313</i>	<i>0.109</i>							
# SFR155-C5-13-u7-G5	3.969	7.938	2.779		9.119 / 0.584	Grease / Beacon 325	AIS I 440C Stainless Steel	Abec 7	Open	FR
	<i>0.156</i>	<i>0.313</i>	<i>0.109</i>							
# SFR155A-ZZS-C5-13-u5-AF12	3.969	7.938	3.175		9.119 / 0.914	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	Abec 5	ZZS	FR
	<i>0.156</i>	<i>0.313</i>	<i>0.125</i>							
# SFR155A-Z-C5-13-u5-LDS18	3.969	7.938	3.175		9.119 / 0.914	Grease / Kluber Isoflex LDS 18 SpecialA	AIS I 440C Stainless Steel	Abec 5	Z	FR
	<i>0.156</i>	<i>0.313</i>	<i>0.125</i>							

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Ball - Single Row - Radial - Flanged - High Precision

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Flange Dia (DF) / Width (BF) mm	Lubricant	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>					
# SFR155A-Z-C5-13-u7-AF12	3.969	7.938	3.175		9.119 / 0.914	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	Abec 7	Z	FR
	<i>0.156</i>	<i>0.313</i>	<i>0.125</i>							
# SFR155A-ZZS-C5-13-u7-LDS18	3.969	7.938	3.175		9.119 / 0.914	Grease / Kluber Isoflex LDS 18 SpecialA	AIS I 440C Stainless Steel	Abec 7	ZZS	FR
	<i>0.156</i>	<i>0.313</i>	<i>0.125</i>							
# SFR155A-Z-C5-13-u7-G5	3.969	7.938	3.175		9.119 / 0.914	Grease / Beacon 325	AIS I 440C Stainless Steel	Abec 7	Z	FR
	<i>0.156</i>	<i>0.313</i>	<i>0.125</i>							
# SFR155A-ZZS-C5-13-u5-LDS18	3.969	7.938	3.175		9.119 / 0.914	Grease / Kluber Isoflex LDS 18 SpecialA	AIS I 440C Stainless Steel	Abec 5	ZZS	FR
	<i>0.156</i>	<i>0.313</i>	<i>0.125</i>							
# SFR155A-Z-C5-13-u5-AF12	3.969	7.938	3.175		9.119 / 0.914	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	Abec 5	Z	FR
	<i>0.156</i>	<i>0.313</i>	<i>0.125</i>							
# SFR155A-Z-C5-13-u7-LDS18	3.969	7.938	3.175		9.119 / 0.914	Grease / Kluber Isoflex LDS 18 SpecialA	AIS I 440C Stainless Steel	Abec 7	Z	FR
	<i>0.156</i>	<i>0.313</i>	<i>0.125</i>							
# SFR155A-Z-C5-13-u5-G5	3.969	7.938	3.175		9.119 / 0.914	Grease / Beacon 325	AIS I 440C Stainless Steel	Abec 5	Z	FR
	<i>0.156</i>	<i>0.313</i>	<i>0.125</i>							

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Ball - Single Row - Radial - Flanged - High Precision

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Flange Dia (DF) / Width (BF) mm	Lubricant	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>					
# SFR155A-ZZS-C5-13-u7-G5	3.969	7.938	3.175		9.119 / 0.914	Grease / Beacon 325	AIS I 440C Stainless Steel	Abec 7	ZZS	FR
	<i>0.156</i>	<i>0.313</i>	<i>0.125</i>							
# SFR155A-ZZS-C5-13-u5-G5	3.969	7.938	3.175		9.119 / 0.914	Grease / Beacon 325	AIS I 440C Stainless Steel	Abec 5	ZZS	FR
	<i>0.156</i>	<i>0.313</i>	<i>0.125</i>							
# SFR155A-ZZS-C5-13-u7-AF12	3.969	7.938	3.175		9.119 / 0.914	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	Abec 7	ZZS	FR
	<i>0.156</i>	<i>0.313</i>	<i>0.125</i>							
# SFMR84-C5-13-uP4-AF12	4.000	8.000	2.000		9.200 / 0.600	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	P4	Open	FR
	<i>0.157</i>	<i>0.315</i>	<i>0.079</i>							
# SFMR84-C5-13-uP5-AF12	4.000	8.000	2.000		9.200 / 0.600	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	P5	Open	FR
	<i>0.157</i>	<i>0.315</i>	<i>0.079</i>							
# SFMR84A-ZZS-C5-13-uP5-AF12	4.000	8.000	3.000		9.200 / 0.600	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	P5	ZZS	FR
	<i>0.157</i>	<i>0.315</i>	<i>0.118</i>							
# SFMR84A-ZZS-C5-13-uP4-AF12	4.000	8.000	3.000		9.200 / 0.600	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	P4	ZZS	FR
	<i>0.157</i>	<i>0.315</i>	<i>0.118</i>							
# SF684-MC3gr7-L23	4.000	9.000	2.500		10.300 / 0.600	Oil / Windsorube L245X	AIS I 440C Stainless Steel	Abec 7	Open	FR
	<i>0.157</i>	<i>0.354</i>	<i>0.098</i>							

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Ball - Single Row - Radial - Flanged - High Precision

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Flange Dia (DF) / Width (BF) mm	Lubricant	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>					
SF684-MC3gr5-L23	4.000	9.000	2.500		10.300 / 0.600	Oil / Windsorlube L245X	AIS I 440C Stainless Steel	Abec 5	Open	FR
	<i>0.157</i>	<i>0.354</i>	<i>0.098</i>							
# SF684A-ZZMC3gr7	4.000	9.000	4.000		10.300 / 1.000	Grease / Standard	AIS I 440C Stainless Steel	Abec 7	ZZ	FR
	<i>0.157</i>	<i>0.354</i>	<i>0.157</i>							
# SF684A-ZZMC3gr5	4.000	9.000	4.000		10.300 / 1.000	Grease / Standard	AIS I 440C Stainless Steel	Abec 5	ZZ	FR
	<i>0.157</i>	<i>0.354</i>	<i>0.157</i>							
# SFMR104-C5-13-uP5-AF12	4.000	10.000	3.000		11.200 / 0.600	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	P5	Open	FR
	<i>0.157</i>	<i>0.394</i>	<i>0.118</i>							
# SFMR104-C5-13-uP4-AF12	4.000	10.000	3.000		11.200 / 0.600	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	P4	Open	FR
	<i>0.157</i>	<i>0.394</i>	<i>0.118</i>							
# SFMR104A-ZZS-C5-13-uP5-AF12	4.000	10.000	4.000		11.600 / 0.800	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	P5	ZZS	FR
	<i>0.157</i>	<i>0.394</i>	<i>0.157</i>							
# SFMR104AUF11.500-FFMC3gr7	4.000	10.000	4.000		11.500 / 1.000	Grease / Standard	AIS I 440C Stainless Steel	Abec 7	FF	FR
	<i>0.157</i>	<i>0.394</i>	<i>0.157</i>							
# SFMR104A-ZZS-C5-13-uP4-AF12	4.000	10.000	4.000		11.600 / 0.800	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	P4	ZZS	FR
	<i>0.157</i>	<i>0.394</i>	<i>0.157</i>							

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Ball - Single Row - Radial - Flanged - High Precision

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Flange Dia (DF) / Width (BF) mm	Lubricant	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>					
# SFMR104AUF11.500-ZZMC3gr5	4.000	10.000	4.000		11.500 / 1.000	Grease / Standard	AIS I 440C Stainless Steel	Abec 5	ZZ	FR
	<i>0.157</i>	<i>0.394</i>	<i>0.157</i>							
# SFMR104AUF11.500-FFMC3gr5	4.000	10.000	4.000		11.500 / 1.000	Grease / Standard	AIS I 440C Stainless Steel	Abec 5	FF	FR
	<i>0.157</i>	<i>0.394</i>	<i>0.157</i>							
# SFMR104AUF11.500-ZZMC3gr7	4.000	10.000	4.000		11.500 / 1.000	Grease / Standard	AIS I 440C Stainless Steel	Abec 7	ZZ	FR
	<i>0.157</i>	<i>0.394</i>	<i>0.157</i>							
# SF694-ZZMC3gr5	4.000	11.000	4.000		12.500 / 1.000	Grease / Standard	AIS I 440C Stainless Steel	Abec 5	ZZ	FR
	<i>0.157</i>	<i>0.433</i>	<i>0.157</i>							
# SF694-MC3gr5	4.000	11.000	4.000		12.500 / 1.000	Grease / Standard	AIS I 440C Stainless Steel	Abec 5	Open	FR
	<i>0.157</i>	<i>0.433</i>	<i>0.157</i>							
# SF694-ZZMC3gr7	4.000	11.000	4.000		12.500 / 1.000	Grease / Standard	AIS I 440C Stainless Steel	Abec 7	ZZ	FR
	<i>0.157</i>	<i>0.433</i>	<i>0.157</i>							
# SF694-ZZMC3gr5-AF12	4.000	11.000	4.000		12.500 / 1.000	Oil / Standard	AIS I 440C Stainless Steel	Abec 5	ZZ	FR
	<i>0.157</i>	<i>0.433</i>	<i>0.157</i>							
# SF694-MC3gr7	4.000	11.000	4.000		12.500 / 1.000	Grease / Standard	AIS I 440C Stainless Steel	Abec 7	Open	FR
	<i>0.157</i>	<i>0.433</i>	<i>0.157</i>							

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Ball - Single Row - Radial - Flanged - High Precision

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Flange Dia (DF) / Width (BF) mm	Lubricant	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>					
# SF604-ZZMC3gr7	4.000	12.000	4.000		13.500 / 1.000	Grease / Standard	AIS I 440C Stainless Steel	Abec 7	ZZ	FR
	<i>0.157</i>	<i>0.472</i>	<i>0.157</i>							
# SF604-ZZMC3gr5	4.000	12.000	4.000		13.500 / 1.000	Grease / Standard	AIS I 440C Stainless Steel	Abec 5	ZZ	FR
	<i>0.157</i>	<i>0.472</i>	<i>0.157</i>							
# SF604-MC3gr5	4.000	12.000	4.000		13.500 / 1.000	Grease / Standard	AIS I 440C Stainless Steel	Abec 5	Open	FR
	<i>0.157</i>	<i>0.472</i>	<i>0.157</i>							
# SF604-MC3gr7	4.000	12.000	4.000		13.500 / 1.000	Grease / Standard	AIS I 440C Stainless Steel	Abec 7	Open	FR
	<i>0.157</i>	<i>0.472</i>	<i>0.157</i>							
# SF624-C5-13-uP5-AF12	4.000	13.000	5.000		15.000 / 1.000	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	P5	Open	FR
	<i>0.157</i>	<i>0.512</i>	<i>0.197</i>							
# SF624-C5-13-uP4-AF12	4.000	13.000	5.000		15.000 / 1.000	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	P4	Open	FR
	<i>0.157</i>	<i>0.512</i>	<i>0.197</i>							
# SF624-ZZS-C5-13-uP4-AF12	4.000	13.000	5.000		15.000 / 1.000	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	P4	ZZS	FR
	<i>0.157</i>	<i>0.512</i>	<i>0.197</i>							
# SF624-MC3gr7	4.000	13.000	5.000		15.000 / 1.000	Grease / Standard	AIS I 440C Stainless Steel	Abec 7	Open	FR
	<i>0.157</i>	<i>0.512</i>	<i>0.197</i>							

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Ball - Single Row - Radial - Flanged - High Precision

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Flange Dia (DF) / Width (BF) mm	Lubricant	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>					
# SF624-MC3gr5	4.000	13.000	5.000		15.000 / 1.000	Grease / Standard	AIS I 440C Stainless Steel	Abec 5	Open	FR
	<i>0.157</i>	<i>0.512</i>	<i>0.197</i>							
SF624-ZZMC3gr5-G5	4.000	13.000	5.000		15.000 / 1.000	Grease / Beacon 325	AIS I 440C Stainless Steel	Abec 5	ZZ	FR
	<i>0.157</i>	<i>0.512</i>	<i>0.197</i>							
# SF624-ZZS-C5-13-uP5-AF12	4.000	13.000	5.000		15.000 / 1.000	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	P5	ZZS	FR
	<i>0.157</i>	<i>0.512</i>	<i>0.197</i>							
# SF624-ZZMC3gr7	4.000	13.000	5.000		15.000 / 1.000	Grease / Beacon 325	AIS I 440C Stainless Steel	Abec 5	ZZ	FR
	<i>0.157</i>	<i>0.512</i>	<i>0.197</i>							
# SF634-MC3gr7	4.000	16.000	5.000		18.000 / 1.000	Grease / Standard	AIS I 440C Stainless Steel	Abec 7	Open	FR
	<i>0.157</i>	<i>0.630</i>	<i>0.197</i>							
# SF634-ZZMC3gr5	4.000	16.000	5.000		18.000 / 1.000	Grease / Standard	AIS I 440C Stainless Steel	Abec 5	ZZ	FR
	<i>0.157</i>	<i>0.630</i>	<i>0.197</i>							
# SF634-ZZMC3gr5-AF12	4.000	16.000	5.000		18.000 / 1.000	Oil / Standard	AIS I 440C Stainless Steel	Abec 5	ZZ	FR
	<i>0.157</i>	<i>0.630</i>	<i>0.197</i>							
# SF634-ZZMC3gr7	4.000	16.000	5.000		18.000 / 1.000	Grease / Standard	AIS I 440C Stainless Steel	Abec 7	ZZ	FR
	<i>0.157</i>	<i>0.630</i>	<i>0.197</i>							

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Ball - Single Row - Radial - Flanged - High Precision

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Flange Dia (DF) / Width (BF) mm	Lubricant	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>					
# SFR3UB-C5-13-u7-AF12	4.757	12.700	3.969		14.351 / 1.067	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	Abec 7	Open	FR
	<i>0.187</i>	<i>0.500</i>	<i>0.156</i>							
# SFR156-MC3gr7	4.763	7.938	2.779		9.119 / 0.584	Grease / Standard	AIS I 440C Stainless Steel	Abec 7	Open	FR
	<i>0.188</i>	<i>0.313</i>	<i>0.109</i>							
# SFR156-MC3gr5	4.763	7.938	2.779		9.119 / 0.584	Grease / Standard	AIS I 440C Stainless Steel	Abec 5	Open	FR
	<i>0.188</i>	<i>0.313</i>	<i>0.109</i>							
# SFR156-C5-13-u5-LDS18	4.763	7.938	2.779		9.119 / 0.584	Grease / Kluber Isoflex LDS 18 SpecialA	AIS I 440C Stainless Steel	Abec 5	Open	FR
	<i>0.188</i>	<i>0.313</i>	<i>0.109</i>							
# SFR156-C5-13-u7-LDS18	4.763	7.938	2.779		9.119 / 0.584	Grease / Kluber Isoflex LDS 18 SpecialA	AIS I 440C Stainless Steel	Abec 7	Open	FR
	<i>0.188</i>	<i>0.313</i>	<i>0.109</i>							
# SFR156-C5-13-u7-AF12	4.763	7.938	2.779		9.119 / 0.584	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	Abec 7	Open	FR
	<i>0.188</i>	<i>0.313</i>	<i>0.109</i>							
# SFR156-C5-13-u7-G5	4.763	7.938	2.779		9.119 / 0.584	Grease / Beacon 325	AIS I 440C Stainless Steel	Abec 7	Open	FR
	<i>0.188</i>	<i>0.313</i>	<i>0.109</i>							

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Ball - Single Row - Radial - Flanged - High Precision

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Flange Dia (DF) / Width (BF) mm	Lubricant	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>					
# SFR156-C5-13-u5-G5	4.763	7.938	2.779		9.119 / 0.584	Grease / Beacon 325	AIS I 440C Stainless Steel	Abec 5	Open	FR
	<i>0.188</i>	<i>0.313</i>	<i>0.109</i>							
# SFR156-C5-13-u5-AF12	4.763	7.938	2.779		9.119 / 0.584	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	Abec 5	Open	FR
	<i>0.188</i>	<i>0.313</i>	<i>0.109</i>							
# SFWR156A-ZZSMC3gr7	4.763	7.938	3.175	3.969	9.119 / 0.914	Grease / Standard	AIS I 440C Stainless Steel	Abec 7	ZZS	FWR
	<i>0.188</i>	<i>0.313</i>	<i>0.125</i>	<i>0.156</i>						
# SFR156A-ZZSMC3gr7	4.763	7.938	3.175		9.119 / 0.914	Grease / Standard	AIS I 440C Stainless Steel	Abec 7	ZZS	FR
	<i>0.188</i>	<i>0.313</i>	<i>0.125</i>							
# SFWR156A-ZZSMC3gr5	4.763	7.938	3.175	3.969	9.119 / 0.914	Grease / Standard	AIS I 440C Stainless Steel	Abec 5	ZZS	FWR
	<i>0.188</i>	<i>0.313</i>	<i>0.125</i>	<i>0.156</i>						
# SFR156A-ZZSMC3gr5	4.763	7.938	3.175		9.119 / 0.914	Grease / Standard	AIS I 440C Stainless Steel	Abec 5	ZZS	FR
	<i>0.188</i>	<i>0.313</i>	<i>0.125</i>							
# SFR156A-Z-C5-13-u7-G5	4.763	7.938	3.175		9.119 / 0.914	Grease / Beacon 325	AIS I 440C Stainless Steel	Abec 7	Z	FR
	<i>0.188</i>	<i>0.313</i>	<i>0.125</i>							
# SFR156A-ZZS-C5-13-u7-AF12	4.763	7.938	3.175		9.119 / 0.914	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	Abec 7	ZZS	FR
	<i>0.188</i>	<i>0.313</i>	<i>0.125</i>							

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Ball - Single Row - Radial - Flanged - High Precision

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Flange Dia (DF) / Width (BF) mm	Lubricant	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>					
# SFR156A-ZZS-C5-13-u5-AF12	4.763	7.938	3.175		9.119 / 0.914	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	Abec 5	ZZS	FR
	<i>0.188</i>	<i>0.313</i>	<i>0.125</i>							
# SFR156A-ZZS-C5-13-u5-G5	4.763	7.938	3.175		9.119 / 0.914	Grease / Beacon 325	AIS I 440C Stainless Steel	Abec 5	ZZS	FR
	<i>0.188</i>	<i>0.313</i>	<i>0.125</i>							
# SFR156A-ZZS-C5-13-u7-LDS18	4.763	7.938	3.175		9.119 / 0.914	Grease / Kluber Isoflex LDS 18 SpecialA	AIS I 440C Stainless Steel	Abec 7	ZZS	FR
	<i>0.188</i>	<i>0.313</i>	<i>0.125</i>							
# SFR156A-Z-C5-13-u5-G5	4.763	7.938	3.175		9.119 / 0.914	Grease / Beacon 325	AIS I 440C Stainless Steel	Abec 5	Z	FR
	<i>0.188</i>	<i>0.313</i>	<i>0.125</i>							
# SFR156A-Z-C5-13-u5-AF12	4.763	7.938	3.175		9.119 / 0.914	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	Abec 5	Z	FR
	<i>0.188</i>	<i>0.313</i>	<i>0.125</i>							
# SFR156A-Z-C5-13-u7-AF12	4.763	7.938	3.175		9.119 / 0.914	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	Abec 7	Z	FR
	<i>0.188</i>	<i>0.313</i>	<i>0.125</i>							
# SFR156A-Z-C5-13-u5-LDS18	4.763	7.938	3.175		9.119 / 0.914	Grease / Kluber Isoflex LDS 18 SpecialA	AIS I 440C Stainless Steel	Abec 5	Z	FR
	<i>0.188</i>	<i>0.313</i>	<i>0.125</i>							

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Ball - Single Row - Radial - Flanged - High Precision

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Flange Dia (DF) / Width (BF) mm	Lubricant	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>					
# SFR156A-Z-C5-13-u7-LDS18	4.763	7.938	3.175		9.119 / 0.914	Grease / Kluber Isoflex LDS 18 SpecialA	AIS I 440C Stainless Steel	Abec 7	Z	FR
	<i>0.188</i>	<i>0.313</i>	<i>0.125</i>							
# SFR156A-ZZS-C5-13-u7-G5	4.763	7.938	3.175		9.119 / 0.914	Grease / Beacon 325	AIS I 440C Stainless Steel	Abec 7	ZZS	FR
	<i>0.188</i>	<i>0.313</i>	<i>0.125</i>							
# SFR156A-ZZS-C5-13-u5-LDS18	4.763	7.938	3.175		9.119 / 0.914	Grease / Kluber Isoflex LDS 18 SpecialA	AIS I 440C Stainless Steel	Abec 5	ZZS	FR
	<i>0.188</i>	<i>0.313</i>	<i>0.125</i>							
SFR166-KB-ZSMC5gr7-J260	4.763	9.525	3.175		10.719 / 0.787	Oil / Standard	AIS I 440C Stainless Steel / Phenolic Cage	Abec 7	ZS	FR
	<i>0.188</i>	<i>0.375</i>	<i>0.125</i>							
SFR166-ZZMC3gr5-G48	4.763	9.525	3.175		10.719 / 0.787	Grease / Shell Alvania Grease RS (G48)	AIS I 440C Stainless Steel	Abec 5	ZZ	FR
	<i>0.188</i>	<i>0.375</i>	<i>0.125</i>							
SFR166UF-MC3gr7-Dry	4.763	9.525	3.175		10.719 / 0.584	Dry / No Lubricant	AIS I 440C Stainless Steel	Abec 7	Open	FR
	<i>0.188</i>	<i>0.375</i>	<i>0.125</i>							
# SFR166UF-MC3gr5	4.763	9.525	3.175		10.719 / 0.584	Grease / Standard	AIS I 440C Stainless Steel	Abec 5	Open	FR
	<i>0.188</i>	<i>0.375</i>	<i>0.125</i>							

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Ball - Single Row - Radial - Flanged - High Precision

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Flange Dia (DF) / Width (BF) mm	Lubricant	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>					
# SFWR166-ZZMC3gr7	4.763	9.525	3.175	3.969	10.719 / 0.787	Grease / Standard	AIS I 440C Stainless Steel	Abec 7	ZZ	FWR
	<i>0.188</i>	<i>0.375</i>	<i>0.125</i>	<i>0.156</i>						
# SFR166UF-MC3gr7	4.763	9.525	3.175		10.719 / 0.584	Grease / Standard	AIS I 440C Stainless Steel	Abec 7	Open	FR
	<i>0.188</i>	<i>0.375</i>	<i>0.125</i>							
SFR166-ZZSMC3gr7-OLPD2	4.763	9.525	3.175		10.719 / 0.787	Grease / Optimol Longtime PD2	AIS I 440C Stainless Steel	Abec 7	ZZS	FR
	<i>0.188</i>	<i>0.375</i>	<i>0.125</i>							
# SFWR166UF0.584-MC3gr5-L23	4.763	9.525	3.175	3.969	10.719 / 0.584	Oil / Windsorlobe L245X	AIS I 440C Stainless Steel	Abec 5	Open	FWR
	<i>0.188</i>	<i>0.375</i>	<i>0.125</i>	<i>0.156</i>						
# SFWR166UF0.584-MC3gr7-L23	4.763	9.525	3.175	3.969	10.719 / 0.584	Oil / Windsorlobe L245X	AIS I 440C Stainless Steel	Abec 7	Open	FWR
	<i>0.188</i>	<i>0.375</i>	<i>0.125</i>	<i>0.156</i>						
# SFWR166-ZZMC3gr5-L23-COC	4.763	9.525	3.175	3.969	10.719 / 0.787	Oil / Windsorlobe L245X	AIS I 440C Stainless Steel	Abec 5	ZZ	FWR
	<i>0.188</i>	<i>0.375</i>	<i>0.125</i>	<i>0.156</i>						
# SFWR166-ZZMC3gr5	4.763	9.525	3.175	3.969	10.719 / 0.787	Grease / Standard	AIS I 440C Stainless Steel	Abec 5	ZZ	FWR
	<i>0.188</i>	<i>0.375</i>	<i>0.125</i>	<i>0.156</i>						

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Ball - Single Row - Radial - Flanged - High Precision

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Flange Dia (DF) / Width (BF) mm	Lubricant	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>					
SFR166-ZZSMC3gr7-dry	4.763	9.525	3.175		10.719 / 0.787	Dry / No Lubricant	AIS I 440C Stainless Steel	Abec 7	ZZS	FR
	<i>0.188</i>	<i>0.375</i>	<i>0.125</i>							
# SFR166-ZZS-C5-13-u5-LDS18	4.763	9.525	3.175		10.719 / 0.787	Grease / Kluber Isoflex LDS 18 SpecialA	AIS I 440C Stainless Steel	Abec 5	ZZS	FR
	<i>0.188</i>	<i>0.375</i>	<i>0.125</i>							
# SFR166-ZZS-C5-13-u7-AF12	4.763	9.525	3.175		10.719 / 0.787	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	Abec 7	ZZS	FR
	<i>0.188</i>	<i>0.375</i>	<i>0.125</i>							
# SFR166-Z-C5-13-u7-G5	4.763	9.525	3.175		10.719 / 0.787	Grease / Beacon 325	AIS I 440C Stainless Steel	Abec 7	Z	FR
	<i>0.188</i>	<i>0.375</i>	<i>0.125</i>							
# SFR166UF-C5-13-u7-G5	4.763	9.525	3.175		10.719 / 0.584	Grease / Beacon 325	AIS I 440C Stainless Steel	Abec 7	Open	FR
	<i>0.188</i>	<i>0.375</i>	<i>0.125</i>							
# SFR166UF-C5-13-u5-LDS18	4.763	9.525	3.175		10.719 / 0.584	Grease / Kluber Isoflex LDS 18 SpecialA	AIS I 440C Stainless Steel	Abec 5	Open	FR
	<i>0.188</i>	<i>0.375</i>	<i>0.125</i>							
# SFR166-Z-C5-13-u7-LDS18	4.763	9.525	3.175		10.719 / 0.787	Grease / Kluber Isoflex LDS 18 SpecialA	AIS I 440C Stainless Steel	Abec 7	Z	FR
	<i>0.188</i>	<i>0.375</i>	<i>0.125</i>							

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Ball - Single Row - Radial - Flanged - High Precision

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Flange Dia (DF) / Width (BF) mm	Lubricant	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>					
# SFR166-Z-C5-13-u5-LDS18	4.763	9.525	3.175		10.719 / 0.787	Grease / Kluber Isoflex LDS 18 SpecialA	AIS I 440C Stainless Steel	Abec 5	Z	FR
	<i>0.188</i>	<i>0.375</i>	<i>0.125</i>							
# SFR166-ZZS-C5-13-u5-AF12	4.763	9.525	3.175		10.719 / 0.787	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	Abec 5	ZZS	FR
	<i>0.188</i>	<i>0.375</i>	<i>0.125</i>							
# SFR166-ZZS-C5-13-u7-LDS18	4.763	9.525	3.175		10.719 / 0.787	Grease / Kluber Isoflex LDS 18 SpecialA	AIS I 440C Stainless Steel	Abec 7	ZZS	FR
	<i>0.188</i>	<i>0.375</i>	<i>0.125</i>							
# SFR166-ZZS-C5-13-u5-G5	4.763	9.525	3.175		10.719 / 0.787	Grease / Beacon 325	AIS I 440C Stainless Steel	Abec 5	ZZS	FR
	<i>0.188</i>	<i>0.375</i>	<i>0.125</i>							
# SFR166UF-C5-13-u5-AF12	4.763	9.525	3.175		10.719 / 0.584	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	Abec 5	Open	FR
	<i>0.188</i>	<i>0.375</i>	<i>0.125</i>							
# SFR166-Z-C5-13-u5-AF12	4.763	9.525	3.175		10.719 / 0.787	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	Abec 5	Z	FR
	<i>0.188</i>	<i>0.375</i>	<i>0.125</i>							
# SFR166-Z-C5-13-u7-AF12	4.763	9.525	3.175		10.719 / 0.787	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	Abec 7	Z	FR
	<i>0.188</i>	<i>0.375</i>	<i>0.125</i>							

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Ball - Single Row - Radial - Flanged - High Precision

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Flange Dia (DF) / Width (BF) mm	Lubricant	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>					
# SFR166-Z-C5-13-u5-G5	4.763	9.525	3.175		10.719 / 0.787	Grease / Beacon 325	AIS I 440C Stainless Steel	Abec 5	Z	FR
	<i>0.188</i>	<i>0.375</i>	<i>0.125</i>							
# SFR166UF-C5-13-u5-G5	4.763	9.525	3.175		10.719 / 0.584	Grease / Beacon 325	AIS I 440C Stainless Steel	Abec 5	Open	FR
	<i>0.188</i>	<i>0.375</i>	<i>0.125</i>							
# SFR166-ZZS-C5-13-u7-G5	4.763	9.525	3.175		10.719 / 0.787	Grease / Beacon 325	AIS I 440C Stainless Steel	Abec 7	ZZS	FR
	<i>0.188</i>	<i>0.375</i>	<i>0.125</i>							
# SFR166UF-C5-13-u7-AF12	4.763	9.525	3.175		10.719 / 0.584	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	Abec 7	Open	FR
	<i>0.188</i>	<i>0.375</i>	<i>0.125</i>							
# SFR166UF-C5-13-u7-LDS18	4.763	9.525	3.175		10.719 / 0.584	Grease / Kluber Isoflex LDS 18 SpecialA	AIS I 440C Stainless Steel	Abec 7	Open	FR
	<i>0.188</i>	<i>0.375</i>	<i>0.125</i>							
# SFR3-C5-13-u7-LDS18	4.763	12.700	3.969		14.351 / 1.067	Grease / Kluber Isoflex LDS 18 SpecialA	AIS I 440C Stainless Steel	Abec 7	Open	FR
	<i>0.188</i>	<i>0.500</i>	<i>0.156</i>							
# SFR3-C5-13-u7-AF12	4.763	12.700	3.969		14.351 / 1.067	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	Abec 7	Open	FR
	<i>0.188</i>	<i>0.500</i>	<i>0.156</i>							

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Ball - Single Row - Radial - Flanged - High Precision

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Flange Dia (DF) / Width (BF) mm	Lubricant	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>					
# SFR3-C5-13-u7-G5	4.763	12.700	3.969		14.351 / 1.067	Grease / Beacon 325	AIS I 440C Stainless Steel	Abec 7	Open	FR
	<i>0.188</i>	<i>0.500</i>	<i>0.156</i>							
# SFR3-C5-13-u5-G5	4.763	12.700	3.969		14.351 / 1.067	Grease / Beacon 325	AIS I 440C Stainless Steel	Abec 5	Open	FR
	<i>0.188</i>	<i>0.500</i>	<i>0.156</i>							
# SFR3-C5-13-u5-LDS18	4.763	12.700	3.969		14.351 / 1.067	Grease / Kluber Isoflex LDS 18 SpecialA	AIS I 440C Stainless Steel	Abec 5	Open	FR
	<i>0.188</i>	<i>0.500</i>	<i>0.156</i>							
# SFR3-C5-13-u5-AF12	4.763	12.700	3.969		14.351 / 1.067	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	Abec 5	Open	FR
	<i>0.188</i>	<i>0.500</i>	<i>0.156</i>							
# SFR3C-F-MC5gr5-G5-COC	4.763	12.700	4.978		14.351 / 1.067	Grease / Beacon 325	AIS I 440C Stainless Steel	Abec 5	Open	FR
	<i>0.188</i>	<i>0.500</i>	<i>0.196</i>							
# SFR3C-ZZMC3gr5-L23	4.763	12.700	4.978		14.351 / 1.067	Oil / Windsorlube L245X	AIS I 440C Stainless Steel	Abec 5	ZZ	FR
	<i>0.188</i>	<i>0.500</i>	<i>0.196</i>							
# SFR3C-MC3gr7	4.763	12.700	4.978		14.351 / 1.067	Grease / Standard	AIS I 440C Stainless Steel	Abec 7	Open	FR
	<i>0.188</i>	<i>0.500</i>	<i>0.196</i>							

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Ball - Single Row - Radial - Flanged - High Precision

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Flange Dia (DF) / Width (BF) mm	Lubricant	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>					
# SFR3C-FFMC3gr5-L23	4.763	12.700	4.978		14.351 / 1.067	Oil / Windsorlube L245X	AIS I 440C Stainless Steel	Abec 5	FF	FR
	<i>0.188</i>	<i>0.500</i>	<i>0.196</i>							
# SFR3C-MC3gr5	4.763	12.700	4.978		14.351 / 1.067	Grease / Standard	AIS I 440C Stainless Steel	Abec 5	Open	FR
	<i>0.188</i>	<i>0.500</i>	<i>0.196</i>							
# SFR3C-ZZS-C5-13-u7-G5	4.763	12.700	4.978		14.351 / 1.067	Grease / Beacon 325	AIS I 440C Stainless Steel	Abec 7	ZZS	FR
	<i>0.188</i>	<i>0.500</i>	<i>0.196</i>							
# SFR3C-ZZS-C5-13-u5-G5	4.763	12.700	4.978		14.351 / 1.067	Grease / Beacon 325	AIS I 440C Stainless Steel	Abec 5	ZZS	FR
	<i>0.188</i>	<i>0.500</i>	<i>0.196</i>							
# SFR3C-ZZS-C5-13-u7-LDS18	4.763	12.700	4.978		14.351 / 1.067	Grease / Kluber Isoflex LDS 18 SpecialA	AIS I 440C Stainless Steel	Abec 7	ZZS	FR
	<i>0.188</i>	<i>0.500</i>	<i>0.196</i>							
# SFR3C-Z-C5-13-u7-AF12	4.763	12.700	4.978		14.351 / 1.067	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	Abec 7	Z	FR
	<i>0.188</i>	<i>0.500</i>	<i>0.196</i>							
# SFR3C-ZZS-C5-13-u5-LDS18	4.763	12.700	4.978		14.351 / 1.067	Grease / Kluber Isoflex LDS 18 SpecialA	AIS I 440C Stainless Steel	Abec 5	ZZS	FR
	<i>0.188</i>	<i>0.500</i>	<i>0.196</i>							

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Ball - Single Row - Radial - Flanged - High Precision

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Flange Dia (DF) / Width (BF) mm	Lubricant	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>					
# SFR3C-ZZS-C5-13-u7-AF12	4.763	12.700	4.978		14.351 / 1.067	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	Abec 7	ZZS	FR
	<i>0.188</i>	<i>0.500</i>	<i>0.196</i>							
# SFR3C-Z-C5-13-u7-LDS18	4.763	12.700	4.978		14.351 / 1.067	Grease / Kluber Isoflex LDS 18 SpecialA	AIS I 440C Stainless Steel	Abec 7	Z	FR
	<i>0.188</i>	<i>0.500</i>	<i>0.196</i>							
# SFR3C-Z-C5-13-u5-G5	4.763	12.700	4.978		14.351 / 1.067	Grease / Beacon 325	AIS I 440C Stainless Steel	Abec 5	Z	FR
	<i>0.188</i>	<i>0.500</i>	<i>0.196</i>							
# SFR3C-Z-C5-13-u5-AF12	4.763	12.700	4.978		14.351 / 1.067	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	Abec 5	Z	FR
	<i>0.188</i>	<i>0.500</i>	<i>0.196</i>							
# SFR3C-Z-C5-13-u5-LDS18	4.763	12.700	4.978		14.351 / 1.067	Grease / Kluber Isoflex LDS 18 SpecialA	AIS I 440C Stainless Steel	Abec 5	Z	FR
	<i>0.188</i>	<i>0.500</i>	<i>0.196</i>							
# SFR3C-Z-C5-13-u7-G5	4.763	12.700	4.978		14.351 / 1.067	Grease / Beacon 325	AIS I 440C Stainless Steel	Abec 7	Z	FR
	<i>0.188</i>	<i>0.500</i>	<i>0.196</i>							
# SFR3C-ZZS-C5-13-u5-AF12	4.763	12.700	4.978		14.351 / 1.067	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	Abec 5	ZZS	FR
	<i>0.188</i>	<i>0.500</i>	<i>0.196</i>							

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Ball - Single Row - Radial - Flanged - High Precision

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Flange Dia (DF) / Width (BF) mm	Lubricant	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>					
# SFMR85A-ZZS-C5-13-uP4-AF12	5.000	8.000	2.500		9.200 / 0.600	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	P4	ZZS	FR
	<i>0.197</i>	<i>0.315</i>	<i>0.098</i>							
# SFMR85A-ZZS-C5-13-uP5-AF12	5.000	8.000	2.500		9.200 / 0.600	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	P5	ZZS	FR
	<i>0.197</i>	<i>0.315</i>	<i>0.098</i>							
SF685-MC3gr5-L23	5.000	11.000	3.000		12.500 / 0.800	Oil / Windsorlube L245X	AIS I 440C Stainless Steel	Abec 5	Open	FR
	<i>0.197</i>	<i>0.433</i>	<i>0.118</i>							
# SF685-MC3gr7-L23	5.000	11.000	3.000		12.500 / 0.800	Oil / Windsorlube L245X	AIS I 440C Stainless Steel	Abec 7	Open	FR
	<i>0.197</i>	<i>0.433</i>	<i>0.118</i>							
# SF685A-ZZMC3gr7	5.000	11.000	5.000		12.500 / 1.000	Grease / Standard	AIS I 440C Stainless Steel	Abec 7	ZZ	FR
	<i>0.197</i>	<i>0.433</i>	<i>0.197</i>							
# SF685A-ZZMC3gr5	5.000	11.000	5.000		12.500 / 1.000	Grease / Standard	AIS I 440C Stainless Steel	Abec 5	ZZ	FR
	<i>0.197</i>	<i>0.433</i>	<i>0.197</i>							
# SF695-MC3gr5	5.000	13.000	4.000		15.000 / 1.000	Grease / Standard	AIS I 440C Stainless Steel	Abec 5	Open	FR
	<i>0.197</i>	<i>0.512</i>	<i>0.157</i>							
# SF695-C5-13-uP4-AF12	5.000	13.000	4.000		15.000 / 1.000	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	P4	Open	FR
	<i>0.197</i>	<i>0.512</i>	<i>0.157</i>							

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Ball - Single Row - Radial - Flanged - High Precision

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Flange Dia (DF) / Width (BF) mm	Lubricant	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>					
# SF695-C5-13-uP5-AF12	5.000	13.000	4.000		15.000 / 1.000	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	P5	Open	FR
	<i>0.197</i>	<i>0.512</i>	<i>0.157</i>							
# SF695-ZZS-C5-13-uP4-AF12	5.000	13.000	4.000		15.000 / 1.000	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	P4	ZZS	FR
	<i>0.197</i>	<i>0.512</i>	<i>0.157</i>							
# SF695-ZZMC3gr5	5.000	13.000	4.000		15.000 / 1.000	Grease / Standard	AIS I 440C Stainless Steel	Abec 5	ZZ	FR
	<i>0.197</i>	<i>0.512</i>	<i>0.157</i>							
# SF695-MC3gr7	5.000	13.000	4.000		15.000 / 1.000	Grease / Standard	AIS I 440C Stainless Steel	Abec 7	Open	FR
	<i>0.197</i>	<i>0.512</i>	<i>0.157</i>							
# SF695-ZZS-C5-13-uP5-AF12	5.000	13.000	4.000		15.000 / 1.000	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	P5	ZZS	FR
	<i>0.197</i>	<i>0.512</i>	<i>0.157</i>							
# SF695-ZZMC3gr7	5.000	13.000	4.000		15.000 / 1.000	Grease / Standard	AIS I 440C Stainless Steel	Abec 7	ZZ	FR
	<i>0.197</i>	<i>0.512</i>	<i>0.157</i>							
# SF625-ZZMC3gr5	5.000	16.000	5.000		18.000 / 1.000	Grease / Standard	AIS I 440C Stainless Steel	Abec 5	ZZ	FR
	<i>0.197</i>	<i>0.630</i>	<i>0.197</i>							
# SF625-ZZMC3gr5-AF12	5.000	16.000	5.000		18.000 / 1.000	Oil / Standard	AIS I 440C Stainless Steel	Abec 5	ZZ	FR
	<i>0.197</i>	<i>0.630</i>	<i>0.197</i>							

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Ball - Single Row - Radial - Flanged - High Precision

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Flange Dia (DF) / Width (BF) mm	Lubricant	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>					
# SF625-ZZMC3gr7	5.000	16.000	5.000		18.000 / 1.000	Grease / Standard	AIS I 440C Stainless Steel	Abec 7	ZZ	FR
	<i>0.197</i>	<i>0.630</i>	<i>0.197</i>							
# SF625-MC3gr7	5.000	16.000	5.000		18.000 / 1.000	Grease / Standard	AIS I 440C Stainless Steel	Abec 7	Open	FR
	<i>0.197</i>	<i>0.630</i>	<i>0.197</i>							
# SF625-MC3gr5	5.000	16.000	5.000		18.000 / 1.000	Grease / Standard	AIS I 440C Stainless Steel	Abec 5	Open	FR
	<i>0.197</i>	<i>0.630</i>	<i>0.197</i>							
# SF635-ZZMC3gr7	5.000	19.000	6.000		22.000 / 1.500	Grease / Standard	AIS I 440C Stainless Steel	Abec 7	ZZ	FR
	<i>0.197</i>	<i>0.748</i>	<i>0.236</i>							
# SF635-ZZMC3gr5	5.000	19.000	6.000		22.000 / 1.500	Grease / Standard	AIS I 440C Stainless Steel	Abec 5	ZZ	FR
	<i>0.197</i>	<i>0.748</i>	<i>0.236</i>							
# SF635-MC3gr7	5.000	19.000	6.000		22.000 / 1.500	Grease / Standard	AIS I 440C Stainless Steel	Abec 7	Open	FR
	<i>0.197</i>	<i>0.748</i>	<i>0.236</i>							
# SF635-MC3gr5	5.000	19.000	6.000		22.000 / 1.500	Grease / Standard	AIS I 440C Stainless Steel	Abec 5	Open	FR
	<i>0.197</i>	<i>0.748</i>	<i>0.236</i>							
# SFMR106-C5-13-uP4-AF12	6.000	10.000	2.500		11.200 / 0.600	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	P4	Open	FR
	<i>0.236</i>	<i>0.394</i>	<i>0.098</i>							

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Ball - Single Row - Radial - Flanged - High Precision

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Flange Dia (DF) / Width (BF) mm	Lubricant	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>					
# SFMR106-C5-13-uP5-AF12	6.000	10.000	2.500		11.200 / 0.600	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	P5	Open	FR
	<i>0.236</i>	<i>0.394</i>	<i>0.098</i>							
# SFMR106A-ZZS-C5-13-uP4-AF12	6.000	10.000	3.000		11.200 / 0.600	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	P4	ZZS	FR
	<i>0.236</i>	<i>0.394</i>	<i>0.118</i>							
# SFMR106A-ZZS-C5-13-uP5-AF12	6.000	10.000	3.000		11.200 / 0.600	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	P5	ZZS	FR
	<i>0.236</i>	<i>0.394</i>	<i>0.118</i>							
# SF686-C5-13-uP5-AF12	6.000	13.000	3.500		15.000 / 1.000	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	P5	Open	FR
	<i>0.236</i>	<i>0.512</i>	<i>0.138</i>							
# SF686-C5-13-uP4-AF12	6.000	13.000	3.500		15.000 / 1.000	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	P4	Open	FR
	<i>0.236</i>	<i>0.512</i>	<i>0.138</i>							
# SF686-MC3gr7	6.000	13.000	3.500		15.000 / 1.000	Grease / Standard	AIS I 440C Stainless Steel	Abec 7	Open	FR
	<i>0.236</i>	<i>0.512</i>	<i>0.138</i>							
# SF686UF14.500-MC3gr7	6.000	13.000	3.500		14.500 / 0.700	Grease / Standard	AIS I 440C Stainless Steel	Abec 7	Open	FR
	<i>0.236</i>	<i>0.512</i>	<i>0.138</i>							
# SF686UF14.500-MC3gr5	6.000	13.000	3.500		14.500 / 0.700	Grease / Standard	AIS I 440C Stainless Steel	Abec 5	Open	FR
	<i>0.236</i>	<i>0.512</i>	<i>0.138</i>							

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Ball - Single Row - Radial - Flanged - High Precision

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Flange Dia (DF) / Width (BF) mm	Lubricant	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>					
# SF686-MC3gr5	6.000	13.000	3.500		15.000 / 1.000	Grease / Standard	AIS I 440C Stainless Steel	Abec 5	Open	FR
	<i>0.236</i>	<i>0.512</i>	<i>0.138</i>							
# SF686B-ZZMC3gr7	6.000	13.000	5.000		15.000 / 1.100	Grease / Standard	AIS I 440C Stainless Steel	Abec 7	ZZ	FR
	<i>0.236</i>	<i>0.512</i>	<i>0.197</i>							
# SF686B-ZZS-C5-13-uP5-AF12	6.000	13.000	5.000		15.000 / 1.100	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	P5	ZZS	FR
	<i>0.236</i>	<i>0.512</i>	<i>0.197</i>							
# SF686B-ZZMC3gr5	6.000	13.000	5.000		15.000 / 1.100	Grease / Standard	AIS I 440C Stainless Steel	Abec 5	ZZ	FR
	<i>0.236</i>	<i>0.512</i>	<i>0.197</i>							
# SF686B-ZZS-C5-13-uP4-AF12	6.000	13.000	5.000		15.000 / 1.100	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	P4	ZZS	FR
	<i>0.236</i>	<i>0.512</i>	<i>0.197</i>							
# SF696-MC3gr5	6.000	15.000	5.000		17.000 / 1.200	Grease / Standard	AIS I 440C Stainless Steel	Abec 5	Open	FR
	<i>0.236</i>	<i>0.591</i>	<i>0.197</i>							
# SF696-MC3gr7	6.000	15.000	5.000		17.000 / 1.200	Grease / Standard	AIS I 440C Stainless Steel	Abec 7	Open	FR
	<i>0.236</i>	<i>0.591</i>	<i>0.197</i>							
# SF696-ZZMC3gr5	6.000	15.000	5.000		17.000 / 1.200	Grease / Standard	AIS I 440C Stainless Steel	Abec 5	ZZ	FR
	<i>0.236</i>	<i>0.591</i>	<i>0.197</i>							

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Ball - Single Row - Radial - Flanged - High Precision

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Flange Dia (DF) / Width (BF) mm	Lubricant	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>					
# SF696-ZZMC3gr7	6.000	15.000	5.000		17.000 / 1.200	Grease / Standard	AIS I 440C Stainless Steel	Abec 7	ZZ	FR
	<i>0.236</i>	<i>0.591</i>	<i>0.197</i>							
# SF626-MC3gr5	6.000	19.000	6.000		22.000 / 1.500	Grease / Standard	AIS I 440C Stainless Steel	Abec 5	Open	FR
	<i>0.236</i>	<i>0.748</i>	<i>0.236</i>							
# SF626-ZZMC3gr7	6.000	19.000	6.000		22.000 / 1.500	Grease / Standard	AIS I 440C Stainless Steel	Abec 7	ZZ	FR
	<i>0.236</i>	<i>0.748</i>	<i>0.236</i>							
# SF626-MC3gr7	6.000	19.000	6.000		22.000 / 1.500	Grease / Standard	AIS I 440C Stainless Steel	Abec 7	Open	FR
	<i>0.236</i>	<i>0.748</i>	<i>0.236</i>							
# SF626-ZZMC3gr5	6.000	19.000	6.000		22.000 / 1.500	Grease / Standard	AIS I 440C Stainless Steel	Abec 5	ZZ	FR
	<i>0.236</i>	<i>0.748</i>	<i>0.236</i>							
# SFR4UB-C5-13-u7-AF12	6.345	15.875	4.978		17.526 / 1.067	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	Abec 7	Open	FR
	<i>0.250</i>	<i>0.625</i>	<i>0.196</i>							
# SFR168UF-MC3gr7	6.350	9.525	3.175		10.719 / 0.584	Grease / Standard	AIS I 440C Stainless Steel	Abec 7	Open	FR
	<i>0.250</i>	<i>0.375</i>	<i>0.125</i>							
# SFWR168-ZZSMC3gr5	6.350	9.525	3.175	3.969	10.719 / 0.914	Grease / Standard	AIS I 440C Stainless Steel	Abec 5	ZZS	FWR
	<i>0.250</i>	<i>0.375</i>	<i>0.125</i>	<i>0.156</i>						

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Ball - Single Row - Radial - Flanged - High Precision

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Flange Dia (DF) / Width (BF) mm	Lubricant	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>					
# SFWR168-ZZSMC3gr7-G84	6.350	9.525	3.175	3.969	10.719 / 0.914	Grease / Asonic GHY 72 (Kluber)	AIS I 440C Stainless Steel	Abec 7	ZZS	FWR
	<i>0.250</i>	<i>0.375</i>	<i>0.125</i>	<i>0.156</i>						
# SFR168-ZZSMC3gr7	6.350	9.525	3.175		10.719 / 0.914	Grease / Standard	AIS I 440C Stainless Steel	Abec 7	ZZS	FR
	<i>0.250</i>	<i>0.375</i>	<i>0.125</i>							
# SFWR168-ZZSMC3gr7	6.350	9.525	3.175	3.969	10.719 / 0.914	Grease / Standard	AIS I 440C Stainless Steel	Abec 7	ZZS	FWR
	<i>0.250</i>	<i>0.375</i>	<i>0.125</i>	<i>0.156</i>						
# SFWR168UF0.584-MC3gr5-L23	6.350	9.525	3.175	3.969	10.719 / 0.584	Oil / Windsorlobe L245X	AIS I 440C Stainless Steel	Abec 5	Open	FWR
	<i>0.250</i>	<i>0.375</i>	<i>0.125</i>	<i>0.156</i>						
# SFWR168UF0.584-MC3gr7-L23	6.350	9.525	3.175	3.969	10.719 / 0.584	Oil / Windsorlobe L245X	AIS I 440C Stainless Steel	Abec 7	Open	FWR
	<i>0.250</i>	<i>0.375</i>	<i>0.125</i>	<i>0.156</i>						
# SFR168-ZZSMC3gr5	6.350	9.525	3.175		10.719 / 0.914	Grease / Standard	AIS I 440C Stainless Steel	Abec 5	ZZS	FR
	<i>0.250</i>	<i>0.375</i>	<i>0.125</i>							
# SFR168UF-MC3gr5	6.350	9.525	3.175		10.719 / 0.584	Grease / Standard	AIS I 440C Stainless Steel	Abec 5	Open	FR
	<i>0.250</i>	<i>0.375</i>	<i>0.125</i>							

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Ball - Single Row - Radial - Flanged - High Precision

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Flange Dia (DF) / Width (BF) mm	Lubricant	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>					
# SFR168-Z-C5-13-u7-LDS18	6.350	9.525	3.175		10.719 / 0.914	Grease / Kluber Isoflex LDS 18 SpecialA	AIS I 440C Stainless Steel	Abec 7	Z	FR
	<i>0.250</i>	<i>0.375</i>	<i>0.125</i>							
# SFR168-Z-C5-13-u5-LDS18	6.350	9.525	3.175		10.719 / 0.914	Grease / Kluber Isoflex LDS 18 SpecialA	AIS I 440C Stainless Steel	Abec 5	Z	FR
	<i>0.250</i>	<i>0.375</i>	<i>0.125</i>							
# SFR168UF-C5-13-u7-AF12	6.350	9.525	3.175		10.719 / 0.584	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	Abec 7	Open	FR
	<i>0.250</i>	<i>0.375</i>	<i>0.125</i>							
# SFR168-Z-C5-13-u7-G5	6.350	9.525	3.175		10.719 / 0.914	Grease / Beacon 325	AIS I 440C Stainless Steel	Abec 7	Z	FR
	<i>0.250</i>	<i>0.375</i>	<i>0.125</i>							
# SFR168UF-C5-13-u5-G5	6.350	9.525	3.175		10.719 / 0.584	Grease / Beacon 325	AIS I 440C Stainless Steel	Abec 5	Open	FR
	<i>0.250</i>	<i>0.375</i>	<i>0.125</i>							
# SFR168-Z-C5-13-u5-G5	6.350	9.525	3.175		10.719 / 0.914	Grease / Beacon 325	AIS I 440C Stainless Steel	Abec 5	Z	FR
	<i>0.250</i>	<i>0.375</i>	<i>0.125</i>							
# SFR168-ZZS-C5-13-u5-LDS18	6.350	9.525	3.175		10.719 / 0.914	Grease / Kluber Isoflex LDS 18 SpecialA	AIS I 440C Stainless Steel	Abec 5	ZZS	FR
	<i>0.250</i>	<i>0.375</i>	<i>0.125</i>							

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Ball - Single Row - Radial - Flanged - High Precision

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Flange Dia (DF) / Width (BF) mm	Lubricant	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>					
# SFR168-ZZS-C5-13-u7-LDS18	6.350	9.525	3.175		10.719 / 0.914	Grease / Kluber Isoflex LDS 18 SpecialA	AIS I 440C Stainless Steel	Abec 7	ZZS	FR
	<i>0.250</i>	<i>0.375</i>	<i>0.125</i>							
# SFR168-Z-C5-13-u5-AF12	6.350	9.525	3.175		10.719 / 0.914	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	Abec 5	Z	FR
	<i>0.250</i>	<i>0.375</i>	<i>0.125</i>							
# SFR168UF-C5-13-u7-LDS18	6.350	9.525	3.175		10.719 / 0.584	Grease / Kluber Isoflex LDS 18 SpecialA	AIS I 440C Stainless Steel	Abec 7	Open	FR
	<i>0.250</i>	<i>0.375</i>	<i>0.125</i>							
# SFR168-ZZS-C5-13-u7-AF12	6.350	9.525	3.175		10.719 / 0.914	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	Abec 7	ZZS	FR
	<i>0.250</i>	<i>0.375</i>	<i>0.125</i>							
# SFR168-Z-C5-13-u7-AF12	6.350	9.525	3.175		10.719 / 0.914	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	Abec 7	Z	FR
	<i>0.250</i>	<i>0.375</i>	<i>0.125</i>							
# SFR168UF-C5-13-u5-LDS18	6.350	9.525	3.175		10.719 / 0.584	Grease / Kluber Isoflex LDS 18 SpecialA	AIS I 440C Stainless Steel	Abec 5	Open	FR
	<i>0.250</i>	<i>0.375</i>	<i>0.125</i>							
# SFR168-ZZS-C5-13-u5-G5	6.350	9.525	3.175		10.719 / 0.914	Grease / Beacon 325	AIS I 440C Stainless Steel	Abec 5	ZZS	FR
	<i>0.250</i>	<i>0.375</i>	<i>0.125</i>							

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Ball - Single Row - Radial - Flanged - High Precision

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Flange Dia (DF) / Width (BF) mm	Lubricant	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>					
# SFR168UF-C5-13-u5-AF12	6.350	9.525	3.175		10.719 / 0.584	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	Abec 5	Open	FR
	<i>0.250</i>	<i>0.375</i>	<i>0.125</i>							
# SFR168UF-C5-13-u7-G5	6.350	9.525	3.175		10.719 / 0.584	Grease / Beacon 325	AIS I 440C Stainless Steel	Abec 7	Open	FR
	<i>0.250</i>	<i>0.375</i>	<i>0.125</i>							
# SFR168-ZZS-C5-13-u5-AF12	6.350	9.525	3.175		10.719 / 0.914	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	Abec 5	ZZS	FR
	<i>0.250</i>	<i>0.375</i>	<i>0.125</i>							
# SFR168-ZZS-C5-13-u7-G5	6.350	9.525	3.175		10.719 / 0.914	Grease / Beacon 325	AIS I 440C Stainless Steel	Abec 7	ZZS	FR
	<i>0.250</i>	<i>0.375</i>	<i>0.125</i>							
# SFR188-C5-13-u5-AF12	6.350	12.700	3.175		13.894 / 0.584	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	Abec 5	Open	FR
	<i>0.250</i>	<i>0.500</i>	<i>0.125</i>							
# SFR188-C5-13-u7-AF12	6.350	12.700	3.175		13.894 / 0.584	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	Abec 7	Open	FR
	<i>0.250</i>	<i>0.500</i>	<i>0.125</i>							
# SFR188-C5-13-u7-G5	6.350	12.700	3.175		13.894 / 0.584	Grease / Beacon 325	AIS I 440C Stainless Steel	Abec 7	Open	FR
	<i>0.250</i>	<i>0.500</i>	<i>0.125</i>							
# SFR188-C5-13-u7-LDS18	6.350	12.700	3.175		13.894 / 0.584	Grease / Kluber Isoflex LDS 18 SpecialA	AIS I 440C Stainless Steel	Abec 7	Open	FR
	<i>0.250</i>	<i>0.500</i>	<i>0.125</i>							

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Ball - Single Row - Radial - Flanged - High Precision

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Flange Dia (DF) / Width (BF) mm	Lubricant	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>					
# SFR188-C5-13-u5-G5	6.350	12.700	3.175		13.894 / 0.584	Grease / Beacon 325	AIS I 440C Stainless Steel	Abec 5	Open	FR
	<i>0.250</i>	<i>0.500</i>	<i>0.125</i>							
# SFR188-C5-13-u5-LDS18	6.350	12.700	3.175		13.894 / 0.584	Grease / Kluber Isoflex LDS 18 SpecialA	AIS I 440C Stainless Steel	Abec 5	Open	FR
	<i>0.250</i>	<i>0.500</i>	<i>0.125</i>							
# SFR188A-Z-C5-13-u5-G5	6.350	12.700	4.762		13.894 / 1.143	Grease / Beacon 325	AIS I 440C Stainless Steel	Abec 5	Z	FR
	<i>0.250</i>	<i>0.500</i>	<i>0.187</i>							
# SFR188A-Z-C5-13-u7-G5	6.350	12.700	4.762		13.894 / 1.143	Grease / Beacon 325	AIS I 440C Stainless Steel	Abec 7	Z	FR
	<i>0.250</i>	<i>0.500</i>	<i>0.187</i>							
# SFR188A-Z-C5-13-u7-AF12	6.350	12.700	4.762		13.894 / 1.143	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	Abec 7	Z	FR
	<i>0.250</i>	<i>0.500</i>	<i>0.187</i>							
# SFR188A-ZZS-C5-13-u7-G5	6.350	12.700	4.762		13.894 / 1.143	Grease / Beacon 325	AIS I 440C Stainless Steel	Abec 7	ZZS	FR
	<i>0.250</i>	<i>0.500</i>	<i>0.187</i>							
# SFR188A-Z-C5-13-u7-LDS18	6.350	12.700	4.762		13.894 / 1.143	Grease / Kluber Isoflex LDS 18 SpecialA	AIS I 440C Stainless Steel	Abec 7	Z	FR
	<i>0.250</i>	<i>0.500</i>	<i>0.187</i>							

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Ball - Single Row - Radial - Flanged - High Precision

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Flange Dia (DF) / Width (BF) mm	Lubricant	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>					
# SFR188A-ZZS-C5-13-u5-G5	6.350	12.700	4.762		13.894 / 1.143	Grease / Beacon 325	AIS I 440C Stainless Steel	Abec 5	ZZS	FR
	<i>0.250</i>	<i>0.500</i>	<i>0.187</i>							
# SFR188A-ZZS-C5-13-u5-AF12	6.350	12.700	4.762		13.894 / 1.143	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	Abec 5	ZZS	FR
	<i>0.250</i>	<i>0.500</i>	<i>0.187</i>							
# SFR188A-Z-C5-13-u5-AF12	6.350	12.700	4.762		13.894 / 1.143	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	Abec 5	Z	FR
	<i>0.250</i>	<i>0.500</i>	<i>0.187</i>							
# SFR188A-Z-C5-13-u5-LDS18	6.350	12.700	4.762		13.894 / 1.143	Grease / Kluber Isoflex LDS 18 SpecialA	AIS I 440C Stainless Steel	Abec 5	Z	FR
	<i>0.250</i>	<i>0.500</i>	<i>0.187</i>							
# SFR188A-ZZS-C5-13-u7-LDS18	6.350	12.700	4.762		13.894 / 1.143	Grease / Kluber Isoflex LDS 18 SpecialA	AIS I 440C Stainless Steel	Abec 7	ZZS	FR
	<i>0.250</i>	<i>0.500</i>	<i>0.187</i>							
# SFR188A-ZZS-C5-13-u5-LDS18	6.350	12.700	4.762		13.894 / 1.143	Grease / Kluber Isoflex LDS 18 SpecialA	AIS I 440C Stainless Steel	Abec 5	ZZS	FR
	<i>0.250</i>	<i>0.500</i>	<i>0.187</i>							
# SFR188A-ZZS-C5-13-u7-AF12	6.350	12.700	4.762		13.894 / 1.143	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	Abec 7	ZZS	FR
	<i>0.250</i>	<i>0.500</i>	<i>0.187</i>							

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Ball - Single Row - Radial - Flanged - High Precision

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Flange Dia (DF) / Width (BF) mm	Lubricant	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>					
SFR188A-TTSMC3gr5-my-AV2	6.350	12.700	4.762		13.894 / 1.143	Grease / Shell Alvania 2	AIS I 440C Stainless Steel	Abec 5	TTS	FR
	<i>0.250</i>	<i>0.500</i>	<i>0.187</i>							
# SFWR188A-ZZMC3gr5	6.350	12.700	4.762	5.556	13.894 / 1.143	Grease / Standard	AIS I 440C Stainless Steel	Abec 5	ZZ	FWR
	<i>0.250</i>	<i>0.500</i>	<i>0.187</i>	<i>0.219</i>						
# SFR188A-ZZMC3gr5-G47	6.350	12.700	4.762		13.894 / 1.143	Grease / Aeroshell Grease 15A	AIS I 440C Stainless Steel	Abec 5	ZZ	FR
	<i>0.250</i>	<i>0.500</i>	<i>0.187</i>							
# SFWR188A-ZZMC3gr7	6.350	12.700	4.762	5.556	13.894 / 1.143	Grease / Standard	AIS I 440C Stainless Steel	Abec 7	ZZ	FWR
	<i>0.250</i>	<i>0.500</i>	<i>0.187</i>	<i>0.219</i>						
# SFR4-FFMC3-G84gr5	6.350	15.875	4.978		17.526 / 1.067	Grease / Asonic GHY 72 (Kluber)	AIS I 440C Stainless Steel	Abec 5	FF	FR
	<i>0.250</i>	<i>0.625</i>	<i>0.196</i>							
# SFR4-MC3gr5	6.350	15.875	4.978		17.526 / 1.067	Grease / Standard	AIS I 440C Stainless Steel	Abec 5	Open	FR
	<i>0.250</i>	<i>0.625</i>	<i>0.196</i>							
# SFR4-MC3gr7	6.350	15.875	4.978		17.526 / 1.067	Grease / Standard	AIS I 440C Stainless Steel	Abec 7	Open	FR
	<i>0.250</i>	<i>0.625</i>	<i>0.196</i>							
# SFR4-FFMC3gr5	6.350	15.875	4.978		17.526 / 1.067	Grease / Standard	AIS I 440C Stainless Steel	Abec 5	FF	FR
	<i>0.250</i>	<i>0.625</i>	<i>0.196</i>							

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Ball - Single Row - Radial - Flanged - High Precision

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Flange Dia (DF) / Width (BF) mm	Lubricant	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>					
# SFR4-FFMC3gr7	6.350	15.875	4.978		17.526 / 1.067	Grease / Standard	AIS I 440C Stainless Steel	Abec 7	FF	FR
	<i>0.250</i>	<i>0.625</i>	<i>0.196</i>							
# SFR4-ZZMC3gr7-G5	6.350	15.875	4.978		17.526 / 1.067	Grease / Beacon 325	AIS I 440C Stainless Steel	Abec 7	ZZ	FR
	<i>0.250</i>	<i>0.625</i>	<i>0.196</i>							
# SFR4-Z-C5-13-u7-AF12	6.350	15.875	4.978		17.526 / 1.067	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	Abec 7	Z	FR
	<i>0.250</i>	<i>0.625</i>	<i>0.196</i>							
# SFR4-ZZS-C5-13-u5-AF12	6.350	15.875	4.978		17.526 / 1.067	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	Abec 5	ZZS	FR
	<i>0.250</i>	<i>0.625</i>	<i>0.196</i>							
# SFR4-Z-C5-13-u5-AF12	6.350	15.875	4.978		17.526 / 1.067	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	Abec 5	Z	FR
	<i>0.250</i>	<i>0.625</i>	<i>0.196</i>							
# SFR4-C5-13-u5-AF12	6.350	15.875	4.978		17.526 / 1.067	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	Abec 5	Open	FR
	<i>0.250</i>	<i>0.625</i>	<i>0.196</i>							
# SFR4-C5-13-u7-G5	6.350	15.875	4.978		17.526 / 1.067	Grease / Beacon 325	AIS I 440C Stainless Steel	Abec 7	Open	FR
	<i>0.250</i>	<i>0.625</i>	<i>0.196</i>							
# SFR4-ZZS-C5-13-u5-G5	6.350	15.875	4.978		17.526 / 1.067	Grease / Beacon 325	AIS I 440C Stainless Steel	Abec 5	ZZS	FR
	<i>0.250</i>	<i>0.625</i>	<i>0.196</i>							

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Ball - Single Row - Radial - Flanged - High Precision

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Flange Dia (DF) / Width (BF) mm	Lubricant	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>					
# SFR4-Z-C5-13-u7-G5	6.350	15.875	4.978		17.526 / 1.067	Grease / Beacon 325	AIS I 440C Stainless Steel	Abec 7	Z	FR
	<i>0.250</i>	<i>0.625</i>	<i>0.196</i>							
# SFR4-ZZS-C5-13-u7-LDS18	6.350	15.875	4.978		17.526 / 1.067	Grease / Kluber Isoflex LDS 18 SpecialA	AIS I 440C Stainless Steel	Abec 7	ZZS	FR
	<i>0.250</i>	<i>0.625</i>	<i>0.196</i>							
# SFR4-Z-C5-13-u7-LDS18	6.350	15.875	4.978		17.526 / 1.067	Grease / Kluber Isoflex LDS 18 SpecialA	AIS I 440C Stainless Steel	Abec 7	Z	FR
	<i>0.250</i>	<i>0.625</i>	<i>0.196</i>							
# SFR4-C5-13-u7-AF12	6.350	15.875	4.978		17.526 / 1.067	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	Abec 7	Open	FR
	<i>0.250</i>	<i>0.625</i>	<i>0.196</i>							
# SFR4-ZZS-C5-13-u5-LDS18	6.350	15.875	4.978		17.526 / 1.067	Grease / Kluber Isoflex LDS 18 SpecialA	AIS I 440C Stainless Steel	Abec 5	ZZS	FR
	<i>0.250</i>	<i>0.625</i>	<i>0.196</i>							
# SFR4-ZZS-C5-13-u7-G5	6.350	15.875	4.978		17.526 / 1.067	Grease / Beacon 325	AIS I 440C Stainless Steel	Abec 7	ZZS	FR
	<i>0.250</i>	<i>0.625</i>	<i>0.196</i>							
# SFR4-Z-C5-13-u5-G5	6.350	15.875	4.978		17.526 / 1.067	Grease / Beacon 325	AIS I 440C Stainless Steel	Abec 5	Z	FR
	<i>0.250</i>	<i>0.625</i>	<i>0.196</i>							

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Ball - Single Row - Radial - Flanged - High Precision

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Flange Dia (DF) / Width (BF) mm	Lubricant	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>					
# SFR4-C5-13-u5-LDS18	6.350	15.875	4.978		17.526 / 1.067	Grease / Kluber Isoflex LDS 18 SpecialA	AIS I 440C Stainless Steel	Abec 5	Open	FR
	<i>0.250</i>	<i>0.625</i>	<i>0.196</i>							
# SFR4-ZZS-C5-13-u7-AF12	6.350	15.875	4.978		17.526 / 1.067	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	Abec 7	ZZS	FR
	<i>0.250</i>	<i>0.625</i>	<i>0.196</i>							
# SFR4-C5-13-u5-G5	6.350	15.875	4.978		17.526 / 1.067	Grease / Beacon 325	AIS I 440C Stainless Steel	Abec 5	Open	FR
	<i>0.250</i>	<i>0.625</i>	<i>0.196</i>							
# SFR4-C5-13-u7-LDS18	6.350	15.875	4.978		17.526 / 1.067	Grease / Kluber Isoflex LDS 18 SpecialA	AIS I 440C Stainless Steel	Abec 7	Open	FR
	<i>0.250</i>	<i>0.625</i>	<i>0.196</i>							
# SFR4-Z-C5-13-u5-LDS18	6.350	15.875	4.978		17.526 / 1.067	Grease / Kluber Isoflex LDS 18 SpecialA	AIS I 440C Stainless Steel	Abec 5	Z	FR
	<i>0.250</i>	<i>0.625</i>	<i>0.196</i>							
# SFR188-MC3gr5	6.350	12.700	3.175		13.894 / 0.584	Grease / Standard	AIS I 440C Stainless Steel	Abec 5	Open	FR
	<i>0.250</i>	<i>0.500</i>	<i>0.125</i>							
# SFR188-MC3gr7	6.350	12.700	3.175		13.894 / 0.584	Grease / Standard	AIS I 440C Stainless Steel	Abec 7	Open	FR
	<i>0.250</i>	<i>0.500</i>	<i>0.125</i>							

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Ball - Single Row - Radial - Flanged - High Precision

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Flange Dia (DF) / Width (BF) mm	Lubricant	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>					
# SFMR137-C5-13-uP4-AF12	7.000	13.000	3.000		14.200 / 0.600	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	P4	Open	FR
	<i>0.276</i>	<i>0.512</i>	<i>0.118</i>							
# SFMR137-C5-13-uP5-AF12	7.000	13.000	3.000		14.200 / 0.600	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	P5	Open	FR
	<i>0.276</i>	<i>0.512</i>	<i>0.118</i>							
# SFMR137A-ZZS-C5-13-uP5-AF12	7.000	13.000	4.000		14.600 / 0.800	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	P5	ZZS	FR
	<i>0.276</i>	<i>0.512</i>	<i>0.157</i>							
# SFMR137A-ZZS-C5-13-uP4-AF12	7.000	13.000	4.000		14.600 / 0.800	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	P4	ZZS	FR
	<i>0.276</i>	<i>0.512</i>	<i>0.157</i>							
# SF687-MC3gr5	7.000	14.000	3.500		16.000 / 1.000	Grease / Standard	AIS I 440C Stainless Steel	Abec 5	Open	FR
	<i>0.276</i>	<i>0.551</i>	<i>0.138</i>							
# SF687-MC3gr7	7.000	14.000	3.500		16.000 / 1.000	Grease / Standard	AIS I 440C Stainless Steel	Abec 7	Open	FR
	<i>0.276</i>	<i>0.551</i>	<i>0.138</i>							
# SF687A-ZZMC3gr7	7.000	14.000	5.000		16.000 / 1.100	Grease / Standard	AIS I 440C Stainless Steel	Abec 7	ZZ	FR
	<i>0.276</i>	<i>0.551</i>	<i>0.197</i>							
# SF687A-ZZMC3gr5	7.000	14.000	5.000		16.000 / 1.100	Grease / Standard	AIS I 440C Stainless Steel	Abec 5	ZZ	FR
	<i>0.276</i>	<i>0.551</i>	<i>0.197</i>							

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Ball - Single Row - Radial - Flanged - High Precision

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Flange Dia (DF) / Width (BF) mm	Lubricant	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>					
# SF697-ZZMC3gr5	7.000	17.000	5.000		19.000 / 1.200	Grease / Standard	AIS I 440C Stainless Steel	Abec 5	ZZ	FR
	<i>0.276</i>	<i>0.669</i>	<i>0.197</i>							
# SF697-MC3gr7	7.000	17.000	5.000		19.000 / 1.200	Grease / Standard	AIS I 440C Stainless Steel	Abec 7	Open	FR
	<i>0.276</i>	<i>0.669</i>	<i>0.197</i>							
# SF697-MC3gr5	7.000	17.000	5.000		19.000 / 1.200	Grease / Standard	AIS I 440C Stainless Steel	Abec 5	Open	FR
	<i>0.276</i>	<i>0.669</i>	<i>0.197</i>							
# SF697-ZZMC3gr7	7.000	17.000	5.000		19.000 / 1.200	Grease / Standard	AIS I 440C Stainless Steel	Abec 7	ZZ	FR
	<i>0.276</i>	<i>0.669</i>	<i>0.197</i>							
# SF607-ZZMC3gr7	7.000	19.000	6.000		22.000 / 1.500	Grease / Standard	AIS I 440C Stainless Steel	Abec 7	ZZ	FR
	<i>0.276</i>	<i>0.748</i>	<i>0.236</i>							
# SF607-MC3gr5	7.000	19.000	6.000		22.000 / 1.500	Grease / Standard	AIS I 440C Stainless Steel	Abec 5	Open	FR
	<i>0.276</i>	<i>0.748</i>	<i>0.236</i>							
# SF607-MC3gr7	7.000	19.000	6.000		22.000 / 1.500	Grease / Standard	AIS I 440C Stainless Steel	Abec 7	Open	FR
	<i>0.276</i>	<i>0.748</i>	<i>0.236</i>							
# SF607-ZZMC3gr5	7.000	19.000	6.000		22.000 / 1.500	Grease / Standard	AIS I 440C Stainless Steel	Abec 5	ZZ	FR
	<i>0.276</i>	<i>0.748</i>	<i>0.236</i>							

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Ball - Single Row - Radial - Flanged - High Precision

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Flange Dia (DF) / Width (BF) mm	Lubricant	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>					
# SF627-ZZMC3gr7	7.000	22.000	7.000		25.000 / 1.500	Grease / Standard	AIS I 440C Stainless Steel	Abec 7	ZZ	FR
	<i>0.276</i>	<i>0.866</i>	<i>0.276</i>							
# SF627-MC3gr7	7.000	22.000	7.000		25.000 / 1.500	Grease / Standard	AIS I 440C Stainless Steel	Abec 7	Open	FR
	<i>0.276</i>	<i>0.866</i>	<i>0.276</i>							
# SF627-ZZMC3gr5	7.000	22.000	7.000		25.000 / 1.500	Grease / Standard	AIS I 440C Stainless Steel	Abec 5	ZZ	FR
	<i>0.276</i>	<i>0.866</i>	<i>0.276</i>							
# SF627-MC3gr5	7.000	22.000	7.000		25.000 / 1.500	Grease / Standard	AIS I 440C Stainless Steel	Abec 5	Open	FR
	<i>0.276</i>	<i>0.866</i>	<i>0.276</i>							
# SFR1810-ZZSMC3gr5	7.938	12.700	3.969		13.894 / 0.787	Grease / Standard	AIS I 440C Stainless Steel	Abec 5	ZZS	FR
	<i>0.313</i>	<i>0.500</i>	<i>0.156</i>							
# SFR1810-ZZSMC3gr7	7.938	12.700	3.969		13.894 / 0.787	Grease / Standard	AIS I 440C Stainless Steel	Abec 7	ZZS	FR
	<i>0.313</i>	<i>0.500</i>	<i>0.156</i>							
# SFR1810-MC3gr5	7.938	12.700	3.969		13.894 / 0.787	Grease / Standard	AIS I 440C Stainless Steel	Abec 5	Open	FR
	<i>0.313</i>	<i>0.500</i>	<i>0.156</i>							
# SFR1810-MC3gr7	7.938	12.700	3.969		13.894 / 0.787	Grease / Standard	AIS I 440C Stainless Steel	Abec 7	Open	FR
	<i>0.313</i>	<i>0.500</i>	<i>0.156</i>							

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Ball - Single Row - Radial - Flanged - High Precision

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Flange Dia (DF) / Width (BF) mm	Lubricant	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>					
# SFR1810-C5-13-u5-LDS18	7.938	12.700	3.969		13.894 / 0.787	Grease / Kluber Isoflex LDS 18 SpecialA	AIS I 440C Stainless Steel	Abec 5	Open	FR
	<i>0.313</i>	<i>0.500</i>	<i>0.156</i>							
# SFR1810-Z-C5-13-u7-G5	7.938	12.700	3.969		13.894 / 0.787	Grease / Beacon 325	AIS I 440C Stainless Steel	Abec 7	Z	FR
	<i>0.313</i>	<i>0.500</i>	<i>0.156</i>							
# SFR1810-Z-C5-13-u5-LDS18	7.938	12.700	3.969		13.894 / 0.787	Grease / Kluber Isoflex LDS 18 SpecialA	AIS I 440C Stainless Steel	Abec 5	Z	FR
	<i>0.313</i>	<i>0.500</i>	<i>0.156</i>							
# SFR1810-Z-C5-13-u5-G5	7.938	12.700	3.969		13.894 / 0.787	Grease / Beacon 325	AIS I 440C Stainless Steel	Abec 5	Z	FR
	<i>0.313</i>	<i>0.500</i>	<i>0.156</i>							
# SFR1810-C5-13-u7-G5	7.938	12.700	3.969		13.894 / 0.787	Grease / Beacon 325	AIS I 440C Stainless Steel	Abec 7	Open	FR
	<i>0.313</i>	<i>0.500</i>	<i>0.156</i>							
# SFR1810-Z-C5-13-u7-LDS18	7.938	12.700	3.969		13.894 / 0.787	Grease / Kluber Isoflex LDS 18 SpecialA	AIS I 440C Stainless Steel	Abec 7	Z	FR
	<i>0.313</i>	<i>0.500</i>	<i>0.156</i>							
# SFR1810-C5-13-u7-AF12	7.938	12.700	3.969		13.894 / 0.787	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	Abec 7	Open	FR
	<i>0.313</i>	<i>0.500</i>	<i>0.156</i>							

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Ball - Single Row - Radial - Flanged - High Precision

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Flange Dia (DF) / Width (BF) mm	Lubricant	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>					
# SFR1810-C5-13-u7-LDS18	7.938	12.700	3.969		13.894 / 0.787	Grease / Kluber Isoflex LDS 18 SpecialA	AIS I 440C Stainless Steel	Abec 7	Open	FR
	<i>0.313</i>	<i>0.500</i>	<i>0.156</i>							
# SFR1810-Z-C5-13-u5-AF12	7.938	12.700	3.969		13.894 / 0.787	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	Abec 5	Z	FR
	<i>0.313</i>	<i>0.500</i>	<i>0.156</i>							
# SFR1810-C5-13-u5-AF12	7.938	12.700	3.969		13.894 / 0.787	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	Abec 5	Open	FR
	<i>0.313</i>	<i>0.500</i>	<i>0.156</i>							
# SFR1810-C5-13-u5-G5	7.938	12.700	3.969		13.894 / 0.787	Grease / Beacon 325	AIS I 440C Stainless Steel	Abec 5	Open	FR
	<i>0.313</i>	<i>0.500</i>	<i>0.156</i>							
# SFR1810-Z-C5-13-u7-AF12	7.938	12.700	3.969		13.894 / 0.787	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	Abec 7	Z	FR
	<i>0.313</i>	<i>0.500</i>	<i>0.156</i>							
# SF688-MC3gr5	8.000	16.000	4.000		18.000 / 1.000	Grease / Standard	AIS I 440C Stainless Steel	Abec 5	Open	FR
	<i>0.315</i>	<i>0.630</i>	<i>0.157</i>							
# SF688-C5-13-uP4-AF12	8.000	16.000	4.000		18.000 / 1.000	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	P4	Open	FR
	<i>0.315</i>	<i>0.630</i>	<i>0.157</i>							
# SF688-MC3gr7	8.000	16.000	4.000		18.000 / 1.000	Grease / Standard	AIS I 440C Stainless Steel	Abec 7	Open	FR
	<i>0.315</i>	<i>0.630</i>	<i>0.157</i>							

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Ball - Single Row - Radial - Flanged - High Precision

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Flange Dia (DF) / Width (BF) mm	Lubricant	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>					
# SF688-C5-13-uP5-AF12	8.000	16.000	4.000		18.000 / 1.000	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	P5	Open	FR
	<i>0.315</i>	<i>0.630</i>	<i>0.157</i>							
# SF688A-ZZS-C5-13-uP5-AF12	8.000	16.000	5.000		18.000 / 1.100	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	P5	ZZS	FR
	<i>0.315</i>	<i>0.630</i>	<i>0.197</i>							
# SF688A-ZZS-C5-13-uP4-AF12	8.000	16.000	5.000		18.000 / 1.100	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	P4	ZZS	FR
	<i>0.315</i>	<i>0.630</i>	<i>0.197</i>							
SF688B-ZZMC3gr7-G48	8.000	16.000	6.000		18.000 / 1.300	Grease / Standard	AIS I 440C Stainless Steel	Abec 7	ZZ	FR
	<i>0.315</i>	<i>0.630</i>	<i>0.236</i>							
# SF688B-ZZMC3gr5	8.000	16.000	6.000		18.000 / 1.300	Grease / Standard	AIS I 440C Stainless Steel	Abec 5	ZZ	FR
	<i>0.315</i>	<i>0.630</i>	<i>0.236</i>							
# SF698-ZZMC3gr7	8.000	19.000	6.000		22.000 / 1.500	Grease / Standard	AIS I 440C Stainless Steel	Abec 7	ZZ	FR
	<i>0.315</i>	<i>0.748</i>	<i>0.236</i>							
# SF698-MC3gr5	8.000	19.000	6.000		22.000 / 1.500	Grease / Standard	AIS I 440C Stainless Steel	Abec 5	Open	FR
	<i>0.315</i>	<i>0.748</i>	<i>0.236</i>							
# SF698-ZZMC3gr5	8.000	19.000	6.000		22.000 / 1.500	Grease / Standard	AIS I 440C Stainless Steel	Abec 5	ZZ	FR
	<i>0.315</i>	<i>0.748</i>	<i>0.236</i>							

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Ball - Single Row - Radial - Flanged - High Precision

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Flange Dia (DF) / Width (BF) mm	Lubricant	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>					
# SF698-MC3gr7	8.000	19.000	6.000		22.000 / 1.500	Grease / Standard	AIS I 440C Stainless Steel	Abec 7	Open	FR
	<i>0.315</i>	<i>0.748</i>	<i>0.236</i>							
# SF608-ZZMC3gr7	8.000	22.000	7.000		25.000 / 1.500	Grease / Standard	AIS I 440C Stainless Steel	Abec 7	ZZ	FR
	<i>0.315</i>	<i>0.866</i>	<i>0.276</i>							
# SF608-MC3gr5	8.000	22.000	7.000		25.000 / 1.500	Grease / Standard	AIS I 440C Stainless Steel	Abec 5	Open	FR
	<i>0.315</i>	<i>0.866</i>	<i>0.276</i>							
# SF608-MC3gr7	8.000	22.000	7.000		25.000 / 1.500	Grease / Standard	AIS I 440C Stainless Steel	Abec 7	Open	FR
	<i>0.315</i>	<i>0.866</i>	<i>0.276</i>							
# SF608-ZZMC3gr5	8.000	22.000	7.000		25.000 / 1.500	Grease / Standard	AIS I 440C Stainless Steel	Abec 5	ZZ	FR
	<i>0.315</i>	<i>0.866</i>	<i>0.276</i>							
# SF689-MC3gr5	9.000	17.000	4.000		19.000 / 1.000	Grease / Standard	AIS I 440C Stainless Steel	Abec 5	Open	FR
	<i>0.354</i>	<i>0.669</i>	<i>0.157</i>							
# SF689-MC3gr7	9.000	17.000	4.000		19.000 / 1.000	Grease / Standard	AIS I 440C Stainless Steel	Abec 7	Open	FR
	<i>0.354</i>	<i>0.669</i>	<i>0.157</i>							
SF689B-ZZMC3gr5	9.000	17.000	6.000		19.000 / 1.300	Grease / Standard	AIS I 440C Stainless Steel	Abec 5	ZZ	FR
	<i>0.354</i>	<i>0.669</i>	<i>0.236</i>							

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Ball - Single Row - Radial - Flanged - High Precision

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Flange Dia (DF) / Width (BF) mm	Lubricant	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>					
# SF689B-ZZMC3gr7	9.000	17.000	6.000		19.000 / 1.300	Grease / Standard	AIS I 440C Stainless Steel	Abec 7	ZZ	FR
	<i>0.354</i>	<i>0.669</i>	<i>0.236</i>							
# SFR6-MC3gr7	9.525	22.225	5.556		24.613 / 1.575	Grease / Standard	AIS I 440C Stainless Steel	Abec 7	Open	FR
	<i>0.375</i>	<i>0.875</i>	<i>0.219</i>							
# SFR6-MC3gr5	9.525	22.225	5.556		24.613 / 1.575	Grease / Standard	AIS I 440C Stainless Steel	Abec 5	Open	FR
	<i>0.375</i>	<i>0.875</i>	<i>0.219</i>							
# SFR6A-ZZSMC3gr7	9.525	22.225	7.142		24.613 / 1.575	Grease / Standard	AIS I 440C Stainless Steel	Abec 7	ZZS	FR
	<i>0.375</i>	<i>0.875</i>	<i>0.281</i>							
# SFR6A-ZZSMC3u3	9.525	22.225	7.142		24.613 / 1.575	Grease / Standard	AIS I 440C Stainless Steel	Abec 3	ZZS	FR
	<i>0.375</i>	<i>0.875</i>	<i>0.281</i>							
# SFR6A-ZZSMC3gr5	9.525	22.225	7.142		24.613 / 1.575	Grease / Standard	AIS I 440C Stainless Steel	Abec 5	ZZS	FR
	<i>0.375</i>	<i>0.875</i>	<i>0.281</i>							
# SFR6A-C5-13-u7-AF12	9.525	22.225	7.142		24.613 / 1.575	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	Abec 7	Open	FR
	<i>0.375</i>	<i>0.875</i>	<i>0.281</i>							
# SFR6A-Z-C5-13-u5-AF12	9.525	22.225	7.142		24.613 / 1.575	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	Abec 5	Z	FR
	<i>0.375</i>	<i>0.875</i>	<i>0.281</i>							

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Ball - Single Row - Radial - Flanged - High Precision

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Flange Dia (DF) / Width (BF) mm	Lubricant	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>					
# SFR6A-C5-13-u7-LDS18	9.525	22.225	7.142		24.613 / 1.575	Grease / Kluber Isoflex LDS 18 SpecialA	AIS I 440C Stainless Steel	Abec 7	Open	FR
	<i>0.375</i>	<i>0.875</i>	<i>0.281</i>							
# SFR6A-Z-C5-13-u7-G5	9.525	22.225	7.142		24.613 / 1.575	Grease / Beacon 325	AIS I 440C Stainless Steel	Abec 7	Z	FR
	<i>0.375</i>	<i>0.875</i>	<i>0.281</i>							
# SFR6A-Z-C5-13-u5-G5	9.525	22.225	7.142		24.613 / 1.575	Grease / Beacon 325	AIS I 440C Stainless Steel	Abec 5	Z	FR
	<i>0.375</i>	<i>0.875</i>	<i>0.281</i>							
# SFR6A-Z-C5-13-u7-AF12	9.525	22.225	7.142		24.613 / 1.575	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	Abec 7	Z	FR
	<i>0.375</i>	<i>0.875</i>	<i>0.281</i>							
# SFR6A-C5-13-u5-AF12	9.525	22.225	7.142		24.613 / 1.575	Oil / Aeroshell Fluid 12	AIS I 440C Stainless Steel	Abec 5	Open	FR
	<i>0.375</i>	<i>0.875</i>	<i>0.281</i>							
# SFR6A-C5-13-u7-G5	9.525	22.225	7.142		24.613 / 1.575	Grease / Beacon 325	AIS I 440C Stainless Steel	Abec 7	Open	FR
	<i>0.375</i>	<i>0.875</i>	<i>0.281</i>							
# SFR6A-Z-C5-13-u7-LDS18	9.525	22.225	7.142		24.613 / 1.575	Grease / Kluber Isoflex LDS 18 SpecialA	AIS I 440C Stainless Steel	Abec 7	Z	FR
	<i>0.375</i>	<i>0.875</i>	<i>0.281</i>							

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Ball - Single Row - Radial - Flanged - High Precision

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Flange Dia (DF) / Width (BF) mm	Lubricant	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>					
# SFR6A-Z-C5-13-u5-LDS18	9.525	22.225	7.142		24.613 / 1.575	Grease / Kluber Isoflex LDS 18 SpecialA	AIS I 440C Stainless Steel	Abec 5	Z	FR
	<i>0.375</i>	<i>0.875</i>	<i>0.281</i>							
# SFR6A-C5-13-u5-LDS18	9.525	22.225	7.142		24.613 / 1.575	Grease / Kluber Isoflex LDS 18 SpecialA	AIS I 440C Stainless Steel	Abec 5	Open	FR
	<i>0.375</i>	<i>0.875</i>	<i>0.281</i>							
# SFR6A-C5-13-u5-G5	9.525	22.225	7.142		24.613 / 1.575	Grease / Beacon 325	AIS I 440C Stainless Steel	Abec 5	Open	FR
	<i>0.375</i>	<i>0.875</i>	<i>0.281</i>							
# SF6800-gr7	10.000	19.000	5.000		21.000 / 1.000	Grease / Standard	AIS I 440C Stainless Steel	Abec 7	Open	FR
	<i>0.394</i>	<i>0.748</i>	<i>0.197</i>							
# SF6800-ZZgr5	10.000	19.000	5.000		21.000 / 1.000	Grease / Standard	AIS I 440C Stainless Steel	Abec 5	ZZ	FR
	<i>0.394</i>	<i>0.748</i>	<i>0.197</i>							
# SF6800-ZZgr7	10.000	19.000	5.000		21.000 / 1.000	Grease / Standard	AIS I 440C Stainless Steel	Abec 7	ZZ	FR
	<i>0.394</i>	<i>0.748</i>	<i>0.197</i>							
# SF6800-gr5	10.000	19.000	5.000		21.000 / 1.000	Grease / Standard	AIS I 440C Stainless Steel	Abec 5	Open	FR
	<i>0.394</i>	<i>0.748</i>	<i>0.197</i>							

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Ball - Single Row - Radial - Flanged - High Precision

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Flange Dia (DF) / Width (BF) mm	Lubricant	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>					
# SF6800B-ZZSgr5	10.000	19.000	7.000		21.000 / 1.500	Grease / Standard	AIS I 440C Stainless Steel	Abec 5	ZZS	FR
	<i>0.394</i>	<i>0.748</i>	<i>0.276</i>							
# SF6800B-ZZSgr7	10.000	19.000	7.000		21.000 / 1.500	Grease / Standard	AIS I 440C Stainless Steel	Abec 7	ZZS	FR
	<i>0.394</i>	<i>0.748</i>	<i>0.276</i>							

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to catalogues@minibearings.com.au

