




# MBA

## Bearings - Gothic Groove Profile OD



Bearings with a Gothic Groove in OD. Round Track Rolling Applications.

Type GP : Single Row of Balls (Radial).

Type DWRAGP : Double Row of Balls (Angular Contact) - Extended Inner Ring.

Type DRAGP : Double Row of Balls (Angular Contact) - Flush Inner Ring.

<http://www.minibearings.com.au//categories/shafting/all/pics/>

### Bearings - Gothic Groove Profile OD

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Rail Dia. & Distance (Dw / Dr) mm	Rows of Balls / Basic Load Rows / kgf	Material	Contact Angle (a) Deg.	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>					
# S624C-ZZ-GP	4.000	13.000	7.000	7.000	6.000 / 21.400	1 / 42.50	AIS I 440C Stainless Steel		ZZ	GP
	<i>0.157</i>	<i>0.512</i>	<i>0.276</i>	<i>0.276</i>						
DRA-WMR175-T9H-ZZMC3-GP	5.000	17.000	7.000	8.000	6.000 / 27.000	2 / 202	SAE52100 Chrome Steel / Polyamide Cage	25	ZZ	DWRAGP
	<i>0.197</i>	<i>0.669</i>	<i>0.276</i>	<i>0.315</i>						

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Bearings - Gothic Groove Profile OD

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Rail Dia. & Distance (Dw / Dr) mm	Rows of Balls / Basic Load Rows / kgf	Material	Contact Angle (a) Deg.	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>					
# S626GWC-ZZ-GP	6.000	19.000	6.200	5.000	6.000 / 22.500	1 / 116.00	AISI 440C Stainless Steel		ZZ	GP
	<i>0.236</i>	<i>0.748</i>	<i>0.244</i>	<i>0.197</i>						
# DRA-628E-T9H-2RSMC3-GP	8.000	24.000	11.000		6.000 / 34.000	2 / 507	SAE52100 Chrome Steel / Polyamide Cage	25	2RS	DRAGP
	<i>0.315</i>	<i>0.945</i>	<i>0.433</i>							
# DRA-MR3512A-ZZ-GP2	12.000	35.000	15.900	15.900	12.000 / 55.500	2 / 1070	SAE52100 Chrome Steel	25	ZZ	DRAGP
	<i>0.472</i>	<i>1.378</i>	<i>0.626</i>	<i>0.626</i>						
# DRA-MR3512A-2RS-GP1	12.000	35.000	15.900	15.900	10.000 / 51.300	2 / 1070	SAE52100 Chrome Steel	25	2RS	DRAGP
	<i>0.472</i>	<i>1.378</i>	<i>0.626</i>	<i>0.626</i>						
# DRA-W6304E-ZZ-GP	20.000	52.000	20.600	22.600	16.000 / 79.000	2 / 1990	SAE52100 Chrome Steel	25	ZZ	DWRAGP
	<i>0.787</i>	<i>2.047</i>	<i>0.811</i>	<i>0.890</i>						
# DRA-WMR7225A-ZZ-GP2	25.000	72.000	23.800	25.800	25.000 / 112.000	2 / 3000	SAE52100 Chrome Steel	25	ZZ	DWRAGP
	<i>0.984</i>	<i>2.835</i>	<i>0.937</i>	<i>1.016</i>						
# DRA-WMR7225A-ZZ-GP1	25.000	72.000	23.800	25.800	20.000 / 102.000	2 / 3000	SAE52100 Chrome Steel	25	ZZ	DWRAGP
	<i>0.984</i>	<i>2.835</i>	<i>0.937</i>	<i>1.016</i>						
# DRA-WMR8030-ZZ-GP	30.000	80.000	27.000	29.000	30.000 / 132.000	2 / 3950	SAE52100 Chrome Steel	25	ZZ	DWRAGP
	<i>1.181</i>	<i>3.150</i>	<i>1.063</i>	<i>1.142</i>						

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to [catalogues@minibearings.com.au](mailto:catalogues@minibearings.com.au)

