



MBA


Bearings - High Speed Cage

Bearings with cages for high speed applications, including phenolic, nylon and polyamide.

Bearings in this listing have various types of high speed cages.

Speed ratings range from 20 percent to 80 percent increase on standard cage types.

Please contact us for a data sheet on the specific size you require.



Other Types not shown above

FWRTP - Similar to FWR with a slight OD taper
 RNR - Snap Ring on OD
 WC - Wide Cup Bearing

MAG - Magneto Bearing
 RN2R - Snap Ring on both sides of OD

<http://www.minibearings.com.au//categories/shafting/all/pics/>

Bearings - High Speed Cage

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Flange Diameter (DF) mm	Flange Width (BF) mm	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>				
# A-SR1-4-KB-gr5	1.984	6.350	2.381				AIS I 440C Stainless Steel / Phenolic Cage	Abec 5	Open	AC
	<i>0.078</i>	<i>0.250</i>	<i>0.094</i>							

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - High Speed Cage

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Flange Diameter (DF) mm	Flange Width (BF) mm	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>				
# A-SF692-KB-grP5-G48	2.000	6.000	2.300		7.5	0.6	AIS I 440C Stainless Steel / Phenolic Cage	Abec 5	Open	AC
	<i>0.079</i>	<i>0.236</i>	<i>0.091</i>		<i>0.295</i>	<i>0.024</i>				
# A-S692-KB-gr5	2.000	6.000	2.300				AIS I 440C Stainless Steel / Phenolic Cage	Abec 5	Open	AC
	<i>0.079</i>	<i>0.236</i>	<i>0.091</i>							
# A-SFR1-5-KB-gr5-G48	2.381	7.938	2.779		9.119	0.584	AIS I 440C Stainless Steel / Phenolic Cage	Abec 5	Open	AC
	<i>0.094</i>	<i>0.313</i>	<i>0.109</i>		<i>0.359</i>	<i>0.023</i>				
# A-SR1-5-KB-gr5	2.381	7.938	2.779				AIS I 440C Stainless Steel / Phenolic Cage	Abec 5	Open	AC
	<i>0.094</i>	<i>0.313</i>	<i>0.109</i>							
# A-SF602X-KB-grP5-G48	2.500	8.000	2.800		9.5	0.7	AIS I 440C Stainless Steel / Phenolic Cage	Abec 5	Open	AC
	<i>0.098</i>	<i>0.315</i>	<i>0.110</i>		<i>0.374</i>	<i>0.028</i>				
# A-S602X-KB-gr5	2.500	8.000	2.800				AIS I 440C Stainless Steel / Phenolic Cage	Abec 5	Open	AC
	<i>0.098</i>	<i>0.315</i>	<i>0.110</i>							

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - High Speed Cage

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Flange Diameter (DF) mm	Flange Width (BF) mm	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>				
S693A-T9H-ZZSMC3	3.000	8.000	4.000				AIS I 440C Stainless Steel / Polyamide Cage	Abec 1	ZZS	R
	<i>0.118</i>	<i>0.315</i>	<i>0.157</i>							
S623-CSN-T9H-ZZS-AF12	3.000	10.000	4.000				AIS I 440C Stainless Steel / Polyamide Cage	Abec 1	ZZS	R
	<i>0.118</i>	<i>0.394</i>	<i>0.157</i>							
A-S623-KB-gr5	3.000	10.000	4.000				AIS I 440C Stainless Steel / Phenolic Cage	Abec 5	Open	AC
	<i>0.118</i>	<i>0.394</i>	<i>0.157</i>							
SFR144-D28-KC	3.175	6.350	2.381		7.518 / 0.584	Oil / Standard	AIS I 440C Stainless Steel / Phenolic Cage	Abec 7	Open	FR
	<i>0.125</i>	<i>0.250</i>	<i>0.094</i>							
# SWR144-TNH-ZZSMC3	3.175	6.350	2.381	3.175			AIS I 440C Stainless Steel	Abec 1	ZZS	R
	<i>0.125</i>	<i>0.250</i>	<i>0.094</i>	<i>0.125</i>						
SFR144-D28-ZSo	3.175	6.350	2.381		7.518 / 0.584	Oil / Standard	AIS I 440C Stainless Steel	Abec 7	ZS	FR
	<i>0.125</i>	<i>0.250</i>	<i>0.094</i>							

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - High Speed Cage

Part Number	ID (d) mm <i>inches</i>	OD (D) mm <i>inches</i>	Width (B) mm <i>inches</i>	Inner Ring Width (Bn) mm <i>inches</i>	Flange Diameter (DF) mm <i>inches</i>	Flange Width (BF) mm <i>inches</i>	Material	Precision Grade	Closure Type	Bearing Type
# SR144A-D102-ZS-KC	3.175 <i>0.125</i>	6.350 / 5.979	2.779 <i>0.109</i>				Oil - Standard AIS I 440C Stainless Steel / Phenolic Cage	Abec 7	ZS	D102 Dental Special
SFR144A-D27-ZZS	3.175 <i>0.125</i>	6.350	2.779 <i>0.109</i>		7.518 / 0.787	Oil / Standard	AIS I 440C Stainless Steel	Abec 7	ZZS	FR
SFR144A-D27-ZSo	3.175 <i>0.125</i>	6.350	2.779 <i>0.109</i>		7.518 / 0.787	Oil / Standard	AIS I 440C Stainless Steel	Abec 7	ZS	FR
SR144A-D635-wZ	3.175 <i>0.125</i>	6.350 / 5.979	2.779 <i>0.109</i>			Oil - Undisclosed	AIS I 440C Stainless Steel	Abec 7	wZ	D635 (c/w Spot Welded Shield)
SR144C-D26-KC	3.175 <i>0.125</i>	6.350	1.910 <i>0.075</i>			Oil - Standard	AIS I 440C Stainless Steel / Phenolic Cage	Abec 7	Open	R
SR144-D28-ZS	3.175 <i>0.125</i>	6.350	2.381 <i>0.094</i>			Oil - Standard	AIS I 440C Stainless Steel	Abec 7	Z	R
SR144-D28	3.175 <i>0.125</i>	6.350	2.381 <i>0.094</i>			Oil - Standard	AIS I 440C Stainless Steel	Abec 7	Open	R

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - High Speed Cage

Part Number	ID (d) mm <i>inches</i>	OD (D) mm <i>inches</i>	Width (B) mm <i>inches</i>	Inner Ring Width (Bn) mm <i>inches</i>	Flange Diameter (DF) mm <i>inches</i>	Flange Width (BF) mm <i>inches</i>	Material	Precision Grade	Closure Type	Bearing Type
SR144-D106-ZS	3.175 <i>0.125</i>	6.350 / 5.979	2.381 <i>0.094</i>				Oil - Standard AIS I 440C Stainless Steel	Abec 7	Z	D106 Dental Special
SR144A-D105-ZS	3.175 <i>0.125</i>	6.350 / 5.979	2.779 <i>0.109</i>				Oil - Standard AIS I 440C Stainless Steel	Abec 7	ZS	D105 Dental Special
SR144A-D27-ZS-KC	3.175 <i>0.125</i>	6.350 <i>0.250</i>	2.779 <i>0.109</i>				Oil - Standard AIS I 440C Stainless Steel / Phenolic Cage	Abec 7	ZS	R
SR144A-D107-ZS	3.175 <i>0.125</i>	6.350 / 5.979	2.779 <i>0.109</i>				Oil - Standard AIS I 440C Stainless Steel	Abec 7	ZS	D107 Dental Special
SR144A-CSN-D107-ZS	3.175 <i>0.125</i>	6.350 / 5.979	2.779 <i>0.109</i>				Oil - Standard AIS I 440C Stainless Steel / Si3N4 Ceramic Balls	Abec 7	ZS	D107 Dental Special
SR144A-D105-ZS-KC	3.175 <i>0.125</i>	6.350 / 5.979	2.779 <i>0.109</i>				Oil - Standard AIS I 440C Stainless Steel / Phenolic Cage	Abec 7	ZS	D105 Dental Special
SR144A-D102-ZS	3.175 <i>0.125</i>	6.350 / 5.979	2.779 <i>0.109</i>				Oil - Standard AIS I 440C Stainless Steel	Abec 7	ZS	D102 Dental Special

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - High Speed Cage

Part Number	ID (d) mm <i>inches</i>	OD (D) mm <i>inches</i>	Width (B) mm <i>inches</i>	Inner Ring Width (Bn) mm <i>inches</i>	Flange Diameter (DF) mm <i>inches</i>	Flange Width (BF) mm <i>inches</i>	Material	Precision Grade	Closure Type	Bearing Type	
SR144A-D650-ZS	3.175 <i>0.125</i>	6.350 / 5.979	3.200 (Shrouded)	4.20 Extended One Side			Oil - Undisclosed	AIS I 440C Stainless Steel	Abec 7	ZS	D650 (Large Shroud)
SR2-5A-ZZu7D17	3.175 <i>0.125</i>	7.938 <i>0.313</i>	3.571 <i>0.141</i>				Oil - Standard	AIS I 440C Stainless Steel	Abec 7	ZZ	D19 Dental Special
# SR2-5A-KC-Zu7D16	3.175 <i>0.125</i>	7.938 <i>0.313</i>	3.571 <i>0.141</i>				Oil - Standard	AIS I 440C Stainless Steel / Phenolic Cage	Abec 7	Z	R Dental Special
# SR2-5A-KC-Zu7D18	3.175 <i>0.125</i>	7.938 <i>0.313</i>	3.571 <i>0.141</i>				Oil - Standard	AIS I 440C Stainless Steel / Phenolic Cage	Abec 7	Z	R Dental Special
SR2-5A-Zu7D17-KC	3.175 <i>0.125</i>	7.938 <i>0.313</i>	3.571 <i>0.141</i>				Oil - Standard	AIS I 440C Stainless Steel / Phenolic Cage	Abec 7	Z	R Dental Special
# A-SFR2-KB-gr5-G48	3.175 <i>0.125</i>	9.525 <i>0.375</i>	3.969 <i>0.156</i>		11.176 <i>0.440</i>	0.762 <i>0.030</i>		AIS I 440C Stainless Steel / Phenolic Cage	Abec 5	Open	AC

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - High Speed Cage

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Flange Diameter (DF) mm	Flange Width (BF) mm	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>				
R2-T9H-ZZMC3	3.175	9.525	3.969				SAE52100 Chrome Steel / Polyamide Cage	Abec 1	ZZ	R
	<i>0.125</i>	<i>0.375</i>	<i>0.156</i>							
# A-SR2-KB-gr5	3.175	9.525	3.969				AIS I 440C Stainless Steel / Phenolic Cage	Abec 5	Open	AC
	<i>0.125</i>	<i>0.375</i>	<i>0.156</i>							
# SR155A-KC-MC3-gr5	3.969	7.938	3.175			Oil - Aeroshell Fluid 12	AIS I 440C Stainless Steel / Phenolic Cage	Abec 5	Open	R
	<i>0.156</i>	<i>0.313</i>	<i>0.125</i>							
608-T9H-ZRUgr5-SKATE16PACK	For aggressive skating	Polyamide Cage for Extended Life	PACK OF 16 (8 x 22 x 7)	Standard	Grease - Beacon 325	Shielded One Side and Sealed The Other	SAE52100 Chrome Steel / Polyamide Cage	Abec 5		
S624-T9H-D69	4.000	13.000	5.000				AIS I 440C Stainless Steel / Polyamide Cage	Abec 1	Open	D69
	<i>0.157</i>	<i>0.512</i>	<i>0.197</i>							
# A-S624-KC-gr5	4.000	13.000	5.000				AIS I 440C Stainless Steel / Phenolic Cage	Abec 5	Open	AC
	<i>0.157</i>	<i>0.512</i>	<i>0.197</i>							

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - High Speed Cage

Part Number	ID (d) mm <i>inches</i>	OD (D) mm <i>inches</i>	Width (B) mm <i>inches</i>	Inner Ring Width (Bn) mm <i>inches</i>	Flange Diameter (DF) mm <i>inches</i>	Flange Width (BF) mm <i>inches</i>	Material	Precision Grade	Closure Type	Bearing Type
A-S634-KC-gr5	4.000	16.000	5.000				AIS I 440C Stainless Steel / Phenolic Cage	Abec 5	Open	AC
	<i>0.157</i>	<i>0.630</i>	<i>0.197</i>							
608-CSN-T9H-2RS-SKATE	For aggressive skating	Ceramic Balls - Polyamide Cage - Sealed - Excellent Durability	SINGLE BEARING (8 x 22 x 7)	Standard	Grease	Removable Contact Rubber Seals	Chrome Steel / Nylon Cage	Abec 1		
SFR166-KB-ZSMC5gr7-J260	4.763	9.525	3.175		10.719 / 0.787	Oil / Standard	AIS I 440C Stainless Steel / Phenolic Cage	Abec 7	ZS	FR
	<i>0.188</i>	<i>0.375</i>	<i>0.125</i>							
# A-SFR3-KC-gr5-G48	4.763	12.700	3.969		14.351	1.067	AIS I 440C Stainless Steel / Phenolic Cage	Abec 5	Open	AC
	<i>0.188</i>	<i>0.500</i>	<i>0.156</i>		<i>0.565</i>	<i>0.042</i>				
SR3C-KC-ZZSMC5gr7-L23	4.763	12.700	4.978			Oil - Windsorlube L245X	AIS I 440C Stainless Steel / Phenolic Cage	Abec 7	ZZS	R
	<i>0.188</i>	<i>0.500</i>	<i>0.196</i>							
A-SR3-KC-gr5	4.763	12.700	3.969				AIS I 440C Stainless Steel / Phenolic Cage	Abec 5	Open	AC
	<i>0.188</i>	<i>0.500</i>	<i>0.156</i>							

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - High Speed Cage

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Flange Diameter (DF) mm	Flange Width (BF) mm	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>				
# A-S625-KC-gr5	5.000	16.000	5.000				AIS I 440C Stainless Steel / Phenolic Cage	Abec 5	Open	AC
	<i>0.197</i>	<i>0.630</i>	<i>0.197</i>							
# 625-KC-ZMC3	5.000	16.000	5.000				SAE52100 Chrome Steel / Phenolic Cage	Abec 1	Z	R
	<i>0.197</i>	<i>0.630</i>	<i>0.197</i>							
SMR126A-T9H-ZZSMC3	6.000	12.000	4.000				SAE52100 Chrome Steel / Polyamide Cage	Abec 1	ZZS	R
	<i>0.236</i>	<i>0.472</i>	<i>0.157</i>							
# MR126A-T9H-ZZMC3	6.000	12.000	4.000				SAE52100 Chrome Steel / Polyamide Cage	Abec 1	ZZ	R
	<i>0.236</i>	<i>0.472</i>	<i>0.157</i>							
S686B-TW-ZZMC3	6.000	13.000	5.000				AIS I 440C Stainless Steel	Abec 1	ZZ	R
	<i>0.236</i>	<i>0.512</i>	<i>0.197</i>							
696-T9H-ZZMC3	6.000	15.000	5.000				SAE52100 Chrome Steel / Polyamide Cage	Abec 1	ZZ	R
	<i>0.236</i>	<i>0.591</i>	<i>0.197</i>							

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - High Speed Cage

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Flange Diameter (DF) mm	Flange Width (BF) mm	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>				
A-606-30-T9H-DFLjP5	6.000	17.000	6.000				SAE52100 Chrome Steel / Polyamide Cage	P5	Open	AC
	<i>0.236</i>	<i>0.669</i>	<i>0.236</i>							
# A-S626-KC-gr5	6.000	19.000	6.000				AIS I 440C Stainless Steel / Phenolic Cage	Abec 5	Open	AC
	<i>0.236</i>	<i>0.748</i>	<i>0.236</i>							
# A-SFR4-KC-gr5-G48	6.350	15.875	4.978		17.526	1.067	AIS I 440C Stainless Steel / Phenolic Cage	Abec 5	Open	AC
	<i>0.250</i>	<i>0.625</i>	<i>0.196</i>		<i>0.690</i>	<i>0.042</i>				
A-SR4-KC-gr5	6.350	15.875	4.978				AIS I 440C Stainless Steel / Phenolic Cage	Abec 5	Open	AC
	<i>0.250</i>	<i>0.625</i>	<i>0.196</i>							
697-T9H-2RUMC3	7.000	17.000	5.000				SAE52100 Chrome Steel / Polyamide Cage	Abec 1	2RU	R
	<i>0.276</i>	<i>0.669</i>	<i>0.197</i>							
# 607-KC-Z	7.000	19.000	6.000				SAE52100 Chrome Steel / Phenolic Cage	Abec 1	Z	R
	<i>0.276</i>	<i>0.748</i>	<i>0.236</i>							

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - High Speed Cage

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Flange Diameter (DF) mm	Flange Width (BF) mm	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>				
# 627D-T9H-ZZMC3	7.000	22.000	6.000				SAE52100 Chrome Steel / Polyamide Cage	Abec 1	ZZ	R
	<i>0.276</i>	<i>0.866</i>	<i>0.236</i>							
# 627D-T9H-2RSMC3	7.000	22.000	6.000				SAE52100 Chrome Steel / Polyamide Cage	Abec 1	2RS	R
	<i>0.276</i>	<i>0.866</i>	<i>0.236</i>							
# S627B-KB-ZZMC3b7	7.000	22.000	10.300				AIS I 440C Stainless Steel / Phenolic Cage	Abec 7	ZZ	R
	<i>0.276</i>	<i>0.866</i>	<i>0.406</i>							
# SR11010A-ZZMC3	7.938	15.875	6.000			Oil - STANDARD	AIS I 440C Stainless Steel	Abec 5	ZZ	R
	<i>0.313</i>	<i>0.625</i>	<i>0.236</i>							
# SR11010B-ZZMC3	7.938	15.875	7.500			Oil - STANDARD	AIS I 440C Stainless Steel	Abec 5	ZZ	R
	<i>0.313</i>	<i>0.625</i>	<i>0.295</i>							
SMR148A-T9H-ZZSMC4-AF12	8.000	14.000	4.000				AIS I 440C Stainless Steel / Polyamide Cage	Abec 1	ZZ	R
	<i>0.315</i>	<i>0.551</i>	<i>0.157</i>							
MR148A-PK-ZZMC3	8.000	14.000	4.000				SAE52100 Chrome Steel	Abec 1	ZZ	R
	<i>0.315</i>	<i>0.551</i>	<i>0.157</i>							

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - High Speed Cage

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Flange Diameter (DF) mm	Flange Width (BF) mm	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>				
# S688A-TW-ZZMC3AKB	8.000	16.000	5.000			Grease - Standard	AIS I 440C Stainless Steel / Nylon Cage	Abec 1	ZZ	R
	<i>0.315</i>	<i>0.630</i>	<i>0.197</i>							
S688B-T9H-ZZMC3gr3-LDS18	8.000	16.000	6.000				AIS I 440C Stainless Steel / Polyamide Cage	Abec 3	ZZ	R
	<i>0.315</i>	<i>0.630</i>	<i>0.236</i>							
S688B-T9H-MC3gr3-LDS18	8.000	16.000	6.000				AIS I 440C Stainless Steel / Polyamide Cage	Abec 3	Open	R
	<i>0.315</i>	<i>0.630</i>	<i>0.236</i>							
# S608-KC-Z-MC3	8.000	22.000	7.000				AIS I 440C Stainless Steel / Phenolic Cage	Abec 1	Z	R
	<i>0.315</i>	<i>0.866</i>	<i>0.276</i>							
# 608-T9H-MC3-AF12	8.000	22.000	7.000				SAE52100 Chrome Steel / Polyamide Cage	Abec 1	Open	R
	<i>0.315</i>	<i>0.866</i>	<i>0.276</i>							
S608-T9H-ZZ-C8-23-AF12	8.000	22.000	7.000				AIS I 440C Stainless Steel / Polyamide Cage	Abec 1	ZZS	R
	<i>0.315</i>	<i>0.866</i>	<i>0.276</i>							

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - High Speed Cage

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Flange Diameter (DF) mm	Flange Width (BF) mm	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>				
# A-S608-KC-gr5	8.000	22.000	7.000				AIS I 440C Stainless Steel / Phenolic Cage	Abec 5	Open	AC
	<i>0.315</i>	<i>0.866</i>	<i>0.276</i>							
# 608-KC-MC3-AF12	8.000	22.000	7.000				SAE52100 Chrome Steel / Phenolic Cage	Abec 1	Open	R
	<i>0.315</i>	<i>0.866</i>	<i>0.276</i>							
A-608-30-T9H-DFMjP5	8.000	22.000	7.000				SAE52100 Chrome Steel / Polyamide Cage	P5	Open	AC
	<i>0.315</i>	<i>0.866</i>	<i>0.276</i>							
# S608-CSN-T9H-2RS	8.000	22.000	7.000				AIS I 440C Stainless Steel / Polyamide Cage / Si3N4 Ceramic Balls	Abec 1	2RS	R
	<i>0.315</i>	<i>0.866</i>	<i>0.276</i>							
608-KC-Z-MC3gr3	8.000	22.000	7.000				SAE52100 Chrome Steel / Phenolic Cage	Abec 3	Z	R
	<i>0.315</i>	<i>0.866</i>	<i>0.276</i>							
608-CSN-T9H-2RS	8.000	22.000	7.000				SAE52100 Chrome Steel / Polyamide Cage / Si3N4 Ceramic Balls	Abec 1	2RS	R
	<i>0.315</i>	<i>0.866</i>	<i>0.276</i>							

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - High Speed Cage

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Flange Diameter (DF) mm	Flange Width (BF) mm	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>				
# 608-KC-Z-MC3-AF12	8.000	22.000	7.000				SAE52100 Chrome Steel / Phenolic Cage	Abec 1	Z	R
	<i>0.315</i>	<i>0.866</i>	<i>0.276</i>							
D608-PK-MC5-gr7	8.000	22.000	7.000				Special Steel / Si3N4 Ceramic Balls	Abec 7	Open	R
	<i>0.315</i>	<i>0.866</i>	<i>0.276</i>							
# W608C-T9H-ZZMC3	8.000	22.000	10.300	14.900			SAE52100 Chrome Steel / Polyamide Cage	Abec 1	ZZ	WR
	<i>0.315</i>	<i>0.866</i>	<i>0.406</i>	<i>0.587</i>						
# S628C-KB-ZZMC5	8.000	24.000	10.319				AIS I 440C Stainless Steel / Phenolic Cage	Abec 1	ZZ	R
	<i>0.315</i>	<i>0.945</i>	<i>0.406</i>							
# S689B-TNH-ZZMC3gr3	9.000	17.000	6.000				AIS I 440C Stainless Steel	Abec 3	ZZ	R
	<i>0.354</i>	<i>0.669</i>	<i>0.236</i>							
# 699-T9H-ZZMC3	9.000	20.000	6.000				SAE52100 Chrome Steel / Polyamide Cage	Abec 1	ZZ	R
	<i>0.354</i>	<i>0.787</i>	<i>0.236</i>							

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - High Speed Cage

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Flange Diameter (DF) mm	Flange Width (BF) mm	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>				
MR229-T9H-Z-MC3-AF12	9.000	22.000	7.000				SAE52100 Chrome Steel / Polyamide Cage	Abec 1	Z	R
	<i>0.354</i>	<i>0.866</i>	<i>0.276</i>							
# MR229-T9H-MC3-AF12	9.000	22.000	7.000				SAE52100 Chrome Steel / Polyamide Cage	Abec 1	Open	R
	<i>0.354</i>	<i>0.866</i>	<i>0.276</i>							
S609-CSN-T9H-2RS	9.000	24.000	7.000				AIS I 440C Stainless Steel / Polyamide Cage / Si3N4 Ceramic Balls	Abec 1	2RS	R
	<i>0.354</i>	<i>0.945</i>	<i>0.276</i>							
# 609-KC-MC3-AF12	9.000	24.000	7.000				SAE52100 Chrome Steel / Phenolic Cage	Abec 1	Open	R
	<i>0.354</i>	<i>0.945</i>	<i>0.276</i>							
SR11012B-KC-ZZMC3u7	9.525	15.875	4.978			Grease - Standard	AIS I 440C Stainless Steel / Phenolic Cage	Abec 7	ZZ	R
	<i>0.375</i>	<i>0.625</i>	<i>0.196</i>							
6800-T9H-RUC3	10.000	19.000	5.000				SAE52100 Chrome Steel / Polyamide Cage	Abec 1	RU	R
	<i>0.394</i>	<i>0.748</i>	<i>0.197</i>							

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - High Speed Cage

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Flange Diameter (DF) mm	Flange Width (BF) mm	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>				
# 6800-T9H-2RS	10.000	19.000	5.000				SAE52100 Chrome Steel / Polyamide Cage	Abec 1	2RS	R
	<i>0.394</i>	<i>0.748</i>	<i>0.197</i>							
# 6800-T9H-ZZ-C3	10.000	19.000	5.000				SAE52100 Chrome Steel / Polyamide Cage	Abec 1	ZZ	R
	<i>0.394</i>	<i>0.748</i>	<i>0.197</i>							
6900-T9HC3	10.000	22.000	6.000				SAE52100 Chrome Steel / Polyamide Cage	Abec 1	Open	R
	<i>0.394</i>	<i>0.866</i>	<i>0.236</i>							
# 6900-T9H-2RS	10.000	22.000	6.000				SAE52100 Chrome Steel / Polyamide Cage	Abec 1	2RS	R
	<i>0.394</i>	<i>0.866</i>	<i>0.236</i>							
# 6900-CSN-KC-C3	10.000	22.000	6.000				SAE52100 Chrome Steel / Phenolic Cage / Si3N4 Ceramic Balls	Abec 1	Open	R
	<i>0.394</i>	<i>0.866</i>	<i>0.236</i>							
# 6900-CSN-T9H-C3	10.000	22.000	6.000				SAE52100 Chrome Steel / Polyamide Cage / Si3N4 Ceramic Balls	Abec 1	Open	R
	<i>0.394</i>	<i>0.866</i>	<i>0.236</i>							

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - High Speed Cage

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Flange Diameter (DF) mm	Flange Width (BF) mm	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>				
# 6900-KC-Z	10.000	22.000	6.000				SAE52100 Chrome Steel / Phenolic Cage	Abec 1	Z	R
	<i>0.394</i>	<i>0.866</i>	<i>0.236</i>							
# A-6900-15-T9H-SULJP4	10.000	22.000	6.000				SAE52100 Chrome Steel / Polyamide Cage	Abec 1	Open	AC
	<i>0.394</i>	<i>0.866</i>	<i>0.236</i>							
6000-T9H-ZC3-AF12	10.000	26.000	8.000				SAE52100 Chrome Steel / Polyamide Cage	Abec 1	Z	R
	<i>0.394</i>	<i>1.024</i>	<i>0.315</i>							
# S6000-T9H-2RS	10.000	26.000	8.000				AIS I 440C Stainless Steel / Polyamide Cage	Abec 1	2RS	R
	<i>0.394</i>	<i>1.024</i>	<i>0.315</i>							
# 6000-CSN-T9H-C3	10.000	26.000	8.000				SAE52100 Chrome Steel / Polyamide Cage / Si3N4 Ceramic Balls	Abec 1	Open	R
	<i>0.394</i>	<i>1.024</i>	<i>0.315</i>							
S6000-CSN-T9H-2RS	10.000	26.000	8.000				AIS I 440C Stainless Steel / Polyamide Cage / Si3N4 Ceramic Balls	Abec 1	2RS	R
	<i>0.394</i>	<i>1.024</i>	<i>0.315</i>							

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - High Speed Cage

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Flange Diameter (DF) mm	Flange Width (BF) mm	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>				
# 6000-KC-Z	10.000	26.000	8.000				SAE52100 Chrome Steel / Phenolic Cage	Abec 1	Z	R
	<i>0.394</i>	<i>1.024</i>	<i>0.315</i>							
# 6000-KC-RSC3	10.000	26.000	8.000				SAE52100 Chrome Steel / Phenolic Cage	Abec 1	RS	R
	<i>0.394</i>	<i>1.024</i>	<i>0.315</i>							
# S6000-T9H-ZZ	10.000	26.000	8.000				AIS I 440C Stainless Steel / Polyamide Cage	Abec 1	ZZ	R
	<i>0.394</i>	<i>1.024</i>	<i>0.315</i>							
6000-T9H-2RSC3	10.000	26.000	8.000				SAE52100 Chrome Steel / Polyamide Cage	Abec 1	2RS	R
	<i>0.394</i>	<i>1.024</i>	<i>0.315</i>							
A-6200-30-T9HJP4	10.000	30.000	9.000				SAE52100 Chrome Steel / Polyamide Cage	P4	Open	AC
	<i>0.394</i>	<i>1.181</i>	<i>0.354</i>							
# 6200-KC-ZC3	10.000	30.000	9.000				SAE52100 Chrome Steel / Phenolic Cage	Abec 1	Z	R
	<i>0.394</i>	<i>1.181</i>	<i>0.354</i>							

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - High Speed Cage

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Flange Diameter (DF) mm	Flange Width (BF) mm	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>				
# S6200-T9H-ZZ	10.000	30.000	9.000				AIS I 440C Stainless Steel / Polyamide Cage	Abec 1	ZZ	R
	<i>0.394</i>	<i>1.181</i>	<i>0.354</i>							
# S6200-T9H-2RS	10.000	30.000	9.000				AIS I 440C Stainless Steel / Polyamide Cage	Abec 1	2RS	R
	<i>0.394</i>	<i>1.181</i>	<i>0.354</i>							
6701-CSN-T9H-ZZS	12.000	18.000	4.000				SAE52100 Chrome Steel / Polyamide Cage / Si3N4 Ceramic Balls	Abec 1	ZZS	R
	<i>0.472</i>	<i>0.709</i>	<i>0.157</i>							
# 6801-TNH-2RS	12.000	21.000	5.000				SAE52100 Chrome Steel	Abec 1	2RS	R
	<i>0.472</i>	<i>0.827</i>	<i>0.197</i>							
# S6801-CSN-T9H-2RS	12.000	21.000	5.000				AIS I 440C Stainless Steel / Polyamide Cage / Si3N4 Ceramic Balls	Abec 1	2RS	R
	<i>0.472</i>	<i>0.827</i>	<i>0.197</i>							
6801-T9H-C3	12.000	21.000	5.000				SAE52100 Chrome Steel / Polyamide Cage	Abec 1	Open	R
	<i>0.472</i>	<i>0.827</i>	<i>0.197</i>							

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - High Speed Cage

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Flange Diameter (DF) mm	Flange Width (BF) mm	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>				
# 6901-CSN-KC-C3	12.000	24.000	6.000				SAE52100 Chrome Steel / Phenolic Cage / Si3N4 Ceramic Balls	Abec 1	Open	R
	<i>0.472</i>	<i>0.945</i>	<i>0.236</i>							
6901-T9H-RB-C3-AF12	12.000	24.000	6.000				SAE52100 Chrome Steel / Polyamide Cage	Abec 1	RB	R
	<i>0.472</i>	<i>0.945</i>	<i>0.236</i>							
# 6901-KC	12.000	24.000	6.000				SAE52100 Chrome Steel / Phenolic Cage	Abec 1	Open	R
	<i>0.472</i>	<i>0.945</i>	<i>0.236</i>							
# 6901-KC-Z	12.000	24.000	6.000				SAE52100 Chrome Steel / Phenolic Cage	Abec 1	Z	R
	<i>0.472</i>	<i>0.945</i>	<i>0.236</i>							
# 6901-CSN-T9H-2RU-C3	12.000	24.000	6.000				SAE52100 Chrome Steel / Polyamide Cage / Si3N4 Ceramic Balls	Abec 1	2RU	R
	<i>0.472</i>	<i>0.945</i>	<i>0.236</i>							
# 6901-T9H-2RS	12.000	24.000	6.000				SAE52100 Chrome Steel / Polyamide Cage	Abec 1	2RS	R
	<i>0.472</i>	<i>0.945</i>	<i>0.236</i>							

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - High Speed Cage

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Flange Diameter (DF) mm	Flange Width (BF) mm	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>				
# 6001B-CSN-T9H-C3	12.000	28.000	7.000				SAE52100 Chrome Steel / Polyamide Cage / Si3N4 Ceramic Balls	Abec 1	Open	R
	<i>0.472</i>	<i>1.102</i>	<i>0.276</i>							
6001B-T9H-C3	12.000	28.000	7.000				SAE52100 Chrome Steel / Polyamide Cage	Abec 1	Open	R
	<i>0.472</i>	<i>1.102</i>	<i>0.276</i>							
# 6001-CSN-T9H-ZZC3	12.000	28.000	8.000				SAE52100 Chrome Steel / Polyamide Cage / Si3N4 Ceramic Balls	Abec 1	ZZ	R
	<i>0.472</i>	<i>1.102</i>	<i>0.315</i>							
A-6001-15-T9H-jP5	12.000	28.000	8.000				SAE52100 Chrome Steel / Polyamide Cage	Abec 1	Open	AC
	<i>0.472</i>	<i>1.102</i>	<i>0.315</i>							
S6001-CSN-T9H-2RS	12.000	28.000	8.000				AIS I 440C Stainless Steel / Polyamide Cage / Si3N4 Ceramic Balls	Abec 1	2RS	R
	<i>0.472</i>	<i>1.102</i>	<i>0.315</i>							
# 6001-KC-Z	12.000	28.000	8.000				SAE52100 Chrome Steel / Phenolic Cage	Abec 1	Z	R
	<i>0.472</i>	<i>1.102</i>	<i>0.315</i>							

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - High Speed Cage

Part Number	ID (d) mm <i>inches</i>	OD (D) mm <i>inches</i>	Width (B) mm <i>inches</i>	Inner Ring Width (Bn) mm <i>inches</i>	Flange Diameter (DF) mm <i>inches</i>	Flange Width (BF) mm <i>inches</i>	Material	Precision Grade	Closure Type	Bearing Type
# 6001-CSN-KC-C3	12.000 <i>0.472</i>	28.000 <i>1.102</i>	8.000 <i>0.315</i>				SAE52100 Chrome Steel / Phenolic Cage / Si3N4 Ceramic Balls	Abec 1	Open	R
6001-T9H-ZC3-AF12	12.000 <i>0.472</i>	28.000 <i>1.102</i>	8.000 <i>0.315</i>				SAE52100 Chrome Steel / Polyamide Cage	Abec 1	Z	R
MR3012-KC-ZC3	12.000 <i>0.472</i>	30.000 <i>1.181</i>	8.000 <i>0.315</i>				SAE52100 Chrome Steel / Phenolic Cage	Abec 1	Z	R
# MR3012-CSN-T9H	12.000 <i>0.472</i>	30.000 <i>1.181</i>	8.000 <i>0.315</i>				SAE52100 Chrome Steel / Polyamide Cage / Si3N4 Ceramic Balls	Abec 1	Open	R
# 6201-CSN-KC-C3	12.000 <i>0.472</i>	32.000 <i>1.260</i>	10.000 <i>0.394</i>				SAE52100 Chrome Steel / Phenolic Cage / Si3N4 Ceramic Balls	Abec 1	Open	R
# 6201-KC-RSC3	12.000 <i>0.472</i>	32.000 <i>1.260</i>	10.000 <i>0.394</i>				SAE52100 Chrome Steel / Phenolic Cage	Abec 1	RS	R

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - High Speed Cage

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Flange Diameter (DF) mm	Flange Width (BF) mm	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>				
# A-6201-15-KC-DULjP4	12.000	32.000	10.000				SAE52100 Chrome Steel / Phenolic Cage	P4	Open	AC
	<i>0.472</i>	<i>1.260</i>	<i>0.394</i>							
6201-T9H-ZZC3-AF12	12.000	32.000	10.000				SAE52100 Chrome Steel / Polyamide Cage	Abec 1	ZZ	R
	<i>0.472</i>	<i>1.260</i>	<i>0.394</i>							
# R8-CSN-T9H-C3	12.700	28.575	6.350				SAE52100 Chrome Steel / Polyamide Cage / Si3N4 Ceramic Balls	Abec 1	Open	R
	<i>0.500</i>	<i>1.125</i>	<i>0.250</i>							
R8-T9H-C3	12.700	28.575	6.350				SAE52100 Chrome Steel / Polyamide Cage	Abec 1	Open	R
	<i>0.500</i>	<i>1.125</i>	<i>0.250</i>							
# R8A-T9H-ZC3	12.700	28.575	7.938				SAE52100 Chrome Steel / Polyamide Cage	Abec 1	Z	R
	<i>0.500</i>	<i>1.125</i>	<i>0.313</i>							
# MR2413-TNH-ZZ	13.000	24.000	6.000				SAE52100 Chrome Steel	Abec 1	ZZ	R
	<i>0.512</i>	<i>0.945</i>	<i>0.236</i>							

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - High Speed Cage

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Flange Diameter (DF) mm	Flange Width (BF) mm	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>				
MR2413-T9H-C3	13.000	24.000	6.000				SAE52100 Chrome Steel / Polyamide Cage	Abec 1	Open	R
	<i>0.512</i>	<i>0.945</i>	<i>0.236</i>							
# MR2413-CSN-T9H-C3	13.000	24.000	6.000				SAE52100 Chrome Steel / Polyamide Cage / Si3N4 Ceramic Balls	Abec 1	Open	R
	<i>0.512</i>	<i>0.945</i>	<i>0.236</i>							
# MR2513-CSN-T9H-C3	13.000	25.000	6.000				SAE52100 Chrome Steel / Polyamide Cage / Si3N4 Ceramic Balls	Abec 1	Open	R
	<i>0.512</i>	<i>0.984</i>	<i>0.236</i>							
MR2513-T9H-C3	13.000	25.000	6.000				SAE52100 Chrome Steel / Polyamide Cage	Abec 1	Open	R
	<i>0.512</i>	<i>0.984</i>	<i>0.236</i>							
# MR2813A-T9H-C3	13.000	28.000	6.350				SAE52100 Chrome Steel / Polyamide Cage	Abec 1	Open	R
	<i>0.512</i>	<i>1.102</i>	<i>0.250</i>							
MR3213B-TNH	13.000	32.000	7.000				SAE52100 Chrome Steel	Abec 1	Open	R
	<i>0.512</i>	<i>1.260</i>	<i>0.276</i>							

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - High Speed Cage

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Flange Diameter (DF) mm	Flange Width (BF) mm	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>				
MR2514-CSN-T9H-C3	14.000	25.000	6.000				SAE52100 Chrome Steel / Polyamide Cage / Si3N4 Ceramic Balls	Abec 1	Open	R
	<i>0.551</i>	<i>0.984</i>	<i>0.236</i>							
S6802-CSN-T9H-2RS	15.000	24.000	5.000				AIS I 440C Stainless Steel / Polyamide Cage / Si3N4 Ceramic Balls	Abec 1	2RS	R
	<i>0.591</i>	<i>0.945</i>	<i>0.197</i>							
# 6802-TNH	15.000	24.000	5.000				SAE52100 Chrome Steel	Abec 1	Open	R
	<i>0.591</i>	<i>0.945</i>	<i>0.197</i>							
# 6802B-T9H-2RS	15.000	24.000	7.000				SAE52100 Chrome Steel / Polyamide Cage	Abec 1	2RS	R
	<i>0.591</i>	<i>0.945</i>	<i>0.276</i>							
# 6902-CSN-KC-C3	15.000	28.000	7.000				SAE52100 Chrome Steel / Phenolic Cage / Si3N4 Ceramic Balls	Abec 1	Open	R
	<i>0.591</i>	<i>1.102</i>	<i>0.276</i>							
6902-T9H-2RBC3-AF12	15.000	28.000	7.000				SAE52100 Chrome Steel / Polyamide Cage	Abec 1	2RB	R
	<i>0.591</i>	<i>1.102</i>	<i>0.276</i>							

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - High Speed Cage

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Flange Diameter (DF) mm	Flange Width (BF) mm	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>				
# S6902-CSN-T9H-2RS	15.000	28.000	7.000				AIS I 440C Stainless Steel / Polyamide Cage / Si3N4 Ceramic Balls	Abec 1	2RS	R
	<i>0.591</i>	<i>1.102</i>	<i>0.276</i>							
# 6902-KC-C3	15.000	28.000	7.000				SAE52100 Chrome Steel / Phenolic Cage	Abec 1	Open	R
	<i>0.591</i>	<i>1.102</i>	<i>0.276</i>							
# 6902-T9H-C3	15.000	28.000	7.000				SAE52100 Chrome Steel / Polyamide Cage	Abec 1	Open	R
	<i>0.591</i>	<i>1.102</i>	<i>0.276</i>							
6002A-KC-C3	15.000	32.000	8.000				SAE52100 Chrome Steel / Phenolic Cage	Abec 1	Open	R
	<i>0.591</i>	<i>1.260</i>	<i>0.315</i>							
6002A-T9HC3	15.000	32.000	8.000				SAE52100 Chrome Steel / Polyamide Cage	Abec 1	Open	R
	<i>0.591</i>	<i>1.260</i>	<i>0.315</i>							
# 6002A-CSN-KC-C3	15.000	32.000	8.000				SAE52100 Chrome Steel / Phenolic Cage / Si3N4 Ceramic Balls	Abec 1	Open	R
	<i>0.591</i>	<i>1.260</i>	<i>0.315</i>							

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - High Speed Cage

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Flange Diameter (DF) mm	Flange Width (BF) mm	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>				
# 6002A-CSN-T9H-C3	15.000	32.000	8.000				SAE52100 Chrome Steel / Polyamide Cage / Si3N4 Ceramic Balls	Abec 1	Open	R
	<i>0.591</i>	<i>1.260</i>	<i>0.315</i>							
# 6002-CSN-T9H-C3	15.000	32.000	9.000				SAE52100 Chrome Steel / Polyamide Cage / Si3N4 Ceramic Balls	Abec 1	Open	R
	<i>0.591</i>	<i>1.260</i>	<i>0.354</i>							
6002-T9H-ZC3-AF12	15.000	32.000	9.000				SAE52100 Chrome Steel / Polyamide Cage	Abec 1	Z	R
	<i>0.591</i>	<i>1.260</i>	<i>0.354</i>							
# 6002-T9H-ZZC3	15.000	32.000	9.000				SAE52100 Chrome Steel / Polyamide Cage	Abec 1	ZZ	R
	<i>0.591</i>	<i>1.260</i>	<i>0.354</i>							
# A-6002-15-T9H-jP4	15.000	32.000	9.000				SAE52100 Chrome Steel / Polyamide Cage	P4	Open	AC
	<i>0.591</i>	<i>1.260</i>	<i>0.354</i>							

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - High Speed Cage

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Flange Diameter (DF) mm	Flange Width (BF) mm	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>				
# 6002-CSN-KC-C3	15.000	32.000	9.000				SAE52100 Chrome Steel / Phenolic Cage / Si3N4 Ceramic Balls	Abec 1	Open	R
	<i>0.591</i>	<i>1.260</i>	<i>0.354</i>							
A-6202-15-T9H-SULjP4	15.000	35.000	11.000				SAE52100 Chrome Steel / Polyamide Cage	P4	Open	AC
	<i>0.591</i>	<i>1.378</i>	<i>0.433</i>							
# 6202-KC-ZC3	15.000	35.000	11.000				SAE52100 Chrome Steel / Phenolic Cage	Abec 1	Z	R
	<i>0.591</i>	<i>1.378</i>	<i>0.433</i>							
# S6202-CSN-T9H-2RSC3u3	15.000	35.000	11.000				AIS I 440C Stainless Steel / Polyamide Cage / Si3N4 Ceramic Balls	Abec 3	2RS	R
	<i>0.591</i>	<i>1.378</i>	<i>0.433</i>							
# 6202-CSN-KC-C3	15.000	35.000	11.000				SAE52100 Chrome Steel / Phenolic Cage / Si3N4 Ceramic Balls	Abec 1	Open	R
	<i>0.591</i>	<i>1.378</i>	<i>0.433</i>							
# 6202-T9H-ZC3-AF12	15.000	35.000	11.000				SAE52100 Chrome Steel / Polyamide Cage	Abec 1	Z	R
	<i>0.591</i>	<i>1.378</i>	<i>0.433</i>							

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - High Speed Cage

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Flange Diameter (DF) mm	Flange Width (BF) mm	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>				
S6202-CSN-T9H-DRY	15.000	35.000	11.000				AIS I 440C Stainless Steel / Polyamide Cage / Si3N4 Ceramic Balls	Abec 1	Open	R
	<i>0.591</i>	<i>1.378</i>	<i>0.433</i>							
# MR4015B-T9H-ZZ	15.000	40.000	11.000				SAE52100 Chrome Steel / Polyamide Cage	Abec 1	ZZ	R
	<i>0.591</i>	<i>1.575</i>	<i>0.433</i>							
# 6803-TNH	17.000	26.000	5.000				SAE52100 Chrome Steel	Abec 1	Open	R
	<i>0.669</i>	<i>1.024</i>	<i>0.197</i>							
S6803-CSN-T9H-2RS	17.000	26.000	5.000				AIS I 440C Stainless Steel / Polyamide Cage / Si3N4 Ceramic Balls	Abec 1	2RS	R
	<i>0.669</i>	<i>1.024</i>	<i>0.197</i>							
# 6803-CSN-T9H-C3	17.000	26.000	5.000				SAE52100 Chrome Steel / Polyamide Cage / Si3N4 Ceramic Balls	Abec 1	Open	R
	<i>0.669</i>	<i>1.024</i>	<i>0.197</i>							
6903-T9H-C3-P13	17.000	30.000	7.000				SAE52100 Chrome Steel / Polyamide Cage	Abec 1	Open	R
	<i>0.669</i>	<i>1.181</i>	<i>0.276</i>							

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - High Speed Cage

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Flange Diameter (DF) mm	Flange Width (BF) mm	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>				
S6903-CSN-T9H-2RS	17.000	30.000	7.000				AIS I 440C Stainless Steel / Polyamide Cage / Si3N4 Ceramic Balls	Abec 1	2RS	R
	<i>0.669</i>	<i>1.181</i>	<i>0.276</i>							
# 6903-CSN-KC-C3	17.000	30.000	7.000				SAE52100 Chrome Steel / Phenolic Cage / Si3N4 Ceramic Balls	Abec 1	Open	R
	<i>0.669</i>	<i>1.181</i>	<i>0.276</i>							
# 6903-KC-Z	17.000	30.000	7.000				SAE52100 Chrome Steel / Phenolic Cage	Abec 1	Z	R
	<i>0.669</i>	<i>1.181</i>	<i>0.276</i>							
# MR3217-CSN-T9H-C3	17.000	32.000	7.000				SAE52100 Chrome Steel / Polyamide Cage / Si3N4 Ceramic Balls	Abec 1	Open	R
	<i>0.669</i>	<i>1.260</i>	<i>0.276</i>							
MR3217A-T9H-C3-AF12	17.000	32.000	8.000				SAE52100 Chrome Steel / Polyamide Cage	Abec 1	Open	R
	<i>0.669</i>	<i>1.260</i>	<i>0.315</i>							
# 6003A-KC	17.000	35.000	8.000				SAE52100 Chrome Steel / Phenolic Cage	Abec 1	Open	R
	<i>0.669</i>	<i>1.378</i>	<i>0.315</i>							

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - High Speed Cage

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Flange Diameter (DF) mm	Flange Width (BF) mm	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>				
6003A-CSN-T9H-C3	17.000	35.000	8.000				SAE52100 Chrome Steel / Polyamide Cage / Si3N4 Ceramic Balls	Abec 1	Open	R
	<i>0.669</i>	<i>1.378</i>	<i>0.315</i>							
6003A-TNH	17.000	35.000	8.000				SAE52100 Chrome Steel	Abec 1	Open	R
	<i>0.669</i>	<i>1.378</i>	<i>0.315</i>							
# 6003-KC-RSC3	17.000	35.000	10.000				SAE52100 Chrome Steel / Phenolic Cage	Abec 1	RS	R
	<i>0.669</i>	<i>1.378</i>	<i>0.394</i>							
# 6003-T9H-2RSC3	17.000	35.000	10.000				SAE52100 Chrome Steel / Polyamide Cage	Abec 1	2RS	R
	<i>0.669</i>	<i>1.378</i>	<i>0.394</i>							
# 6003-KC-ZC3	17.000	35.000	10.000				SAE52100 Chrome Steel / Phenolic Cage	Abec 1	Z	R
	<i>0.669</i>	<i>1.378</i>	<i>0.394</i>							
6003-T9H-ZC3-AF12	17.000	35.000	10.000				SAE52100 Chrome Steel / Polyamide Cage	Abec 1	Z	R
	<i>0.669</i>	<i>1.378</i>	<i>0.394</i>							

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - High Speed Cage

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Flange Diameter (DF) mm	Flange Width (BF) mm	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>				
A-6203-15-T9H-DBLjP4	17.000	40.000	12.000				SAE52100 Chrome Steel / Polyamide Cage	P4	Open	AC
	<i>0.669</i>	<i>1.575</i>	<i>0.472</i>							
S6203-CSN-T9H-2RSC3u3	17.000	40.000	12.000				AIS I 440C Stainless Steel / Polyamide Cage / Si3N4 Ceramic Balls	Abec 3	2RS	R
	<i>0.669</i>	<i>1.575</i>	<i>0.472</i>							
# 6203-TBH-ZC3	17.000	40.000	12.000				SAE52100 Chrome Steel	Abec 1	Z	R
	<i>0.669</i>	<i>1.575</i>	<i>0.472</i>							
# 6203-TBH-ZC3sP6	17.000	40.000	12.000				SAE52100 Chrome Steel	P6	Z	R
	<i>0.669</i>	<i>1.575</i>	<i>0.472</i>							
# 6203-KC-RSC3	17.000	40.000	12.000				SAE52100 Chrome Steel / Phenolic Cage	Abec 1	RS	R
	<i>0.669</i>	<i>1.575</i>	<i>0.472</i>							
# 6804-TNH	20.000	32.000	7.000				SAE52100 Chrome Steel	Abec 1	Open	R
	<i>0.787</i>	<i>1.260</i>	<i>0.276</i>							

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - High Speed Cage

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Flange Diameter (DF) mm	Flange Width (BF) mm	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>				
# S6804-CSN-T9H-2RS	20.000	32.000	7.000				AIS I 440C Stainless Steel / Polyamide Cage / Si3N4 Ceramic Balls	Abec 1	2RS	R
	<i>0.787</i>	<i>1.260</i>	<i>0.276</i>							
# 6904-CSN-T9H-C3	20.000	37.000	9.000				SAE52100 Chrome Steel / Polyamide Cage / Si3N4 Ceramic Balls	Abec 1	Open	R
	<i>0.787</i>	<i>1.457</i>	<i>0.354</i>							
# 6004-KCu3C3	20.000	42.000	12.000				SAE52100 Chrome Steel / Phenolic Cage	Abec 3	Open	R
	<i>0.787</i>	<i>1.654</i>	<i>0.472</i>							
# S6204-CSN-T9H-2RSC3u3	20.000	47.000	14.000				AIS I 440C Stainless Steel / Polyamide Cage / Si3N4 Ceramic Balls	Abec 3	2RS	R
	<i>0.787</i>	<i>1.850</i>	<i>0.551</i>							
A-6204-15-T9H-DBLjP4	20.000	47.000	14.000				SAE52100 Chrome Steel / Polyamide Cage	P4	Open	AC
	<i>0.787</i>	<i>1.850</i>	<i>0.551</i>							

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - High Speed Cage

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Flange Diameter (DF) mm	Flange Width (BF) mm	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>				
S6805-CSN-T9H-2RS	25.000	37.000	7.000				AIS I 440C Stainless Steel / Polyamide Cage / Si3N4 Ceramic Balls	Abec 1	2RS	R
	<i>0.984</i>	<i>1.457</i>	<i>0.276</i>							
# 6805-TNH	25.000	37.000	7.000				SAE52100 Chrome Steel	Abec 1	Open	R
	<i>0.984</i>	<i>1.457</i>	<i>0.276</i>							
# S6005-CSN-T9H-2RSC3u3	25.000	47.000	12.000				AIS I 440C Stainless Steel / Polyamide Cage / Si3N4 Ceramic Balls	Abec 3	2RS	R
	<i>0.984</i>	<i>1.850</i>	<i>0.472</i>							
A-6005-15-T9H-DULjP4	25.000	47.000	12.000				SAE52100 Chrome Steel / Polyamide Cage	P4	Open	AC
	<i>0.984</i>	<i>1.850</i>	<i>0.472</i>							
# 6005-KCu3C3	25.000	47.000	12.000				SAE52100 Chrome Steel / Phenolic Cage	Abec 3	Open	R
	<i>0.984</i>	<i>1.850</i>	<i>0.472</i>							
# S6205-CSN-T9H-2RSC3u3	25.000	52.000	15.000				AIS I 440C Stainless Steel / Polyamide Cage / Si3N4 Ceramic Balls	Abec 3	2RS	R
	<i>0.984</i>	<i>2.047</i>	<i>0.591</i>							

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - High Speed Cage

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Flange Diameter (DF) mm	Flange Width (BF) mm	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>				
A-6205-15-T9H-DBLjP4	25.000	52.000	15.000				SAE52100 Chrome Steel / Polyamide Cage	P4	Open	AC
	<i>0.984</i>	<i>2.047</i>	<i>0.591</i>							
# 6205-KCu3C3	25.000	52.000	15.000				SAE52100 Chrome Steel / Phenolic Cage	Abec 3	Open	R
	<i>0.984</i>	<i>2.047</i>	<i>0.591</i>							
# S6806-CSN-T9H-2RS	30.000	42.000	7.000				AIS I 440C Stainless Steel / Polyamide Cage / Si3N4 Ceramic Balls	Abec 1	2RS	R
	<i>1.181</i>	<i>1.654</i>	<i>0.276</i>							
# S6006-T9H-2RS	30.000	55.000	13.000				AIS I 440C Stainless Steel / Polyamide Cage	Abec 1	2RS	R
	<i>1.181</i>	<i>2.165</i>	<i>0.512</i>							
# S6006-T9H-ZZ	30.000	55.000	13.000				AIS I 440C Stainless Steel / Polyamide Cage	Abec 1	ZZ	R
	<i>1.181</i>	<i>2.165</i>	<i>0.512</i>							
# A-6006-15-T9H-DULjP4	30.000	55.000	13.000				SAE52100 Chrome Steel / Polyamide Cage	P4	Open	AC
	<i>1.181</i>	<i>2.165</i>	<i>0.512</i>							

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - High Speed Cage

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Flange Diameter (DF) mm	Flange Width (BF) mm	Material	Precision Grade	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>				
S6206-CSN-T9H-2RSC4u3	30.000	62.000	16.000				AIS I 440C Stainless Steel / Polyamide Cage / Si3N4 Ceramic Balls	Abec 3	2RS	R
	<i>1.181</i>	<i>2.441</i>	<i>0.630</i>							
A-6206-15-KC-DULjP4	30.000	62.000	16.000				SAE52100 Chrome Steel / Phenolic Cage	P4	Open	AC
	<i>1.181</i>	<i>2.441</i>	<i>0.630</i>							
# S6206-T9H-2RS	30.000	62.000	16.000				AIS I 440C Stainless Steel / Polyamide Cage	Abec 1	2RS	R
	<i>1.181</i>	<i>2.441</i>	<i>0.630</i>							
# S6206-T9H-ZZ	30.000	62.000	16.000				AIS I 440C Stainless Steel / Polyamide Cage	Abec 1	ZZ	R
	<i>1.181</i>	<i>2.441</i>	<i>0.630</i>							

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to catalogues@minibearings.com.au
