




MBA

Bearings - Linear - Ball - Thomson Super (Open)



For running on shafts supported by a rail along their length.

This catalogue to be read in conjunction with information at <http://www.minibearings.com.au/ogue/tech/linear/supersmart.pdf>

<http://www.minibearings.com.au/ogue/tech/linear/superopen.pdf>

<http://www.minibearings.com.au//categories/shafting/all/pics/>

Bearings - Linear - Ball - Thomson Super (Open)

Part Number	Nom. Shaft Size (T) mm	Length (C) mm	Ring Distance (C1) mm	Groove Width (C2) mm	Number of Ball Circuits	Slot Width(E) mm	Weight Kg	Dynamic Load Capacity kgf	Recom. Housing Bore (Fixed) mm	Recom. Housing Bore (Adjustabl) mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>			<i>inches</i>	<i>inches</i>
# TSUPER-8-OPN	12.70	31.750 (+0.00-0.51)	26.213 (+0.00-0.51)	1.27	4	7.87	0.02	103	22.225 to 22.238	22.225 to 22.250
	<i>0.500</i>			<i>0.050</i>		<i>0.310</i>				
# TSUPER-10-OPN	15.88	38.100 (+0.00-0.51)	28.067 (+0.00-0.25)	1.42	4	9.40	0.04	143	28.575 to 28.588	28.575 to 28.600
	<i>0.625</i>			<i>0.056</i>		<i>0.370</i>				
# TSUPER-12-OPN	19.05	41.275 (+0.00-0.51)	32.258 (+0.00-0.51)	1.42	5	10.92	0.05	210	31.750 to 31.763	31.750 to 31.775
	<i>0.750</i>			<i>0.056</i>		<i>0.430</i>				

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Linear - Ball - Thomson Super (Open)

Part Number	Nom. Shaft Size (T) mm	Length (C) mm	Ring Distance (C1) mm	Groove Width (C2) mm	Number of Ball Circuits	Slot Width(E) mm	Weight Kg	Dynamic Load Capacity kgf	Recom. Housing Bore (Fixed) mm	Recom. Housing Bore (Adjustabl mm)
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>			<i>inches</i>	<i>inches</i>
# TSUPER-16-OPN	25.40 <i>1.000</i>	57.150 (+0.00-0.51) <i>inches</i>	47.854 (+0.00-0.51) <i>inches</i>	1.78 <i>0.070</i>	5	14.22 <i>0.560</i>	0.10	348	39.688 to 39.700	39.688 to 39.713
# TSUPER-20-OPN	31.75 <i>1.250</i>	66.675 (+0.00-0.64) <i>inches</i>	50.902 (+0.00-0.51) <i>inches</i>	1.73 <i>0.068</i>	5	15.75 <i>0.620</i>	0.17	513	50.800 to 50.820	50.800 to 50.825
# TSUPER-24-OPN	38.10 <i>1.500</i>	76.200 (+0.00-0.76) <i>inches</i>	61.214 (+0.00-0.51) <i>inches</i>	2.18 <i>0.086</i>	5	19.05 <i>0.750</i>	0.32	696	60.325 to 60.350	60.325 to 60.588
# TSUPER-32-OPN	50.80 <i>2.000</i>	101.600 (+0.00-1.02) <i>inches</i>	81.102 (+0.00-0.76) <i>inches</i>	2.67 <i>0.105</i>	5	25.40 <i>1.000</i>	0.54	1049	76.200 to 76.525	76.200 to 76.525

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to catalogues@minibearings.com.au
