




# MBA

## Bearings - Linear - Ball



Adjustable and fixed types - open for running on a supported rail and closed for fixed shafts.

Use with hardened precision ground shafting.

Shaft tolerance: h6 (Normal Fit), j6 (Close Fit).

Housing Tolerance: H7 (Clearance Fit), J7 (Interference Fit).

Max Temp: 100 Deg C Intermittent, 80 Deg C continuous.

This catalogue to be read in conjunction with information at  
<http://www.minibearings.com.au/partslist/shaftingground/hardenedgroundshafting/all/1/3/>

<http://www.minibearings.com.au/categories/shafting/all/pics/>

### Bearings - Linear - Ball

Part Number	Inner Diameter (d) mm <i>inches</i>	Outer Diameter (D) mm <i>inches</i>	Lengths ( L / I ) mm <i>inches</i>	Dynamic Load N	Static Load N	Wiper Configuration	Type	Ball Ciciuits (Nr.)	Groove Base Dia. (G) mm <i>inches</i>	Groove Width (W1) mm <i>inches</i>
LC-03.00x07.00x10.00	3.000 <i>0.118</i>	7.000 <i>0.276</i>	10.000 <i>0.394</i>	19	27	None	Closed	4	No Groove	No Groove
LC-04.00x08.00x12.00	4.000 <i>0.157</i>	8.000 <i>0.315</i>	12.000 <i>0.472</i>	24	50	None	Closed	4	No Groove	No Groove
LC-05.00x10.00x15.00	5.000 <i>0.197</i>	10.000 <i>0.394</i>	15.000 <i>0.591</i>	52	110	None	Closed	4	No Groove	No Groove

# Indicates item not stocked at time of printing - Please enquire for lead time  
 E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd  
 MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Bearings - Linear - Ball

Part Number	Inner Diameter (d) mm <i>inches</i>	Outer Diameter (D) mm <i>inches</i>	Lengths ( L / I ) mm <i>inches</i>	Dynamic Load N	Static Load N	Wiper Configuration	Type	Ball Ciuits (Nr.)	Groove Base Dia. (G) mm <i>inches</i>	Groove Width (W1) mm <i>inches</i>
LC-06.35x12.70x19.05-WW	6.350 <i>0.250</i>	12.700 <i>0.500</i>	19.050 <i>0.750</i>	65	180	Two Wipers	Closed	4	11.8 <i>0.465</i>	1.0 <i>0.039</i>
# LA-08.00x16.00x25.00-WW	8.000 <i>0.315</i>	16.000 <i>0.630</i>	25.00 / 16.50 (-0.2/-0.3)	280	420	Two Wipers	Ajustable	4	15.2 <i>0.598</i>	1.1 <i>0.043</i>
# LC-08.00x16.00x25.00	8.000 <i>0.315</i>	16.000 <i>0.630</i>	25.00 / 16.50 (-0.2/-0.3)	280	420	No Wiper	Closed	4	15.2 <i>0.598</i>	1.1 <i>0.043</i>
# LC-08.00x16.00x25.00-W	8.000 <i>0.315</i>	16.000 <i>0.630</i>	25.00 / 16.50 (-0.2/-0.3)	280	420	One Wiper	Closed	4	15.2 <i>0.598</i>	1.1 <i>0.043</i>
# LA-08.00x16.00x25.00	8.000 <i>0.315</i>	16.000 <i>0.630</i>	25.00 / 16.50 (-0.2/-0.3)	280	420	No Wiper	Ajustable	4	15.2 <i>0.598</i>	1.1 <i>0.043</i>
# LA-08.00x16.00x25.00-W	8.000 <i>0.315</i>	16.000 <i>0.630</i>	25.00 / 16.50 (-0.2/-0.3)	280	420	One Wiper	Ajustable	4	15.2 <i>0.598</i>	1.1 <i>0.043</i>
# LC-08.00x16.00x25.00-WW	8.000 <i>0.315</i>	16.000 <i>0.630</i>	25.00 / 16.50 (-0.2/-0.3)	280	420	Two Wipers	Closed	4	15.2 <i>0.598</i>	1.1 <i>0.043</i>
# LC-09.53x15.88x22.23	9.525 <i>0.375</i>	15.875 <i>0.625</i>	22.225 <i>0.875</i>	228	315	No Wiper	Closed	4	14.94 <i>0.588</i>	0.99 <i>0.039</i>
# LC-09.53x15.88x22.23-W	9.525 <i>0.375</i>	15.875 <i>0.625</i>	22.225 <i>0.875</i>	228	315	One Wiper	Closed	4	14.94 <i>0.588</i>	0.99 <i>0.039</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Bearings - Linear - Ball

Part Number	Inner Diameter (d) mm <i>inches</i>	Outer Diameter (D) mm <i>inches</i>	Lengths ( L / I ) mm <i>inches</i>	Dynamic Load N	Static Load N	Wiper Configuration	Type	Ball Ciuits (Nr.)	Groove Base Dia. (G) mm <i>inches</i>	Groove Width (W1) mm <i>inches</i>
# LC-09.53x15.88x22.23-WW	9.525 <i>0.375</i>	15.875 <i>0.625</i>	22.225 <i>0.875</i>	228	315	Two Wipers	Closed	4	14.94 <i>0.588</i>	0.99 <i>0.039</i>
# LOH-12.00x22.00x32.00-WW	12.000 <i>0.472</i>	22.000 <i>0.866</i>	32.00 / 22.90 (-0.2/-0.3) <i>0.472</i>	660	1310	Two Wipers	Open	4	21.0 <i>0.827</i>	1.3 <i>0.051</i>
# LC-12.00x22.00x32.00	12.000 <i>0.472</i>	22.000 <i>0.866</i>	32.00 / 22.90 (-0.2/-0.3) <i>0.472</i>	640	950	No Wiper	Closed	5	21.0 <i>0.827</i>	1.3 <i>0.051</i>
# LA-12.00x22.00x32.00-WW	12.000 <i>0.472</i>	22.000 <i>0.866</i>	32.00 / 22.90 (-0.2/-0.3) <i>0.472</i>	640	950	Two Wipers	Ajustable	5	21.0 <i>0.827</i>	1.3 <i>0.051</i>
# LAH-12.00x22.00x32.00	12.000 <i>0.472</i>	22.000 <i>0.866</i>	32.00 / 22.90 (+0.00/-0.20) <i>0.472</i>	660	1310	No Wiper	Ajustable	6	21.0 <i>0.827</i>	1.3 <i>0.051</i>
# LCH-12.00x22.00x32.00	12.000 <i>0.472</i>	22.000 <i>0.866</i>	32.00 / 22.90 (-0.2/-0.3) <i>0.472</i>	660	1310	No Wiper	Closed	6	21.0 <i>0.827</i>	1.3 <i>0.051</i>
# LO-12.00x22.00x32.00-W	12.000 <i>0.472</i>	22.000 <i>0.866</i>	32.00 / 22.90 (-0.2/-0.3) <i>0.472</i>	640	950	One Wiper	Open	4	21.0 <i>0.827</i>	1.3 <i>0.051</i>
# LOH-12.00x22.00x32.00-W	12.000 <i>0.472</i>	22.000 <i>0.866</i>	32.00 / 22.90 (-0.2/-0.3) <i>0.472</i>	660	1310	One Wiper	Open	4	21.0 <i>0.827</i>	1.3 <i>0.051</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Bearings - Linear - Ball

Part Number	Inner Diameter (d) mm	Outer Diameter (D) mm	Lengths ( L / I ) mm	Dynamic Load N	Static Load N	Wiper Configuration	Type	Ball Cicuits (Nr.)	Groove Base Dia. (G) mm	Groove Width (W1) mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>						<i>inches</i>	<i>inches</i>
# LOH-12.00x22.00x32.00	12.000	22.000	32.00 / 22.90 (-0.2/-0.3)	660	1310	No Wiper	Open	4	21.0	1.3
	<i>0.472</i>	<i>0.866</i>							<i>0.827</i>	<i>0.051</i>
# LCH-12.00x22.00x32.00-WW	12.000	22.000	32.00 / 22.90 (-0.2/-0.3)	660	1310	Two Wipers	Closed	6	21.0	1.3
	<i>0.472</i>	<i>0.866</i>							<i>0.827</i>	<i>0.051</i>
# LO-12.00x22.00x32.00	12.000	22.000	32.00 / 22.90 (-0.2/-0.3)	640	950	No Wiper	Open	4	21.0	1.3
	<i>0.472</i>	<i>0.866</i>							<i>0.827</i>	<i>0.051</i>
# LAH-12.00x22.00x32.00-W	12.000	22.000	32.00 / 22.90 (-0.2/-0.3)	660	1310	One Wiper	Ajustable	6	21.0	1.3
	<i>0.472</i>	<i>0.866</i>							<i>0.827</i>	<i>0.051</i>
# LC-12.00x22.00x32.00-WW	12.000	22.000	32.00 / 22.90 (-0.2/-0.3)	640	950	Two Wipers	Closed	5	21.0	1.3
	<i>0.472</i>	<i>0.866</i>							<i>0.827</i>	<i>0.051</i>
# LCH-12.00x22.00x32.00-W	12.000	22.000	32.00 / 22.90 (-0.2/-0.3)	660	1310	One Wiper	Closed	6	21.0	1.3
	<i>0.472</i>	<i>0.866</i>							<i>0.827</i>	<i>0.051</i>
# LA-12.00x22.00x32.00	12.000	22.000	32.00 / 22.90 (-0.2/-0.3)	640	950	No Wiper	Ajustable	5	21.0	1.3
	<i>0.472</i>	<i>0.866</i>							<i>0.827</i>	<i>0.051</i>
# LO-12.00x22.00x32.00-WW	12.000	22.000	32.00 / 22.90 (-0.2/-0.3)	640	950	Two Wipers	Open	4	21.0	1.3
	<i>0.472</i>	<i>0.866</i>							<i>0.827</i>	<i>0.051</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Bearings - Linear - Ball

Part Number	Inner Diameter (d) mm	Outer Diameter (D) mm	Lengths ( L / I ) mm	Dynamic Load N	Static Load N	Wiper Configuration	Type	Ball Cicuits (Nr.)	Groove Base Dia. (G) mm	Groove Width (W1) mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>						<i>inches</i>	<i>inches</i>
# LAH-12.00x22.00x32.00-WW	12.000	22.000	32.00 / 22.90 (-0.2/-0.3)	660	1310	Two Wipers	Ajustable	6	21.0	1.3
	<i>0.472</i>	<i>0.866</i>							<i>0.827</i>	<i>0.051</i>
# LC-12.00x22.00x32.00-W	12.000	22.000	32.00 / 22.90 (-0.2/-0.3)	640	950	One Wiper	Closed	5	21.0	1.3
	<i>0.472</i>	<i>0.866</i>							<i>0.827</i>	<i>0.051</i>
# LO-12.70x22.23x31.75-W	12.700	22.225	31.750	512	779	One Wiper	Open	3	20.85	1.16
	<i>0.500</i>	<i>0.875</i>	<i>1.250</i>						<i>0.821</i>	<i>0.046</i>
# LC-12.70x22.23x31.75-W	12.700	22.225	31.750	512	779	One Wiper	Closed	4	20.85	1.16
	<i>0.500</i>	<i>0.875</i>	<i>1.250</i>						<i>0.821</i>	<i>0.046</i>
# LA-12.70x22.23x31.75-W	12.700	22.225	31.750	512	779	One Wiper	Ajustable	4	20.85	1.16
	<i>0.500</i>	<i>0.875</i>	<i>1.250</i>						<i>0.821</i>	<i>0.046</i>
# LAH-12.70x22.23x31.75-W	12.700	22.225	31.750	766	1033	One Wiper	Ajustable	6	20.85	1.16
	<i>0.500</i>	<i>0.875</i>	<i>1.250</i>						<i>0.821</i>	<i>0.046</i>
# LOH-12.70x22.23x31.75-W	12.700	22.225	31.750	766	1033	One Wiper	Open	4	20.85	1.16
	<i>0.500</i>	<i>0.875</i>	<i>1.250</i>						<i>0.821</i>	<i>0.046</i>
# LA-12.70x22.23x31.75-WW	12.700	22.225	31.750	512	779	Two Wipers	Ajustable	4	20.85	1.16
	<i>0.500</i>	<i>0.875</i>	<i>1.250</i>						<i>0.821</i>	<i>0.046</i>
# LC-12.70x22.23x31.75-WW	12.700	22.225	31.750	512	779	Two Wipers	Closed	4	20.85	1.16
	<i>0.500</i>	<i>0.875</i>	<i>1.250</i>						<i>0.821</i>	<i>0.046</i>
# LC-12.70x22.23x31.75	12.700	22.225	31.750	512	779	No Wiper	Closed	4	20.85	1.16
	<i>0.500</i>	<i>0.875</i>	<i>1.250</i>						<i>0.821</i>	<i>0.046</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Bearings - Linear - Ball

Part Number	Inner Diameter (d) mm <i>inches</i>	Outer Diameter (D) mm <i>inches</i>	Lengths ( L / I ) mm <i>inches</i>	Dynamic Load N	Static Load N	Wiper Configuration	Type	Ball Ciccuits (Nr.)	Groove Base Dia. (G) mm <i>inches</i>	Groove Width (W1) mm <i>inches</i>
# LCH-12.70x22.23x31.75-WW	12.700 <i>0.500</i>	22.225 <i>0.875</i>	31.750 <i>1.250</i>	766	1033	Two Wipers	Closed	6	20.85 <i>0.821</i>	1.16 <i>0.046</i>
# LCH-12.70x22.23x31.75	12.700 <i>0.500</i>	22.225 <i>0.875</i>	31.750 <i>1.250</i>	766	1033	No Wiper	Closed	6	20.85 <i>0.821</i>	1.16 <i>0.046</i>
# LCH-12.70x22.23x31.75-W	12.700 <i>0.500</i>	22.225 <i>0.875</i>	31.750 <i>1.250</i>	766	1033	One Wiper	Closed	6	20.85 <i>0.821</i>	1.16 <i>0.046</i>
# LOH-12.70x22.23x31.75-WW	12.700 <i>0.500</i>	22.225 <i>0.875</i>	31.750 <i>1.250</i>	766	1033	Two Wipers	Open	4	20.85 <i>0.821</i>	1.16 <i>0.046</i>
# LOH-12.70x22.23x31.75	12.700 <i>0.500</i>	22.225 <i>0.875</i>	31.750 <i>1.250</i>	766	1033	No Wiper	Open	4	20.85 <i>0.821</i>	1.16 <i>0.046</i>
# LAH-12.70x22.23x31.75	12.700 <i>0.500</i>	22.225 <i>0.875</i>	31.750 <i>1.250</i>	766	1033	No Wiper	Ajustable	6	20.85 <i>0.821</i>	1.16 <i>0.046</i>
# LA-12.70x22.23x31.75	12.700 <i>0.500</i>	22.225 <i>0.875</i>	31.750 <i>1.250</i>	512	779	No Wiper	Ajustable	4	20.85 <i>0.821</i>	1.16 <i>0.046</i>
# LAH-12.70x22.23x31.75-WW	12.700 <i>0.500</i>	22.225 <i>0.875</i>	31.750 <i>1.250</i>	766	1033	Two Wipers	Ajustable	6	20.85 <i>0.821</i>	1.16 <i>0.046</i>
# LO-12.70x22.23x31.75	12.700 <i>0.500</i>	22.225 <i>0.875</i>	31.750 <i>1.250</i>	512	779	No Wiper	Open	3	20.85 <i>0.821</i>	1.16 <i>0.046</i>
# LO-12.70x22.23x31.75-WW	12.700 <i>0.500</i>	22.225 <i>0.875</i>	31.750 <i>1.250</i>	512	779	Two Wipers	Open	3	20.85 <i>0.821</i>	1.16 <i>0.046</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Bearings - Linear - Ball

Part Number	Inner Diameter (d) mm <i>inches</i>	Outer Diameter (D) mm <i>inches</i>	Lengths ( L / I ) mm <i>inches</i>	Dynamic Load N	Static Load N	Wiper Configuration	Type	Ball Ciccuits (Nr.)	Groove Base Dia. (G) mm <i>inches</i>	Groove Width (W1) mm <i>inches</i>
# LC-15.88x28.58x38.10-W	15.875 <i>0.625</i>	28.575 <i>1.125</i>	38.100 <i>1.500</i>	779	1181	One Wiper	Closed	4	26.90 <i>1.059</i>	1.42 <i>0.056</i>
# LO-15.88x28.58x38.10	15.875 <i>0.625</i>	28.575 <i>1.125</i>	38.100 <i>1.500</i>	779	1181	No Wiper	Open	3	26.90 <i>1.059</i>	1.42 <i>0.056</i>
# LC-15.88x28.58x38.10-WW	15.875 <i>0.625</i>	28.575 <i>1.125</i>	38.100 <i>1.500</i>	779	1181	Two Wipers	Closed	4	26.90 <i>1.059</i>	1.42 <i>0.056</i>
# LA-15.88x28.58x38.10-WW	15.875 <i>0.625</i>	28.575 <i>1.125</i>	38.100 <i>1.500</i>	779	1181	Two Wipers	Ajustable	4	26.90 <i>1.059</i>	1.42 <i>0.056</i>
# LCH-15.88x28.58x38.10	15.875 <i>0.625</i>	28.575 <i>1.125</i>	38.100 <i>1.500</i>	1041	1693	No Wiper	Closed	6	26.90 <i>1.059</i>	1.42 <i>0.056</i>
# LOH-15.88x28.58x38.10	15.875 <i>0.625</i>	28.575 <i>1.125</i>	38.100 <i>1.500</i>	1041	1693	No Wiper	Open	4	26.90 <i>1.059</i>	1.42 <i>0.056</i>
# LCH-15.88x28.58x38.10-WW	15.875 <i>0.625</i>	28.575 <i>1.125</i>	38.100 <i>1.500</i>	1041	1693	Two Wipers	Closed	6	26.90 <i>1.059</i>	1.42 <i>0.056</i>
# LA-15.88x28.58x38.10-W	15.875 <i>0.625</i>	28.575 <i>1.125</i>	38.100 <i>1.500</i>	779	1181	One Wiper	Ajustable	4	26.90 <i>1.059</i>	1.42 <i>0.056</i>
# LOH-15.88x28.58x38.10-W	15.875 <i>0.625</i>	28.575 <i>1.125</i>	38.100 <i>1.500</i>	1041	1693	One Wiper	Open	4	26.90 <i>1.059</i>	1.42 <i>0.056</i>
# LO-15.88x28.58x38.10-WW	15.875 <i>0.625</i>	28.575 <i>1.125</i>	38.100 <i>1.500</i>	779	1181	Two Wipers	Open	3	26.90 <i>1.059</i>	1.42 <i>0.056</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Bearings - Linear - Ball

Part Number	Inner Diameter (d) mm <i>inches</i>	Outer Diameter (D) mm <i>inches</i>	Lengths ( L / I ) mm <i>inches</i>	Dynamic Load N	Static Load N	Wiper Configuration	Type	Ball Cicuits (Nr.)	Groove Base Dia. (G) mm <i>inches</i>	Groove Width (W1) mm <i>inches</i>
# LC-15.88x28.58x38.10	15.875 <i>0.625</i>	28.575 <i>1.125</i>	38.100 <i>1.500</i>	779	1181	No Wiper	Closed	4	26.90 <i>1.059</i>	1.42 <i>0.056</i>
# LO-15.88x28.58x38.10-W	15.875 <i>0.625</i>	28.575 <i>1.125</i>	38.100 <i>1.500</i>	779	1181	One Wiper	Open	3	26.90 <i>1.059</i>	1.42 <i>0.056</i>
# LAH-15.88x28.58x38.10	15.875 <i>0.625</i>	28.575 <i>1.125</i>	38.100 <i>1.500</i>	1041	1693	No Wiper	Ajustable	6	26.90 <i>1.059</i>	1.42 <i>0.056</i>
# LA-15.88x28.58x38.10	15.875 <i>0.625</i>	28.575 <i>1.125</i>	38.100 <i>1.500</i>	779	1181	No Wiper	Ajustable	4	26.90 <i>1.059</i>	1.42 <i>0.056</i>
# LOH-15.88x28.58x38.10-WW	15.875 <i>0.625</i>	28.575 <i>1.125</i>	38.100 <i>1.500</i>	1041	1693	Two Wipers	Open	4	26.90 <i>1.059</i>	1.42 <i>0.056</i>
# LAH-15.88x28.58x38.10-WW	15.875 <i>0.625</i>	28.575 <i>1.125</i>	38.100 <i>1.500</i>	1041	1693	Two Wipers	Ajustable	6	26.90 <i>1.059</i>	1.42 <i>0.056</i>
# LCH-15.88x28.58x38.10-W	15.875 <i>0.625</i>	28.575 <i>1.125</i>	38.100 <i>1.500</i>	1041	1693	One Wiper	Closed	6	26.90 <i>1.059</i>	1.42 <i>0.056</i>
# LAH-15.88x28.58x38.10-W	15.875 <i>0.625</i>	28.575 <i>1.125</i>	38.100 <i>1.500</i>	1041	1693	One Wiper	Ajustable	6	26.90 <i>1.059</i>	1.42 <i>0.056</i>
# LAH-16.00x26.00x36.00-W	16.000 <i>0.630</i>	26.000 <i>1.024</i>	36.00 / 24.90 (- 0.2/-0.3)	800	1480	One Wiper	Ajustable	6	24.9 <i>0.980</i>	1.3 <i>0.051</i>
# LO-16.00x26.00x36.00-WW	16.000 <i>0.630</i>	26.000 <i>1.024</i>	36.00 / 24.90 (- 0.2/-0.3)	720	1120	Two Wipers	Open	4	24.9 <i>0.980</i>	1.3 <i>0.051</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Bearings - Linear - Ball

Part Number	Inner Diameter (d) mm	Outer Diameter (D) mm	Lengths ( L / I ) mm	Dynamic Load N	Static Load N	Wiper Configuration	Type	Ball Cicuits (Nr.)	Groove Base Dia. (G) mm	Groove Width (W1) mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>						<i>inches</i>	<i>inches</i>
# LO-16.00x26.00x36.00	16.000	26.000	36.00 / 24.90 (-0.2/-0.3)	720	1120	No Wiper	Open	4	24.9	1.3
	<i>0.630</i>	<i>1.024</i>							<i>0.980</i>	<i>0.051</i>
# LOH-16.00x26.00x36.00	16.000	26.000	36.00 / 24.90 (-0.2/-0.3)	800	1480	No Wiper	Open	4	24.9	1.3
	<i>0.630</i>	<i>1.024</i>							<i>0.980</i>	<i>0.051</i>
# LAH-16.00x26.00x36.00	16.000	26.000	36.00 / 24.90 (-0.2/-0.3)	800	1480	No Wiper	Ajustable	6	24.9	1.3
	<i>0.630</i>	<i>1.024</i>							<i>0.980</i>	<i>0.051</i>
# LA-16.00x26.00x36.00-W	16.000	26.000	36.00 / 24.90 (-0.2/-0.3)	720	1120	One Wiper	Ajustable	5	24.9	1.3
	<i>0.630</i>	<i>1.024</i>							<i>0.980</i>	<i>0.051</i>
# LC-16.00x26.00x36.00-W	16.000	26.000	36.00 / 24.90 (-0.2/-0.3)	720	1120	One Wiper	Closed	5	24.9	1.3
	<i>0.630</i>	<i>1.024</i>							<i>0.980</i>	<i>0.051</i>
# LA-16.00x26.00x36.00	16.000	26.000	36.00 / 24.90 (-0.2/-0.3)	720	1120	No Wiper	Ajustable	5	24.9	1.3
	<i>0.630</i>	<i>1.024</i>							<i>0.980</i>	<i>0.051</i>
# LCH-16.00x26.00x36.00-W	16.000	26.000	36.00 / 24.90 (-0.2/-0.3)	800	1480	One Wiper	Closed	6	24.9	1.3
	<i>0.630</i>	<i>1.024</i>							<i>0.980</i>	<i>0.051</i>
# LOH-16.00x26.00x36.00-WW	16.000	26.000	36.00 / 24.90 (-0.2/-0.3)	800	1480	Two Wipers	Open	4	24.9	1.3
	<i>0.630</i>	<i>1.024</i>							<i>0.980</i>	<i>0.051</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Bearings - Linear - Ball

Part Number	Inner Diameter (d) mm	Outer Diameter (D) mm	Lengths ( L / I ) mm	Dynamic Load N	Static Load N	Wiper Configuration	Type	Ball Cicuits (Nr.)	Groove Base Dia. (G) mm	Groove Width (W1) mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>						<i>inches</i>	<i>inches</i>
# LAH-16.00x26.00x36.00-WW	16.000	26.000	36.00 / 24.90 (-0.2/-0.3)	800	1480	Two Wipers	Ajustable	6	24.9	1.3
	<i>0.630</i>	<i>1.024</i>							<i>0.980</i>	<i>0.051</i>
# LOH-16.00x26.00x36.00-W	16.000	26.000	36.00 / 24.90 (-0.2/-0.3)	800	1480	One Wiper	Open	4	24.9	1.3
	<i>0.630</i>	<i>1.024</i>							<i>0.980</i>	<i>0.051</i>
# LCH-16.00x26.00x36.00	16.000	26.000	36.00 / 24.90 (-0.2/-0.3)	800	1480	No Wiper	Closed	6	24.9	1.3
	<i>0.630</i>	<i>1.024</i>							<i>0.980</i>	<i>0.051</i>
# LA-16.00x26.00x36.00-WW	16.000	26.000	36.00 / 24.90 (-0.2/-0.3)	720	1120	Two Wipers	Ajustable	5	24.9	1.3
	<i>0.630</i>	<i>1.024</i>							<i>0.980</i>	<i>0.051</i>
# LCH-16.00x26.00x36.00-WW	16.000	26.000	36.00 / 24.90 (-0.2/-0.3)	800	1480	Two Wipers	Closed	6	24.9	1.3
	<i>0.630</i>	<i>1.024</i>							<i>0.980</i>	<i>0.051</i>
# LO-16.00x26.00x36.00-W	16.000	26.000	36.00 / 24.90 (-0.2/-0.3)	720	1120	One Wiper	Open	4	24.9	1.3
	<i>0.630</i>	<i>1.024</i>							<i>0.980</i>	<i>0.051</i>
# LC-16.00x26.00x36.00	16.000	26.000	36.00 / 24.90 (-0.2/-0.3)	720	1120	No Wiper	Closed	5	24.9	1.3
	<i>0.630</i>	<i>1.024</i>							<i>0.980</i>	<i>0.051</i>
# LC-16.00x26.00x36.00-WW	16.000	26.000	36.00 / 24.90 (-0.2/-0.3)	720	1120	Two Wipers	Closed	5	24.9	1.3
	<i>0.630</i>	<i>1.024</i>							<i>0.980</i>	<i>0.051</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Bearings - Linear - Ball

Part Number	Inner Diameter (d) mm <i>inches</i>	Outer Diameter (D) mm <i>inches</i>	Lengths ( L / I ) mm <i>inches</i>	Dynamic Load N	Static Load N	Wiper Configuration	Type	Ball Ciccuits (Nr.)	Groove Base Dia. (G) mm <i>inches</i>	Groove Width (W1) mm <i>inches</i>
# LCH-19.05x31.75x41.28-WW	19.050 <i>0.750</i>	31.750 <i>1.250</i>	41.275 <i>1.625</i>	1159	1772	Two Wipers	Closed	6	29.87 <i>1.176</i>	1.42 <i>0.056</i>
# LO-19.05x31.75x41.28-WW	19.050 <i>0.750</i>	31.750 <i>1.250</i>	41.275 <i>1.625</i>	866	1378	Two Wipers	Open	4	29.87 <i>1.176</i>	1.42 <i>0.056</i>
# LAH-19.05x31.75x41.28-WW	19.050 <i>0.750</i>	31.750 <i>1.250</i>	41.275 <i>1.625</i>	1159	1772	Two Wipers	Ajustable	6	29.87 <i>1.176</i>	1.42 <i>0.056</i>
# LOH-19.05x31.75x41.28-W	19.050 <i>0.750</i>	31.750 <i>1.250</i>	41.275 <i>1.625</i>	1159	1772	One Wiper	Open	4	29.87 <i>1.176</i>	1.42 <i>0.056</i>
# LA-19.05x31.75x41.28-WW	19.050 <i>0.750</i>	31.750 <i>1.250</i>	41.275 <i>1.625</i>	866	1378	Two Wipers	Ajustable	5	29.87 <i>1.176</i>	1.42 <i>0.056</i>
# LOH-19.05x31.75x41.28-WW	19.050 <i>0.750</i>	31.750 <i>1.250</i>	41.275 <i>1.625</i>	1159	1772	Two Wipers	Open	4	29.87 <i>1.176</i>	1.42 <i>0.056</i>
# LA-19.05x31.75x41.28-W	19.050 <i>0.750</i>	31.750 <i>1.250</i>	41.275 <i>1.625</i>	866	1378	One Wiper	Ajustable	5	29.87 <i>1.176</i>	1.42 <i>0.056</i>
# LC-19.05x31.75x41.28-WW	19.050 <i>0.750</i>	31.750 <i>1.250</i>	41.275 <i>1.625</i>	866	1378	Two Wipers	Closed	5	29.87 <i>1.176</i>	1.42 <i>0.056</i>
# LCH-19.05x31.75x41.28-W	19.050 <i>0.750</i>	31.750 <i>1.250</i>	41.275 <i>1.625</i>	1159	1772	One Wiper	Closed	6	29.87 <i>1.176</i>	1.42 <i>0.056</i>
# LA-19.05x31.75x41.28	19.050 <i>0.750</i>	31.750 <i>1.250</i>	41.275 <i>1.625</i>	866	1378	No Wiper	Ajustable	5	29.87 <i>1.176</i>	1.42 <i>0.056</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Bearings - Linear - Ball

Part Number	Inner Diameter (d) mm <i>inches</i>	Outer Diameter (D) mm <i>inches</i>	Lengths ( L / I ) mm <i>inches</i>	Dynamic Load N	Static Load N	Wiper Configuration	Type	Ball Cicuits (Nr.)	Groove Base Dia. (G) mm <i>inches</i>	Groove Width (W1) mm <i>inches</i>
# LCH-19.05x31.75x41.28	19.050 <i>0.750</i>	31.750 <i>1.250</i>	41.275 <i>1.625</i>	1159	1772	No Wiper	Closed	6	29.87 <i>1.176</i>	1.42 <i>0.056</i>
# LC-19.05x31.75x41.28	19.050 <i>0.750</i>	31.750 <i>1.250</i>	41.275 <i>1.625</i>	866	1378	No Wiper	Closed	5	29.87 <i>1.176</i>	1.42 <i>0.056</i>
# LO-19.05x31.75x41.28-W	19.050 <i>0.750</i>	31.750 <i>1.250</i>	41.275 <i>1.625</i>	866	1378	One Wiper	Open	4	29.87 <i>1.176</i>	1.42 <i>0.056</i>
# LC-19.05x31.75x41.28-W	19.050 <i>0.750</i>	31.750 <i>1.250</i>	41.275 <i>1.625</i>	866	1378	One Wiper	Closed	5	29.87 <i>1.176</i>	1.42 <i>0.056</i>
# LAH-19.05x31.75x41.28	19.050 <i>0.750</i>	31.750 <i>1.250</i>	41.275 <i>1.625</i>	1159	1772	No Wiper	Ajustable	6	29.87 <i>1.176</i>	1.42 <i>0.056</i>
# LAH-19.05x31.75x41.28-W	19.050 <i>0.750</i>	31.750 <i>1.250</i>	41.275 <i>1.625</i>	1159	1772	One Wiper	Ajustable	6	29.87 <i>1.176</i>	1.42 <i>0.056</i>
# LO-19.05x31.75x41.28	19.050 <i>0.750</i>	31.750 <i>1.250</i>	41.275 <i>1.625</i>	866	1378	No Wiper	Open	4	29.87 <i>1.176</i>	1.42 <i>0.056</i>
# LOH-19.05x31.75x41.28	19.050 <i>0.750</i>	31.750 <i>1.250</i>	41.275 <i>1.625</i>	1159	1772	No Wiper	Open	4	29.87 <i>1.176</i>	1.42 <i>0.056</i>
# LO-20.00x32.00x45.00	20.000 <i>0.787</i>	32.000 <i>1.260</i>	45.00 / 31.50 (- 0.2/-0.3)	920	1480	No Wiper	Open	4	30.3 <i>1.193</i>	1.6 <i>0.063</i>
# LCH-20.00x32.00x45.00-WW	20.000 <i>0.787</i>	32.000 <i>1.260</i>	45.00 / 31.50 (- 0.2/-0.3)	1050	2280	Two Wipers	Closed	6	30.3 <i>1.193</i>	1.6 <i>0.063</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Bearings - Linear - Ball

Part Number	Inner Diameter (d) mm <i>inches</i>	Outer Diameter (D) mm <i>inches</i>	Lengths ( L / I ) mm <i>inches</i>	Dynamic Load N	Static Load N	Wiper Configuration	Type	Ball Cicuits (Nr.)	Groove Base Dia. (G) mm <i>inches</i>	Groove Width (W1) mm <i>inches</i>
# LA-20.00x32.00x45.00	20.000 <i>0.787</i>	32.000 <i>1.260</i>	45.00 / 31.50 (-0.2/-0.3)	920	1480	No Wiper	Ajustable	5	30.3 <i>1.193</i>	1.6 <i>0.063</i>
# LOH-20.00x32.00x45.00-W	20.000 <i>0.787</i>	32.000 <i>1.260</i>	45.00 / 31.50 (-0.2/-0.3)	1050	2280	One Wiper	Open	4	30.3 <i>1.193</i>	1.6 <i>0.063</i>
# LCH-20.00x32.00x45.00-W	20.000 <i>0.787</i>	32.000 <i>1.260</i>	45.00 / 31.50 (-0.2/-0.3)	1050	2280	One Wiper	Closed	6	30.3 <i>1.193</i>	1.6 <i>0.063</i>
# LC-20.00x32.00x45.00	20.000 <i>0.787</i>	32.000 <i>1.260</i>	45.00 / 31.50 (-0.2/-0.3)	920	1480	No Wiper	Closed	5	30.3 <i>1.193</i>	1.6 <i>0.063</i>
# LO-20.00x32.00x45.00-W	20.000 <i>0.787</i>	32.000 <i>1.260</i>	45.00 / 31.50 (-0.2/-0.3)	920	1480	One Wiper	Open	4	30.3 <i>1.193</i>	1.6 <i>0.063</i>
# LO-20.00x32.00x45.00-WW	20.000 <i>0.787</i>	32.000 <i>1.260</i>	45.00 / 31.50 (-0.2/-0.3)	920	1480	Two Wipers	Open	4	30.3 <i>1.193</i>	1.6 <i>0.063</i>
# LCH-20.00x32.00x45.00	20.000 <i>0.787</i>	32.000 <i>1.260</i>	45.00 / 31.50 (-0.2/-0.3)	1050	2280	No Wiper	Closed	6	30.3 <i>1.193</i>	1.6 <i>0.063</i>
# LOH-20.00x32.00x45.00-WW	20.000 <i>0.787</i>	32.000 <i>1.260</i>	45.00 / 31.50 (-0.2/-0.3)	1050	2280	Two Wipers	Open	4	30.3 <i>1.193</i>	1.6 <i>0.063</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Bearings - Linear - Ball

Part Number	Inner Diameter (d) mm	Outer Diameter (D) mm	Lengths ( L / I ) mm	Dynamic Load N	Static Load N	Wiper Configuration	Type	Ball Cicuits (Nr.)	Groove Base Dia. (G) mm	Groove Width (W1) mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>						<i>inches</i>	<i>inches</i>
# LAH-20.00x32.00x45.00-WW	20.000	32.000	45.00 / 31.50 (-0.2/-0.3)	1050	2280	Two Wipers	Ajustable	6	30.3	1.6
	<i>0.787</i>	<i>1.260</i>							<i>1.193</i>	<i>0.063</i>
# LC-20.00x32.00x45.00-W	20.000	32.000	45.00 / 31.50 (-0.2/-0.3)	920	1480	One Wiper	Closed	5	30.3	1.6
	<i>0.787</i>	<i>1.260</i>							<i>1.193</i>	<i>0.063</i>
# LOH-20.00x32.00x45.00	20.000	32.000	45.00 / 31.50 (-0.2/-0.3)	1050	2280	No Wiper	Open	4	30.3	1.6
	<i>0.787</i>	<i>1.260</i>							<i>1.193</i>	<i>0.063</i>
# LC-20.00x32.00x45.00-WW	20.000	32.000	45.00 / 31.50 (-0.2/-0.3)	920	1480	Two Wipers	Closed	5	30.3	1.6
	<i>0.787</i>	<i>1.260</i>							<i>1.193</i>	<i>0.063</i>
# LAH-20.00x32.00x45.00-W	20.000	32.000	45.00 / 31.50 (-0.2/-0.3)	1050	2280	One Wiper	Ajustable	6	30.3	1.6
	<i>0.787</i>	<i>1.260</i>							<i>1.193</i>	<i>0.063</i>
# LA-20.00x32.00x45.00-WW	20.000	32.000	45.00 / 31.50 (-0.2/-0.3)	920	1480	Two Wipers	Ajustable	5	30.3	1.6
	<i>0.787</i>	<i>1.260</i>							<i>1.193</i>	<i>0.063</i>
# LA-20.00x32.00x45.00-W	20.000	32.000	45.00 / 31.50 (-0.2/-0.3)	920	1480	One Wiper	Ajustable	5	30.3	1.6
	<i>0.787</i>	<i>1.260</i>							<i>1.193</i>	<i>0.063</i>
# LAH-20.00x32.00x45.00	20.000	32.000	45.00 / 31.50 (-0.2/-0.3)	1050	2280	No Wiper	Ajustable	6	30.3	1.6
	<i>0.787</i>	<i>1.260</i>							<i>1.193</i>	<i>0.063</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Bearings - Linear - Ball

Part Number	Inner Diameter (d) mm	Outer Diameter (D) mm	Lengths ( L / I ) mm	Dynamic Load N	Static Load N	Wiper Configuration	Type	Ball Cicuits (Nr.)	Groove Base Dia. (G) mm	Groove Width (W1) mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>						<i>inches</i>	<i>inches</i>
# LCH-25.00x40.00x58.00-W	25.000	40.000	58.00 / 44.10 (+0.00/-0.30)	1370	3470	One Wiper	Closed	8	37.5	1.85
	<i>0.984</i>	<i>1.575</i>							<i>1.476</i>	<i>0.073</i>
# LOH-25.00x40.00x58.00-W	25.000	40.000	58.00 / 44.10 (+0.00/-0.30)	1370	3470	One Wiper	Open	6	37.5	1.85
	<i>0.984</i>	<i>1.575</i>							<i>1.476</i>	<i>0.073</i>
# LC-25.00x40.00x58.00-W	25.000	40.000	58.00 / 44.10 (+0.00/-0.30)	1070	1670	One Wiper	Closed	6	37.5	1.85
	<i>0.984</i>	<i>1.575</i>							<i>1.476</i>	<i>0.073</i>
# LAH-25.00x40.00x58.00-WW	25.000	40.000	58.00 / 44.10 (+0.00/-0.30)	1370	3470	Two Wipers	Ajustable	8	37.5	1.85
	<i>0.984</i>	<i>1.575</i>							<i>1.476</i>	<i>0.073</i>
# LA-25.00x40.00x58.00	25.000	40.000	58.00 / 44.10 (+0.00/-0.30)	1070	1670	No Wiper	Ajustable	6	37.5	1.85
	<i>0.984</i>	<i>1.575</i>							<i>1.476</i>	<i>0.073</i>
# LO-25.00x40.00x58.00-W	25.000	40.000	58.00 / 44.10 (+0.00/-0.30)	1070	1670	One Wiper	Open	5	37.5	1.85
	<i>0.984</i>	<i>1.575</i>							<i>1.476</i>	<i>0.073</i>
# LAH-25.00x40.00x58.00	25.000	40.000	58.00 / 44.10 (+0.00/-0.30)	1370	3470	No Wiper	Ajustable	8	37.5	1.85
	<i>0.984</i>	<i>1.575</i>							<i>1.476</i>	<i>0.073</i>
# LCH-25.00x40.00x58.00-WW	25.000	40.000	58.00 / 44.10 (+0.00/-0.30)	1370	3470	Two Wipers	Closed	8	37.5	1.85
	<i>0.984</i>	<i>1.575</i>							<i>1.476</i>	<i>0.073</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Bearings - Linear - Ball

Part Number	Inner Diameter (d) mm <i>inches</i>	Outer Diameter (D) mm <i>inches</i>	Lengths ( L / I ) mm <i>inches</i>	Dynamic Load N	Static Load N	Wiper Configuration	Type	Ball Cicuits (Nr.)	Groove Base Dia. (G) mm <i>inches</i>	Groove Width (W1) mm <i>inches</i>
# LAH-25.00x40.00x58.00-W	25.000 <i>0.984</i>	40.000 <i>1.575</i>	58.00 / 44.10 (+0.00/-0.30)	1370	3470	One Wiper	Ajustable	8	37.5 <i>1.476</i>	1.85 <i>0.073</i>
# LA-25.00x40.00x58.00-W	25.000 <i>0.984</i>	40.000 <i>1.575</i>	58.00 / 44.10 (+0.00/-0.30)	1070	1670	One Wiper	Ajustable	6	37.5 <i>1.476</i>	1.85 <i>0.073</i>
# LA-25.00x40.00x58.00-WW	25.000 <i>0.984</i>	40.000 <i>1.575</i>	58.00 / 44.10 (+0.00/-0.30)	1070	1670	Two Wipers	Ajustable	6	37.5 <i>1.476</i>	1.85 <i>0.073</i>
# LOH-25.00x40.00x58.00	25.000 <i>0.984</i>	40.000 <i>1.575</i>	58.00 / 44.10 (+0.00/-0.30)	1370	3470	No Wiper	Open	6	37.5 <i>1.476</i>	1.85 <i>0.073</i>
# LOH-25.00x40.00x58.00-WW	25.000 <i>0.984</i>	40.000 <i>1.575</i>	58.00 / 44.10 (+0.00/-0.30)	1370	3470	Two Wipers	Open	6	37.5 <i>1.476</i>	1.85 <i>0.073</i>
# LO-25.00x40.00x58.00-WW	25.000 <i>0.984</i>	40.000 <i>1.575</i>	58.00 / 44.10 (+0.00/-0.30)	1070	1670	Two Wipers	Open	5	37.5 <i>1.476</i>	1.85 <i>0.073</i>
# LO-25.00x40.00x58.00	25.000 <i>0.984</i>	40.000 <i>1.575</i>	58.00 / 44.10 (+0.00/-0.30)	1070	1670	No Wiper	Open	5	37.5 <i>1.476</i>	1.85 <i>0.073</i>
# LC-25.00x40.00x58.00-WW	25.000 <i>0.984</i>	40.000 <i>1.575</i>	58.00 / 44.10 (+0.00/-0.30)	1070	1670	Two Wipers	Closed	6	37.5 <i>1.476</i>	1.85 <i>0.073</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Bearings - Linear - Ball

Part Number	Inner Diameter (d) mm <i>inches</i>	Outer Diameter (D) mm <i>inches</i>	Lengths ( L / I ) mm <i>inches</i>	Dynamic Load N	Static Load N	Wiper Configuration	Type	Ball Cicuits (Nr.)	Groove Base Dia. (G) mm <i>inches</i>	Groove Width (W1) mm <i>inches</i>
# LCH-25.00x40.00x58.00	25.000 <i>0.984</i>	40.000 <i>1.575</i>	58.00 / 44.10 (+0.00/-0.30) <i>2.250</i>	1370	3470	No Wiper	Closed	8	37.5 <i>1.476</i>	1.85 <i>0.073</i>
# LAH-25.40x39.70x57.15	25.400 <i>1.000</i>	39.700 <i>1.563</i>	57.150 <i>2.250</i>	1317	2104	No Wiper	Ajustable	8	37.30 <i>1.469</i>	1.72 <i>0.068</i>
# LCH-25.40x39.70x57.15-WW	25.400 <i>1.000</i>	39.700 <i>1.563</i>	57.150 <i>2.250</i>	1317	2104	Two Wipers	Closed	8	37.30 <i>1.469</i>	1.72 <i>0.068</i>
# LA-25.40x39.70x57.15	25.400 <i>1.000</i>	39.700 <i>1.563</i>	57.150 <i>2.250</i>	984	1575	No Wiper	Ajustable	6	37.30 <i>1.469</i>	1.72 <i>0.068</i>
# LOH-25.40x39.70x57.15-W	25.400 <i>1.000</i>	39.700 <i>1.563</i>	57.150 <i>2.250</i>	1317	2104	One Wiper	Open	6	37.30 <i>1.469</i>	1.72 <i>0.068</i>
# LC-25.40x39.70x57.15-WW	25.400 <i>1.000</i>	39.700 <i>1.563</i>	57.150 <i>2.250</i>	984	1575	Two Wipers	Closed	6	37.30 <i>1.469</i>	1.72 <i>0.068</i>
# LCH-25.40x39.70x57.15-W	25.400 <i>1.000</i>	39.700 <i>1.563</i>	57.150 <i>2.250</i>	1317	2104	One Wiper	Closed	8	37.30 <i>1.469</i>	1.72 <i>0.068</i>
# LA-25.40x39.70x57.15-W	25.400 <i>1.000</i>	39.700 <i>1.563</i>	57.150 <i>2.250</i>	984	1575	One Wiper	Ajustable	6	37.30 <i>1.469</i>	1.72 <i>0.068</i>
# LOH-25.40x39.70x57.15	25.400 <i>1.000</i>	39.700 <i>1.563</i>	57.150 <i>2.250</i>	1317	2104	No Wiper	Open	6	37.30 <i>1.469</i>	1.72 <i>0.068</i>
# LO-25.40x39.70x57.15	25.400 <i>1.000</i>	39.700 <i>1.563</i>	57.150 <i>2.250</i>	984	1575	No Wiper	Open	5	37.30 <i>1.469</i>	1.72 <i>0.068</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Bearings - Linear - Ball

Part Number	Inner Diameter (d) mm <i>inches</i>	Outer Diameter (D) mm <i>inches</i>	Lengths ( L / I ) mm <i>inches</i>	Dynamic Load N	Static Load N	Wiper Configuration	Type	Ball Cicuits (Nr.)	Groove Base Dia. (G) mm <i>inches</i>	Groove Width (W1) mm <i>inches</i>
# LO-25.40x39.70x57.15-WW	25.400 <i>1.000</i>	39.700 <i>1.563</i>	57.150 <i>2.250</i>	984	1575	Two Wipers	Open	5	37.30 <i>1.469</i>	1.72 <i>0.068</i>
# LAH-25.40x39.70x57.15-W	25.400 <i>1.000</i>	39.700 <i>1.563</i>	57.150 <i>2.250</i>	1317	2104	One Wiper	Ajustable	8	37.30 <i>1.469</i>	1.72 <i>0.068</i>
# LC-25.40x39.70x57.15	25.400 <i>1.000</i>	39.700 <i>1.563</i>	57.150 <i>2.250</i>	984	1575	No Wiper	Closed	6	37.30 <i>1.469</i>	1.72 <i>0.068</i>
# LAH-25.40x39.70x57.15-WW	25.400 <i>1.000</i>	39.700 <i>1.563</i>	57.150 <i>2.250</i>	1317	2104	Two Wipers	Ajustable	8	37.30 <i>1.469</i>	1.72 <i>0.068</i>
# LC-25.40x39.70x57.15-W	25.400 <i>1.000</i>	39.700 <i>1.563</i>	57.150 <i>2.250</i>	984	1575	One Wiper	Closed	6	37.30 <i>1.469</i>	1.72 <i>0.068</i>
# LO-25.40x39.70x57.15-W	25.400 <i>1.000</i>	39.700 <i>1.563</i>	57.150 <i>2.250</i>	984	1575	One Wiper	Open	5	37.30 <i>1.469</i>	1.72 <i>0.068</i>
# LOH-25.40x39.70x57.15-WW	25.400 <i>1.000</i>	39.700 <i>1.563</i>	57.150 <i>2.250</i>	1317	2104	Two Wipers	Open	6	37.30 <i>1.469</i>	1.72 <i>0.068</i>
# LA-25.40x39.70x57.15-WW	25.400 <i>1.000</i>	39.700 <i>1.563</i>	57.150 <i>2.250</i>	984	1575	Two Wipers	Ajustable	6	37.30 <i>1.469</i>	1.72 <i>0.068</i>
# LCH-25.40x39.70x57.15	25.400 <i>1.000</i>	39.700 <i>1.563</i>	57.150 <i>2.250</i>	1317	2104	No Wiper	Closed	8	37.30 <i>1.469</i>	1.72 <i>0.068</i>
# LAH-30.00x47.00x68.00-WW	30.000 <i>1.181</i>	47.000 <i>1.850</i>	68.00 / 52.10 (+0.00/-0.30)	2100	5920	Two Wipers	Ajustable	8	44.5 <i>1.752</i>	1.85 <i>0.073</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Bearings - Linear - Ball

Part Number	Inner Diameter (d) mm <i>inches</i>	Outer Diameter (D) mm <i>inches</i>	Lengths ( L / I ) mm <i>inches</i>	Dynamic Load N	Static Load N	Wiper Configuration	Type	Ball Ciuits (Nr.)	Groove Base Dia. (G) mm <i>inches</i>	Groove Width (W1) mm <i>inches</i>
# LCH-30.00x47.00x68.00	30.000 <i>1.181</i>	47.000 <i>1.850</i>	68.00 / 52.10 (+0.00/-0.30)	2100	5920	No Wiper	Closed	8	44.5 <i>1.752</i>	1.85 <i>0.073</i>
# LC-30.00x47.00x68.00	30.000 <i>1.181</i>	47.000 <i>1.850</i>	68.00 / 52.10 (+0.00/-0.30)	1630	2850	No Wiper	Closed	6	44.5 <i>1.752</i>	1.85 <i>0.073</i>
# LOH-30.00x47.00x68.00-WW	30.000 <i>1.181</i>	47.000 <i>1.850</i>	68.00 / 52.10 (+0.00/-0.30)	2100	5920	Two Wipers	Open	6	44.5 <i>1.752</i>	1.85 <i>0.073</i>
# LC-30.00x47.00x68.00-W	30.000 <i>1.181</i>	47.000 <i>1.850</i>	68.00 / 52.10 (+0.00/-0.30)	1630	2850	One Wiper	Closed	6	44.5 <i>1.752</i>	1.85 <i>0.073</i>
# LA-30.00x47.00x68.00	30.000 <i>1.181</i>	47.000 <i>1.850</i>	68.00 / 52.10 (+0.00/-0.30)	1630	2850	No Wiper	Ajustable	6	44.5 <i>1.752</i>	1.85 <i>0.073</i>
# LA-30.00x47.00x68.00-WW	30.000 <i>1.181</i>	47.000 <i>1.850</i>	68.00 / 52.10 (+0.00/-0.30)	1630	2850	Two Wipers	Ajustable	6	44.5 <i>1.752</i>	1.85 <i>0.073</i>
# LOH-30.00x47.00x68.00	30.000 <i>1.181</i>	47.000 <i>1.850</i>	68.00 / 52.10 (+0.00/-0.30)	2100	5920	No Wiper	Open	6	44.5 <i>1.752</i>	1.85 <i>0.073</i>
# LAH-30.00x47.00x68.00	30.000 <i>1.181</i>	47.000 <i>1.850</i>	68.00 / 52.10 (+0.00/-0.30)	2100	5920	No Wiper	Ajustable	8	44.5 <i>1.752</i>	1.85 <i>0.073</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Bearings - Linear - Ball

Part Number	Inner Diameter (d) mm	Outer Diameter (D) mm	Lengths ( L / I ) mm	Dynamic Load N	Static Load N	Wiper Configuration	Type	Ball Cicuits (Nr.)	Groove Base Dia. (G) mm	Groove Width (W1) mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>						<i>inches</i>	<i>inches</i>
# LCH-30.00x47.00x68.00-W	30.000	47.000	68.00 / 52.10 (+0.00/-0.30)	2100	5920	One Wiper	Closed	8	44.5	1.85
	<i>1.181</i>	<i>1.850</i>							<i>1.752</i>	<i>0.073</i>
# LA-30.00x47.00x68.00-W	30.000	47.000	68.00 / 52.10 (+0.00/-0.30)	1630	2850	One Wiper	Ajustable	6	44.5	1.85
	<i>1.181</i>	<i>1.850</i>							<i>1.752</i>	<i>0.073</i>
# LOH-30.00x47.00x68.00-W	30.000	47.000	68.00 / 52.10 (+0.00/-0.30)	2100	5920	One Wiper	Open	6	44.5	1.85
	<i>1.181</i>	<i>1.850</i>							<i>1.752</i>	<i>0.073</i>
# LO-30.00x47.00x68.00	30.000	47.000	68.00 / 52.10 (+0.00/-0.30)	1630	2850	No Wiper	Open	5	44.5	1.85
	<i>1.181</i>	<i>1.850</i>							<i>1.752</i>	<i>0.073</i>
# LO-30.00x47.00x68.00-W	30.000	47.000	68.00 / 52.10 (+0.00/-0.30)	1630	2850	One Wiper	Open	5	44.5	1.85
	<i>1.181</i>	<i>1.850</i>							<i>1.752</i>	<i>0.073</i>
# LCH-30.00x47.00x68.00-WW	30.000	47.000	68.00 / 52.10 (+0.00/-0.30)	2100	5920	Two Wipers	Closed	8	44.5	1.85
	<i>1.181</i>	<i>1.850</i>							<i>1.752</i>	<i>0.073</i>
# LAH-30.00x47.00x68.00-W	30.000	47.000	68.00 / 52.10 (+0.00/-0.30)	2100	5920	One Wiper	Ajustable	8	44.5	1.85
	<i>1.181</i>	<i>1.850</i>							<i>1.752</i>	<i>0.073</i>
# LC-30.00x47.00x68.00-WW	30.000	47.000	68.00 / 52.10 (+0.00/-0.30)	1630	2850	Two Wipers	Closed	6	44.5	1.85
	<i>1.181</i>	<i>1.850</i>							<i>1.752</i>	<i>0.073</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Bearings - Linear - Ball

Part Number	Inner Diameter (d) mm <i>inches</i>	Outer Diameter (D) mm <i>inches</i>	Lengths ( L / I ) mm <i>inches</i>	Dynamic Load N	Static Load N	Wiper Configuration	Type	Ball Cicuits (Nr.)	Groove Base Dia. (G) mm <i>inches</i>	Groove Width (W1) mm <i>inches</i>
# LO-30.00x47.00x68.00-WW	30.000 <i>1.181</i>	47.000 <i>1.850</i>	68.00 / 52.10 (+0.00/-0.30) <i>2.625</i>	1630	2850	Two Wipers	Open	5	44.5 <i>1.752</i>	1.85 <i>0.073</i>
# LAH-31.75x50.80x66.68	31.750 <i>1.250</i>	50.800 <i>2.000</i>	66.675 <i>2.625</i>	2104	3640	No Wiper	Ajustable	8	47.90 <i>1.886</i>	1.72 <i>0.068</i>
# LA-31.75x50.80x66.68	31.750 <i>1.250</i>	50.800 <i>2.000</i>	66.675 <i>2.625</i>	1575	2752	No Wiper	Ajustable	6	47.90 <i>1.886</i>	1.72 <i>0.068</i>
# LAH-31.75x50.80x66.68-WW	31.750 <i>1.250</i>	50.800 <i>2.000</i>	66.675 <i>2.625</i>	2104	3640	Two Wipers	Ajustable	8	47.90 <i>1.886</i>	1.72 <i>0.068</i>
# LO-31.75x50.80x66.68-WW	31.750 <i>1.250</i>	50.800 <i>2.000</i>	66.675 <i>2.625</i>	1575	2752	Two Wipers	Open	5	47.90 <i>1.886</i>	1.72 <i>0.068</i>
# LCH-31.75x50.80x66.68-W	31.750 <i>1.250</i>	50.800 <i>2.000</i>	66.675 <i>2.625</i>	2104	3640	One Wiper	Closed	8	47.90 <i>1.886</i>	1.72 <i>0.068</i>
# LC-31.75x50.80x66.68-WW	31.750 <i>1.250</i>	50.800 <i>2.000</i>	66.675 <i>2.625</i>	1575	2752	Two Wipers	Closed	6	47.90 <i>1.886</i>	1.72 <i>0.068</i>
# LOH-31.75x50.80x66.68-W	31.750 <i>1.250</i>	50.800 <i>2.000</i>	66.675 <i>2.625</i>	2104	3640	One Wiper	Open	6	47.90 <i>1.886</i>	1.72 <i>0.068</i>
# LO-31.75x50.80x66.68	31.750 <i>1.250</i>	50.800 <i>2.000</i>	66.675 <i>2.625</i>	1575	2752	No Wiper	Open	5	47.90 <i>1.886</i>	1.72 <i>0.068</i>
# LC-31.75x50.80x66.68-W	31.750 <i>1.250</i>	50.800 <i>2.000</i>	66.675 <i>2.625</i>	1575	2752	One Wiper	Closed	6	47.90 <i>1.886</i>	1.72 <i>0.068</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Bearings - Linear - Ball

Part Number	Inner Diameter (d) mm <i>inches</i>	Outer Diameter (D) mm <i>inches</i>	Lengths ( L / I ) mm <i>inches</i>	Dynamic Load N	Static Load N	Wiper Configuration	Type	Ball Ciccuits (Nr.)	Groove Base Dia. (G) mm <i>inches</i>	Groove Width (W1) mm <i>inches</i>
# LOH-31.75x50.80x66.68-WW	31.750 <i>1.250</i>	50.800 <i>2.000</i>	66.675 <i>2.625</i>	2104	3640	Two Wipers	Open	6	47.90 <i>1.886</i>	1.72 <i>0.068</i>
# LC-31.75x50.80x66.68	31.750 <i>1.250</i>	50.800 <i>2.000</i>	66.675 <i>2.625</i>	1575	2752	No Wiper	Closed	6	47.90 <i>1.886</i>	1.72 <i>0.068</i>
# LA-31.75x50.80x66.68-WW	31.750 <i>1.250</i>	50.800 <i>2.000</i>	66.675 <i>2.625</i>	1575	2752	Two Wipers	Ajustable	6	47.90 <i>1.886</i>	1.72 <i>0.068</i>
# LCH-31.75x50.80x66.68	31.750 <i>1.250</i>	50.800 <i>2.000</i>	66.675 <i>2.625</i>	2104	3640	No Wiper	Closed	8	47.90 <i>1.886</i>	1.72 <i>0.068</i>
# LCH-31.75x50.80x66.68-WW	31.750 <i>1.250</i>	50.800 <i>2.000</i>	66.675 <i>2.625</i>	2104	3640	Two Wipers	Closed	8	47.90 <i>1.886</i>	1.72 <i>0.068</i>
# LOH-31.75x50.80x66.68	31.750 <i>1.250</i>	50.800 <i>2.000</i>	66.675 <i>2.625</i>	2104	3640	No Wiper	Open	6	47.90 <i>1.886</i>	1.72 <i>0.068</i>
# LO-31.75x50.80x66.68-W	31.750 <i>1.250</i>	50.800 <i>2.000</i>	66.675 <i>2.625</i>	1575	2752	One Wiper	Open	5	47.90 <i>1.886</i>	1.72 <i>0.068</i>
# LAH-31.75x50.80x66.68-W	31.750 <i>1.250</i>	50.800 <i>2.000</i>	66.675 <i>2.625</i>	2104	3640	One Wiper	Ajustable	8	47.90 <i>1.886</i>	1.72 <i>0.068</i>
# LA-31.75x50.80x66.68-W	31.750 <i>1.250</i>	50.800 <i>2.000</i>	66.675 <i>2.625</i>	1575	2752	One Wiper	Ajustable	6	47.90 <i>1.886</i>	1.72 <i>0.068</i>
# LAH-38.10x60.33x76.20-WW	38.100 <i>1.500</i>	60.325 <i>2.375</i>	76.200 <i>3.000</i>	2901	5311	Two Wipers	Ajustable	8	56.87 <i>2.239</i>	2.18 <i>0.086</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Bearings - Linear - Ball

Part Number	Inner Diameter (d) mm <i>inches</i>	Outer Diameter (D) mm <i>inches</i>	Lengths ( L / I ) mm <i>inches</i>	Dynamic Load N	Static Load N	Wiper Configuration	Type	Ball Ciccuits (Nr.)	Groove Base Dia. (G) mm <i>inches</i>	Groove Width (W1) mm <i>inches</i>
# LO-38.10x60.33x76.20	38.100 <i>1.500</i>	60.325 <i>2.375</i>	76.200 <i>3.000</i>	2183	4029	No Wiper	Open	5	56.87 <i>2.239</i>	2.18 <i>0.086</i>
# LA-38.10x60.33x76.20-WW	38.100 <i>1.500</i>	60.325 <i>2.375</i>	76.200 <i>3.000</i>	2183	4029	Two Wipers	Ajustable	6	56.87 <i>2.239</i>	2.18 <i>0.086</i>
# LOH-38.10x60.33x76.20	38.100 <i>1.500</i>	60.325 <i>2.375</i>	76.200 <i>3.000</i>	2901	5311	No Wiper	Open	6	56.87 <i>2.239</i>	2.18 <i>0.086</i>
# LO-38.10x60.33x76.20-WW	38.100 <i>1.500</i>	60.325 <i>2.375</i>	76.200 <i>3.000</i>	2183	4029	Two Wipers	Open	5	56.87 <i>2.239</i>	2.18 <i>0.086</i>
# LA-38.10x60.33x76.20	38.100 <i>1.500</i>	60.325 <i>2.375</i>	76.200 <i>3.000</i>	2183	4029	No Wiper	Ajustable	6	56.87 <i>2.239</i>	2.18 <i>0.086</i>
# LCH-38.10x60.33x76.20-WW	38.100 <i>1.500</i>	60.325 <i>2.375</i>	76.200 <i>3.000</i>	2901	5311	Two Wipers	Closed	8	56.87 <i>2.239</i>	2.18 <i>0.086</i>
# LC-38.10x60.33x76.20	38.100 <i>1.500</i>	60.325 <i>2.375</i>	76.200 <i>3.000</i>	2183	4029	No Wiper	Closed	6	56.87 <i>2.239</i>	2.18 <i>0.086</i>
# LOH-38.10x60.33x76.20-W	38.100 <i>1.500</i>	60.325 <i>2.375</i>	76.200 <i>3.000</i>	2901	5311	One Wiper	Open	6	56.87 <i>2.239</i>	2.18 <i>0.086</i>
# LAH-38.10x60.33x76.20	38.100 <i>1.500</i>	60.325 <i>2.375</i>	76.200 <i>3.000</i>	2901	5311	No Wiper	Ajustable	8	56.87 <i>2.239</i>	2.18 <i>0.086</i>
# LCH-38.10x60.33x76.20-W	38.100 <i>1.500</i>	60.325 <i>2.375</i>	76.200 <i>3.000</i>	2901	5311	One Wiper	Closed	8	56.87 <i>2.239</i>	2.18 <i>0.086</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Bearings - Linear - Ball

Part Number	Inner Diameter (d) mm <i>inches</i>	Outer Diameter (D) mm <i>inches</i>	Lengths ( L / I ) mm <i>inches</i>	Dynamic Load N	Static Load N	Wiper Configuration	Type	Ball Ciccuits (Nr.)	Groove Base Dia. (G) mm <i>inches</i>	Groove Width (W1) mm <i>inches</i>
# LC-38.10x60.33x76.20-W	38.100 <i>1.500</i>	60.325 <i>2.375</i>	76.200 <i>3.000</i>	2183	4029	One Wiper	Closed	6	56.87 <i>2.239</i>	2.18 <i>0.086</i>
# LA-38.10x60.33x76.20-W	38.100 <i>1.500</i>	60.325 <i>2.375</i>	76.200 <i>3.000</i>	2183	4029	One Wiper	Ajustable	6	56.87 <i>2.239</i>	2.18 <i>0.086</i>
# LOH-38.10x60.33x76.20-WW	38.100 <i>1.500</i>	60.325 <i>2.375</i>	76.200 <i>3.000</i>	2901	5311	Two Wipers	Open	6	56.87 <i>2.239</i>	2.18 <i>0.086</i>
# LCH-38.10x60.33x76.20	38.100 <i>1.500</i>	60.325 <i>2.375</i>	76.200 <i>3.000</i>	2901	5311	No Wiper	Closed	8	56.87 <i>2.239</i>	2.18 <i>0.086</i>
# LC-38.10x60.33x76.20-WW	38.100 <i>1.500</i>	60.325 <i>2.375</i>	76.200 <i>3.000</i>	2183	4029	Two Wipers	Closed	6	56.87 <i>2.239</i>	2.18 <i>0.086</i>
# LO-38.10x60.33x76.20-W	38.100 <i>1.500</i>	60.325 <i>2.375</i>	76.200 <i>3.000</i>	2183	4029	One Wiper	Open	5	56.87 <i>2.239</i>	2.18 <i>0.086</i>
# LAH-38.10x60.33x76.20-W	38.100 <i>1.500</i>	60.325 <i>2.375</i>	76.200 <i>3.000</i>	2901	5311	One Wiper	Ajustable	8	56.87 <i>2.239</i>	2.18 <i>0.086</i>
# LC-40.00x62.00x80.00	40.000 <i>1.575</i>	62.000 <i>2.441</i>	80.00 / 60.60 (+0.00/-0.30)	2250	4200	No Wiper	Closed	6	59.0 <i>2.323</i>	2.15 <i>0.085</i>
# LOH-40.00x62.00x80.00-WW	40.000 <i>1.575</i>	62.000 <i>2.441</i>	80.00 / 60.60 (+0.00/-0.30)	3820	9250	Two Wipers	Open	6	59.0 <i>2.323</i>	2.15 <i>0.085</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Bearings - Linear - Ball

Part Number	Inner Diameter (d) mm	Outer Diameter (D) mm	Lengths ( L / I ) mm	Dynamic Load N	Static Load N	Wiper Configuration	Type	Ball Cicuits (Nr.)	Groove Base Dia. (G) mm	Groove Width (W1) mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>						<i>inches</i>	<i>inches</i>
# LAH-40.00x62.00x80.00-W	40.000 <i>1.575</i>	62.000 <i>2.441</i>	80.00 / 60.60 (+0.00/-0.30)	3820	9250	One Wiper	Ajustable	8	59.0 <i>2.323</i>	2.15 <i>0.085</i>
# LO-40.00x62.00x80.00-W	40.000 <i>1.575</i>	62.000 <i>2.441</i>	80.00 / 60.60 (+0.00/-0.30)	2250	4200	One Wiper	Open	5	59.0 <i>2.323</i>	2.15 <i>0.085</i>
# LOH-40.00x62.00x80.00-W	40.000 <i>1.575</i>	62.000 <i>2.441</i>	80.00 / 60.60 (+0.00/-0.30)	3820	9250	One Wiper	Open	6	59.0 <i>2.323</i>	2.15 <i>0.085</i>
# LC-40.00x62.00x80.00-W	40.000 <i>1.575</i>	62.000 <i>2.441</i>	80.00 / 60.60 (+0.00/-0.30)	2250	4200	One Wiper	Closed	6	59.0 <i>2.323</i>	2.15 <i>0.085</i>
# LCH-40.00x62.00x80.00	40.000 <i>1.575</i>	62.000 <i>2.441</i>	80.00 / 60.60 (+0.00/-0.30)	3820	9250	No Wiper	Closed	8	59.0 <i>2.323</i>	2.15 <i>0.085</i>
# LAH-40.00x62.00x80.00	40.000 <i>1.575</i>	62.000 <i>2.441</i>	80.00 / 60.60 (+0.00/-0.30)	3820	9250	No Wiper	Ajustable	8	59.0 <i>2.323</i>	2.15 <i>0.085</i>
# LO-40.00x62.00x80.00	40.000 <i>1.575</i>	62.000 <i>2.441</i>	80.00 / 60.60 (+0.00/-0.30)	2250	4200	No Wiper	Open	5	59.0 <i>2.323</i>	2.15 <i>0.085</i>
# LAH-40.00x62.00x80.00-WW	40.000 <i>1.575</i>	62.000 <i>2.441</i>	80.00 / 60.60 (+0.00/-0.30)	3820	9250	Two Wipers	Ajustable	8	59.0 <i>2.323</i>	2.15 <i>0.085</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Bearings - Linear - Ball

Part Number	Inner Diameter (d) mm <i>inches</i>	Outer Diameter (D) mm <i>inches</i>	Lengths ( L / I ) mm <i>inches</i>	Dynamic Load N	Static Load N	Wiper Configuration	Type	Ball Cicuits (Nr.)	Groove Base Dia. (G) mm <i>inches</i>	Groove Width (W1) mm <i>inches</i>
# LA-40.00x62.00x80.00	40.000 <i>1.575</i>	62.000 <i>2.441</i>	80.00 / 60.60 (+0.00/-0.30)	2250	4200	No Wiper	Ajustable	6	59.0 <i>2.323</i>	2.15 <i>0.085</i>
# LCH-40.00x62.00x80.00-WW	40.000 <i>1.575</i>	62.000 <i>2.441</i>	80.00 / 60.60 (+0.00/-0.30)	3820	9250	Two Wipers	Closed	8	59.0 <i>2.323</i>	2.15 <i>0.085</i>
# LA-40.00x62.00x80.00-W	40.000 <i>1.575</i>	62.000 <i>2.441</i>	80.00 / 60.60 (+0.00/-0.30)	2250	4200	One Wiper	Ajustable	6	59.0 <i>2.323</i>	2.15 <i>0.085</i>
# LOH-40.00x62.00x80.00	40.000 <i>1.575</i>	62.000 <i>2.441</i>	80.00 / 60.60 (+0.00/-0.30)	3820	9250	No Wiper	Open	6	59.0 <i>2.323</i>	2.15 <i>0.085</i>
# LO-40.00x62.00x80.00-WW	40.000 <i>1.575</i>	62.000 <i>2.441</i>	80.00 / 60.60 (+0.00/-0.30)	2250	4200	Two Wipers	Open	5	59.0 <i>2.323</i>	2.15 <i>0.085</i>
# LC-40.00x62.00x80.00-WW	40.000 <i>1.575</i>	62.000 <i>2.441</i>	80.00 / 60.60 (+0.00/-0.30)	2250	4200	Two Wipers	Closed	6	59.0 <i>2.323</i>	2.15 <i>0.085</i>
# LA-40.00x62.00x80.00-WW	40.000 <i>1.575</i>	62.000 <i>2.441</i>	80.00 / 60.60 (+0.00/-0.30)	2250	4200	Two Wipers	Ajustable	6	59.0 <i>2.323</i>	2.15 <i>0.085</i>
# LCH-40.00x62.00x80.00-W	40.000 <i>1.575</i>	62.000 <i>2.441</i>	80.00 / 60.60 (+0.00/-0.30)	3820	9250	One Wiper	Closed	8	59.0 <i>2.323</i>	2.15 <i>0.085</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to [catalogues@minibearings.com.au](mailto:catalogues@minibearings.com.au)

