




MBA

Bearings - Needle Roller - Cage Type

Cage and Rollers.

<http://www.minibearings.com.au//categories/shafting/all/pics/>



Bearings - Needle Roller - Cage Type

Part Number	ID (d) mm	OD (D) mm	Length (B) mm	Dynamic Load Kgf	Basic Static Load Rating Kgf	Limiting Speed Grease RPM	Limiting Speed Oil RPM	Type	Cage Material	Roller Length (rl) rl
	<i>inches</i>	<i>inches</i>	<i>inches</i>							
# NRCG-03.00x06.00x07.00-ST	3.000 <i>0.118</i>	6.000 <i>0.236</i>	7.000 <i>0.276</i>	150	100			Single Row	Steel	
# NRCG-04.00x07.00x07.00-TN	4.000 <i>0.157</i>	7.000 <i>0.276</i>	7.000 <i>0.276</i>	180	137	30000	45000	Single Row	Polyamide	5.000
# NRCG-05.00x08.00x07.00-ST	5.000 <i>0.197</i>	8.000 <i>0.315</i>	7.000 <i>0.276</i>	190	140			Single Row	Steel	
NRCG-05.00x08.00x08.00-TN	5.000 <i>0.197</i>	8.000 <i>0.315</i>	8.000 <i>0.315</i>	212	176	26000	40000	Single Row	Polyamide	6.000

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Needle Roller - Cage Type

Part Number	ID (d) mm	OD (D) mm	Length (B) mm	Dynamic Load Kgf	Basic Static Load Rating Kgf	Limiting Speed Grease RPM	Limiting Speed Oil RPM	Type	Cage Material	Roller Length (rl) rl
	<i>inches</i>	<i>inches</i>	<i>inches</i>							
# NRCG-05.00x08.00x10.00-TN	5.000 <i>0.197</i>	8.000 <i>0.315</i>	10.000 <i>0.394</i>	260	232	26000	40000	Single Row	Polyamide	7.800
# NRCG-05.00x09.00x13.00-TN	5.000 <i>0.197</i>	9.000 <i>0.354</i>	13.000 <i>0.512</i>	405	360	28000	43000	Single Row	Polyamide	9.800
# NRCG-06.00x09.00x07.00-ST	6.000 <i>0.236</i>	9.000 <i>0.354</i>	7.000 <i>0.276</i>	240	190			Single Row	Steel	
# NRCG-06.00x09.00x08.00-ST	6.000 <i>0.236</i>	9.000 <i>0.354</i>	8.000 <i>0.315</i>	305	300	22000	36000	Single Row	Steel	6.500
NRCG-06.00x09.00x10.00-TN	6.000 <i>0.236</i>	9.000 <i>0.354</i>	10.000 <i>0.394</i>	290	280	22000	36000	Single Row	Polyamide	7.800
# NRCG-06.00x10.00x13.00-ST	6.000 <i>0.236</i>	10.000 <i>0.394</i>	13.000 <i>0.512</i>	450	380			Single Row	Steel	
# NRCG-07.00x10.00x08.00-TN	7.000 <i>0.276</i>	10.000 <i>0.394</i>	8.000 <i>0.315</i>	265	250	20000	34000	Single Row	Polyamide	6.000
# NRCG-07.00x10.00x10.00-TN	7.000 <i>0.276</i>	10.000 <i>0.394</i>	10.000 <i>0.394</i>	325	325	20000	34000	Single Row	Polyamide	7.800
# NRCG-07.00x11.00x15.00-TN	7.000 <i>0.276</i>	11.000 <i>0.433</i>	15.000 <i>0.591</i>	610	630	20000	34000	Single Row	Polyamide	11.800
# NRCG-08.00x11.00x08.00-ST	8.000 <i>0.315</i>	11.000 <i>0.433</i>	8.000 <i>0.315</i>	310	320	19000	32000	Single Row	Steel	6.000

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Needle Roller - Cage Type

Part Number	ID (d) mm	OD (D) mm	Length (B) mm	Dynamic Load Kgf	Basic Static Load Rating Kgf	Limiting Speed Grease RPM	Limiting Speed Oil RPM	Type	Cage Material	Roller Length (rl) rl
	<i>inches</i>	<i>inches</i>	<i>inches</i>							
NRCG-08.00x11.00x10.00-ST	8.000 <i>0.315</i>	11.000 <i>0.433</i>	10.000 <i>0.394</i>	380	425	19000	32000	Single Row	Steel	7.800
# NRCG-08.00x11.00x13.00-ST	8.000 <i>0.315</i>	11.000 <i>0.433</i>	13.000 <i>0.512</i>	500	585	19000	32000	Single Row	Steel	10.800
# NRCG-08.00x12.00x08.00-HT	8.000 <i>0.315</i>	12.000 <i>0.472</i>	8.000 <i>0.315</i>	330	270			Single Row	Heat Treated Steel	
# NRCG-08.00x12.00x08.00-ST	8.000 <i>0.315</i>	12.000 <i>0.472</i>	8.000 <i>0.315</i>	370	310			Single Row	Steel	
# NRCG-08.00x12.00x11.00-ST	8.000 <i>0.315</i>	12.000 <i>0.472</i>	11.000 <i>0.433</i>	470	420			Single Row	Steel	
# NRCG-08.00x12.00x13.00-ST	8.000 <i>0.315</i>	12.000 <i>0.472</i>	13.000 <i>0.512</i>	585	600	19000	32000	Single Row	Steel	9.800
# NRCG-09.00x12.00x10.00-ST	9.000 <i>0.354</i>	12.000 <i>0.472</i>	10.000 <i>0.394</i>	405	475	18000	30000	Single Row	Steel	7.800
# NRCG-09.00x12.00x11.50-HT	9.000 <i>0.354</i>	12.000 <i>0.472</i>	11.500 <i>0.453</i>	400	420			Single Row	Heat Treated Steel	
# NRCG-09.00x12.00x13.00-ST	9.000 <i>0.354</i>	12.000 <i>0.472</i>	13.000 <i>0.512</i>	530	655	18000	30000	Single Row	Steel	10.800

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Needle Roller - Cage Type

Part Number	ID (d) mm	OD (D) mm	Length (B) mm	Dynamic Load Kgf	Basic Static Load Rating Kgf	Limiting Speed Grease RPM	Limiting Speed Oil RPM	Type	Cage Material	Roller Length (rl) rl
	<i>inches</i>	<i>inches</i>	<i>inches</i>							
# NRCG-09.00x12.00x14.00-HT	9.000	12.000	14.000	450	490			Single Row	Heat Treated Steel	
	<i>0.354</i>	<i>0.472</i>	<i>0.551</i>							
# NRCG-09.53x12.70x09.53-ST	9.525	12.700	9.525	369	375	48000		Single Row	Steel	
	<i>0.375</i>	<i>0.500</i>	<i>0.375</i>							
# NRCG-09.53x12.70x12.70-ST	9.525	12.700	12.700	526	589	48000		Single Row	Steel	
	<i>0.375</i>	<i>0.500</i>	<i>0.500</i>							
# NRCG-10.00x13.00x8.00-ST	10.000	13.000	8.000	340	350			Single Row	Steel	
	<i>0.394</i>	<i>0.512</i>	<i>0.315</i>							
# NRCG-10.00x13.00x9.00-ST	10.000	13.000	9.000	465	570	17000	28000	Single Row	Steel	7.400
	<i>0.394</i>	<i>0.512</i>	<i>0.354</i>							
NRCG-10.00x13.00x10.00-ST	10.000	13.000	10.000	520	655	17000	28000	Single Row	Steel	8.400
	<i>0.394</i>	<i>0.512</i>	<i>0.394</i>							
# NRCG-10.00x13.00x13.00-ST	10.000	13.000	13.000	560	735	17000	28000	Single Row	Steel	10.800
	<i>0.394</i>	<i>0.512</i>	<i>0.512</i>							
# NRCG-10.00x13.00x14.50-HT	10.000	13.000	14.500	560	735			Single Row	Heat Treated Steel	11.800
	<i>0.394</i>	<i>0.512</i>	<i>0.571</i>							
# NRCG-10.00x13.00x16.00-HT	10.000	13.000	16.000	450	500			Single Row	Heat Treated Steel	
	<i>0.394</i>	<i>0.512</i>	<i>0.630</i>							

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Needle Roller - Cage Type

Part Number	ID (d) mm	OD (D) mm	Length (B) mm	Dynamic Load Kgf	Basic Static Load Rating Kgf	Limiting Speed Grease RPM	Limiting Speed Oil RPM	Type	Cage Material	Roller Length (rl) rl
	<i>inches</i>	<i>inches</i>	<i>inches</i>							
# NRCG-10.00x13.00x16.00-ST	10.000 <i>0.394</i>	13.000 <i>0.512</i>	16.000 <i>0.630</i>	710	980	17000	28000	Single Row	Steel	14.400
# NRCG-10.00x13.00x23.00-TN	10.000 <i>0.394</i>	13.000 <i>0.512</i>	23.000 <i>0.906</i>	780	1140	17000	28000	Double Row	Polyamide	17.800
# NRCG-10.00x14.00x10.00-HT	10.000 <i>0.394</i>	14.000 <i>0.551</i>	10.000 <i>0.394</i>	500	480			Single Row	Heat Treated Steel	
# NRCG-10.00x14.00x10.00-ST	10.000 <i>0.394</i>	14.000 <i>0.551</i>	10.000 <i>0.394</i>	585	640	18000	30000	Single Row	Steel	8.200
# NRCG-10.00x14.00x11.00-HT	10.000 <i>0.394</i>	14.000 <i>0.551</i>	11.000 <i>0.433</i>	520	500			Single Row	Heat Treated Steel	
# NRCG-10.00x14.00x12.00-ST	10.000 <i>0.394</i>	14.000 <i>0.551</i>	12.000 <i>0.472</i>	610	610			Single Row	Steel	
# NRCG-10.00x14.00x12.50-HT	10.000 <i>0.394</i>	14.000 <i>0.551</i>	12.500 <i>0.492</i>	570	570			Single Row	Heat Treated Steel	
# NRCG-10.00x14.00x13.00-HT	10.000 <i>0.394</i>	14.000 <i>0.551</i>	13.000 <i>0.512</i>	570	630			Single Row	Heat Treated Steel	9.800
# NRCG-10.00x14.00x13.00-ST	10.000 <i>0.394</i>	14.000 <i>0.551</i>	13.000 <i>0.512</i>	750	880	18000	30000	Single Row	Steel	11.200

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Needle Roller - Cage Type

Part Number	ID (d) mm	OD (D) mm	Length (B) mm	Dynamic Load Kgf	Basic Static Load Rating Kgf	Limiting Speed Grease RPM	Limiting Speed Oil RPM	Type	Cage Material	Roller Length (rl) rl
	<i>inches</i>	<i>inches</i>	<i>inches</i>							
# NRCG-10.00x14.00x15.00-ST	10.000 <i>0.394</i>	14.000 <i>0.551</i>	15.000 <i>0.591</i>	720	770			Single Row	Steel	
# NRCG-10.50x14.00x15.00-HT	10.500 <i>0.413</i>	14.000 <i>0.551</i>	15.000 <i>0.591</i>	580	640			Single Row	Heat Treated Steel	
# NRCG-11.00x14.00x10.00-ST	11.000 <i>0.433</i>	14.000 <i>0.551</i>	10.000 <i>0.394</i>	455	570	17000	28000	Single Row	Steel	7.800
# NRCG-12.00x15.00x8.00-ST	12.000 <i>0.472</i>	15.000 <i>0.591</i>	8.000 <i>0.315</i>	380	430			Single Row	Steel	
# NRCG-12.00x15.00x9.00-ST	12.000 <i>0.472</i>	15.000 <i>0.591</i>	9.000 <i>0.354</i>	455	585	16000	26000	Single Row	Steel	7.400
# NRCG-12.00x15.00x10.00-ST	12.000 <i>0.472</i>	15.000 <i>0.591</i>	10.000 <i>0.394</i>	560	765	16000	26000	Single Row	Steel	8.400
# NRCG-12.00x15.00x12.00-ST	12.000 <i>0.472</i>	15.000 <i>0.591</i>	12.000 <i>0.472</i>	570	720			Single Row	Steel	
# NRCG-12.00x15.00x13.00-ST	12.000 <i>0.472</i>	15.000 <i>0.591</i>	13.000 <i>0.512</i>	640	915	16000	26000	Single Row	Steel	11.400
# NRCG-12.00x15.00x13.00-HT	12.000 <i>0.472</i>	15.000 <i>0.591</i>	13.000 <i>0.512</i>	510	670			Single Row	Heat Treated Steel	9.800
# NRCG-12.00x15.00x14.00-ST	12.000 <i>0.472</i>	15.000 <i>0.591</i>	14.000 <i>0.551</i>	630	820			Single Row	Steel	

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Needle Roller - Cage Type

Part Number	ID (d) mm	OD (D) mm	Length (B) mm	Dynamic Load Kgf	Basic Static Load Rating Kgf	Limiting Speed Grease RPM	Limiting Speed Oil RPM	Type	Cage Material	Roller Length (rl) rl
	<i>inches</i>	<i>inches</i>	<i>inches</i>							
# NRCG-12.00x15.00x14.30-HT	12.000	15.000	14.300	600	750			Single Row	Heat Treated Steel	
	<i>0.472</i>	<i>0.591</i>	<i>0.563</i>							
# NRCG-12.00x15.00x15.00-HT	12.000	15.000	15.000	670	950			Single Row	Heat Treated Steel	11.800
	<i>0.472</i>	<i>0.591</i>	<i>0.591</i>							
# NRCG-12.00x15.00x15.00-ST	12.000	15.000	15.000	670	965	16000	26000	Single Row	Steel	12.800
	<i>0.472</i>	<i>0.591</i>	<i>0.591</i>							
# NRCG-12.00x15.00x17.50-HT	12.000	15.000	17.500	710	1040			Single Row	Heat Treated Steel	12.800
	<i>0.472</i>	<i>0.591</i>	<i>0.689</i>							
# NRCG-12.00x16.00x10.00-HT	12.000	16.000	10.000	580	600			Single Row	Heat Treated Steel	
	<i>0.472</i>	<i>0.630</i>	<i>0.394</i>							
# NRCG-12.00x16.00x10.00-ST	12.000	16.000	10.000	655	780	16000	26000	Single Row	Steel	8.200
	<i>0.472</i>	<i>0.630</i>	<i>0.394</i>							
# NRCG-12.00x16.00x13.00-HT	12.000	16.000	13.000	720	800			Single Row	Heat Treated Steel	
	<i>0.472</i>	<i>0.630</i>	<i>0.512</i>							
# NRCG-12.00x16.00x13.00-ST	12.000	16.000	13.000	710	865	16000	26000	Single Row	Steel	9.800
	<i>0.472</i>	<i>0.630</i>	<i>0.512</i>							
# NRCG-12.00x16.00x15.00-HT	12.000	16.000	15.000	765	950			Single Row	Heat Treated Steel	11.800
	<i>0.472</i>	<i>0.630</i>	<i>0.591</i>							

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Needle Roller - Cage Type

Part Number	ID (d) mm	OD (D) mm	Length (B) mm	Dynamic Load Kgf	Basic Static Load Rating Kgf	Limiting Speed Grease RPM	Limiting Speed Oil RPM	Type	Cage Material	Roller Length (rl) rl
	<i>inches</i>	<i>inches</i>	<i>inches</i>							
# NRCG-12.00x16.00x15.50-HT	12.000	16.000	15.500	770	880			Single Row	Heat Treated Steel	
	<i>0.472</i>	<i>0.630</i>	<i>0.610</i>							
# NRCG-12.00x16.00x16.00-HT	12.000	16.000	16.000	765	950			Single Row	Heat Treated Steel	11.800
	<i>0.472</i>	<i>0.630</i>	<i>0.630</i>							
# NRCG-12.00x16.00x18.00-ST	12.000	16.000	18.000	1000	1220			Single Row	Steel	
	<i>0.472</i>	<i>0.630</i>	<i>0.709</i>							
# NRCG-12.00x17.00x10.00-HT	12.000	17.000	10.000	680	650			Single Row	Heat Treated Steel	
	<i>0.472</i>	<i>0.669</i>	<i>0.394</i>							
# NRCG-12.00x17.00x10.00-ST	12.000	17.000	10.000	630	580			Single Row	Steel	
	<i>0.472</i>	<i>0.669</i>	<i>0.394</i>							
# NRCG-12.00x17.00x13.00-HT	12.000	17.000	13.000	735	765			Single Row	Heat Treated Steel	9.800
	<i>0.472</i>	<i>0.669</i>	<i>0.512</i>							
# NRCG-12.00x17.00x13.00-ST	12.000	17.000	13.000	850	950	17000	28000	Single Row	Steel	9.800
	<i>0.472</i>	<i>0.669</i>	<i>0.512</i>							
# NRCG-12.00x17.00x14.00-ST	12.000	17.000	14.000	980	1140	17000	28000	Single Row	Steel	11.800
	<i>0.472</i>	<i>0.669</i>	<i>0.551</i>							
# NRCG-12.00x18.00x12.00-ST	12.000	18.000	12.000	950	980	17000	28000	Single Row	Steel	9.800
	<i>0.472</i>	<i>0.709</i>	<i>0.472</i>							

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Needle Roller - Cage Type

Part Number	ID (d) mm <i>inches</i>	OD (D) mm <i>inches</i>	Length (B) mm <i>inches</i>	Dynamic Load Kgf	Basic Static Load Rating Kgf	Limiting Speed Grease RPM	Limiting Speed Oil RPM	Type	Cage Material	Roller Length (r) rl
# NRCG-12.00x18.00x20.00-ST	12.000 <i>0.472</i>	18.000 <i>0.709</i>	20.000 <i>0.787</i>	1400	1470			Single Row	Steel	
NRCG-12.70x15.88x12.70-ST	12.700 <i>0.500</i>	15.875 <i>0.625</i>	12.700 <i>0.500</i>	612	777	35000		Single Row	Steel	
# NRCG-12.70x15.88x15.88-ST	12.700 <i>0.500</i>	15.875 <i>0.625</i>	15.875 <i>0.625</i>	785	1080	35000		Single Row	Steel	
# NRCG-13.00x16.00x14.00-HT	13.000 <i>0.512</i>	16.000 <i>0.630</i>	14.000 <i>0.551</i>	540	735			Single Row	Heat Treated Steel	9.800
# NRCG-13.00x17.00x10.00-ST	13.000 <i>0.512</i>	17.000 <i>0.669</i>	10.000 <i>0.394</i>	680	850	16000	26000	Single Row	Steel	8.200
# NRCG-13.00x17.00x17.70-HT	13.000 <i>0.512</i>	17.000 <i>0.669</i>	17.700 <i>0.697</i>	930	1250			Single Row	Heat Treated Steel	13.800
# NRCG-13.00x18.00x15.00-ST	13.000 <i>0.512</i>	18.000 <i>0.709</i>	15.000 <i>0.591</i>	1040	1220	16000	26000	Single Row	Steel	12.500
# NRCG-13.00x18.00x15.00-HT	13.000 <i>0.512</i>	18.000 <i>0.709</i>	15.000 <i>0.591</i>	880	1000			Single Row	Heat Treated Steel	12.500
# NRCG-13.00x18.00x16.00-ST	13.000 <i>0.512</i>	18.000 <i>0.709</i>	16.000 <i>0.630</i>	1050	1160			Single Row	Steel	

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Needle Roller - Cage Type

Part Number	ID (d) mm	OD (D) mm	Length (B) mm	Dynamic Load Kgf	Basic Static Load Rating Kgf	Limiting Speed Grease RPM	Limiting Speed Oil RPM	Type	Cage Material	Roller Length (rl) rl
	<i>inches</i>	<i>inches</i>	<i>inches</i>							
# NRCG-14.00x18.00x8.00-ST	14.000 <i>0.551</i>	18.000 <i>0.709</i>	8.000 <i>0.315</i>	510	600	16000	26000	Single Row	Steel	5.800
# NRCG-14.00x18.00x10.00-HT	14.000 <i>0.551</i>	18.000 <i>0.709</i>	10.000 <i>0.394</i>	655	815			Single Row	Heat Treated Steel	7.800
# NRCG-14.00x18.00x10.00-ST	14.000 <i>0.551</i>	18.000 <i>0.709</i>	10.000 <i>0.394</i>	680	850	16000	26000	Single Row	Steel	8.200
# NRCG-14.00x18.00x11.00-ST	14.000 <i>0.551</i>	18.000 <i>0.709</i>	11.000 <i>0.433</i>	670	760			Single Row	Steel	
# NRCG-14.00x18.00x12.00-HT	14.000 <i>0.551</i>	18.000 <i>0.709</i>	12.000 <i>0.472</i>	690	790			Single Row	Heat Treated Steel	
# NRCG-14.00x18.00x13.00-HT	14.000 <i>0.551</i>	18.000 <i>0.709</i>	13.000 <i>0.512</i>	695	880			Single Row	Heat Treated Steel	9.800
# NRCG-14.00x18.00x13.00-ST	14.000 <i>0.551</i>	18.000 <i>0.709</i>	13.000 <i>0.512</i>	915	1250	16000	26000	Single Row	Steel	11.200
# NRCG-14.00x18.00x14.70-HT	14.000 <i>0.551</i>	18.000 <i>0.709</i>	14.700 <i>0.579</i>	695	880			Single Row	Heat Treated Steel	9.800
# NRCG-14.00x18.00x15.00-ST	14.000 <i>0.551</i>	18.000 <i>0.709</i>	15.000 <i>0.591</i>	1000	1400	16000	26000	Single Row	Steel	13.200

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Needle Roller - Cage Type

Part Number	ID (d) mm <i>inches</i>	OD (D) mm <i>inches</i>	Length (B) mm <i>inches</i>	Dynamic Load Kgf	Basic Static Load Rating Kgf	Limiting Speed Grease RPM	Limiting Speed Oil RPM	Type	Cage Material	Roller Length (rl) rl
# NRCG-14.00x18.00x16.00-ST	14.000 <i>0.551</i>	18.000 <i>0.709</i>	16.000 <i>0.630</i>	950	1290	16000	26000	Single Row	Steel	14.200
# NRCG-14.00x18.00x16.50-HT	14.000 <i>0.551</i>	18.000 <i>0.709</i>	16.500 <i>0.650</i>	940	1170			Single Row	Heat Treated Steel	
# NRCG-14.00x18.00x17.00-HT	14.000 <i>0.551</i>	18.000 <i>0.709</i>	17.000 <i>0.669</i>	815	1060			Single Row	Heat Treated Steel	11.800
# NRCG-14.00x18.00x17.00-ST	14.000 <i>0.551</i>	18.000 <i>0.709</i>	17.000 <i>0.669</i>	1180	1730	16000	26000	Single Row	Steel	15.200
# NRCG-14.00x18.00x22.00-HT	14.000 <i>0.551</i>	18.000 <i>0.709</i>	22.000 <i>0.866</i>	1010	1290			Single Row	Heat Treated Steel	
# NRCG-14.00x18.00x24.00-HT	14.000 <i>0.551</i>	18.000 <i>0.709</i>	24.000 <i>0.945</i>	1120	1630			Single Row	Heat Treated Steel	17.800
# NRCG-14.00x19.00x9.70-HT	14.000 <i>0.551</i>	19.000 <i>0.748</i>	9.700 <i>0.382</i>	620	600			Single Row	Heat Treated Steel	
# NRCG-14.00x19.00x10.00-HT	14.000 <i>0.551</i>	19.000 <i>0.748</i>	10.000 <i>0.394</i>	680	670			Single Row	Heat Treated Steel	
# NRCG-14.00x19.00x10.00-ST	14.000 <i>0.551</i>	19.000 <i>0.748</i>	10.000 <i>0.394</i>	730	730			Single Row	Steel	

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Needle Roller - Cage Type

Part Number	ID (d) mm	OD (D) mm	Length (B) mm	Dynamic Load Kgf	Basic Static Load Rating Kgf	Limiting Speed Grease RPM	Limiting Speed Oil RPM	Type	Cage Material	Roller Length (rl) rl
	<i>inches</i>	<i>inches</i>	<i>inches</i>							
# NRCG-14.00x19.00x13.00-ST	14.000 <i>0.551</i>	19.000 <i>0.748</i>	13.000 <i>0.512</i>	980	1160	16000	26000	Single Row	Steel	10.800
# NRCG-14.00x19.00x16.00-ST	14.000 <i>0.551</i>	19.000 <i>0.748</i>	16.000 <i>0.630</i>	1130	1290			Single Row	Steel	
# NRCG-14.00x19.00x18.00-ST	14.000 <i>0.551</i>	19.000 <i>0.748</i>	18.000 <i>0.709</i>	1250	1630	16000	26000	Single Row	Steel	13.800
# NRCG-14.00x20.00x10.00-HT	14.000 <i>0.551</i>	20.000 <i>0.787</i>	10.000 <i>0.394</i>	850	880			Single Row	Heat Treated Steel	7.800
# NRCG-14.00x20.00x12.00-HT	14.000 <i>0.551</i>	20.000 <i>0.787</i>	12.000 <i>0.472</i>	1000	1080			Single Row	Heat Treated Steel	9.500
# NRCG-14.00x20.00x12.00-ST	14.000 <i>0.551</i>	20.000 <i>0.787</i>	12.000 <i>0.472</i>	1000	1080	16000	26000	Single Row	Steel	9.500
# NRCG-14.00x20.00x17.00-ST	14.000 <i>0.551</i>	20.000 <i>0.787</i>	17.000 <i>0.669</i>	1360	1470			Single Row	Steel	
# NRCG-14.29x17.46x12.70-ST	14.290 <i>0.563</i>	17.460 <i>0.687</i>	12.700 <i>0.500</i>	665	902	31000		Single Row	Steel	
# NRCG-15.00x18.00x14.00-ST	15.000 <i>0.591</i>	18.000 <i>0.709</i>	14.000 <i>0.551</i>	780	1250	15000	24000	Single Row	Steel	12.400
# NRCG-15.00x18.00x16.00-ST	15.000 <i>0.591</i>	18.000 <i>0.709</i>	16.000 <i>0.630</i>	800	1290	15000	24000	Single Row	Steel	12.800

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Needle Roller - Cage Type

Part Number	ID (d) mm	OD (D) mm	Length (B) mm	Dynamic Load Kgf	Basic Static Load Rating Kgf	Limiting Speed Grease RPM	Limiting Speed Oil RPM	Type	Cage Material	Roller Length (rl) rl
	<i>inches</i>	<i>inches</i>	<i>inches</i>							
# NRCG-15.00x18.00x17.00-ST	15.000 <i>0.591</i>	18.000 <i>0.709</i>	17.000 <i>0.669</i>	830	1370	15000	24000	Single Row	Steel	15.400
# NRCG-15.00x18.00x22.00-ST	15.000 <i>0.591</i>	18.000 <i>0.709</i>	22.000 <i>0.866</i>	965	1630	15000	24000	Double Row	Steel	18.700
# NRCG-15.00x19.00x9.00-HT	15.000 <i>0.591</i>	19.000 <i>0.748</i>	9.000 <i>0.354</i>	590	660			Single Row	Heat Treated Steel	
# NRCG-15.00x19.00x9.00-ST	15.000 <i>0.591</i>	19.000 <i>0.748</i>	9.000 <i>0.354</i>	620	710			Single Row	Steel	
# NRCG-15.00x19.00x10.00-ST	15.000 <i>0.591</i>	19.000 <i>0.748</i>	10.000 <i>0.394</i>	750	980	15000	24000	Single Row	Steel	8.200
# NRCG-15.00x19.00x11.00-ST	15.000 <i>0.591</i>	19.000 <i>0.748</i>	11.000 <i>0.433</i>	700	820			Single Row	Steel	
NRCG-15.00x19.00x13.00-ST	15.000 <i>0.591</i>	19.000 <i>0.748</i>	13.000 <i>0.512</i>	915	1270	15000	24000	Single Row	Steel	11.200
# NRCG-15.00x19.00x14.00-ST	15.000 <i>0.591</i>	19.000 <i>0.748</i>	14.000 <i>0.551</i>	1020	1460	15000	24000	Single Row	Steel	12.200
# NRCG-15.00x19.00x17.00-HT	15.000 <i>0.591</i>	19.000 <i>0.748</i>	17.000 <i>0.669</i>	865	1160			Single Row	Heat Treated Steel	11.800
# NRCG-15.00x19.00x17.00-ST	15.000 <i>0.591</i>	19.000 <i>0.748</i>	17.000 <i>0.669</i>	1160	1730	15000	24000	Single Row	Steel	15.200

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Needle Roller - Cage Type

Part Number	ID (d) mm	OD (D) mm	Length (B) mm	Dynamic Load Kgf	Basic Static Load Rating Kgf	Limiting Speed Grease RPM	Limiting Speed Oil RPM	Type	Cage Material	Roller Length (rl) rl
	<i>inches</i>	<i>inches</i>	<i>inches</i>							
# NRCG-15.00x19.00x18.00-ST	15.000 <i>0.591</i>	19.000 <i>0.748</i>	18.000 <i>0.709</i>	1170	1600			Single Row	Steel	
# NRCG-15.00x19.00x20.00-HT	15.000 <i>0.591</i>	19.000 <i>0.748</i>	20.000 <i>0.787</i>	1020	1430			Single Row	Heat Treated Steel	15.800
# NRCG-15.00x19.00x22.00-ST	15.000 <i>0.591</i>	19.000 <i>0.748</i>	22.000 <i>0.866</i>	1160	1730	15000	24000	Double Row	Steel	19.900
# NRCG-15.00x20.00x10.00-ST	15.000 <i>0.591</i>	20.000 <i>0.787</i>	10.000 <i>0.394</i>	770	810			Single Row	Steel	
# NRCG-15.00x20.00x10.00-HT	15.000 <i>0.591</i>	20.000 <i>0.787</i>	10.000 <i>0.394</i>	720	740			Single Row	Heat Treated Steel	
# NRCG-15.00x20.00x13.00-ST	15.000 <i>0.591</i>	20.000 <i>0.787</i>	13.000 <i>0.512</i>	950	1160	16000	26000	Single Row	Steel	9.800
# NRCG-15.00x21.00x15.00-ST	15.000 <i>0.591</i>	21.000 <i>0.827</i>	15.000 <i>0.591</i>	1270	1500	16000	26000	Single Row	Steel	11.800
# NRCG-15.00x21.00x21.00-ST	15.000 <i>0.591</i>	21.000 <i>0.827</i>	21.000 <i>0.827</i>	1660	2080	16000	26000	Single Row	Steel	17.800
# NRCG-15.88x19.05x12.70-ST	15.875 <i>0.625</i>	19.050 <i>0.750</i>	12.700 <i>0.500</i>	687	969	27000		Single Row	Steel	
# NRCG-15.88x22.23x15.88-ST	15.875 <i>0.625</i>	22.225 <i>0.875</i>	15.875 <i>0.625</i>	1518	1710	29400		Single Row	Steel	

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Needle Roller - Cage Type

Part Number	ID (d) mm	OD (D) mm	Length (B) mm	Dynamic Load Kgf	Basic Static Load Rating Kgf	Limiting Speed Grease RPM	Limiting Speed Oil RPM	Type	Cage Material	Roller Length (rl) rl
	<i>inches</i>	<i>inches</i>	<i>inches</i>							
# NRCG-15.88x22.23x22.23-ST	15.875 <i>0.625</i>	22.225 <i>0.875</i>	22.225 <i>0.875</i>	2089	2580	29400		Single Row	Steel	
# NRCG-16.00x20.00x08.00	16.000 <i>0.630</i>	20.000 <i>0.787</i>	8.000 <i>0.315</i>	680	875	15000	24000	Single Row	Machined window type steel	6.400
# NRCG-16.00x20.00x10.00-ST	16.000 <i>0.630</i>	20.000 <i>0.787</i>	10.000 <i>0.394</i>	735	980	15000	24000	Single Row	Steel	8.200
# NRCG-16.00x20.00x13.00-ST	16.000 <i>0.630</i>	20.000 <i>0.787</i>	13.000 <i>0.512</i>	941	1245	28000		Single Row	Steel	
# NRCG-16.00x20.00x14.00-ST	16.000 <i>0.630</i>	20.000 <i>0.787</i>	14.000 <i>0.551</i>	1020	1500	15000	24000	Single Row	Steel	12.200
# NRCG-16.00x20.00x16.00-ST	16.000 <i>0.630</i>	20.000 <i>0.787</i>	16.000 <i>0.630</i>	1090	1480			Single Row	Steel	
# NRCG-16.00x20.00x17.00-ST	16.000 <i>0.630</i>	20.000 <i>0.787</i>	17.000 <i>0.669</i>	1120	1700	15000	24000	Single Row	Steel	13.800
# NRCG-16.00x20.00x19.00-HT	16.000 <i>0.630</i>	20.000 <i>0.787</i>	19.000 <i>0.748</i>	1100	1490			Single Row	Heat Treated Steel	
# NRCG-16.00x20.00x20.00-HT	16.000 <i>0.630</i>	20.000 <i>0.787</i>	20.000 <i>0.787</i>	1140	1700			Single Row	Heat Treated Steel	15.800

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Needle Roller - Cage Type

Part Number	ID (d) mm	OD (D) mm	Length (B) mm	Dynamic Load Kgf	Basic Static Load Rating Kgf	Limiting Speed Grease RPM	Limiting Speed Oil RPM	Type	Cage Material	Roller Length (rl) rl
	<i>inches</i>	<i>inches</i>	<i>inches</i>							
# NRCG-16.00x20.00x20.00-ST	16.000 <i>0.630</i>	20.000 <i>0.787</i>	20.000 <i>0.787</i>	1270	1960	15000	24000	Single Row	Steel	18.200
# NRCG-16.00x20.00x22.00-HT	16.000 <i>0.630</i>	20.000 <i>0.787</i>	22.000 <i>0.866</i>	1160	1600			Single Row	Heat Treated Steel	
# NRCG-16.00x20.00x23.00-HT	16.000 <i>0.630</i>	20.000 <i>0.787</i>	23.000 <i>0.906</i>	1020	1460			Single Row	Heat Treated Steel	15.800
# NRCG-16.00x21.00x10.00-HT	16.000 <i>0.630</i>	21.000 <i>0.827</i>	10.000 <i>0.394</i>	780	915			Single Row	Heat Treated Steel	7.800
# NRCG-16.00x21.00x18.00-ST	16.000 <i>0.630</i>	21.000 <i>0.827</i>	18.000 <i>0.709</i>	1420	1810			Single Row	Steel	
# NRCG-16.00x21.00x20.00-ST	16.000 <i>0.630</i>	21.000 <i>0.827</i>	20.000 <i>0.787</i>	1500	1930			Single Row	Steel	
# NRCG-16.00x21.00x25.00-ST	16.000 <i>0.630</i>	21.000 <i>0.827</i>	25.000 <i>0.984</i>	1870	2560			Single Row	Steel	
# NRCG-16.00x22.00x11.50-HT	16.000 <i>0.630</i>	22.000 <i>0.866</i>	11.500 <i>0.453</i>	970	980			Single Row	Heat Treated Steel	
# NRCG-16.00x22.00x12.00-HT	16.000 <i>0.630</i>	22.000 <i>0.866</i>	12.000 <i>0.472</i>	1070	1110			Single Row	Heat Treated Steel	

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Needle Roller - Cage Type

Part Number	ID (d) mm	OD (D) mm	Length (B) mm	Dynamic Load Kgf	Basic Static Load Rating Kgf	Limiting Speed Grease RPM	Limiting Speed Oil RPM	Type	Cage Material	Roller Length (rl) rl
	<i>inches</i>	<i>inches</i>	<i>inches</i>							
# NRCG-16.00x22.00x12.00-ST	16.000 <i>0.630</i>	22.000 <i>0.866</i>	12.000 <i>0.472</i>	1100	1250	16000	26000	Single Row	Steel	9.800
# NRCG-16.00x22.00x14.00-ST	16.000 <i>0.630</i>	22.000 <i>0.866</i>	14.000 <i>0.551</i>	1190	1270			Single Row	Steel	
# NRCG-16.00x22.00x17.00-ST	16.000 <i>0.630</i>	22.000 <i>0.866</i>	17.000 <i>0.669</i>	1450	1640			Single Row	Steel	
# NRCG-16.00x22.00x20.00-ST	16.000 <i>0.630</i>	22.000 <i>0.866</i>	20.000 <i>0.787</i>	1760	2320	16000	26000	Single Row	Steel	17.800
# NRCG-16.00x24.00x20.00-ST	16.000 <i>0.630</i>	24.000 <i>0.945</i>	20.000 <i>0.787</i>	1930	2160	16000	26000	Single Row	Steel	16.000
# NRCG-17.00x20.00x10.00-ST	17.000 <i>0.669</i>	20.000 <i>0.787</i>	10.000 <i>0.394</i>	570	880	15000	24000	Single Row	Steel	7.800
# NRCG-17.00x21.00x10.00-ST	17.000 <i>0.669</i>	21.000 <i>0.827</i>	10.000 <i>0.394</i>	765	1060	15000	24000	Single Row	Steel	8.200
# NRCG-17.00x21.00x13.00-ST	17.000 <i>0.669</i>	21.000 <i>0.827</i>	13.000 <i>0.512</i>	1000	1460	15000	24000	Single Row	Steel	11.200
# NRCG-17.00x21.00x15.00-ST	17.000 <i>0.669</i>	21.000 <i>0.827</i>	15.000 <i>0.591</i>	1080	1630	15000	24000	Single Row	Steel	13.200
# NRCG-17.00x21.00x17.00-ST	17.000 <i>0.669</i>	21.000 <i>0.827</i>	17.000 <i>0.669</i>	1120	1700	15000	24000	Single Row	Steel	13.800

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Needle Roller - Cage Type

Part Number	ID (d) mm <i>inches</i>	OD (D) mm <i>inches</i>	Length (B) mm <i>inches</i>	Dynamic Load Kgf	Basic Static Load Rating Kgf	Limiting Speed Grease RPM	Limiting Speed Oil RPM	Type	Cage Material	Roller Length (rl) rl
# NRCG-17.00x22.00x20.00-ST	17.000 <i>0.669</i>	22.000 <i>0.866</i>	20.000 <i>0.787</i>	1630	2360	15000	24000	Single Row	Steel	16.800
# NRCG-17.00x23.00x11.00-ST	17.000 <i>0.669</i>	23.000 <i>0.906</i>	11.000 <i>0.433</i>	1030	1070			Single Row	Steel	
# NRCG-17.00x23.00x15.00-ST	17.000 <i>0.669</i>	23.000 <i>0.906</i>	15.000 <i>0.591</i>	1340	1660	15000	24000	Single Row	Steel	11.800
# NRCG-17.00x24.00x18.00-ST	17.000 <i>0.669</i>	24.000 <i>0.945</i>	18.000 <i>0.709</i>	1680	1840			Single Row	Steel	
# NRCG-18.00x22.00x8.00-ST	18.000 <i>0.709</i>	22.000 <i>0.866</i>	8.000 <i>0.315</i>	620	740			Single Row	Steel	
# NRCG-18.00x22.00x10.00-HT	18.000 <i>0.709</i>	22.000 <i>0.866</i>	10.000 <i>0.394</i>	760	970			Single Row	Heat Treated Steel	
# NRCG-18.00x22.00x10.00-ST	18.000 <i>0.709</i>	22.000 <i>0.866</i>	10.000 <i>0.394</i>	800	1120	15000	24000	Single Row	Steel	8.200
# NRCG-18.00x22.00x13.00-ST	18.000 <i>0.709</i>	22.000 <i>0.866</i>	13.000 <i>0.512</i>	1004	1397	24000		Single Row	Steel	
# NRCG-18.00x22.00x14.00-ST	18.000 <i>0.709</i>	22.000 <i>0.866</i>	14.000 <i>0.551</i>	1100	1700	15000	24000	Single Row	Steel	12.200
# NRCG-18.00x22.00x16.00-ST	18.000 <i>0.709</i>	22.000 <i>0.866</i>	16.000 <i>0.630</i>	1180	1700			Single Row	Steel	

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Needle Roller - Cage Type

Part Number	ID (d) mm	OD (D) mm	Length (B) mm	Dynamic Load Kgf	Basic Static Load Rating Kgf	Limiting Speed Grease RPM	Limiting Speed Oil RPM	Type	Cage Material	Roller Length (r) rl
	<i>inches</i>	<i>inches</i>	<i>inches</i>							
# NRCG-18.00x22.00x17.00-ST	18.000 <i>0.709</i>	22.000 <i>0.866</i>	17.000 <i>0.669</i>	1250	2000	15000	24000	Single Row	Steel	15.200
# NRCG-18.00x22.00x20.00-ST	18.000 <i>0.709</i>	22.000 <i>0.866</i>	20.000 <i>0.787</i>	1430	2360	15000	24000	Single Row	Steel	17.800
# NRCG-18.00x22.00x22.00-HT	18.000 <i>0.709</i>	22.000 <i>0.866</i>	22.000 <i>0.866</i>	1370	2200			Single Row	Heat Treated Steel	17.800
# NRCG-18.00x22.00x23.50-HT	18.000 <i>0.709</i>	22.000 <i>0.866</i>	23.500 <i>0.925</i>	1330	1970			Single Row	Heat Treated Steel	
# NRCG-18.00x22.00x28.00-HT	18.000 <i>0.709</i>	22.000 <i>0.866</i>	28.000 <i>1.102</i>	1370	2200			Single Row	Heat Treated Steel	17.800
# NRCG-18.00x23.00x20.00-HT	18.000 <i>0.709</i>	23.000 <i>0.906</i>	20.000 <i>0.787</i>	1290	1800			Single Row	Heat Treated Steel	15.800
# NRCG-18.00x23.00x20.00-ST	18.000 <i>0.709</i>	23.000 <i>0.906</i>	20.000 <i>0.787</i>	1700	2550	15000	24000	Single Row	Steel	16.800
# NRCG-18.00x23.00x21.00-HT	18.000 <i>0.709</i>	23.000 <i>0.906</i>	21.000 <i>0.827</i>	1470	1920			Single Row	Heat Treated Steel	
# NRCG-18.00x24.00x11.60-HT	18.000 <i>0.709</i>	24.000 <i>0.945</i>	11.600 <i>0.457</i>	1090	1170			Single Row	Heat Treated Steel	

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Needle Roller - Cage Type

Part Number	ID (d) mm	OD (D) mm	Length (B) mm	Dynamic Load Kgf	Basic Static Load Rating Kgf	Limiting Speed Grease RPM	Limiting Speed Oil RPM	Type	Cage Material	Roller Length (rl) rl
	<i>inches</i>	<i>inches</i>	<i>inches</i>							
# NRCG-18.00x24.00x12.00-HT	18.000	24.000	12.000	1200	1330			Single Row	Heat Treated Steel	
	<i>0.709</i>	<i>0.945</i>	<i>0.472</i>							
# NRCG-18.00x24.00x12.00-ST	18.000	24.000	12.000	1120	1340	15000	24000	Single Row	Steel	9.500
	<i>0.709</i>	<i>0.945</i>	<i>0.472</i>							
# NRCG-18.00x24.00x13.00-HT	18.000	24.000	13.000	1220	1460			Single Row	Heat Treated Steel	10.500
	<i>0.709</i>	<i>0.945</i>	<i>0.512</i>							
# NRCG-18.00x24.00x13.00-ST	18.000	24.000	13.000	1160	1370	15000	24000	Single Row	Steel	9.800
	<i>0.709</i>	<i>0.945</i>	<i>0.512</i>							
# NRCG-18.00x24.00x15.00-HT	18.000	24.000	15.000	1270	1530			Single Row	Heat Treated Steel	11.800
	<i>0.709</i>	<i>0.945</i>	<i>0.591</i>							
# NRCG-18.00x24.00x16.00-ST	18.000	24.000	16.000	1540	1830			Single Row	Steel	
	<i>0.709</i>	<i>0.945</i>	<i>0.630</i>							
# NRCG-18.00x24.00x17.00-ST	18.000	24.000	17.000	1630	1980			Single Row	Steel	
	<i>0.709</i>	<i>0.945</i>	<i>0.669</i>							
# NRCG-18.00x24.00x20.00-ST	18.000	24.000	20.000	1830	2500	15000	24000	Single Row	Steel	17.500
	<i>0.709</i>	<i>0.945</i>	<i>0.787</i>							
# NRCG-18.00x25.00x17.00-ST	18.000	25.000	17.000	1710	1890			Single Row	Steel	
	<i>0.709</i>	<i>0.984</i>	<i>0.669</i>							

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Needle Roller - Cage Type

Part Number	ID (d) mm	OD (D) mm	Length (B) mm	Dynamic Load Kgf	Basic Static Load Rating Kgf	Limiting Speed Grease RPM	Limiting Speed Oil RPM	Type	Cage Material	Roller Length (rl) rl
	<i>inches</i>	<i>inches</i>	<i>inches</i>							
# NRCG-18.00x25.00x19.00-ST	18.000 <i>0.709</i>	25.000 <i>0.984</i>	19.000 <i>0.748</i>	1900	2180			Single Row	Steel	
# NRCG-18.00x25.00x22.00-ST	18.000 <i>0.709</i>	25.000 <i>0.984</i>	22.000 <i>0.866</i>	2200	2900	15000	24000	Single Row	Steel	19.300
# NRCG-18.00x26.00x14.00-ST	18.000 <i>0.709</i>	26.000 <i>1.024</i>	14.000 <i>0.551</i>	1490	1470			Single Row	Steel	
# NRCG-18.00x26.00x20.00-ST	18.000 <i>0.709</i>	26.000 <i>1.024</i>	20.000 <i>0.787</i>	2080	2450	15000	24000	Single Row	Steel	16.000
# NRCG-19.00x23.00x13.00-ST	19.000 <i>0.748</i>	23.000 <i>0.906</i>	13.000 <i>0.512</i>	1020	1560	14000	22000	Single Row	Steel	11.200
# NRCG-19.00x23.00x17.00-ST	19.000 <i>0.748</i>	23.000 <i>0.906</i>	17.000 <i>0.669</i>	1270	2080	14000	22000	Single Row	Steel	14.800
# NRCG-19.05x25.40x25.40-ST	19.050 <i>0.750</i>	25.400 <i>1.000</i>	25.400 <i>1.000</i>	2642	3652	24000		Single Row	Steel	
# NRCG-20.00x24.00x8.00-ST	20.000 <i>0.787</i>	24.000 <i>0.945</i>	8.000 <i>0.315</i>	695	980	13000	20000	Single Row	Steel	6.400
# NRCG-20.00x24.00x10.00-ST	20.000 <i>0.787</i>	24.000 <i>0.945</i>	10.000 <i>0.394</i>	850	1270	13000	20000	Single Row	Steel	8.200
# NRCG-20.00x24.00x12.00-ST	20.000 <i>0.787</i>	24.000 <i>0.945</i>	12.000 <i>0.472</i>	1020	1600	13000	20000	Single Row	Steel	10.200

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Needle Roller - Cage Type

Part Number	ID (d) mm	OD (D) mm	Length (B) mm	Dynamic Load Kgf	Basic Static Load Rating Kgf	Limiting Speed Grease RPM	Limiting Speed Oil RPM	Type	Cage Material	Roller Length (rl) rl
	<i>inches</i>	<i>inches</i>	<i>inches</i>							
# NRCG-20.00x24.00x13.00-ST	20.000 <i>0.787</i>	24.000 <i>0.945</i>	13.000 <i>0.512</i>	1062	1553	22000		Single Row	Steel	
# NRCG-20.00x24.00x14.00-ST	20.000 <i>0.787</i>	24.000 <i>0.945</i>	14.000 <i>0.551</i>	1180	1900	13000	20000	Single Row	Steel	12.200
# NRCG-20.00x24.00x17.00-ST	20.000 <i>0.787</i>	24.000 <i>0.945</i>	17.000 <i>0.669</i>	1420	2259	22000		Single Row	Steel	
# NRCG-20.00x24.00x22.00-ST	20.000 <i>0.787</i>	24.000 <i>0.945</i>	22.000 <i>0.866</i>	1390	2170			Double Row	Steel	
# NRCG-20.00x25.00x25.00-ST	20.000 <i>0.787</i>	25.000 <i>0.984</i>	25.000 <i>0.984</i>	2030	3040			Single Row	Steel	
# NRCG-20.00x25.00x31.60-ST	20.000 <i>0.787</i>	25.000 <i>0.984</i>	31.600 <i>1.244</i>	2210	3380			Double Row	Steel	
# NRCG-20.00x25.00x40.00-ST	20.000 <i>0.787</i>	25.000 <i>0.984</i>	40.000 <i>1.575</i>	2850	5100	13000	20000	Double Row	Steel	36.600
# NRCG-20.00x26.00x11.00-ST	20.000 <i>0.787</i>	26.000 <i>1.024</i>	11.000 <i>0.433</i>	1140	1280			Single Row	Steel	
# NRCG-20.00x26.00x12.00-HT	20.000 <i>0.787</i>	26.000 <i>1.024</i>	12.000 <i>0.472</i>	1260	1460			Single Row	Heat Treated Steel	
# NRCG-20.00x26.00x12.00-ST	20.000 <i>0.787</i>	26.000 <i>1.024</i>	12.000 <i>0.472</i>	1250	1560	13000	20000	Single Row	Steel	9.500

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Needle Roller - Cage Type

Part Number	ID (d) mm	OD (D) mm	Length (B) mm	Dynamic Load Kgf	Basic Static Load Rating Kgf	Limiting Speed Grease RPM	Limiting Speed Oil RPM	Type	Cage Material	Roller Length (rl) rl
	<i>inches</i>	<i>inches</i>	<i>inches</i>							
# NRCG-20.00x26.00x13.00-ST	20.000 <i>0.787</i>	26.000 <i>1.024</i>	13.000 <i>0.512</i>	1460	1781	23000		Single Row	Steel	
# NRCG-20.00x26.00x14.00-HT	20.000 <i>0.787</i>	26.000 <i>1.024</i>	14.000 <i>0.551</i>	1330	1550			Single Row	Heat Treated Steel	
NRCG-20.00x26.00x14.00-ST	20.000 <i>0.787</i>	26.000 <i>1.024</i>	14.000 <i>0.551</i>	1400	1670			Single Row	Steel	
# NRCG-20.00x26.00x17.00-HT	20.000 <i>0.787</i>	26.000 <i>1.024</i>	17.000 <i>0.669</i>	1430	1830			Single Row	Heat Treated Steel	13.800
# NRCG-20.00x26.00x17.00-ST	20.000 <i>0.787</i>	26.000 <i>1.024</i>	17.000 <i>0.669</i>	1594	1987	23000		Single Row	Steel	
# NRCG-20.00x26.00x20.00-ST	20.000 <i>0.787</i>	26.000 <i>1.024</i>	20.000 <i>0.787</i>	1930	2750	13000	20000	Single Row	Steel	17.500
# NRCG-20.00x26.00x24.00-ST	20.000 <i>0.787</i>	26.000 <i>1.024</i>	24.000 <i>0.945</i>	2290	3150			Single Row	Steel	
# NRCG-20.00x26.00x27.00-ST	20.000 <i>0.787</i>	26.000 <i>1.024</i>	27.000 <i>1.063</i>	2660	3810			Single Row	Steel	
# NRCG-20.00x28.00x14.00-HT	20.000 <i>0.787</i>	28.000 <i>1.102</i>	14.000 <i>0.551</i>	1600	1650			Single Row	Heat Treated Steel	

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Needle Roller - Cage Type

Part Number	ID (d) mm <i>inches</i>	OD (D) mm <i>inches</i>	Length (B) mm <i>inches</i>	Dynamic Load Kgf	Basic Static Load Rating Kgf	Limiting Speed Grease RPM	Limiting Speed Oil RPM	Type	Cage Material	Roller Length (r) rI
# NRCG-20.00x28.00x14.00-ST	20.000 <i>0.787</i>	28.000 <i>1.102</i>	14.000 <i>0.551</i>	1600	1650			Single Row	Steel	
# NRCG-20.00x28.00x20.00-ST	20.000 <i>0.787</i>	28.000 <i>1.102</i>	20.000 <i>0.787</i>	2320	2900	13000	20000	Single Row	Steel	17.300
# NRCG-20.00x28.00x25.00-ST	20.000 <i>0.787</i>	28.000 <i>1.102</i>	25.000 <i>0.984</i>	2800	3750	13000	20000	Single Row	Steel	22.300
# NRCG-20.00x30.00x30.00-ST	20.000 <i>0.787</i>	30.000 <i>1.181</i>	30.000 <i>1.181</i>	3450	4250	13000	20000	Single Row	Steel	25.000
# NRCG-20.00x32.00x25.00-ST	20.000 <i>0.787</i>	32.000 <i>1.260</i>	25.000 <i>0.984</i>	3140	3110			Single Row	Steel	

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to catalogues@minibearings.com.au
