




# MBA

## Bearings - One Way - Sprag - Standard



Sprag clutch bearings allow your application to turn one way whilst locking in the opposite direction.

High carbon hardened steel alloy.

Always lock out power switch before installing, removing, lubricating or servicing a system that uses Cam Clutch products.

When connecting or disconnecting Cam Clutch products, eye protection is required. Wear safety glasses, protective clothing, gloves and safety shoes.

Designed for press fit installation.

<http://www.minibearings.com.au//categories/shafting/all/pics/>

### Bearings - One Way - Sprag - Standard

Part Number	ID (C) mm <i>inches</i>	OD (B) mm <i>inches</i>	Width (A) mm <i>inches</i>	Overrun Limiting Speed (inner) RPM	Overrun Limiting Speed (outer) RPM	Bearing Load (C/Co) N	Shields	Max Torque Nm	Drag Torque Nm
# BB15-2GD	15.00 <i>0.591</i>	35.00 <i>1.378</i>	16.00 <i>0.630</i>	3600.00	2000.00	5950/3230	Double Special	29.00	0.040
# BB17	17.00 <i>0.669</i>	40.00 <i>1.575</i>	12.00 <i>0.472</i>	3500.00	1900.00	7000/3700	Single Sided Shield	43.00	0.010
# BB17-2GD	17.00 <i>0.669</i>	40.00 <i>1.575</i>	17.00 <i>0.669</i>	3500.00	1900.00	7000/3700	Double Special	43.00	0.050

# Indicates item not stocked at time of printing - Please enquire for lead time  
 E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd  
 MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Bearings - One Way - Sprag - Standard

Part Number	ID (C) mm	OD (B) mm	Width (A) mm	Overrun Limiting Speed (inner) RPM	Overrun Limiting Speed (outer) RPM	Bearing Load (C/Co) N	Shields	Max Torque Nm	Drag Torque Nm
	<i>inches</i>	<i>inches</i>	<i>inches</i>						
# BB20	20.00	47.00	14.00	3000.00	1600.00	8500/4900	Single Sided Shield	61.00	0.014
	<i>0.787</i>	<i>1.850</i>	<i>0.551</i>						
# BB20-2GD	20.00	47.00	19.00	3000.00	1600.00	8500/4900	Double Special	61.00	0.055
	<i>0.787</i>	<i>1.850</i>	<i>0.748</i>						
# BB25	25.00	52.00	15.00	2500.00	1400.00	10700/6300	Single Sided Shield	78.00	0.017
	<i>0.984</i>	<i>2.047</i>	<i>0.591</i>						
# BB25-2GD	25.00	52.00	20.00	2500.00	1400.00	10700/6300	Double Special	78.00	0.055
	<i>0.984</i>	<i>2.047</i>	<i>0.787</i>						
# BB30	30.00	62.00	16.00	2000.00	1100.00	11900/7900	Single Sided Shield	140.00	0.030
	<i>1.181</i>	<i>2.441</i>	<i>0.630</i>						
# BB30-2GD	30.00	62.00	21.00	2000.00	1100.00	11900/7900	Double Special	140.00	0.058
	<i>1.181</i>	<i>2.441</i>	<i>0.827</i>						
# BB35	35.00	72.00	17.00	1800.00	1000.00	13500/9700	Single Sided Shield	173.00	0.034
	<i>1.378</i>	<i>2.835</i>	<i>0.669</i>						
# BB35-2GD	35.00	72.00	22.00	1800.00	1000.00	13500/9700	Double Special	173.00	0.060
	<i>1.378</i>	<i>2.835</i>	<i>0.866</i>						
# BB40-2GD	40.00	80.00	27.00	1800.00	900.00	14500/11700	Double Special	260.00	0.080
	<i>1.575</i>	<i>3.150</i>	<i>1.063</i>						

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Bearings - One Way - Sprag - Standard

Part Number	ID (C) mm	OD (B) mm	Width (A) mm	Overrun Limiting Speed (inner) RPM	Overrun Limiting Speed (outer) RPM	Bearing Load (C/Co) N	Shields	Max Torque Nm	Drag Torque Nm
	<i>inches</i>	<i>inches</i>	<i>inches</i>						
# BB15	15.00	35.00	11.00	3600	2000	5950/3230	Single Sided Shield	29.00	0.010
	<i>0.591</i>	<i>1.378</i>	<i>0.433</i>						

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to [catalogues@minibearings.com.au](mailto:catalogues@minibearings.com.au)

