




# MBA

## Bearings - Pressure Roller - With Urethane OD



Bearings with Urethane Tyre on OD for applications requiring frictional movement.  
 For applications including paper and card dispensing and rolling (eg ATM Machines).

<http://www.minibearings.com.au//categories/shafting/all/pics/>

### Bearings - Pressure Roller - With Urethane OD

Part Number	OD (D) mm	ID (d) mm	Width (B) mm	Roller Width (BR) mm	Bearing Outside Diameter (D1) mm	Bearing Material	Roller Material	Closures	Bearing Type
# PR11.00-03.00-ZZ-ET-90	11.000	3.000	4.000	4.000	9.000	Stainless 440C	90 Duro (JIS-A) Polyether Based Urethane - Natural	ZZ	PR
	0.433	0.118	0.157	0.157	0.354				
# PR11.00-03.00-ZZ-ES-55	11.000	3.000	4.000	4.000	9.000	Stainless 440C	55 Duro (JIS-A) Polyester Based Urethane - Black	ZZ	PR
	0.433	0.118	0.157	0.157	0.354				

# Indicates item not stocked at time of printing - Please enquire for lead time  
 E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd  
 MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Bearings - Pressure Roller - With Urethane OD

Part Number	OD (D) mm	ID (d) mm	Width (B) mm	Roller Width (BR) mm	Bearing Outside Diameter (D1) mm	Bearing Material	Roller Material	Closures	Bearing Type
# PR11.00-04.00-ZZ-AD-55	11.000	4.000	4.000	4.000	9.000	Stainless 440C	90 Duro (JIS-A) Adipate Based Urethane - Grey	ZZ	PR
	<i>0.433</i>	<i>0.157</i>	<i>0.157</i>	<i>0.157</i>	<i>0.354</i>				
# PR11.00-04.00-ZZ-ES-55	11.000	4.000	4.000	4.000	9.000	Stainless 440C	55 Duro (JIS-A) Polyester Based Urethane - Black	ZZ	PR
	<i>0.433</i>	<i>0.157</i>	<i>0.157</i>	<i>0.157</i>	<i>0.354</i>				
# PR11.00-04.00-ZZ-ET-90	11.000	4.000	4.000	4.000	9.000	Stainless 440C	90 Duro (JIS-A) Polyether Based Urethane - Natural	ZZ	PR
	<i>0.433</i>	<i>0.157</i>	<i>0.157</i>	<i>0.157</i>	<i>0.354</i>				
# PR12.00-03.00-ZZ-ES-55	12.000	3.000	4.000	4.000	9.000	Stainless 440C	55 Duro (JIS-A) Polyester Based Urethane - Black	ZZ	PR
	<i>0.472</i>	<i>0.118</i>	<i>0.157</i>	<i>0.157</i>	<i>0.354</i>				
# PR12.00-03.00-ZZ-ET-90	12.000	3.000	4.000	4.000	9.000	Stainless 440C	90 Duro (JIS-A) Polyether Based Urethane - Natural	ZZ	PR
	<i>0.472</i>	<i>0.118</i>	<i>0.157</i>	<i>0.157</i>	<i>0.354</i>				
# PR12.00-04.00-ZZ-AD-55	12.000	4.000	4.000	4.000	9.000	Stainless 440C	90 Duro (JIS-A) Adipate Based Urethane - Grey	ZZ	PR
	<i>0.472</i>	<i>0.157</i>	<i>0.157</i>	<i>0.157</i>	<i>0.354</i>				

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Bearings - Pressure Roller - With Urethane OD

Part Number	OD (D) mm	ID (d) mm	Width (B) mm	Roller Width (BR) mm	Bearing Outside Diameter (D1) mm	Bearing Material	Roller Material	Closures	Bearing Type
# PR12.00-04.00-ZZ-ES-55	12.000	4.000	4.000	4.000	9.000	Stainless 440C	55 Duro (JIS-A) Polyester Based Urethane - Black	ZZ	PR
	<i>0.472</i>	<i>0.157</i>	<i>0.157</i>	<i>0.157</i>	<i>0.354</i>				
# PR12.00-04.00-ZZ-ET-90	12.000	4.000	4.000	4.000	9.000	Stainless 440C	90 Duro (JIS-A) Polyether Based Urethane - Natural	ZZ	PR
	<i>0.472</i>	<i>0.157</i>	<i>0.157</i>	<i>0.157</i>	<i>0.354</i>				
# PR12.00-05.00-ZZ-UR-60	12.000	5.000	3.000	3.000	9.000	Stainless 440C	60 Duro Urethane - Natural	ZZ	PR
	<i>0.472</i>	<i>0.197</i>	<i>0.118</i>	<i>0.118</i>	<i>0.354</i>				
# PR12.70-04.76-ZZ-UR-60	12.700	4.762	3.175	3.175	9.525	Stainless 440C	60 Duro Urethane - Natural	ZZ	PR
	<i>0.500</i>	<i>0.187</i>	<i>0.125</i>	<i>0.125</i>	<i>0.375</i>				
# PR13.00-03.00-ZZ-ET-90	13.000	3.000	4.000	4.000	9.000	Stainless 440C	90 Duro (JIS-A) Polyether Based Urethane - Natural	ZZ	PR
	<i>0.512</i>	<i>0.118</i>	<i>0.157</i>	<i>0.157</i>	<i>0.354</i>				
# PR13.00-03.00-ZZ-ES-55	13.000	3.000	4.000	4.000	9.000	Stainless 440C	55 Duro (JIS-A) Polyester Based Urethane - Black	ZZ	PR
	<i>0.512</i>	<i>0.118</i>	<i>0.157</i>	<i>0.157</i>	<i>0.354</i>				

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Bearings - Pressure Roller - With Urethane OD

Part Number	OD (D) mm	ID (d) mm	Width (B) mm	Roller Width (BR) mm	Bearing Outside Diameter (D1) mm	Bearing Material	Roller Material	Closures	Bearing Type
# PR13.00-04.00-ZZ-AD-55	13.000	4.000	4.000	4.000	9.000	Stainless 440C	90 Duro (JIS-A) Adipate Based Urethane - Grey	ZZ	PR
	<i>0.512</i>	<i>0.157</i>	<i>0.157</i>	<i>0.157</i>	<i>0.354</i>				
# PR13.00-04.00-ZZ-ES-55	13.000	4.000	4.000	4.000	9.000	Stainless 440C	55 Duro (JIS-A) Polyester Based Urethane - Black	ZZ	PR
	<i>0.512</i>	<i>0.157</i>	<i>0.157</i>	<i>0.157</i>	<i>0.354</i>				
# PR13.00-04.00-ZZ-ET-90	13.000	4.000	4.000	4.000	9.000	Stainless 440C	90 Duro (JIS-A) Polyether Based Urethane - Natural	ZZ	PR
	<i>0.512</i>	<i>0.157</i>	<i>0.157</i>	<i>0.157</i>	<i>0.354</i>				
PR13.50-04.00-ZZ-ES-55	13.500	4.000	4.000	4.000	9.000	Stainless 440C	55 Duro (JIS-A) Polyester Based Urethane - Black	ZZ	PR
	<i>0.531</i>	<i>0.157</i>	<i>0.157</i>	<i>0.157</i>	<i>0.354</i>				
# PR14.00-03.00-ZZ-ES-55	14.000	3.000	4.000	4.000	9.000	Stainless 440C	55 Duro (JIS-A) Polyester Based Urethane - Black	ZZ	PR
	<i>0.551</i>	<i>0.118</i>	<i>0.157</i>	<i>0.157</i>	<i>0.354</i>				
# PR14.00-03.00-ZZ-ET-90	14.000	3.000	4.000	4.000	9.000	Stainless 440C	90 Duro (JIS-A) Polyether Based Urethane - Natural	ZZ	PR
	<i>0.551</i>	<i>0.118</i>	<i>0.157</i>	<i>0.157</i>	<i>0.354</i>				

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Bearings - Pressure Roller - With Urethane OD

Part Number	OD (D) mm	ID (d) mm	Width (B) mm	Roller Width (BR) mm	Bearing Outside Diameter (D1) mm	Bearing Material	Roller Material	Closures	Bearing Type
# PR14.00-04.00-ZZ-ET-90	14.000	4.000	4.000	4.000	9.000	Stainless 440C	90 Duro (JIS-A) Polyether Based Urethane - Natural	ZZ	PR
	<i>0.551</i>	<i>0.157</i>	<i>0.157</i>	<i>0.157</i>	<i>0.354</i>				
# PR14.00-04.00-ZZ-AD-55	14.000	4.000	4.000	4.000	9.000	Stainless 440C	90 Duro (JIS-A) Adipate Based Urethane - Grey	ZZ	PR
	<i>0.551</i>	<i>0.157</i>	<i>0.157</i>	<i>0.157</i>	<i>0.354</i>				
# PR14.00-04.00-ZZ-ES-55	14.000	4.000	4.000	4.000	9.000	Stainless 440C	55 Duro (JIS-A) Polyester Based Urethane - Black	ZZ	PR
	<i>0.551</i>	<i>0.157</i>	<i>0.157</i>	<i>0.157</i>	<i>0.354</i>				
# PR15.00-04.00-ZZ-ET-90	15.000	4.000	5.000	5.000	13.000	Stainless 440C	90 Duro (JIS-A) Polyether Based Urethane - Natural	ZZ	PR
	<i>0.591</i>	<i>0.157</i>	<i>0.197</i>	<i>0.197</i>	<i>0.512</i>				
# PR15.00-04.00-ZZ-ES-55	15.000	4.000	5.000	5.000	13.000	Stainless 440C	55 Duro (JIS-A) Polyester Based Urethane - Black	ZZ	PR
	<i>0.591</i>	<i>0.157</i>	<i>0.197</i>	<i>0.197</i>	<i>0.512</i>				
# PR15.00-05.00-ZZ-ES-55	15.000	5.000	5.000	5.000	13.000	Stainless 440C	55 Duro (JIS-A) Polyester Based Urethane - Black	ZZ	PR
	<i>0.591</i>	<i>0.197</i>	<i>0.197</i>	<i>0.197</i>	<i>0.512</i>				

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Bearings - Pressure Roller - With Urethane OD

Part Number	OD (D) mm	ID (d) mm	Width (B) mm	Roller Width (BR) mm	Bearing Outside Diameter (D1) mm	Bearing Material	Roller Material	Closures	Bearing Type
PR15.00-05.00-ZZ-ET-90	15.000	5.000	5.000	5.000	13.000	Stainless 440C	90 Duro (JIS-A) Polyether Based Urethane - Natural	ZZ	PR
	<i>0.591</i>	<i>0.197</i>	<i>0.197</i>	<i>0.197</i>	<i>0.512</i>				
# PR15.00-06.00-ZZ-ES-55	15.000	6.000	4.000	4.000	12.000	Stainless 440C	55 Duro (JIS-A) Polyester Based Urethane - Black	ZZ	PR
	<i>0.591</i>	<i>0.236</i>	<i>0.157</i>	<i>0.157</i>	<i>0.472</i>				
# PR15.00-06.00-ZZ-ET-90	15.000	6.000	4.000	4.000	12.000	Stainless 440C	90 Duro (JIS-A) Polyether Based Urethane - Natural	ZZ	PR
	<i>0.591</i>	<i>0.236</i>	<i>0.157</i>	<i>0.157</i>	<i>0.472</i>				
# PR15.88-06.35-ZZ-UR-60	15.875	6.350	4.762	4.762	12.700	Stainless 440C	60 Duro Urethane - Natural	ZZ	PR
	<i>0.625</i>	<i>0.250</i>	<i>0.187</i>	<i>0.187</i>	<i>0.500</i>				
# PR16.00-04.00-ZZ-ES-55	16.000	4.000	5.000	5.000	13.000	Stainless 440C	55 Duro (JIS-A) Polyester Based Urethane - Black	ZZ	PR
	<i>0.630</i>	<i>0.157</i>	<i>0.197</i>	<i>0.197</i>	<i>0.512</i>				
# PR16.00-04.00-ZZ-ET-90	16.000	4.000	5.000	5.000	13.000	Stainless 440C	90 Duro (JIS-A) Polyether Based Urethane - Natural	ZZ	PR
	<i>0.630</i>	<i>0.157</i>	<i>0.197</i>	<i>0.197</i>	<i>0.512</i>				

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Bearings - Pressure Roller - With Urethane OD

Part Number	OD (D) mm	ID (d) mm	Width (B) mm	Roller Width (BR) mm	Bearing Outside Diameter (D1) mm	Bearing Material	Roller Material	Closures	Bearing Type
# PR16.00-05.00-ZZ-ES-55	16.000	5.000	5.000	5.000	13.000	Stainless 440C	55 Duro (JIS-A) Polyester Based Urethane - Black	ZZ	PR
	<i>0.630</i>	<i>0.197</i>	<i>0.197</i>	<i>0.197</i>	<i>0.512</i>				
# PR16.00-05.00-ZZ-ET-90	16.000	5.000	5.000	5.000	13.000	Stainless 440C	90 Duro (JIS-A) Polyether Based Urethane - Natural	ZZ	PR
	<i>0.630</i>	<i>0.197</i>	<i>0.197</i>	<i>0.197</i>	<i>0.512</i>				
# PR16.00-06.00-ZZ-ES-55	16.000	6.000	4.000	4.000	12.000	Stainless 440C	55 Duro (JIS-A) Polyester Based Urethane - Black	ZZ	PR
	<i>0.630</i>	<i>0.236</i>	<i>0.157</i>	<i>0.157</i>	<i>0.472</i>				
# PR16.00-06.00-ZZ-ET-90	16.000	6.000	4.000	4.000	12.000	Stainless 440C	90 Duro (JIS-A) Polyether Based Urethane - Natural	ZZ	PR
	<i>0.630</i>	<i>0.236</i>	<i>0.157</i>	<i>0.157</i>	<i>0.472</i>				
# PR16.00-06.00-ZZ-UR-60	16.000	6.000	5.000	5.000	13.000	Stainless 440C	60 Duro Urethane - Natural	ZZ	PR
	<i>0.630</i>	<i>0.236</i>	<i>0.197</i>	<i>0.197</i>	<i>0.512</i>				
# PR17.00-04.00-ZZ-ES-55	17.000	4.000	5.000	5.000	13.000	Stainless 440C	55 Duro (JIS-A) Polyester Based Urethane - Black	ZZ	PR
	<i>0.669</i>	<i>0.157</i>	<i>0.197</i>	<i>0.197</i>	<i>0.512</i>				

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Bearings - Pressure Roller - With Urethane OD

Part Number	OD (D) mm	ID (d) mm	Width (B) mm	Roller Width (BR) mm	Bearing Outside Diameter (D1) mm	Bearing Material	Roller Material	Closures	Bearing Type
# PR17.00-04.00-ZZ-ET-90	17.000	4.000	5.000	5.000	13.000	Stainless 440C	90 Duro (JIS-A) Polyether Based Urethane - Natural	ZZ	PR
	<i>0.669</i>	<i>0.157</i>	<i>0.197</i>	<i>0.197</i>	<i>0.512</i>				
PR17.00-05.00-ZZ-ES-55	17.000	5.000	5.000	5.000	13.000	Stainless 440C	55 Duro (JIS-A) Polyester Based Urethane - Black	ZZ	PR
	<i>0.669</i>	<i>0.197</i>	<i>0.197</i>	<i>0.197</i>	<i>0.512</i>				
# PR17.00-05.00-ZZ-ET-90	17.000	5.000	5.000	5.000	13.000	Stainless 440C	90 Duro (JIS-A) Polyether Based Urethane - Natural	ZZ	PR
	<i>0.669</i>	<i>0.197</i>	<i>0.197</i>	<i>0.197</i>	<i>0.512</i>				
# PR17.00-06.00-ZZ-AD-55	17.000	6.000	5.000	5.000	15.000	Stainless 440C	90 Duro (JIS-A) Adipate Based Urethane - Grey	ZZ	PR
	<i>0.669</i>	<i>0.236</i>	<i>0.197</i>	<i>0.197</i>	<i>0.591</i>				
# PR17.00-06.00-ZZ-ES-55	17.000	6.000	5.000	5.000	15.000	Stainless 440C	55 Duro (JIS-A) Polyester Based Urethane - Black	ZZ	PR
	<i>0.669</i>	<i>0.236</i>	<i>0.197</i>	<i>0.197</i>	<i>0.591</i>				
# PR17.00-06.00-ZZ-ET-90	17.000	6.000	5.000	5.000	15.000	Stainless 440C	90 Duro (JIS-A) Polyether Based Urethane - Natural	ZZ	PR
	<i>0.669</i>	<i>0.236</i>	<i>0.197</i>	<i>0.197</i>	<i>0.591</i>				

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Bearings - Pressure Roller - With Urethane OD

Part Number	OD (D) mm	ID (d) mm	Width (B) mm	Roller Width (BR) mm	Bearing Outside Diameter (D1) mm	Bearing Material	Roller Material	Closures	Bearing Type
# PR18.00-04.00-ZZ-ES-55	18.000	4.000	5.000	5.000	16.000	Stainless 440C	55 Duro (JIS-A) Polyester Based Urethane - Black	ZZ	PR
	<i>0.709</i>	<i>0.157</i>	<i>0.197</i>	<i>0.197</i>	<i>0.630</i>				
# PR18.00-04.00-ZZ-ET-90	18.000	4.000	5.000	5.000	16.000	Stainless 440C	90 Duro (JIS-A) Polyether Based Urethane - Natural	ZZ	PR
	<i>0.709</i>	<i>0.157</i>	<i>0.197</i>	<i>0.197</i>	<i>0.630</i>				
# PR18.00-05.00-ZZ-ET-90	18.000	5.000	5.000	5.000	16.000	Stainless 440C	90 Duro (JIS-A) Polyether Based Urethane - Natural	ZZ	PR
	<i>0.709</i>	<i>0.197</i>	<i>0.197</i>	<i>0.197</i>	<i>0.630</i>				
# PR18.00-05.00-ZZ-ES-55	18.000	5.000	5.000	5.000	16.000	Stainless 440C	55 Duro (JIS-A) Polyester Based Urethane - Black	ZZ	PR
	<i>0.709</i>	<i>0.197</i>	<i>0.197</i>	<i>0.197</i>	<i>0.630</i>				
# PR18.00-06.00-ZZ-AD-55	18.000	6.000	5.000	5.000	16.000	Stainless 440C	90 Duro (JIS-A) Adipate Based Urethane - Grey	ZZ	PR
	<i>0.709</i>	<i>0.236</i>	<i>0.197</i>	<i>0.197</i>	<i>0.630</i>				
# PR18.00-06.00-ZZ-ES-55	18.000	6.000	5.000	5.000	16.000	Stainless 440C	55 Duro (JIS-A) Polyester Based Urethane - Black	ZZ	PR
	<i>0.709</i>	<i>0.236</i>	<i>0.197</i>	<i>0.197</i>	<i>0.630</i>				

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Bearings - Pressure Roller - With Urethane OD

Part Number	OD (D) mm	ID (d) mm	Width (B) mm	Roller Width (BR) mm	Bearing Outside Diameter (D1) mm	Bearing Material	Roller Material	Closures	Bearing Type
# PR18.00-06.00-ZZ-ET-90	18.000	6.000	5.000	5.000	16.000	Stainless 440C	90 Duro (JIS-A) Polyether Based Urethane - Natural	ZZ	PR
	<i>0.709</i>	<i>0.236</i>	<i>0.197</i>	<i>0.197</i>	<i>0.630</i>				
# PR19.00-04.00-ZZ-ES-55	19.000	4.000	5.000	5.000	16.000	Stainless 440C	55 Duro (JIS-A) Polyester Based Urethane - Black	ZZ	PR
	<i>0.748</i>	<i>0.157</i>	<i>0.197</i>	<i>0.197</i>	<i>0.630</i>				
# PR19.00-04.00-ZZ-ET-90	19.000	4.000	5.000	5.000	16.000	Stainless 440C	90 Duro (JIS-A) Polyether Based Urethane - Natural	ZZ	PR
	<i>0.748</i>	<i>0.157</i>	<i>0.197</i>	<i>0.197</i>	<i>0.630</i>				
# PR19.00-05.00-ZZ-UR-60	19.000	5.000	3.000	3.000	9.000	Stainless 440C	60 Duro Urethane - Natural	ZZ	PR
	<i>0.748</i>	<i>0.197</i>	<i>0.118</i>	<i>0.118</i>	<i>0.354</i>				
# PR19.00-05.00-ZZ-ES-55	19.000	5.000	5.000	5.000	16.000	Stainless 440C	55 Duro (JIS-A) Polyester Based Urethane - Black	ZZ	PR
	<i>0.748</i>	<i>0.197</i>	<i>0.197</i>	<i>0.197</i>	<i>0.630</i>				
# PR19.00-05.00-ZZ-ET-90	19.000	5.000	5.000	5.000	16.000	Stainless 440C	90 Duro (JIS-A) Polyether Based Urethane - Natural	ZZ	PR
	<i>0.748</i>	<i>0.197</i>	<i>0.197</i>	<i>0.197</i>	<i>0.630</i>				

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Bearings - Pressure Roller - With Urethane OD

Part Number	OD (D) mm	ID (d) mm	Width (B) mm	Roller Width (BR) mm	Bearing Outside Diameter (D1) mm	Bearing Material	Roller Material	Closures	Bearing Type
# PR19.00-06.00-ZZ-ET-90	19.000	6.000	5.000	5.000	16.000	Stainless 440C	90 Duro (JIS-A) Polyether Based Urethane - Natural	ZZ	PR
	<i>0.748</i>	<i>0.236</i>	<i>0.197</i>	<i>0.197</i>	<i>0.630</i>				
# PR19.00-06.00-ZZ-UR-60	19.000	6.000	5.000	5.000	13.000	Stainless 440C	60 Duro Urethane - Natural	ZZ	PR
	<i>0.748</i>	<i>0.236</i>	<i>0.197</i>	<i>0.197</i>	<i>0.512</i>				
# PR19.00-06.00-ZZ-ES-55	19.000	6.000	5.000	5.000	16.000	Stainless 440C	55 Duro (JIS-A) Polyester Based Urethane - Black	ZZ	PR
	<i>0.748</i>	<i>0.236</i>	<i>0.197</i>	<i>0.197</i>	<i>0.630</i>				
# PR19.00-06.00-ZZ-AD-55	19.000	6.000	5.000	5.000	16.000	Stainless 440C	90 Duro (JIS-A) Adipate Based Urethane - Grey	ZZ	PR
	<i>0.748</i>	<i>0.236</i>	<i>0.197</i>	<i>0.197</i>	<i>0.630</i>				
# PR19.05-04.76-ZZ-UR-60	19.050	4.762	3.175	3.175	9.525	Stainless 440C	60 Duro Urethane - Natural	ZZ	PR
	<i>0.750</i>	<i>0.187</i>	<i>0.125</i>	<i>0.125</i>	<i>0.375</i>				
# PR19.05-06.35-ZZ-UR-60	19.050	6.350	4.762	4.762	12.700	Stainless 440C	60 Duro Urethane - Natural	ZZ	PR
	<i>0.750</i>	<i>0.250</i>	<i>0.187</i>	<i>0.187</i>	<i>0.500</i>				
# PR20.00-04.00-ZZ-ES-55	20.000	4.000	5.000	5.000	16.000	Stainless 440C	55 Duro (JIS-A) Polyester Based Urethane - Black	ZZ	PR
	<i>0.787</i>	<i>0.157</i>	<i>0.197</i>	<i>0.197</i>	<i>0.630</i>				

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Bearings - Pressure Roller - With Urethane OD

Part Number	OD (D) mm	ID (d) mm	Width (B) mm	Roller Width (BR) mm	Bearing Outside Diameter (D1) mm	Bearing Material	Roller Material	Closures	Bearing Type
# PR20.00-04.00-ZZ-ET-90	20.000	4.000	5.000	5.000	16.000	Stainless 440C	90 Duro (JIS-A) Polyether Based Urethane - Natural	ZZ	PR
	<i>0.787</i>	<i>0.157</i>	<i>0.197</i>	<i>0.197</i>	<i>0.630</i>				
# PR20.00-05.00-ZZ-ES-55	20.000	5.000	5.000	5.000	16.000	Stainless 440C	55 Duro (JIS-A) Polyester Based Urethane - Black	ZZ	PR
	<i>0.787</i>	<i>0.197</i>	<i>0.197</i>	<i>0.197</i>	<i>0.630</i>				
# PR20.00-05.00-ZZ-ET-90	20.000	5.000	5.000	5.000	16.000	Stainless 440C	90 Duro (JIS-A) Polyether Based Urethane - Natural	ZZ	PR
	<i>0.787</i>	<i>0.197</i>	<i>0.197</i>	<i>0.197</i>	<i>0.630</i>				
# PR20.00-06.00-ZZ-AD-55	20.000	6.000	5.000	5.000	16.000	Stainless 440C	90 Duro (JIS-A) Adipate Based Urethane - Grey	ZZ	PR
	<i>0.787</i>	<i>0.236</i>	<i>0.197</i>	<i>0.197</i>	<i>0.630</i>				
# PR20.00-06.00-ZZ-ES-55	20.000	6.000	5.000	5.000	16.000	Stainless 440C	55 Duro (JIS-A) Polyester Based Urethane - Black	ZZ	PR
	<i>0.787</i>	<i>0.236</i>	<i>0.197</i>	<i>0.197</i>	<i>0.630</i>				
# PR20.00-06.00-ZZ-ET-90	20.000	6.000	5.000	5.000	16.000	Stainless 440C	90 Duro (JIS-A) Polyether Based Urethane - Natural	ZZ	PR
	<i>0.787</i>	<i>0.236</i>	<i>0.197</i>	<i>0.197</i>	<i>0.630</i>				

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Bearings - Pressure Roller - With Urethane OD

Part Number	OD (D) mm	ID (d) mm	Width (B) mm	Roller Width (BR) mm	Bearing Outside Diameter (D1) mm	Bearing Material	Roller Material	Closures	Bearing Type
# PR21.00-04.00-ZZ-ET-90	21.000	4.000	5.000	5.000	16.000	Stainless 440C	90 Duro (JIS-A) Polyether Based Urethane - Natural	ZZ	PR
	<i>0.827</i>	<i>0.157</i>	<i>0.197</i>	<i>0.197</i>	<i>0.630</i>				
# PR21.00-04.00-ZZ-ES-55	21.000	4.000	5.000	5.000	16.000	Stainless 440C	55 Duro (JIS-A) Polyester Based Urethane - Black	ZZ	PR
	<i>0.827</i>	<i>0.157</i>	<i>0.197</i>	<i>0.197</i>	<i>0.630</i>				
# PR21.00-05.00-ZZ-ET-90	21.000	5.000	5.000	5.000	16.000	Stainless 440C	90 Duro (JIS-A) Polyether Based Urethane - Natural	ZZ	PR
	<i>0.827</i>	<i>0.197</i>	<i>0.197</i>	<i>0.197</i>	<i>0.630</i>				
# PR21.00-05.00-ZZ-ES-55	21.000	5.000	5.000	5.000	16.000	Stainless 440C	55 Duro (JIS-A) Polyester Based Urethane - Black	ZZ	PR
	<i>0.827</i>	<i>0.197</i>	<i>0.197</i>	<i>0.197</i>	<i>0.630</i>				
# PR21.00-06.00-ZZ-ES-55	21.000	6.000	5.000	5.000	16.000	Stainless 440C	55 Duro (JIS-A) Polyester Based Urethane - Black	ZZ	PR
	<i>0.827</i>	<i>0.236</i>	<i>0.197</i>	<i>0.197</i>	<i>0.630</i>				
# PR21.00-06.00-ZZ-ET-90	21.000	6.000	5.000	5.000	16.000	Stainless 440C	90 Duro (JIS-A) Polyether Based Urethane - Natural	ZZ	PR
	<i>0.827</i>	<i>0.236</i>	<i>0.197</i>	<i>0.197</i>	<i>0.630</i>				

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Bearings - Pressure Roller - With Urethane OD

Part Number	OD (D) mm	ID (d) mm	Width (B) mm	Roller Width (BR) mm	Bearing Outside Diameter (D1) mm	Bearing Material	Roller Material	Closures	Bearing Type
# PR22.00-04.00-ZZ-ES-55	22.000	4.000	5.000	5.000	16.000	Stainless 440C	55 Duro (JIS-A) Polyester Based Urethane - Black	ZZ	PR
	<i>0.866</i>	<i>0.157</i>	<i>0.197</i>	<i>0.197</i>	<i>0.630</i>				
# PR22.00-04.00-ZZ-ET-90	22.000	4.000	5.000	5.000	16.000	Stainless 440C	90 Duro (JIS-A) Polyether Based Urethane - Natural	ZZ	PR
	<i>0.866</i>	<i>0.157</i>	<i>0.197</i>	<i>0.197</i>	<i>0.630</i>				
# PR22.00-05.00-ZZ-ES-55	22.000	5.000	5.000	5.000	16.000	Stainless 440C	55 Duro (JIS-A) Polyester Based Urethane - Black	ZZ	PR
	<i>0.866</i>	<i>0.197</i>	<i>0.197</i>	<i>0.197</i>	<i>0.630</i>				
# PR22.00-05.00-ZZ-ET-90	22.000	5.000	5.000	5.000	16.000	Stainless 440C	90 Duro (JIS-A) Polyether Based Urethane - Natural	ZZ	PR
	<i>0.866</i>	<i>0.197</i>	<i>0.197</i>	<i>0.197</i>	<i>0.630</i>				
# PR22.00-06.00-ZZ-ES-55	22.000	6.000	5.000	5.000	16.000	Stainless 440C	55 Duro (JIS-A) Polyester Based Urethane - Black	ZZ	PR
	<i>0.866</i>	<i>0.236</i>	<i>0.197</i>	<i>0.197</i>	<i>0.630</i>				
# PR22.00-06.00-ZZ-ET-90	22.000	6.000	5.000	5.000	16.000	Stainless 440C	90 Duro (JIS-A) Polyether Based Urethane - Natural	ZZ	PR
	<i>0.866</i>	<i>0.236</i>	<i>0.197</i>	<i>0.197</i>	<i>0.630</i>				

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Bearings - Pressure Roller - With Urethane OD

Part Number	OD (D) mm	ID (d) mm	Width (B) mm	Roller Width (BR) mm	Bearing Outside Diameter (D1) mm	Bearing Material	Roller Material	Closures	Bearing Type
# PR23.00-06.00-ZZ-ET-90	23.000	6.000	5.000	5.000	16.000	Stainless 440C	90 Duro (JIS-A) Polyether Based Urethane - Natural	ZZ	PR
	<i>0.906</i>	<i>0.236</i>	<i>0.197</i>	<i>0.197</i>	<i>0.630</i>				
# PR23.00-06.00-ZZ-ES-55	23.000	6.000	5.000	5.000	16.000	Stainless 440C	55 Duro (JIS-A) Polyester Based Urethane - Black	ZZ	PR
	<i>0.906</i>	<i>0.236</i>	<i>0.197</i>	<i>0.197</i>	<i>0.630</i>				
# PR24.00-05.00-ZZ-ES-55	24.000	5.000	5.000	5.000	16.000	Stainless 440C	55 Duro (JIS-A) Polyester Based Urethane - Black	ZZ	PR
	<i>0.945</i>	<i>0.197</i>	<i>0.197</i>	<i>0.197</i>	<i>0.630</i>				
# PR24.00-05.00-ZZ-ET-90	24.000	5.000	5.000	5.000	16.000	Stainless 440C	90 Duro (JIS-A) Polyether Based Urethane - Natural	ZZ	PR
	<i>0.945</i>	<i>0.197</i>	<i>0.197</i>	<i>0.197</i>	<i>0.630</i>				
# PR24.00-06.00-ZZ-ES-55	24.000	6.000	5.000	5.000	16.000	Stainless 440C	55 Duro (JIS-A) Polyester Based Urethane - Black	ZZ	PR
	<i>0.945</i>	<i>0.236</i>	<i>0.197</i>	<i>0.197</i>	<i>0.630</i>				
PR24.00-06.00-ZZ-ET-90	24.000	6.000	5.000	5.000	16.000	Stainless 440C	90 Duro (JIS-A) Polyether Based Urethane - Natural	ZZ	PR
	<i>0.945</i>	<i>0.236</i>	<i>0.197</i>	<i>0.197</i>	<i>0.630</i>				

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Bearings - Pressure Roller - With Urethane OD

Part Number	OD (D) mm	ID (d) mm	Width (B) mm	Roller Width (BR) mm	Bearing Outside Diameter (D1) mm	Bearing Material	Roller Material	Closures	Bearing Type
# PR28.00-10.00-ZZ-UR-60	28.000	10.000	7.000	7.000	19.000	Stainless 440C	60 Duro Urethane - Natural	ZZ	PR
	<i>1.102</i>	<i>0.394</i>	<i>0.276</i>	<i>0.276</i>	<i>0.748</i>				
# PR28.58-09.53-ZZ-UR-60	28.575	9.525	7.137	7.137	22.225	Stainless 440C	60 Duro Urethane - Natural	ZZ	PR
	<i>1.125</i>	<i>0.375</i>	<i>0.281</i>	<i>0.281</i>	<i>0.875</i>				
# PR28.58-12.70-ZZ-UR-60	28.575	12.700	7.137	7.137	22.225	Stainless 440C	60 Duro Urethane - Natural	ZZ	PR
	<i>1.125</i>	<i>0.500</i>	<i>0.281</i>	<i>0.281</i>	<i>0.875</i>				
# PR38.00-10.00-ZZ-UR-60	38.000	10.000	7.000	7.000	19.000	Stainless 440C	60 Duro Urethane - Natural	ZZ	PR
	<i>1.496</i>	<i>0.394</i>	<i>0.276</i>	<i>0.276</i>	<i>0.748</i>				
# PR38.00-12.00-ZZ-UR-60	38.000	12.000	8.000	8.000	28.000	Stainless 440C	60 Duro Urethane - Natural	ZZ	PR
	<i>1.496</i>	<i>0.472</i>	<i>0.315</i>	<i>0.315</i>	<i>1.102</i>				
# PR38.10-09.53-ZZ-UR-60	38.100	9.525	7.137	7.137	22.225	Stainless 440C	60 Duro Urethane - Natural	ZZ	PR
	<i>1.500</i>	<i>0.375</i>	<i>0.281</i>	<i>0.281</i>	<i>0.875</i>				
# PR38.10-12.70-ZZ-UR-60	38.100	12.700	7.137	7.137	22.225	Stainless 440C	60 Duro Urethane - Natural	ZZ	PR
	<i>1.500</i>	<i>0.500</i>	<i>0.281</i>	<i>0.281</i>	<i>0.875</i>				

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Bearings - Pressure Roller - With Urethane OD

Part Number	OD (D) mm	ID (d) mm	Width (B) mm	Roller Width (BR) mm	Bearing Outside Diameter (D1) mm	Bearing Material	Roller Material	Closures	Bearing Type
# PR44.00-12.00-ZZ-UR-60	44.000	12.000	8.000	8.000	28.000	Stainless 440C	60 Duro Urethane - Natural	ZZ	PR
	<i>1.732</i>	<i>0.472</i>	<i>0.315</i>	<i>0.315</i>	<i>1.102</i>				

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to [catalogues@minibearings.com.au](mailto:catalogues@minibearings.com.au)

