




MBA

Bearings - Spherical OD



Bearings with a spherical outside diameter.

Combined listing of spherical OD track rollers and bearings for Linear Guide systems.

<http://www.minibearings.com.au//categories/shafting/all/pics/>

Bearings - Spherical OD

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Radius Maximum (R) mm	Type	Limiting Speed Oil RPM	Limiting Speed Grease RPM	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>					
# SPH-624A-500	4.000	13.000	4.000		500	Track Roller, Single Row	46000	39000	Open	SPH
	<i>0.157</i>	<i>0.512</i>	<i>0.157</i>		<i>19.685</i>					
# SPH-624-2RS-75	4.000	13.000	5.000		75	Linear Guide, Single Row	24000	24000	2RS	SPH
	<i>0.157</i>	<i>0.512</i>	<i>0.197</i>		<i>2.953</i>					
# SPH-624-2RS-9.5	4.000	13.000	5.000		9.5	Linear Guide, Single Row	24000	24000	2RS	SPH
	<i>0.157</i>	<i>0.512</i>	<i>0.197</i>		<i>0.374</i>					

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Spherical OD

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Radius Maximum (R) mm	Type	Limiting Speed Oil RPM	Limiting Speed Grease RPM	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>					
# SPH-624-ZZ-9.5	4.000	13.000	5.000		9.5	Linear Guide, Single Row	45000	38000	ZZ	SPH
	<i>0.157</i>	<i>0.512</i>	<i>0.197</i>		<i>0.374</i>					
# SPH-624-ZZ-75	4.000	13.000	5.000		75	Linear Guide, Single Row	45000	38000	ZZ	SPH
	<i>0.157</i>	<i>0.512</i>	<i>0.197</i>		<i>2.953</i>					
# SPH-624-ZZ-12	4.000	13.000	5.000		12	Linear Guide, Single Row			ZZ	SPH
	<i>0.157</i>	<i>0.512</i>	<i>0.197</i>		<i>0.472</i>					
# SPH-624-9.5	4.000	13.000	5.000		9.5	Linear Guide, Single Row	45000	38000	Open	SPH
	<i>0.157</i>	<i>0.512</i>	<i>0.197</i>		<i>0.374</i>					
# SPH-624-75	4.000	13.000	5.000		75	Linear Guide, Single Row	45000	38000	Open	SPH
	<i>0.157</i>	<i>0.512</i>	<i>0.197</i>		<i>2.953</i>					
# SPH-WMR16.1294.826-13.97-TTS	4.826	16.129	5.156	6.223	13.970	Airframe Control SAE52100 Chrome Steel / Cadmium Plated			TTS	SPH
	<i>0.190</i>	<i>0.635</i>	<i>0.203</i>	<i>0.245</i>	<i>0.550</i>					
# SPH-WMR17.454.826-76.58-TTS	4.826	17.450	5.156	6.223	76.580	Airframe Control SAE52100 Chrome Steel / Cadmium Plated			TTS	SPH
	<i>0.190</i>	<i>0.687</i>	<i>0.203</i>	<i>0.245</i>	<i>3.015</i>					

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Spherical OD

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Radius Maximum (R) mm	Type	Limiting Speed Oil RPM	Limiting Speed Grease RPM	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>					
# SPH-WMR17.454.826-4.75-TTS	4.826	17.450	5.156	6.223	4.750	Airframe Control SAE52100 Chrome Steel / Cadmium Plated			TTS	SPH
	<i>0.190</i>	<i>0.687</i>	<i>0.203</i>	<i>0.245</i>	<i>0.187</i>					
# SPH-WMR18.2374.826-9.12-TTS	4.826	18.237	6.731	7.544	9.120	Airframe Control SAE52100 Chrome Steel / Cadmium Plated			TTS	SPH
	<i>0.190</i>	<i>0.718</i>	<i>0.265</i>	<i>0.297</i>	<i>0.359</i>					
# SPH-WA625-ZZ-8	5.000	16.000	5.000	6.000	8	Linear Guide, Single Row	43000	36000	ZZ	SPH
	<i>0.197</i>	<i>0.630</i>	<i>0.197</i>	<i>0.236</i>	<i>0.315</i>					
# SPH-625-500	5.000	16.000	5.000		500	Track Roller, Single Row	40000	33000	Open	SPH
	<i>0.197</i>	<i>0.630</i>	<i>0.197</i>		<i>19.685</i>					
# SPH-625-2RS-8.05	5.000	16.000	5.000		8.05	Linear Guide, Single Row	22000	22000	2RS	SPH
	<i>0.197</i>	<i>0.630</i>	<i>0.197</i>		<i>0.317</i>					
# SPH-625-8.05	5.000	16.000	5.000		8.05	Linear Guide, Single Row	43000	36000	Open	SPH
	<i>0.197</i>	<i>0.630</i>	<i>0.197</i>		<i>0.317</i>					
# SPH-WA625-2RS-8	5.000	16.000	5.000	6.000	8	Linear Guide, Single Row	22000	22000	2RS	SPH
	<i>0.197</i>	<i>0.630</i>	<i>0.197</i>	<i>0.236</i>	<i>0.315</i>					

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Spherical OD

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Radius Maximum (R) mm	Type	Limiting Speed Oil RPM	Limiting Speed Grease RPM	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>					
# SPH-WA625-8	5.000	16.000	5.000	6.000	8	Linear Guide, Single Row	43000	36000	Open	SPH
	<i>0.197</i>	<i>0.630</i>	<i>0.197</i>	<i>0.236</i>	<i>0.315</i>					
# SPH-625-ZZ-8.05	5.000	16.000	5.000		8.05	Linear Guide, Single Row	43000	36000	ZZ	SPH
	<i>0.197</i>	<i>0.630</i>	<i>0.197</i>		<i>0.317</i>					
# SPHDR-MR175-500	5.000	17.000	7.000		500	Track Roller, Double Row	45000	38000	Open	SPH
	<i>0.197</i>	<i>0.669</i>	<i>0.276</i>		<i>19.685</i>					
# SPHDR-MR175-2RS-500	5.000	17.000	7.000		500	Track Roller, Double Row	24000	24000	2RS	SPH
	<i>0.197</i>	<i>0.669</i>	<i>0.276</i>		<i>19.685</i>					
# SPHDR-MR175-ZZ	5.000	17.000	7.000		500	Track Roller, Double Row	45000	38000	ZZ	SPH
	<i>0.197</i>	<i>0.669</i>	<i>0.276</i>		<i>19.685</i>					
# SPH-626-ZZ-500	6.000	19.000	6.000		500	Linear Guide, Single Row	38000	32000	ZZ	SPH
	<i>0.236</i>	<i>0.748</i>	<i>0.236</i>		<i>19.685</i>					
# SPH-626-2RS-500	6.000	19.000	6.000		500	Linear Guide, Single Row	22000	22000	2RS	SPH
	<i>0.236</i>	<i>0.748</i>	<i>0.236</i>		<i>19.685</i>					
# SPH-626-500	6.000	19.000	6.000		500	Linear Guide, Single Row	38000	32000	Open	SPH
	<i>0.236</i>	<i>0.748</i>	<i>0.236</i>		<i>19.685</i>					

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Spherical OD

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Radius Maximum (R) mm	Type	Limiting Speed Oil RPM	Limiting Speed Grease RPM	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>					
# SPHDR-626-500	6.000	19.000	9.000		500	Track Roller, Double Row	40000	34000	Open	SPH
	<i>0.236</i>	<i>0.748</i>	<i>0.354</i>		<i>19.685</i>					
# SPH-WMR20.326.35-20.63-TTS	6.350	20.320	5.563	7.137	20.630	Airframe Control SAE52100 Chrome Steel / Cadmium Plated			TTS	SPH
	<i>0.250</i>	<i>0.800</i>	<i>0.219</i>	<i>0.281</i>	<i>0.812</i>					
# SPH-WMR20.326.35-76.58-TTS	6.350	20.320	5.563	7.137	76.580	Airframe Control SAE52100 Chrome Steel / Cadmium Plated			TTS	SPH
	<i>0.250</i>	<i>0.800</i>	<i>0.219</i>	<i>0.281</i>	<i>3.015</i>					
# SPH-WMR22.8856.35-25.4-TTS	6.350	22.885	8.509	9.906	25.400	Airframe Control SAE52100 Chrome Steel / Cadmium Plated			TTS	SPH
	<i>0.250</i>	<i>0.901</i>	<i>0.335</i>	<i>0.390</i>	<i>1.000</i>					
# SPH-WMR22.8956.35-25.4-TTS	6.350	22.896	8.509	12.294	25.400	Airframe Control SAE52100 Chrome Steel / Cadmium Plated			TTS	SPH
	<i>0.250</i>	<i>0.901</i>	<i>0.335</i>	<i>0.484</i>	<i>1.000</i>					

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Spherical OD

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Radius Maximum (R) mm	Type	Limiting Speed Oil RPM	Limiting Speed Grease RPM	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>					
# SPH-WMR25.46.35-25.4-TTS	6.350	25.400	8.509	9.906	25.400	Airframe Control SAE52100 Chrome Steel / Cadmium Plated			TTS	SPH
	<i>0.250</i>	<i>1.000</i>	<i>0.335</i>	<i>0.390</i>	<i>1.000</i>					
# SPH-WMR33.3256.35-33.33-TTS	6.350	33.325	7.137	9.550	33.330	Airframe Control SAE52100 Chrome Steel / Cadmium Plated			TTS	SPH
	<i>0.250</i>	<i>1.312</i>	<i>0.281</i>	<i>0.376</i>	<i>1.312</i>					
# SPH-WMR42.0636.35-42.11-TTS	6.350	42.062	8.001	9.550	42.110	Airframe Control SAE52100 Chrome Steel / Cadmium Plated			TTS	SPH
	<i>0.250</i>	<i>1.656</i>	<i>0.315</i>	<i>0.376</i>	<i>1.658</i>					
# SPH-627D-T9H-2RS-500	7.000	22.000	6.000		500	Track Roller, Single Row	22000	22000	2RS	SPH
	<i>0.276</i>	<i>0.866</i>	<i>0.236</i>		<i>19.685</i>					
# SPH-627D-500	7.000	22.000	6.000		500	Track Roller, Single Row	38000	32000	Open	SPH
	<i>0.276</i>	<i>0.866</i>	<i>0.236</i>		<i>19.685</i>					
# SPH-627D-ZZ-500	7.000	22.000	6.000		500	Track Roller, Single Row	38000	32000	ZZ	SPH
	<i>0.276</i>	<i>0.866</i>	<i>0.236</i>		<i>19.685</i>					

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Spherical OD

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Radius Maximum (R) mm	Type	Limiting Speed Oil RPM	Limiting Speed Grease RPM	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>					
# SPH-627-11	7.000	22.000	7.000		11	Linear Guide, Single Row	36000	30000	Open	SPH
	<i>0.276</i>	<i>0.866</i>	<i>0.276</i>		<i>0.433</i>					
# SPH-627-2RS-11	7.000	22.000	7.000		11	Linear Guide, Single Row	20000	20000	2RS	SPH
	<i>0.276</i>	<i>0.866</i>	<i>0.276</i>		<i>0.433</i>					
# SPH-627-ZZ-11	7.000	22.000	7.000		11	Linear Guide, Single Row	36000	30000	ZZ	SPH
	<i>0.276</i>	<i>0.866</i>	<i>0.276</i>		<i>0.433</i>					
# SPHDR-627A-2RS-500	7.000	22.000	10.000		500	Track Roller, Double Row	22000	22000	2RS	SPH
	<i>0.276</i>	<i>0.866</i>	<i>0.394</i>		<i>19.685</i>					
# SPHDR-627A-500	7.000	22.000	10.000		500	Track Roller, Double Row	38000	32000	Open	SPH
	<i>0.276</i>	<i>0.866</i>	<i>0.394</i>		<i>19.685</i>					
# SPHDR-627A-ZZ	7.000	22.000	10.000		500	Track Roller, Double Row	38000	32000	ZZ	SPH
	<i>0.276</i>	<i>0.866</i>	<i>0.394</i>		<i>19.685</i>					
# SPH-MR22.87-ZZ-4.762	7.000	22.800	7.000		4.762	Linear Guide, Single Row	38000	32000	ZZ	SPH
	<i>0.276</i>	<i>0.898</i>	<i>0.276</i>		<i>0.187</i>					
# SPH-MR22.87-2RS-4.762	7.000	22.800	7.000		4.762	Linear Guide, Single Row	22000	22000	2RS	SPH
	<i>0.276</i>	<i>0.898</i>	<i>0.276</i>		<i>0.187</i>					

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Spherical OD

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Radius Maximum (R) mm	Type	Limiting Speed Oil RPM	Limiting Speed Grease RPM	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>					
# SPH-MR22.87-4.762	7.000	22.800	7.000		4.762	Linear Guide, Single Row	38000	32000	Open	SPH
	<i>0.276</i>	<i>0.898</i>	<i>0.276</i>		<i>0.187</i>					
# SPH-MR22.97-2RS-4.6	7.000	22.900	7.000		4.6	Linear Guide, Single Row	22000	22000	2RS	SPH
	<i>0.276</i>	<i>0.902</i>	<i>0.276</i>		<i>0.181</i>					
# SPH-MR22.97-4.6	7.000	22.900	7.000		4.6	Linear Guide, Single Row	38000	32000	Open	SPH
	<i>0.276</i>	<i>0.902</i>	<i>0.276</i>		<i>0.181</i>					
# SPH-MR22.97-ZZ-4.6	7.000	22.900	7.000		4.6	Linear Guide, Single Row	38000	32000	ZZ	SPH
	<i>0.276</i>	<i>0.902</i>	<i>0.276</i>		<i>0.181</i>					
# DRSPH-WMR35.567.938-16.13-TTS	7.938	35.560	17.450	18.923	16.130	Airframe Control SAE52100 Chrome Steel / Cadmium Plated			TTS	SPH
	<i>0.313</i>	<i>1.400</i>	<i>0.687</i>	<i>0.745</i>	<i>0.635</i>					
# SPH-608-500	8.000	22.000	7.000		500	Linear Guide, Single Row	36000	30000	Open	SPH
	<i>0.315</i>	<i>0.866</i>	<i>0.276</i>		<i>19.685</i>					
# SPH-608-ZZ-11	8.000	22.000	7.000		11	Linear Guide, Single Row	36000	30000	ZZ	SPH
	<i>0.315</i>	<i>0.866</i>	<i>0.276</i>		<i>0.433</i>					

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Spherical OD

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Radius Maximum (R) mm	Type	Limiting Speed Oil RPM	Limiting Speed Grease RPM	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>					
# SPH-608-2RS-11	8.000	22.000	7.000		11	Linear Guide, Single Row	20000	20000	2RS	SPH
	<i>0.315</i>	<i>0.866</i>	<i>0.276</i>		<i>0.433</i>					
# SPH-608-ZZ-500	8.000	22.000	7.000		500	Linear Guide, Single Row	36000	30000	ZZ	SPH
	<i>0.315</i>	<i>0.866</i>	<i>0.276</i>		<i>19.685</i>					
# SPH-WB608-2RS-500	8.000	22.000	7.000	8.000	500	Linear Guide, Single Row	22000	22000	2RS	SPH
	<i>0.315</i>	<i>0.866</i>	<i>0.276</i>	<i>0.315</i>	<i>19.685</i>					
# SPH-608-2RS-500	8.000	22.000	7.000		500	Linear Guide, Single Row	20000	20000	2RS	SPH
	<i>0.315</i>	<i>0.866</i>	<i>0.276</i>		<i>19.685</i>					
# SPH-WB608-500	8.000	22.000	7.000	8.000	500	Linear Guide, Single Row	38000	32000	Open	SPH
	<i>0.315</i>	<i>0.866</i>	<i>0.276</i>	<i>0.315</i>	<i>19.685</i>					
# SPH-WB608-ZZ-500	8.000	22.000	7.000	8.000	500	Linear Guide, Single Row	38000	32000	ZZ	SPH
	<i>0.315</i>	<i>0.866</i>	<i>0.276</i>	<i>0.315</i>	<i>19.685</i>					
# SPH-608-11	8.000	22.000	7.000		11	Linear Guide, Single Row	36000	30000	Open	SPH
	<i>0.315</i>	<i>0.866</i>	<i>0.276</i>		<i>0.433</i>					
# SPHDR-608J-ZZ-100	8.000	22.000	14.000		100	Linear Guide, Double Row	36000	30000	ZZ	SPH
	<i>0.315</i>	<i>0.866</i>	<i>0.551</i>		<i>3.937</i>					

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Spherical OD

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Radius Maximum (R) mm	Type	Limiting Speed Oil RPM	Limiting Speed Grease RPM	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>					
# SPHDR-608J-100	8.000	22.000	14.000		100	Linear Guide, Double Row	36000	30000	Open	SPH
	<i>0.315</i>	<i>0.866</i>	<i>0.551</i>		<i>3.937</i>					
# SPHDR-608J-2RS-100	8.000	22.000	14.000		100	Linear Guide, Double Row	20000	20000	2RS	SPH
	<i>0.315</i>	<i>0.866</i>	<i>0.551</i>		<i>3.937</i>					
# SPHDR-608WCA-ZZ-100	8.000	22.000	22.000	14.000	100	Linear Guide, Double Row	36000	30000	ZZ	SPH
	<i>0.315</i>	<i>0.866</i>	<i>0.866</i>	<i>0.551</i>	<i>3.937</i>					
# SPHDR-608WCA-100	8.000	22.000	22.000	14.000	100	Linear Guide, Double Row	36000	30000	Open	SPH
	<i>0.315</i>	<i>0.866</i>	<i>0.866</i>	<i>0.551</i>	<i>3.937</i>					
# SPHDR-608WCA-2RS-100	8.000	22.000	22.000	14.000	100	Linear Guide, Double Row	20000	20000	2RS	SPH
	<i>0.315</i>	<i>0.866</i>	<i>0.866</i>	<i>0.551</i>	<i>3.937</i>					
# SPH-628A-ZZ-500	8.000	24.000	7.000		500	Track Roller, Single Row	36000	30000	ZZ	SPH
	<i>0.315</i>	<i>0.945</i>	<i>0.276</i>		<i>19.685</i>					
# SPH-628A-500	8.000	24.000	7.000		500	Track Roller, Single Row	36000	30000	Open	SPH
	<i>0.315</i>	<i>0.945</i>	<i>0.276</i>		<i>19.685</i>					
# SPH-628A-2RS-500	8.000	24.000	7.000		500	Track Roller, Single Row	20000	20000	2RS	SPH
	<i>0.315</i>	<i>0.945</i>	<i>0.276</i>		<i>19.685</i>					

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Spherical OD

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Radius Maximum (R) mm	Type	Limiting Speed Oil RPM	Limiting Speed Grease RPM	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>					
# SPHDR-628E-500	8.000	24.000	11.000		500	Track Roller, Double Row	36000	30000	Open	SPH
	<i>0.315</i>	<i>0.945</i>	<i>0.433</i>		<i>19.685</i>					
# SPHDR-628E-ZZ-500	8.000	24.000	11.000		500	Track Roller, Double Row	36000	30000	ZZ	SPH
	<i>0.315</i>	<i>0.945</i>	<i>0.433</i>		<i>19.685</i>					
# SPHDR-628E-2RS-500	8.000	24.000	11.000		500	Track Roller, Double Row	20000	20000	2RS	SPH
	<i>0.315</i>	<i>0.945</i>	<i>0.433</i>		<i>19.685</i>					
# SPH-MR189-ZZ	9.000	18.000	5.000			Track Roller, Single Row			ZZ	SPH
	<i>0.354</i>	<i>0.709</i>	<i>0.197</i>							
# SPH-609-40	9.000	24.000	7.000		40	Linear Guide, Single Row	36000	30000	Open	SPH
	<i>0.354</i>	<i>0.945</i>	<i>0.276</i>		<i>1.575</i>					
# SPH-609-ZZ-40	9.000	24.000	7.000		40	Linear Guide, Single Row	36000	30000	ZZ	SPH
	<i>0.354</i>	<i>0.945</i>	<i>0.276</i>		<i>1.575</i>					
# SPH-629-ZZ-200	9.000	26.000	8.000		200	Linear Guide, Single Row	34000	28000	ZZ	SPH
	<i>0.354</i>	<i>1.024</i>	<i>0.315</i>		<i>7.874</i>					
# SPH-629-200	9.000	26.000	8.000		200	Linear Guide, Single Row	34000	28000	Open	SPH
	<i>0.354</i>	<i>1.024</i>	<i>0.315</i>		<i>7.874</i>					

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Spherical OD

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Radius Maximum (R) mm	Type	Limiting Speed Oil RPM	Limiting Speed Grease RPM	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>					
# SPH-629-2RS-200	9.000	26.000	8.000		200	Linear Guide, Single Row	18000	18000	2RS	SPH
	<i>0.354</i>	<i>1.024</i>	<i>0.315</i>		<i>7.874</i>					
# SPH-MR2810-500	10.000	28.000	8.000		500	Track Roller, Single Row	34000	28000	Open	SPH
	<i>0.394</i>	<i>1.102</i>	<i>0.315</i>		<i>19.685</i>					
# SPH-MR2810-ZZ-500	10.000	28.000	8.000		500	Track Roller, Single Row	34000	28000	ZZ	SPH
	<i>0.394</i>	<i>1.102</i>	<i>0.315</i>		<i>19.685</i>					
# SPH-MR2810-2RS-500	10.000	28.000	8.000		500	Track Roller, Single Row	18000	18000	2RS	SPH
	<i>0.394</i>	<i>1.102</i>	<i>0.315</i>		<i>19.685</i>					
# SPHDR-MR2810A-500	10.000	28.000	12.000		500	Track Roller, Double Row	36000	30000	Open	SPH
	<i>0.394</i>	<i>1.102</i>	<i>0.472</i>		<i>19.685</i>					
# SPH-MR3210-32	10.000	32.000	9.000		32	Linear Guide, Single Row	32000	26000	Open	SPH
	<i>0.394</i>	<i>1.260</i>	<i>0.354</i>		<i>1.260</i>					
# SPH-MR3210-2RS-500	10.000	32.000	9.000		500	Track Roller, Single Row	17000	17000	2RS	SPH
	<i>0.394</i>	<i>1.260</i>	<i>0.354</i>		<i>19.685</i>					
# SPH-MR3210-ZZ-32	10.000	32.000	9.000		32	Linear Guide, Single Row	32000	26000	ZZ	SPH
	<i>0.394</i>	<i>1.260</i>	<i>0.354</i>		<i>1.260</i>					

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Spherical OD

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Radius Maximum (R) mm	Type	Limiting Speed Oil RPM	Limiting Speed Grease RPM	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>					
# SPH-MR3210-500	10.000	32.000	9.000		500	Track Roller, Single Row	32000	26000	Open	SPH
	<i>0.394</i>	<i>1.260</i>	<i>0.354</i>		<i>19.685</i>					
# SPH-MR3210-ZZ-500	10.000	32.000	9.000		500	Track Roller, Single Row	32000	26000	ZZ	SPH
	<i>0.394</i>	<i>1.260</i>	<i>0.354</i>		<i>19.685</i>					
# SPH-MR3210-2RS-32	10.000	32.000	9.000		32	Linear Guide, Single Row	17000	17000	2RS	SPH
	<i>0.394</i>	<i>1.260</i>	<i>0.354</i>		<i>1.260</i>					
# SPHDR-MR3210A-2RS-500	10.000	32.000	14.000		500	Track Roller, Double Row	17000	17000	2RS	SPH
	<i>0.394</i>	<i>1.260</i>	<i>0.551</i>		<i>19.685</i>					
# SPHDR-MR3210A-ZZ	10.000	32.000	14.000		500	Track Roller, Double Row	32000	26000	ZZ	SPH
	<i>0.394</i>	<i>1.260</i>	<i>0.551</i>		<i>19.685</i>					
# SPHDR-MR3210A-500	10.000	32.000	14.000		500	Track Roller, Double Row	32000	26000	Open	SPH
	<i>0.394</i>	<i>1.260</i>	<i>0.551</i>		<i>19.685</i>					
# SPH-MR34.810-7.1	10.000	34.800	11.000		7.1	Linear Guide, Single Row	32000	26000	Open	SPH
	<i>0.394</i>	<i>1.370</i>	<i>0.433</i>		<i>0.280</i>					
# SPH-MR34.810-ZZ-7.1	10.000	34.800	11.000		7.1	Linear Guide, Single Row	32000	26000	ZZ	SPH
	<i>0.394</i>	<i>1.370</i>	<i>0.433</i>		<i>0.280</i>					

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Spherical OD

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Radius Maximum (R) mm	Type	Limiting Speed Oil RPM	Limiting Speed Grease RPM	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>					
# SPH-MR34.810-2RS-7.1	10.000	34.800	11.000		7.1	Linear Guide, Single Row	17000	17000	2RS	SPH
	<i>0.394</i>	<i>1.370</i>	<i>0.433</i>		<i>0.280</i>					
# SPH-MR35.610-2RS-7.1	10.000	35.600	11.000		7.1	Linear Guide, Single Row	17000	17000	2RS	SPH
	<i>0.394</i>	<i>1.402</i>	<i>0.433</i>		<i>0.280</i>					
# SPH-MR35.610-7.1	10.000	35.600	11.000		7.1	Linear Guide, Single Row	32000	26000	Open	SPH
	<i>0.394</i>	<i>1.402</i>	<i>0.433</i>		<i>0.280</i>					
# SPH-MR35.610-ZZ-7.1	10.000	35.600	11.000		7.1	Linear Guide, Single Row	32000	26000	ZZ	SPH
	<i>0.394</i>	<i>1.402</i>	<i>0.433</i>		<i>0.280</i>					
# DRSPH-WR12014-9.53-TTS	11.113	31.750	15.240	15.875	9.530	Airframe Control SAE52100 Chrome Steel / Cadmium Plated			TTS	SPH
	<i>0.438</i>	<i>1.250</i>	<i>0.600</i>	<i>0.625</i>	<i>0.375</i>					
# DRSPH-WR12614-9.53-TTS	11.113	41.275	15.240	15.875	9.530	Airframe Control SAE52100 Chrome Steel / Cadmium Plated			TTS	SPH
	<i>0.438</i>	<i>1.625</i>	<i>0.600</i>	<i>0.625</i>	<i>0.375</i>					

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Spherical OD

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Radius Maximum (R) mm	Type	Limiting Speed Oil RPM	Limiting Speed Grease RPM	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>					
# DRSPH-WR12614-76.58-TTS	11.113	41.275	15.240	15.875	76.580	Airframe Control SAE52100 Chrome Steel / Cadmium Plated			TTS	SPH
	<i>0.438</i>	<i>1.625</i>	<i>0.600</i>	<i>0.625</i>	<i>3.015</i>					
# SPH-MR3012-500	12.000	30.000	8.000		500	Track Roller, Single Row	32000	26000	Open	SPH
	<i>0.472</i>	<i>1.181</i>	<i>0.315</i>		<i>19.685</i>					
# SPH-MR3012-2RS-500	12.000	30.000	8.000		500	Track Roller, Single Row	17000	17000	2RS	SPH
	<i>0.472</i>	<i>1.181</i>	<i>0.315</i>		<i>19.685</i>					
# SPH-MR3012-ZZ-500	12.000	30.000	8.000		500	Track Roller, Single Row	32000	26000	ZZ	SPH
	<i>0.472</i>	<i>1.181</i>	<i>0.315</i>		<i>19.685</i>					
# SPHDR-MR3012A-500	12.000	30.000	12.000		500	Track Roller, Double Row	33000	27000	Open	SPH
	<i>0.472</i>	<i>1.181</i>	<i>0.472</i>		<i>19.685</i>					
# SPH-MR3412-ZZ	12.000	34.000	10.000			Track Roller, Single Row		Abec 1	ZZ	SPH
	<i>0.472</i>	<i>1.339</i>	<i>0.394</i>							
# SPH-MR3512B-ZZ-500	12.000	35.000	10.000		500	Track Roller, Single Row	30000	24000	ZZ	SPH
	<i>0.472</i>	<i>1.378</i>	<i>0.394</i>		<i>19.685</i>					

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Spherical OD

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Radius Maximum (R) mm	Type	Limiting Speed Oil RPM	Limiting Speed Grease RPM	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>					
# SPH-MR3512B-2RS-500	12.000	35.000	10.000		500	Track Roller, Single Row	15000	15000	2RS	SPH
	<i>0.472</i>	<i>1.378</i>	<i>0.394</i>		<i>19.685</i>					
# SPH-MR3512B-500	12.000	35.000	10.000		500	Track Roller, Single Row	30000	24000	Open	SPH
	<i>0.472</i>	<i>1.378</i>	<i>0.394</i>		<i>19.685</i>					
# SPHDR-MR3512A-ZZ	12.000	35.000	15.900		500	Track Roller, Double Row	30000	24000	ZZ	SPH
	<i>0.472</i>	<i>1.378</i>	<i>0.626</i>		<i>19.685</i>					
# SPHDR-MR3512A-2RS-500	12.000	35.000	15.900		500	Track Roller, Double Row	14000	14000	2RS	SPH
	<i>0.472</i>	<i>1.378</i>	<i>0.626</i>		<i>19.685</i>					
# SPHDR-MR3512A-500	12.000	35.000	15.900		500	Track Roller, Double Row	30000	24000	Open	SPH
	<i>0.472</i>	<i>1.378</i>	<i>0.626</i>		<i>19.685</i>					
# DRSPH-WMR31.11512.7-13.08-TTS	12.700	31.115	13.386	15.875	13.080	Airframe Control SAE52100 Chrome Steel / Cadmium Plated			TTS	SPH
	<i>0.500</i>	<i>1.225</i>	<i>0.527</i>	<i>0.625</i>	<i>0.515</i>					
# SPH-WMR31.7512.7-6.4-TTS	12.700	31.750	9.525	8.738	6.350	Airframe Control SAE52100 Chrome Steel / Cadmium Plated			TTS	SPH
	<i>0.500</i>	<i>1.250</i>	<i>0.375</i>	<i>0.344</i>	<i>0.250</i>					

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Spherical OD

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Radius Maximum (R) mm	Type	Limiting Speed Oil RPM	Limiting Speed Grease RPM	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>					
# SPH-R12416-Z	12.700	38.100	11.000			Linear Guide, Single Row		Abec 1	Z	SPH
	<i>0.500</i>	<i>1.500</i>	<i>0.433</i>							
# DRSPH-WR12416B-25.65-TTS	12.700	38.100	13.386	15.875	25.650	Airframe Control SAE52100 Chrome Steel / Cadmium Plated			TTS	SPH
	<i>0.500</i>	<i>1.500</i>	<i>0.527</i>	<i>0.625</i>	<i>1.010</i>					
# SPH-MR38.83712.7-ZZ	12.700	38.837	11.000			Track Roller, Single Row		Abec 1	ZZ	SPH
	<i>0.500</i>	<i>1.529</i>	<i>0.433</i>							
# SPH-WAMR3213-ZZ-6.35	13.000	32.000	9.270		6.35	Linear Guide, Single Row	32000	26000	ZZ	SPH
	<i>0.512</i>	<i>1.260</i>	<i>0.365</i>		<i>0.250</i>					
# SPH-WAMR3213-6.35	13.000	32.000	9.270		6.35	Linear Guide, Single Row	32000	26000	Open	SPH
	<i>0.512</i>	<i>1.260</i>	<i>0.365</i>		<i>0.250</i>					
# SPH-WAMR3213-2RS-6.35	13.000	32.000	9.270		6.35	Linear Guide, Single Row	17000	17000	2RS	SPH
	<i>0.512</i>	<i>1.260</i>	<i>0.365</i>		<i>0.250</i>					
# SPH-6202B-T9H-2RS-500	15.000	35.000	9.000		500	Track Roller, Single Row	24000	19200	2RS	SPH
	<i>0.591</i>	<i>1.378</i>	<i>0.354</i>		<i>19.685</i>					

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Spherical OD

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Radius Maximum (R) mm	Type	Limiting Speed Oil RPM	Limiting Speed Grease RPM	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>					
# SPH-6202B-T9H-500	15.000	35.000	9.000		500	Track Roller, Single Row	30000	24000	Open	SPH
	<i>0.591</i>	<i>1.378</i>	<i>0.354</i>		<i>19.685</i>					
# SPH-6202B-T9H-ZZ-500	15.000	35.000	9.000		500	Track Roller, Single Row	30000	24000	ZZ	SPH
	<i>0.591</i>	<i>1.378</i>	<i>0.354</i>		<i>19.685</i>					
# SPHDR-6202C-2RS-500	15.000	35.000	13.000		500	Track Roller, Double Row	14000	14000	2RS	SPH
	<i>0.591</i>	<i>1.378</i>	<i>0.512</i>		<i>19.685</i>					
# SPHDR-6202C-500	15.000	35.000	13.000		500	Track Roller, Double Row	30000	24000	Open	SPH
	<i>0.591</i>	<i>1.378</i>	<i>0.512</i>		<i>19.685</i>					
# SPH-MR3715A-8.5	15.000	37.000	11.000		8.5	Linear Guide, Single Row	26000	20000	Open	SPH
	<i>0.591</i>	<i>1.457</i>	<i>0.433</i>		<i>0.335</i>					
# SPH-MR3715A-ZZ-8.5	15.000	37.000	11.000		8.5	Linear Guide, Single Row	26000	20000	ZZ	SPH
	<i>0.591</i>	<i>1.457</i>	<i>0.433</i>		<i>0.335</i>					
# SPH-MR4015B-500	15.000	40.000	11.000		500	Track Roller, Single Row	26000	20000	Open	SPH
	<i>0.591</i>	<i>1.575</i>	<i>0.433</i>		<i>19.685</i>					
# SPH-MR4015B-T9H-ZZ-500	15.000	40.000	11.000		500	Track Roller, Single Row	26000	20000	ZZ	SPH
	<i>0.591</i>	<i>1.575</i>	<i>0.433</i>		<i>19.685</i>					

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Spherical OD

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Radius Maximum (R) mm	Type	Limiting Speed Oil RPM	Limiting Speed Grease RPM	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>					
# SPHDR-MR4015D-500	15.000	40.000	15.900		500	Track Roller, Double Row	26000	20000	Open	SPH
	<i>0.591</i>	<i>1.575</i>	<i>0.626</i>		<i>19.685</i>					
# SPH-6203F-ZZ-500	17.000	40.000	10.000		500	Track Roller, Single Row	28000	22000	ZZ	SPH
	<i>0.669</i>	<i>1.575</i>	<i>0.394</i>		<i>19.685</i>					
# SPH-6203F-500	17.000	40.000	10.000		500	Track Roller, Single Row	28000	22000	Open	SPH
	<i>0.669</i>	<i>1.575</i>	<i>0.394</i>		<i>19.685</i>					
# SPH-6203F-2RS-500	17.000	40.000	10.000		500	Track Roller, Single Row	13000	13000	2RS	SPH
	<i>0.669</i>	<i>1.575</i>	<i>0.394</i>		<i>19.685</i>					
# SPHDR-6203L-2RS-500	17.000	40.000	14.000		500	Track Roller, Double Row	13000	13000	2RS	SPH
	<i>0.669</i>	<i>1.575</i>	<i>0.551</i>		<i>19.685</i>					
# SPHDR-6203L-500	17.000	40.000	14.000		500	Track Roller, Double Row	28000	22000	Open	SPH
	<i>0.669</i>	<i>1.575</i>	<i>0.551</i>		<i>19.685</i>					
# SPHDR-6203L-ZZ	17.000	40.000	14.000		500	Track Roller, Double Row	28000	22000	ZZ	SPH
	<i>0.669</i>	<i>1.575</i>	<i>0.551</i>		<i>19.685</i>					
# SPH-6303B-500	17.000	47.000	12.000		500	Track Roller, Single Row	11000		Open	SPH
	<i>0.669</i>	<i>1.850</i>	<i>0.472</i>		<i>19.685</i>					

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Spherical OD

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Radius Maximum (R) mm	Type	Limiting Speed Oil RPM	Limiting Speed Grease RPM	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>					
# SPH-6303B-2RS-500	17.000	47.000	12.000		500	Track Roller, Single Row	11000		2RS	SPH
	<i>0.669</i>	<i>1.850</i>	<i>0.472</i>		<i>19.685</i>					
# SPH-6204E-500	20.000	47.000	12.000		500	Track Roller, Single Row	17000	17000	Open	SPH
	<i>0.787</i>	<i>1.850</i>	<i>0.472</i>		<i>19.685</i>					
# SPH-6204E-2RS-500	20.000	47.000	12.000		500	Track Roller, Single Row	17000	17000	2RS	SPH
	<i>0.787</i>	<i>1.850</i>	<i>0.472</i>		<i>19.685</i>					
# SPH-6304D-500	20.000	52.000	14.000		500	Track Roller, Single Row	10000		Open	SPH
	<i>0.787</i>	<i>2.047</i>	<i>0.551</i>		<i>19.685</i>					
# SPH-6304D-2RS-500	20.000	52.000	14.000		500	Track Roller, Single Row	10000		2RS	SPH
	<i>0.787</i>	<i>2.047</i>	<i>0.551</i>		<i>19.685</i>					
# SPH-6305H-500	25.000	62.000	15.000		500	Track Roller, Single Row	9000		Open	SPH
	<i>0.984</i>	<i>2.441</i>	<i>0.591</i>		<i>19.685</i>					
# SPH-6305H-2RS-500	25.000	62.000	15.000		500	Track Roller, Single Row	9000		2RS	SPH
	<i>0.984</i>	<i>2.441</i>	<i>0.591</i>		<i>19.685</i>					
# SPH-6306D-500	30.000	72.000	16.000		500	Track Roller, Single Row	7100		Open	SPH
	<i>1.181</i>	<i>2.835</i>	<i>0.630</i>		<i>19.685</i>					

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Spherical OD

Part Number	ID (d) mm	OD (D) mm	Width (B) mm	Inner Ring Width (Bn) mm	Radius Maximum (R) mm	Type	Limiting Speed Oil RPM	Limiting Speed Grease RPM	Closure Type	Bearing Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>					
# SPH-6306D-2RS-500	30.000	72.000	16.000		500	Track Roller, Single Row	7100		2RS	SPH
	<i>1.181</i>	<i>2.835</i>	<i>0.630</i>		<i>19.685</i>					
# SPH-6307D-2RS-500	35.000	80.000	17.000		500	Track Roller, Single Row	5600		2RS	SPH
	<i>1.378</i>	<i>3.150</i>	<i>0.669</i>		<i>19.685</i>					
# SPH-6307D-500	35.000	80.000	17.000		500	Track Roller, Single Row	5600		Open	SPH
	<i>1.378</i>	<i>3.150</i>	<i>0.669</i>		<i>19.685</i>					
# SPH-MR8540-2RS-500	40.000	85.000	18.000		500	Track Roller, Single Row	5000		2RS	SPH
	<i>1.575</i>	<i>3.346</i>	<i>0.709</i>		<i>19.685</i>					
# SPH-MR8540-500	40.000	85.000	18.000		500	Track Roller, Single Row	5000		Open	SPH
	<i>1.575</i>	<i>3.346</i>	<i>0.709</i>		<i>19.685</i>					
# SPH-MR9045-2RS-500	45.000	90.000	19.000		500	Track Roller, Single Row	4500		2RS	SPH
	<i>1.772</i>	<i>3.543</i>	<i>0.748</i>		<i>19.685</i>					
# SPH-MR9045-500	45.000	90.000	19.000		500	Track Roller, Single Row	4500		Open	SPH
	<i>1.772</i>	<i>3.543</i>	<i>0.748</i>		<i>19.685</i>					

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to catalogues@minibearings.com.au
