




MBA

Bearings - Thrust - Plastic - Self Seating



Tensile strengths shown are Static Axial in Newtons.

Easy to install.

Good friction wear properties.

<http://www.minibearings.com.au//categories/thrust+bearing/all/pics/>

<http://www.minibearings.com.au//categories/shafting/all/pics/>

Bearings - Thrust - Plastic - Self Seating

Part Number	Washer Bore (d1) mm	Housing Pad Bore (d3) mm	OD (d2) mm	Ball socket (h1) mm	Spherical Disk (h2) mm	Overall Height (H) mm	Radius (R) mm	Compensation angle Deg	Short Term Max Tensile Strngth N	Long Term Max Tensile Strength N
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>			
# SATW05.20W300	5.20 <i>0.205</i>	7.00 <i>0.276</i>	15.00 <i>0.591</i>	3.00 <i>0.118</i>	3.50 <i>0.138</i>	4.70 <i>0.185</i>	15.00 <i>0.591</i>	3	4000	2000
SATW06.20W300	6.20 <i>0.244</i>	7.50 <i>0.295</i>	16.00 <i>0.630</i>	3.00 <i>0.118</i>	4.00 <i>0.157</i>	5.30 <i>0.209</i>	16.00 <i>0.630</i>	3	5000	2500
# SATW08.20W300	8.20 <i>0.323</i>	10.00 <i>0.394</i>	20.00 <i>0.787</i>	4.00 <i>0.157</i>	5.00 <i>0.197</i>	6.80 <i>0.268</i>	20.00 <i>0.787</i>	2	8000	4000

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - Thrust - Plastic - Self Seating

Part Number	Washer Bore (d1) mm	Housing Pad Bore (d3) mm	OD (d2) mm	Ball socket (h1) mm	Spherical Disk (h2) mm	Overall Height (H) mm	Radius (R) mm	Compensation angle Deg	Short Term Max Tensile Strngth N	Long Term Max Tensile Strength N
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>			
SATW10.20W300	10.20 <i>0.402</i>	12.00 <i>0.472</i>	24.00 <i>0.945</i>	4.50 <i>0.177</i>	5.50 <i>0.217</i>	7.50 <i>0.295</i>	24.00 <i>0.945</i>	2	10000	5000
# SATW12.50W300	12.50 <i>0.492</i>	14.50 <i>0.571</i>	30.00 <i>1.181</i>	5.00 <i>0.197</i>	6.00 <i>0.236</i>	8.00 <i>0.315</i>	32.00 <i>1.260</i>	2	12000	6000
# SATW16.50W300	16.50 <i>0.650</i>	19.00 <i>0.748</i>	36.00 <i>1.417</i>	5.50 <i>0.217</i>	6.50 <i>0.256</i>	8.70 <i>0.343</i>	40.00 <i>1.575</i>	2	17000	8500
SATW20.20W300	20.20 <i>0.795</i>	23.00 <i>0.906</i>	44.00 <i>1.732</i>	6.00 <i>0.236</i>	7.00 <i>0.276</i>	8.60 <i>0.339</i>	45.00 <i>1.772</i>	2	22000	11000

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to catalogues@minibearings.com.au
