




MBA

Bearings - V Groove Profile OD



Special OD Bearings.

<http://www.minibearings.com.au//categories/shafting/all/pics/>

Bearings - V Groove Profile OD

| Part Number | ID (d) mm | OD (D) mm | Outer Ring Width (B) mm | Inner Ring Width (Bn) mm | Groove Base Diameter (GD) mm | Groove Width (Gw) mm | Material | Groove Angle Deg. | Closures | Type |
|--------------------|---------------|---------------|-------------------------|--------------------------|------------------------------|----------------------|-------------------------------|-------------------|----------|------|
| | <i>inches</i> | <i>inches</i> | <i>inches</i> | <i>inches</i> | <i>inches</i> | <i>inches</i> | | | | |
| # SMR102-VP-3.000 | 2.000 | 10.000 | 4.000 | 2.500 | 7.000 | 3.000 | AIS I 440C Stainless Steel | 90 | Open | VP |
| | <i>0.079</i> | <i>0.394</i> | <i>0.157</i> | <i>0.098</i> | <i>0.276</i> | <i>0.118</i> | | | | |
| 683A-ZZS-VP-0.6 | 3.000 | 7.000 | 3.000 | | 6.400 | 0.600 | SAE52100 Chrome Steel | 45 | ZZS | VP |
| | <i>0.118</i> | <i>0.276</i> | <i>0.118</i> | | <i>0.252</i> | <i>0.024</i> | | | | |
| # 623-2RS-VP-0.610 | 3.000 | 10.000 | 4.000 | | 9.480 | 0.610 | SAE52100 Chrome Steel | 90 | 2RS | VP |
| | <i>0.118</i> | <i>0.394</i> | <i>0.157</i> | | <i>0.373</i> | <i>0.024</i> | | | | |

Indicates item not stocked at time of printing - Please enquire for lead time
 E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
 MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - V Groove Profile OD

| Part Number | ID (d) mm | OD (D) mm | Outer Ring Width (B) mm | Inner Ring Width (Bn) mm | Groove Base Diameter (GD) mm | Groove Width (Gw) mm | Material | Groove Angle Deg. | Closures | Type |
|----------------------------|---------------|---------------|-------------------------|--------------------------|------------------------------|----------------------|--------------------------|-------------------|----------|-------|
| | <i>inches</i> | <i>inches</i> | <i>inches</i> | <i>inches</i> | <i>inches</i> | <i>inches</i> | | | | |
| # 623-2RS-VP-0.700 | 3.000 | 10.000 | 4.000 | | 9.380 | 0.700 | SAE52100 Chrome Steel | 90 | 2RS | VP |
| | <i>0.118</i> | <i>0.394</i> | <i>0.157</i> | | <i>0.369</i> | <i>0.028</i> | | | | |
| # 623-VP-0.610 | 3.000 | 10.000 | 4.000 | | 9.480 | 0.610 | SAE52100 Chrome Steel | 90 | Open | VP |
| | <i>0.118</i> | <i>0.394</i> | <i>0.157</i> | | <i>0.373</i> | <i>0.024</i> | | | | |
| # 623-VP-0.700 | 3.000 | 10.000 | 4.000 | | 9.380 | 0.700 | SAE52100 Chrome Steel | 90 | Open | VP |
| | <i>0.118</i> | <i>0.394</i> | <i>0.157</i> | | <i>0.369</i> | <i>0.028</i> | | | | |
| # 623-ZZ-VP-0.610 | 3.000 | 10.000 | 4.000 | | 9.480 | 0.610 | SAE52100 Chrome Steel | 90 | ZZ | VP |
| | <i>0.118</i> | <i>0.394</i> | <i>0.157</i> | | <i>0.373</i> | <i>0.024</i> | | | | |
| # 623-ZZ-VP-0.700 | 3.000 | 10.000 | 4.000 | | 9.380 | 0.700 | SAE52100 Chrome Steel | 90 | ZZ | VP |
| | <i>0.118</i> | <i>0.394</i> | <i>0.157</i> | | <i>0.369</i> | <i>0.028</i> | | | | |
| # DRA-WMR113A-VP-0.600 | 3.000 | 11.000 | 16.000 | 17.000 | 10.480 | 0.600 | SAE52100 Chrome Steel | 90 | Open | VPDRW |
| | <i>0.118</i> | <i>0.433</i> | <i>0.630</i> | <i>0.669</i> | <i>0.413</i> | <i>0.024</i> | | | | |
| # DRA-WMR113A-2RS-VP-0.600 | 3.000 | 11.000 | 16.000 | 17.000 | 10.480 | 0.600 | SAE52100 Chrome Steel | 90 | 2RS | VPDRW |
| | <i>0.118</i> | <i>0.433</i> | <i>0.630</i> | <i>0.669</i> | <i>0.413</i> | <i>0.024</i> | | | | |
| # DRA-WMR113A-ZZ-VP-0.600 | 3.000 | 11.000 | 16.000 | 17.000 | 10.480 | 0.600 | SAE52100 Chrome Steel | 90 | ZZ | VPDRW |
| | <i>0.118</i> | <i>0.433</i> | <i>0.630</i> | <i>0.669</i> | <i>0.413</i> | <i>0.024</i> | | | | |

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - V Groove Profile OD

| Part Number | ID (d) mm | OD (D) mm | Outer Ring Width (B) mm | Inner Ring Width (Bn) mm | Groove Base Diameter (GD) mm | Groove Width (Gw) mm | Material | Groove Angle Deg. | Closures | Type |
|------------------------|---------------|---------------|-------------------------|--------------------------|------------------------------|----------------------|-------------------------------|-------------------|----------|------|
| | <i>inches</i> | <i>inches</i> | <i>inches</i> | <i>inches</i> | <i>inches</i> | <i>inches</i> | | | | |
| SMR123-ZZ-VP-3.000 | 3.000 | 12.000 | 4.000 | | 9.000 | 3.000 | AIS I 440C Stainless Steel | 90 | ZZ | VP |
| | <i>0.118</i> | <i>0.472</i> | <i>0.157</i> | | <i>0.354</i> | <i>0.118</i> | | | | |
| # 633A-2RS-VP-0.600 | 3.000 | 13.000 | 4.000 | | 12.480 | 0.600 | SAE52100 Chrome Steel | 90 | 2RS | VP |
| | <i>0.118</i> | <i>0.512</i> | <i>0.157</i> | | <i>0.491</i> | <i>0.024</i> | | | | |
| # 633A-VP-0.600 | 3.000 | 13.000 | 4.000 | | 12.480 | 0.600 | SAE52100 Chrome Steel | 90 | Open | VP |
| | <i>0.118</i> | <i>0.512</i> | <i>0.157</i> | | <i>0.491</i> | <i>0.024</i> | | | | |
| # 633A-ZZ-VP-2.400 | 3.000 | 13.000 | 4.000 | | 10.600 | 2.400 | SAE52100 Chrome Steel | 690 | ZZ | VP |
| | <i>0.118</i> | <i>0.512</i> | <i>0.157</i> | | <i>0.417</i> | <i>0.094</i> | | | | |
| # 633A-ZZ-VP-0.600 | 3.000 | 13.000 | 4.000 | | 12.480 | 0.600 | SAE52100 Chrome Steel | 90 | ZZ | VP |
| | <i>0.118</i> | <i>0.512</i> | <i>0.157</i> | | <i>0.491</i> | <i>0.024</i> | | | | |
| # DRA-MR13.23-VP-5.960 | 3.000 | 13.200 | 7.000 | 6.000 | 10.380 | 5.960 | SAE52100 Chrome Steel | 120 | Open | VPDR |
| | <i>0.118</i> | <i>0.520</i> | <i>0.276</i> | <i>0.236</i> | <i>0.409</i> | <i>0.235</i> | | | | |
| # WMR153-ZZ-VP-0.930 | 3.000 | 15.000 | 4.000 | 23.000 | 11.000 | 0.930 | SAE52100 Chrome Steel | 20 | ZZ | VPW |
| | <i>0.118</i> | <i>0.591</i> | <i>0.157</i> | <i>0.906</i> | <i>0.433</i> | <i>0.037</i> | | | | |
| # WMR153-VP-0.930 | 3.000 | 15.000 | 4.000 | 23.000 | 11.000 | 0.930 | SAE52100 Chrome Steel | 20 | Open | VPW |
| | <i>0.118</i> | <i>0.591</i> | <i>0.157</i> | <i>0.906</i> | <i>0.433</i> | <i>0.037</i> | | | | |

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - V Groove Profile OD

| Part Number | ID (d) mm | OD (D) mm | Outer Ring Width (B) mm | Inner Ring Width (Bn) mm | Groove Base Diameter (GD) mm | Groove Width (Gw) mm | Material | Groove Angle Deg. | Closures | Type |
|-----------------------|---------------|---------------|-------------------------|--------------------------|------------------------------|----------------------|--------------------------|-------------------|----------|------|
| | <i>inches</i> | <i>inches</i> | <i>inches</i> | <i>inches</i> | <i>inches</i> | <i>inches</i> | | | | |
| # WMR153-2RS-VP-0.930 | 3.000 | 15.000 | 4.000 | 23.000 | 11.000 | 0.930 | SAE52100 Chrome Steel | 20 | 2RS | VPW |
| | <i>0.118</i> | <i>0.591</i> | <i>0.157</i> | <i>0.906</i> | <i>0.433</i> | <i>0.037</i> | | | | |
| # 694-ZZ-VP-3.150 | 4.000 | 11.000 | 4.000 | | 9.000 | 3.150 | SAE52100 Chrome Steel | 30 | ZZ | VP |
| | <i>0.157</i> | <i>0.433</i> | <i>0.157</i> | | <i>0.354</i> | <i>0.124</i> | | | | |
| # 604-VP-0.910 | 4.000 | 12.000 | 4.000 | | 11.300 | 0.910 | SAE52100 Chrome Steel | 80 | Open | VP |
| | <i>0.157</i> | <i>0.472</i> | <i>0.157</i> | | <i>0.445</i> | <i>0.036</i> | | | | |
| # 604-ZZ-VP-0.910 | 4.000 | 12.000 | 4.000 | | 11.300 | 0.910 | SAE52100 Chrome Steel | 80 | ZZ | VP |
| | <i>0.157</i> | <i>0.472</i> | <i>0.157</i> | | <i>0.445</i> | <i>0.036</i> | | | | |
| # 604-2RU-VP-0.910 | 4.000 | 12.000 | 4.000 | | 11.300 | 0.910 | SAE52100 Chrome Steel | 80 | 2RU | VP |
| | <i>0.157</i> | <i>0.472</i> | <i>0.157</i> | | <i>0.445</i> | <i>0.036</i> | | | | |
| # 624-ZZ-VP-1.450 | 4.000 | 13.000 | 5.000 | | 11.800 | 1.450 | SAE52100 Chrome Steel | 90 | ZZ | VP |
| | <i>0.157</i> | <i>0.512</i> | <i>0.197</i> | | <i>0.465</i> | <i>0.057</i> | | | | |
| # 624-VP-0.950 | 4.000 | 13.000 | 5.000 | | 12.500 | 0.950 | SAE52100 Chrome Steel | 120 | Open | VP |
| | <i>0.157</i> | <i>0.512</i> | <i>0.197</i> | | <i>0.492</i> | <i>0.037</i> | | | | |
| # 624-VP-1.040 | 4.000 | 13.000 | 5.000 | | 12.200 | 1.040 | SAE52100 Chrome Steel | 80 | Open | VP |
| | <i>0.157</i> | <i>0.512</i> | <i>0.197</i> | | <i>0.480</i> | <i>0.041</i> | | | | |

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - V Groove Profile OD

| Part Number | ID (d) mm | OD (D) mm | Outer Ring Width (B) mm | Inner Ring Width (Bn) mm | Groove Base Diameter (GD) mm | Groove Width (Gw) mm | Material | Groove Angle Deg. | Closures | Type |
|-----------------------|---------------|---------------|-------------------------|--------------------------|------------------------------|----------------------|--------------------------|-------------------|----------|------|
| | <i>inches</i> | <i>inches</i> | <i>inches</i> | <i>inches</i> | <i>inches</i> | <i>inches</i> | | | | |
| # 624-ZZ-VP-0.600 | 4.000 | 13.000 | 5.000 | | 12.460 | 0.600 | SAE52100 Chrome Steel | 90 | ZZ | VP |
| | <i>0.157</i> | <i>0.512</i> | <i>0.197</i> | | <i>0.491</i> | <i>0.024</i> | | | | |
| # 624-ZZ-VP-0.700 | 4.000 | 13.000 | 5.000 | | 12.300 | 0.700 | SAE52100 Chrome Steel | 60 | ZZ | VP |
| | <i>0.157</i> | <i>0.512</i> | <i>0.197</i> | | <i>0.484</i> | <i>0.028</i> | | | | |
| # 624-ZZ-VP-0.800 | 4.000 | 13.000 | 5.000 | | 12.280 | 0.800 | SAE52100 Chrome Steel | 90 | ZZ | VP |
| | <i>0.157</i> | <i>0.512</i> | <i>0.197</i> | | <i>0.483</i> | <i>0.031</i> | | | | |
| # 624-VP-0.870 | 4.000 | 13.000 | 5.000 | | 12.200 | 0.870 | SAE52100 Chrome Steel | 90 | Open | VP |
| | <i>0.157</i> | <i>0.512</i> | <i>0.197</i> | | <i>0.480</i> | <i>0.034</i> | | | | |
| # 624-ZZ-VP-0.950 | 4.000 | 13.000 | 5.000 | | 12.500 | 0.950 | SAE52100 Chrome Steel | 120 | ZZ | VP |
| | <i>0.157</i> | <i>0.512</i> | <i>0.197</i> | | <i>0.492</i> | <i>0.037</i> | | | | |
| # 624-2RS-VP-1.040-AL | 4.000 | 13.000 | 5.000 | | 12.200 | 1.040 | SAE52100 Chrome Steel | 80 | 2RS | VP |
| | <i>0.157</i> | <i>0.512</i> | <i>0.197</i> | | <i>0.480</i> | <i>0.041</i> | | | | |
| # 624-ZZ-VP-1.040 | 4.000 | 13.000 | 5.000 | | 12.200 | 1.040 | SAE52100 Chrome Steel | 80 | ZZ | VP |
| | <i>0.157</i> | <i>0.512</i> | <i>0.197</i> | | <i>0.480</i> | <i>0.041</i> | | | | |
| # 624-ZZ-VP-1.040-AL | 4.000 | 13.000 | 5.000 | | 12.200 | 1.040 | SAE52100 Chrome Steel | 80 | ZZ | VP |
| | <i>0.157</i> | <i>0.512</i> | <i>0.197</i> | | <i>0.480</i> | <i>0.041</i> | | | | |

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - V Groove Profile OD

| Part Number | ID (d) mm | OD (D) mm | Outer Ring Width (B) mm | Inner Ring Width (Bn) mm | Groove Base Diameter (GD) mm | Groove Width (Gw) mm | Material | Groove Angle Deg. | Closures | Type |
|--------------------|---------------|---------------|-------------------------|--------------------------|------------------------------|----------------------|--------------------------|-------------------|----------|------|
| | <i>inches</i> | <i>inches</i> | <i>inches</i> | <i>inches</i> | <i>inches</i> | <i>inches</i> | | | | |
| # 624-ZZ-VP-0.870 | 4.000 | 13.000 | 5.000 | | 12.200 | 0.870 | SAE52100 Chrome Steel | 90 | ZZ | VP |
| | <i>0.157</i> | <i>0.512</i> | <i>0.197</i> | | <i>0.480</i> | <i>0.034</i> | | | | |
| # 624-VP-0.800 | 4.000 | 13.000 | 5.000 | | 12.280 | 0.800 | SAE52100 Chrome Steel | 90 | Open | VP |
| | <i>0.157</i> | <i>0.512</i> | <i>0.197</i> | | <i>0.483</i> | <i>0.031</i> | | | | |
| # 624-VP-0.700 | 4.000 | 13.000 | 5.000 | | 12.300 | 0.700 | SAE52100 Chrome Steel | 60 | Open | VP |
| | <i>0.157</i> | <i>0.512</i> | <i>0.197</i> | | <i>0.484</i> | <i>0.028</i> | | | | |
| # 624-2RU-VP-1.450 | 4.000 | 13.000 | 5.000 | | 11.800 | 1.450 | SAE52100 Chrome Steel | 90 | 2RU | VP |
| | <i>0.157</i> | <i>0.512</i> | <i>0.197</i> | | <i>0.465</i> | <i>0.057</i> | | | | |
| # 624-VP-1.040-AL | 4.000 | 13.000 | 5.000 | | 12.200 | 1.040 | SAE52100 Chrome Steel | 80 | Open | VP |
| | <i>0.157</i> | <i>0.512</i> | <i>0.197</i> | | <i>0.480</i> | <i>0.041</i> | | | | |
| # 624-VP-1.450 | 4.000 | 13.000 | 5.000 | | 11.800 | 1.450 | SAE52100 Chrome Steel | 90 | Open | VP |
| | <i>0.157</i> | <i>0.512</i> | <i>0.197</i> | | <i>0.465</i> | <i>0.057</i> | | | | |
| # 624-2RS-VP-1.040 | 4.000 | 13.000 | 5.000 | | 12.200 | 1.040 | SAE52100 Chrome Steel | 80 | 2RS | VP |
| | <i>0.157</i> | <i>0.512</i> | <i>0.197</i> | | <i>0.480</i> | <i>0.041</i> | | | | |
| # 624-2RS-VP-0.950 | 4.000 | 13.000 | 5.000 | | 12.500 | 0.950 | SAE52100 Chrome Steel | 120 | 2RS | VP |
| | <i>0.157</i> | <i>0.512</i> | <i>0.197</i> | | <i>0.492</i> | <i>0.037</i> | | | | |

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - V Groove Profile OD

| Part Number | ID (d) mm | OD (D) mm | Outer Ring Width (B) mm | Inner Ring Width (Bn) mm | Groove Base Diameter (GD) mm | Groove Width (Gw) mm | Material | Groove Angle Deg. | Closures | Type |
|--------------------|---------------|---------------|-------------------------|--------------------------|------------------------------|----------------------|-------------------------------|-------------------|----------|------|
| | <i>inches</i> | <i>inches</i> | <i>inches</i> | <i>inches</i> | <i>inches</i> | <i>inches</i> | | | | |
| # 624-2RS-VP-0.870 | 4.000 | 13.000 | 5.000 | | 12.200 | 0.870 | SAE52100 Chrome Steel | 90 | 2RS | VP |
| | <i>0.157</i> | <i>0.512</i> | <i>0.197</i> | | <i>0.480</i> | <i>0.034</i> | | | | |
| # 624-2RS-VP-0.800 | 4.000 | 13.000 | 5.000 | | 12.280 | 0.800 | SAE52100 Chrome Steel | 90 | 2RS | VP |
| | <i>0.157</i> | <i>0.512</i> | <i>0.197</i> | | <i>0.483</i> | <i>0.031</i> | | | | |
| # 624-2RS-VP-0.700 | 4.000 | 13.000 | 5.000 | | 12.300 | 0.700 | SAE52100 Chrome Steel | 60 | 2RS | VP |
| | <i>0.157</i> | <i>0.512</i> | <i>0.197</i> | | <i>0.484</i> | <i>0.028</i> | | | | |
| # 624-2RS-VP-0.600 | 4.000 | 13.000 | 5.000 | | 12.460 | 0.600 | SAE52100 Chrome Steel | 90 | 2RS | VP |
| | <i>0.157</i> | <i>0.512</i> | <i>0.197</i> | | <i>0.491</i> | <i>0.024</i> | | | | |
| # 624-ZZ-VP-3.800 | 4.000 | 13.000 | 5.000 | | 11.800 | 3.800 | SAE52100 Chrome Steel | 90 | ZZ | VP |
| | <i>0.157</i> | <i>0.512</i> | <i>0.197</i> | | <i>0.465</i> | <i>0.150</i> | | | | |
| # 624-ZZ-VP-4.134 | 4.000 | 13.000 | 5.000 | | 11.4 | 4.134 | SAE52100 Chrome Steel | 120 | ZZ | VP |
| | <i>0.157</i> | <i>0.512</i> | <i>0.197</i> | | <i>0.449</i> | <i>0.163</i> | | | | |
| # 624-VP-0.600 | 4.000 | 13.000 | 5.000 | | 12.460 | 0.600 | SAE52100 Chrome Steel | 90 | Open | VP |
| | <i>0.157</i> | <i>0.512</i> | <i>0.197</i> | | <i>0.491</i> | <i>0.024</i> | | | | |
| S624B-ZZ-VP-4.000 | 4.000 | 13.000 | 6.000 | | 9.000 | 4.000 | AIS I 440C Stainless Steel | 90 | ZZ | VP |
| | <i>0.157</i> | <i>0.512</i> | <i>0.236</i> | | <i>0.354</i> | <i>0.157</i> | | | | |

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - V Groove Profile OD

| Part Number | ID (d) mm | OD (D) mm | Outer Ring Width (B) mm | Inner Ring Width (Bn) mm | Groove Base Diameter (GD) mm | Groove Width (Gw) mm | Material | Groove Angle Deg. | Closures | Type |
|--------------------------|---------------|---------------|-------------------------|--------------------------|------------------------------|----------------------|--------------------------|-------------------|----------|-------|
| | <i>inches</i> | <i>inches</i> | <i>inches</i> | <i>inches</i> | <i>inches</i> | <i>inches</i> | | | | |
| # DRA-W624D-ZZ-VP-0.600 | 4.000 | 13.000 | 16.000 | 17.000 | 12.480 | 0.600 | SAE52100 Chrome Steel | 90 | ZZ | VPDRW |
| | <i>0.157</i> | <i>0.512</i> | <i>0.630</i> | <i>0.669</i> | <i>0.491</i> | <i>0.024</i> | | | | |
| # DRA-W624D-2RS-VP-0.600 | 4.000 | 13.000 | 16.000 | 17.000 | 12.480 | 0.600 | SAE52100 Chrome Steel | 90 | 2RS | VPDRW |
| | <i>0.157</i> | <i>0.512</i> | <i>0.630</i> | <i>0.669</i> | <i>0.491</i> | <i>0.024</i> | | | | |
| # DRA-W624D-VP-0.600 | 4.000 | 13.000 | 16.000 | 17.000 | 12.480 | 0.600 | SAE52100 Chrome Steel | 90 | Open | VPDRW |
| | <i>0.157</i> | <i>0.512</i> | <i>0.630</i> | <i>0.669</i> | <i>0.491</i> | <i>0.024</i> | | | | |
| # WMR144A-2RU-VP-3.000 | 4.000 | 14.000 | 5.000 | 5.400 | 12.800 | 3.000 | SAE52100 Chrome Steel | 135 | 2RU | VPW |
| | <i>0.157</i> | <i>0.551</i> | <i>0.197</i> | <i>0.213</i> | <i>0.504</i> | <i>0.118</i> | | | | |
| # WMR144A-VP-3.000 | 4.000 | 14.000 | 5.000 | 5.400 | 12.800 | 3.000 | SAE52100 Chrome Steel | 135 | Open | VPW |
| | <i>0.157</i> | <i>0.551</i> | <i>0.197</i> | <i>0.213</i> | <i>0.504</i> | <i>0.118</i> | | | | |
| # WMR144A-ZZ-VP-3.000 | 4.000 | 14.000 | 5.000 | 5.400 | 12.800 | 3.000 | SAE52100 Chrome Steel | 135 | ZZ | VPW |
| | <i>0.157</i> | <i>0.551</i> | <i>0.197</i> | <i>0.213</i> | <i>0.504</i> | <i>0.118</i> | | | | |
| # 634-2RS-VP-1.330 | 4.000 | 16.000 | 5.000 | | 14.920 | 1.330 | SAE52100 Chrome Steel | 90 | 2RS | VP |
| | <i>0.157</i> | <i>0.630</i> | <i>0.197</i> | | <i>0.587</i> | <i>0.052</i> | | | | |
| # 634-ZZ-VP-1.330 | 4.000 | 16.000 | 5.000 | | 14.920 | 1.330 | SAE52100 Chrome Steel | 90 | ZZ | VP |
| | <i>0.157</i> | <i>0.630</i> | <i>0.197</i> | | <i>0.587</i> | <i>0.052</i> | | | | |

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - V Groove Profile OD

| Part Number | ID (d) mm | OD (D) mm | Outer Ring Width (B) mm | Inner Ring Width (Bn) mm | Groove Base Diameter (GD) mm | Groove Width (Gw) mm | Material | Groove Angle Deg. | Closures | Type |
|----------------------|---------------|---------------|-------------------------|--------------------------|------------------------------|----------------------|--------------------------|-------------------|----------|------|
| | <i>inches</i> | <i>inches</i> | <i>inches</i> | <i>inches</i> | <i>inches</i> | <i>inches</i> | | | | |
| # 634-ZZ-VP-1.200 | 4.000 | 16.000 | 5.000 | | 14.800 | 1.200 | SAE52100 Chrome Steel | 90 | ZZ | VP |
| | <i>0.157</i> | <i>0.630</i> | <i>0.197</i> | | <i>0.583</i> | <i>0.047</i> | | | | |
| # 634-VP-1.330 | 4.000 | 16.000 | 5.000 | | 14.920 | 1.330 | SAE52100 Chrome Steel | 90 | Open | VP |
| | <i>0.157</i> | <i>0.630</i> | <i>0.197</i> | | <i>0.587</i> | <i>0.052</i> | | | | |
| # MR174-ZZ-VP-1.000 | 4.000 | 17.000 | 5.000 | | 16.200 | 1.000 | SAE52100 Chrome Steel | 90 | ZZ | VP |
| | <i>0.157</i> | <i>0.669</i> | <i>0.197</i> | | <i>0.638</i> | <i>0.039</i> | | | | |
| # MR174-VP-1.000 | 4.000 | 17.000 | 5.000 | | 16.200 | 1.000 | SAE52100 Chrome Steel | 90 | Open | VP |
| | <i>0.157</i> | <i>0.669</i> | <i>0.197</i> | | <i>0.638</i> | <i>0.039</i> | | | | |
| # MR174-2RS-VP-1.000 | 4.000 | 17.000 | 5.000 | | 16.200 | 1.000 | SAE52100 Chrome Steel | 90 | 2RS | VP |
| | <i>0.157</i> | <i>0.669</i> | <i>0.197</i> | | <i>0.638</i> | <i>0.039</i> | | | | |
| # MR184-VP-2.080 | 4.000 | 18.000 | 5.000 | | 16.000 | 2.080 | SAE52100 Chrome Steel | 90 | Open | VP |
| | <i>0.157</i> | <i>0.709</i> | <i>0.197</i> | | <i>0.630</i> | <i>0.082</i> | | | | |
| # MR184-2RS-VP-2.080 | 4.000 | 18.000 | 5.000 | | 16.000 | 2.080 | SAE52100 Chrome Steel | 90 | 2RS | VP |
| | <i>0.157</i> | <i>0.709</i> | <i>0.197</i> | | <i>0.630</i> | <i>0.082</i> | | | | |
| # MR184-ZZ-VP-2.080 | 4.000 | 18.000 | 5.000 | | 16.000 | 2.080 | SAE52100 Chrome Steel | 90 | ZZ | VP |
| | <i>0.157</i> | <i>0.709</i> | <i>0.197</i> | | <i>0.630</i> | <i>0.082</i> | | | | |

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - V Groove Profile OD

| Part Number | ID (d) mm | OD (D) mm | Outer Ring Width (B) mm | Inner Ring Width (Bn) mm | Groove Base Diameter (GD) mm | Groove Width (Gw) mm | Material | Groove Angle Deg. | Closures | Type |
|--------------------------|---------------|---------------|-------------------------|--------------------------|------------------------------|----------------------|--------------------------|-------------------|----------|-------|
| | <i>inches</i> | <i>inches</i> | <i>inches</i> | <i>inches</i> | <i>inches</i> | <i>inches</i> | | | | |
| # DRA-W695B-ZZ-VP-1.500 | 5.000 | 13.000 | 8.000 | 9.000 | 11.580 | 1.500 | SAE52100 Chrome Steel | 90 | ZZ | VPDRW |
| | <i>0.197</i> | <i>0.512</i> | <i>0.315</i> | <i>0.354</i> | <i>0.456</i> | <i>0.059</i> | | | | |
| # DRA-W695B-2RS-VP-1.500 | 5.000 | 13.000 | 8.000 | 9.000 | 11.580 | 1.500 | SAE52100 Chrome Steel | 90 | 2RS | VPDRW |
| | <i>0.197</i> | <i>0.512</i> | <i>0.315</i> | <i>0.354</i> | <i>0.456</i> | <i>0.059</i> | | | | |
| # DRA-W695B-VP-1.500 | 5.000 | 13.000 | 8.000 | 9.000 | 11.580 | 1.500 | SAE52100 Chrome Steel | 90 | Open | VPDRW |
| | <i>0.197</i> | <i>0.512</i> | <i>0.315</i> | <i>0.354</i> | <i>0.456</i> | <i>0.059</i> | | | | |
| # 625-VP-2.250 | 5.000 | 16.000 | 5.000 | | 14.800 | 2.250 | SAE52100 Chrome Steel | 120 | Open | VP |
| | <i>0.197</i> | <i>0.630</i> | <i>0.197</i> | | <i>0.583</i> | <i>0.089</i> | | | | |
| # 625-VP-1.500 | 5.000 | 16.000 | 5.000 | | 14.580 | 1.500 | SAE52100 Chrome Steel | 90 | Open | VP |
| | <i>0.197</i> | <i>0.630</i> | <i>0.197</i> | | <i>0.574</i> | <i>0.059</i> | | | | |
| # 625-ZZ-VP-2.250 | 5.000 | 16.000 | 5.000 | | 14.800 | 2.250 | SAE52100 Chrome Steel | 120 | ZZ | VP |
| | <i>0.197</i> | <i>0.630</i> | <i>0.197</i> | | <i>0.583</i> | <i>0.089</i> | | | | |
| # 625-ZZ-VP-2.000 | 5.000 | 16.000 | 5.000 | | 14.880 | 2.000 | SAE52100 Chrome Steel | 120 | ZZ | VP |
| | <i>0.197</i> | <i>0.630</i> | <i>0.197</i> | | <i>0.586</i> | <i>0.079</i> | | | | |
| # 625-ZZ-VP-1.500 | 5.000 | 16.000 | 5.000 | | 14.580 | 1.500 | SAE52100 Chrome Steel | 90 | ZZ | VP |
| | <i>0.197</i> | <i>0.630</i> | <i>0.197</i> | | <i>0.574</i> | <i>0.059</i> | | | | |

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - V Groove Profile OD

| Part Number | ID (d) mm | OD (D) mm | Outer Ring Width (B) mm | Inner Ring Width (Bn) mm | Groove Base Diameter (GD) mm | Groove Width (Gw) mm | Material | Groove Angle Deg. | Closures | Type |
|--------------------|---------------|---------------|-------------------------|--------------------------|------------------------------|----------------------|--------------------------|-------------------|----------|------|
| | <i>inches</i> | <i>inches</i> | <i>inches</i> | <i>inches</i> | <i>inches</i> | <i>inches</i> | | | | |
| # 625-ZZ-VP-1.470 | 5.000 | 16.000 | 5.000 | | 14.700 | 1.470 | SAE52100 Chrome Steel | 90 | ZZ | VP |
| | <i>0.197</i> | <i>0.630</i> | <i>0.197</i> | | <i>0.579</i> | <i>0.058</i> | | | | |
| # 625-ZZ-VP-1.390 | 5.000 | 16.000 | 5.000 | | 14.900 | 1.390 | SAE52100 Chrome Steel | 60 | ZZ | VP |
| | <i>0.197</i> | <i>0.630</i> | <i>0.197</i> | | <i>0.587</i> | <i>0.055</i> | | | | |
| # 625-ZZ-VP-1.000 | 5.000 | 16.000 | 5.000 | | 15.080 | 1.000 | SAE52100 Chrome Steel | 90 | ZZ | VP |
| | <i>0.197</i> | <i>0.630</i> | <i>0.197</i> | | <i>0.594</i> | <i>0.039</i> | | | | |
| # 625-VP-2.000 | 5.000 | 16.000 | 5.000 | | 14.880 | 2.000 | SAE52100 Chrome Steel | 120 | Open | VP |
| | <i>0.197</i> | <i>0.630</i> | <i>0.197</i> | | <i>0.586</i> | <i>0.079</i> | | | | |
| # 625-VP-1.470 | 5.000 | 16.000 | 5.000 | | 14.700 | 1.470 | SAE52100 Chrome Steel | 90 | Open | VP |
| | <i>0.197</i> | <i>0.630</i> | <i>0.197</i> | | <i>0.579</i> | <i>0.058</i> | | | | |
| # 625-VP-1.000 | 5.000 | 16.000 | 5.000 | | 15.080 | 1.000 | SAE52100 Chrome Steel | 90 | Open | VP |
| | <i>0.197</i> | <i>0.630</i> | <i>0.197</i> | | <i>0.594</i> | <i>0.039</i> | | | | |
| # 625-2RS-VP-1.000 | 5.000 | 16.000 | 5.000 | | 15.080 | 1.000 | SAE52100 Chrome Steel | 90 | 2RS | VP |
| | <i>0.197</i> | <i>0.630</i> | <i>0.197</i> | | <i>0.594</i> | <i>0.039</i> | | | | |
| # 625-2RS-VP-2.250 | 5.000 | 16.000 | 5.000 | | 14.800 | 2.250 | SAE52100 Chrome Steel | 120 | 2RS | VP |
| | <i>0.197</i> | <i>0.630</i> | <i>0.197</i> | | <i>0.583</i> | <i>0.089</i> | | | | |

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - V Groove Profile OD

| Part Number | ID (d) mm | OD (D) mm | Outer Ring Width (B) mm | Inner Ring Width (Bn) mm | Groove Base Diameter (GD) mm | Groove Width (Gw) mm | Material | Groove Angle Deg. | Closures | Type |
|-------------------------|---------------|---------------|-------------------------|--------------------------|------------------------------|----------------------|--------------------------|-------------------|----------|------|
| | <i>inches</i> | <i>inches</i> | <i>inches</i> | <i>inches</i> | <i>inches</i> | <i>inches</i> | | | | |
| # 625-2RS-VP-2.000 | 5.000 | 16.000 | 5.000 | | 14.880 | 2.000 | SAE52100 Chrome Steel | 120 | 2RS | VP |
| | <i>0.197</i> | <i>0.630</i> | <i>0.197</i> | | <i>0.586</i> | <i>0.079</i> | | | | |
| # 625-2RS-VP-1.500 | 5.000 | 16.000 | 5.000 | | 14.580 | 1.500 | SAE52100 Chrome Steel | 90 | 2RS | VP |
| | <i>0.197</i> | <i>0.630</i> | <i>0.197</i> | | <i>0.574</i> | <i>0.059</i> | | | | |
| # 625-2RS-VP-1.470 | 5.000 | 16.000 | 5.000 | | 14.700 | 1.470 | SAE52100 Chrome Steel | 90 | 2RS | VP |
| | <i>0.197</i> | <i>0.630</i> | <i>0.197</i> | | <i>0.579</i> | <i>0.058</i> | | | | |
| # 625-2RS-VP-1.390 | 5.000 | 16.000 | 5.000 | | 14.900 | 1.390 | SAE52100 Chrome Steel | 60 | 2RS | VP |
| | <i>0.197</i> | <i>0.630</i> | <i>0.197</i> | | <i>0.587</i> | <i>0.055</i> | | | | |
| # 625-VP-1.390 | 5.000 | 16.000 | 5.000 | | 14.900 | 1.390 | SAE52100 Chrome Steel | 60 | Open | VP |
| | <i>0.197</i> | <i>0.630</i> | <i>0.197</i> | | <i>0.587</i> | <i>0.055</i> | | | | |
| # DRA-625B-2RS-VP-1.800 | 5.000 | 16.000 | 10.000 | | 14.280 | 1.800 | SAE52100 Chrome Steel | 90 | 2RS | VPDR |
| | <i>0.197</i> | <i>0.630</i> | <i>0.394</i> | | <i>0.562</i> | <i>0.071</i> | | | | |
| # DRA-625B-ZZ-VP-1.800 | 5.000 | 16.000 | 10.000 | | 14.280 | 1.800 | SAE52100 Chrome Steel | 90 | ZZ | VPDR |
| | <i>0.197</i> | <i>0.630</i> | <i>0.394</i> | | <i>0.562</i> | <i>0.071</i> | | | | |
| # DRA-625B-VP-1.800 | 5.000 | 16.000 | 10.000 | | 14.280 | 1.800 | SAE52100 Chrome Steel | 90 | Open | VPDR |
| | <i>0.197</i> | <i>0.630</i> | <i>0.394</i> | | <i>0.562</i> | <i>0.071</i> | | | | |

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - V Groove Profile OD

| Part Number | ID (d) mm | OD (D) mm | Outer Ring Width (B) mm | Inner Ring Width (Bn) mm | Groove Base Diameter (GD) mm | Groove Width (Gw) mm | Material | Groove Angle Deg. | Closures | Type |
|--------------------------|---------------|---------------|-------------------------|--------------------------|------------------------------|----------------------|--------------------------|-------------------|----------|-------|
| | <i>inches</i> | <i>inches</i> | <i>inches</i> | <i>inches</i> | <i>inches</i> | <i>inches</i> | | | | |
| # DRA-W625C-VP-1.800 | 5.000 | 16.000 | 16.000 | 17.000 | 14.280 | 1.800 | SAE52100 Chrome Steel | 90 | Open | VPDRW |
| | <i>0.197</i> | <i>0.630</i> | <i>0.630</i> | <i>0.669</i> | <i>0.562</i> | <i>0.071</i> | | | | |
| # DRA-W625C-ZZ-VP-2.080 | 5.000 | 16.000 | 16.000 | 17.000 | 14.000 | 2.080 | SAE52100 Chrome Steel | 90 | ZZ | VPDRW |
| | <i>0.197</i> | <i>0.630</i> | <i>0.630</i> | <i>0.669</i> | <i>0.551</i> | <i>0.082</i> | | | | |
| # DRA-W625C-2RS-VP-1.800 | 5.000 | 16.000 | 16.000 | 17.000 | 14.280 | 1.800 | SAE52100 Chrome Steel | 90 | 2RS | VPDRW |
| | <i>0.197</i> | <i>0.630</i> | <i>0.630</i> | <i>0.669</i> | <i>0.562</i> | <i>0.071</i> | | | | |
| # DRA-W625C-VP-1.000 | 5.000 | 16.000 | 16.000 | 17.000 | 15.080 | 1.000 | SAE52100 Chrome Steel | 90 | Open | VPDRW |
| | <i>0.197</i> | <i>0.630</i> | <i>0.630</i> | <i>0.669</i> | <i>0.594</i> | <i>0.039</i> | | | | |
| # DRA-W625C-2RS-VP-2.080 | 5.000 | 16.000 | 16.000 | 17.000 | 14.000 | 2.080 | SAE52100 Chrome Steel | 90 | 2RS | VPDRW |
| | <i>0.197</i> | <i>0.630</i> | <i>0.630</i> | <i>0.669</i> | <i>0.551</i> | <i>0.082</i> | | | | |
| # DRA-W625C-VP-2.080 | 5.000 | 16.000 | 16.000 | 17.000 | 14.000 | 2.080 | SAE52100 Chrome Steel | 90 | Open | VPDRW |
| | <i>0.197</i> | <i>0.630</i> | <i>0.630</i> | <i>0.669</i> | <i>0.551</i> | <i>0.082</i> | | | | |
| # DRA-W625C-ZZ-VP-1.000 | 5.000 | 16.000 | 16.000 | 17.000 | 15.080 | 1.000 | SAE52100 Chrome Steel | 90 | ZZ | VPDRW |
| | <i>0.197</i> | <i>0.630</i> | <i>0.630</i> | <i>0.669</i> | <i>0.594</i> | <i>0.039</i> | | | | |
| # DRA-W625C-ZZ-VP-1.800 | 5.000 | 16.000 | 16.000 | 17.000 | 14.280 | 1.800 | SAE52100 Chrome Steel | 90 | ZZ | VPDRW |
| | <i>0.197</i> | <i>0.630</i> | <i>0.630</i> | <i>0.669</i> | <i>0.562</i> | <i>0.071</i> | | | | |

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - V Groove Profile OD

| Part Number | ID (d) mm | OD (D) mm | Outer Ring Width (B) mm | Inner Ring Width (Bn) mm | Groove Base Diameter (GD) mm | Groove Width (Gw) mm | Material | Groove Angle Deg. | Closures | Type |
|----------------------------|---------------|---------------|-------------------------|--------------------------|------------------------------|----------------------|--------------------------|-------------------|----------|-------|
| | <i>inches</i> | <i>inches</i> | <i>inches</i> | <i>inches</i> | <i>inches</i> | <i>inches</i> | | | | |
| # DRA-W625C-2RS-VP-1.000 | 5.000 | 16.000 | 16.000 | 17.000 | 15.080 | 1.000 | SAE52100 Chrome Steel | 90 | 2RS | VPDRW |
| | <i>0.197</i> | <i>0.630</i> | <i>0.630</i> | <i>0.669</i> | <i>0.594</i> | <i>0.039</i> | | | | |
| # MR175B-VP-1.000 | 5.000 | 17.000 | 6.000 | | 16.080 | 1.000 | SAE52100 Chrome Steel | 90 | Open | VP |
| | <i>0.197</i> | <i>0.669</i> | <i>0.236</i> | | <i>0.633</i> | <i>0.039</i> | | | | |
| # MR175B-ZZ-VP-1.000 | 5.000 | 17.000 | 6.000 | | 16.080 | 1.000 | SAE52100 Chrome Steel | 90 | ZZ | VP |
| | <i>0.197</i> | <i>0.669</i> | <i>0.236</i> | | <i>0.633</i> | <i>0.039</i> | | | | |
| # MR175B-2RS-VP-1.000 | 5.000 | 17.000 | 6.000 | | 16.080 | 1.000 | SAE52100 Chrome Steel | 90 | 2RS | VP |
| | <i>0.197</i> | <i>0.669</i> | <i>0.236</i> | | <i>0.633</i> | <i>0.039</i> | | | | |
| # DRA-WMR175C-2RS-VP-4.430 | 5.000 | 17.000 | 7.500 | 8.000 | 14.120 | 4.430 | SAE52100 Chrome Steel | 110 | 2RS | VPDRW |
| | <i>0.197</i> | <i>0.669</i> | <i>0.295</i> | <i>0.315</i> | <i>0.556</i> | <i>0.174</i> | | | | |
| # DRA-WMR175C-ZZ-VP-5.300 | 5.000 | 17.000 | 7.500 | 8.000 | 14.000 | 5.300 | SAE52100 Chrome Steel | 100 | ZZ | VPDRW |
| | <i>0.197</i> | <i>0.669</i> | <i>0.295</i> | <i>0.315</i> | <i>0.551</i> | <i>0.209</i> | | | | |
| # DRA-WMR175C-ZZ-VP-4.430 | 5.000 | 17.000 | 7.500 | 8.000 | 14.120 | 4.430 | SAE52100 Chrome Steel | 110 | ZZ | VPDRW |
| | <i>0.197</i> | <i>0.669</i> | <i>0.295</i> | <i>0.315</i> | <i>0.556</i> | <i>0.174</i> | | | | |
| # DRA-WMR175C-VP-5.300 | 5.000 | 17.000 | 7.500 | 8.000 | 14.000 | 5.300 | SAE52100 Chrome Steel | 100 | Open | VPDRW |
| | <i>0.197</i> | <i>0.669</i> | <i>0.295</i> | <i>0.315</i> | <i>0.551</i> | <i>0.209</i> | | | | |

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - V Groove Profile OD

| Part Number | ID (d) mm | OD (D) mm | Outer Ring Width (B) mm | Inner Ring Width (Bn) mm | Groove Base Diameter (GD) mm | Groove Width (Gw) mm | Material | Groove Angle Deg. | Closures | Type |
|----------------------------|---------------|---------------|-------------------------|--------------------------|------------------------------|----------------------|--------------------------|-------------------|----------|-------|
| | <i>inches</i> | <i>inches</i> | <i>inches</i> | <i>inches</i> | <i>inches</i> | <i>inches</i> | | | | |
| # DRA-WMR175C-2RS-VP-5.300 | 5.000 | 17.000 | 7.500 | 8.000 | 14.000 | 5.300 | SAE52100 Chrome Steel | 100 | 2RS | VPDRW |
| | <i>0.197</i> | <i>0.669</i> | <i>0.295</i> | <i>0.315</i> | <i>0.551</i> | <i>0.209</i> | | | | |
| # DRA-WMR175C-VP-4.430 | 5.000 | 17.000 | 7.500 | 8.000 | 14.120 | 4.430 | SAE52100 Chrome Steel | 110 | Open | VPDRW |
| | <i>0.197</i> | <i>0.669</i> | <i>0.295</i> | <i>0.315</i> | <i>0.556</i> | <i>0.174</i> | | | | |
| # 635-VP-2.000 | 5.000 | 19.000 | 6.000 | | 17.880 | 2.000 | SAE52100 Chrome Steel | 120 | Open | VP |
| | <i>0.197</i> | <i>0.748</i> | <i>0.236</i> | | <i>0.704</i> | <i>0.079</i> | | | | |
| # 635-2RS-VP-1.000 | 5.000 | 19.000 | 6.000 | | 18.080 | 1.000 | SAE52100 Chrome Steel | 90 | 2RS | VP |
| | <i>0.197</i> | <i>0.748</i> | <i>0.236</i> | | <i>0.712</i> | <i>0.039</i> | | | | |
| # 635-ZZ-VP-2.000 | 5.000 | 19.000 | 6.000 | | 17.880 | 2.000 | SAE52100 Chrome Steel | 120 | ZZ | VP |
| | <i>0.197</i> | <i>0.748</i> | <i>0.236</i> | | <i>0.704</i> | <i>0.079</i> | | | | |
| # 635-ZZ-VP-1.000 | 5.000 | 19.000 | 6.000 | | 18.080 | 1.000 | SAE52100 Chrome Steel | 90 | ZZ | VP |
| | <i>0.197</i> | <i>0.748</i> | <i>0.236</i> | | <i>0.712</i> | <i>0.039</i> | | | | |
| # 635-VP-1.500 | 5.000 | 19.000 | 6.000 | | 17.580 | 1.500 | SAE52100 Chrome Steel | 90 | Open | VP |
| | <i>0.197</i> | <i>0.748</i> | <i>0.236</i> | | <i>0.692</i> | <i>0.059</i> | | | | |
| # 635-VP-1.000 | 5.000 | 19.000 | 6.000 | | 18.080 | 1.000 | SAE52100 Chrome Steel | 90 | Open | VP |
| | <i>0.197</i> | <i>0.748</i> | <i>0.236</i> | | <i>0.712</i> | <i>0.039</i> | | | | |

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - V Groove Profile OD

| Part Number | ID (d) mm | OD (D) mm | Outer Ring Width (B) mm | Inner Ring Width (Bn) mm | Groove Base Diameter (GD) mm | Groove Width (Gw) mm | Material | Groove Angle Deg. | Closures | Type |
|----------------------------|---------------|---------------|-------------------------|--------------------------|------------------------------|----------------------|--------------------------|-------------------|----------|-------|
| | <i>inches</i> | <i>inches</i> | <i>inches</i> | <i>inches</i> | <i>inches</i> | <i>inches</i> | | | | |
| # 635-2RS-VP-2.000 | 5.000 | 19.000 | 6.000 | | 17.880 | 2.000 | SAE52100 Chrome Steel | 120 | 2RS | VP |
| | <i>0.197</i> | <i>0.748</i> | <i>0.236</i> | | <i>0.704</i> | <i>0.079</i> | | | | |
| # 635-ZZ-VP-1.500 | 5.000 | 19.000 | 6.000 | | 17.580 | 1.500 | SAE52100 Chrome Steel | 90 | ZZ | VP |
| | <i>0.197</i> | <i>0.748</i> | <i>0.236</i> | | <i>0.692</i> | <i>0.059</i> | | | | |
| # 635-2RS-VP-1.500 | 5.000 | 19.000 | 6.000 | | 17.580 | 1.500 | SAE52100 Chrome Steel | 90 | 2RS | VP |
| | <i>0.197</i> | <i>0.748</i> | <i>0.236</i> | | <i>0.692</i> | <i>0.059</i> | | | | |
| # MR215A-VP-2.340 | 5.000 | 21.000 | 6.000 | | 19.070 | 2.340 | SAE52100 Chrome Steel | 90 | Open | VP |
| | <i>0.197</i> | <i>0.827</i> | <i>0.236</i> | | <i>0.751</i> | <i>0.092</i> | | | | |
| # MR215A-ZZ-VP-2.340 | 5.000 | 21.000 | 6.000 | | 19.070 | 2.340 | SAE52100 Chrome Steel | 90 | ZZ | VP |
| | <i>0.197</i> | <i>0.827</i> | <i>0.236</i> | | <i>0.751</i> | <i>0.092</i> | | | | |
| # MR215A-2RS-VP-2.340 | 5.000 | 21.000 | 6.000 | | 19.070 | 2.340 | SAE52100 Chrome Steel | 90 | 2RS | VP |
| | <i>0.197</i> | <i>0.827</i> | <i>0.236</i> | | <i>0.751</i> | <i>0.092</i> | | | | |
| # DRA-WMR165.5-ZZ-VP-2.080 | 5.500 | 16.000 | 16.000 | 17.000 | 14.000 | 2.080 | SAE52100 Chrome Steel | 90 | ZZ | VPDRW |
| | <i>0.217</i> | <i>0.630</i> | <i>0.630</i> | <i>0.669</i> | <i>0.551</i> | <i>0.082</i> | | | | |
| # DRA-WMR165.5-VP-2.080 | 5.500 | 16.000 | 16.000 | 17.000 | 14.000 | 2.080 | SAE52100 Chrome Steel | 90 | Open | VPDRW |
| | <i>0.217</i> | <i>0.630</i> | <i>0.630</i> | <i>0.669</i> | <i>0.551</i> | <i>0.082</i> | | | | |

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - V Groove Profile OD

| Part Number | ID (d) mm | OD (D) mm | Outer Ring Width (B) mm | Inner Ring Width (Bn) mm | Groove Base Diameter (GD) mm | Groove Width (Gw) mm | Material | Groove Angle Deg. | Closures | Type |
|-------------------------------|---------------|---------------|-------------------------|--------------------------|------------------------------|----------------------|--------------------------|-------------------|----------|-------|
| | <i>inches</i> | <i>inches</i> | <i>inches</i> | <i>inches</i> | <i>inches</i> | <i>inches</i> | | | | |
| # DRA-WMR165.5-2RS-VP-2.080 | 5.500 | 16.000 | 16.000 | 17.000 | 14.000 | 2.080 | SAE52100 Chrome Steel | 90 | 2RS | VPDRW |
| | <i>0.217</i> | <i>0.630</i> | <i>0.630</i> | <i>0.669</i> | <i>0.551</i> | <i>0.082</i> | | | | |
| # DRA-WMR16.55.5-VP-2.480 | 5.500 | 16.500 | 16.000 | 17.000 | 14.100 | 2.480 | SAE52100 Chrome Steel | 90 | Open | VPDRW |
| | <i>0.217</i> | <i>0.650</i> | <i>0.630</i> | <i>0.669</i> | <i>0.555</i> | <i>0.098</i> | | | | |
| # DRA-WMR16.55.5-2RS-VP-2.480 | 5.500 | 16.500 | 16.000 | 17.000 | 14.100 | 2.480 | SAE52100 Chrome Steel | 90 | 2RS | VPDRW |
| | <i>0.217</i> | <i>0.650</i> | <i>0.630</i> | <i>0.669</i> | <i>0.555</i> | <i>0.098</i> | | | | |
| # DRA-WMR16.55.5-ZZ-VP-2.480 | 5.500 | 16.500 | 16.000 | 17.000 | 14.100 | 2.480 | SAE52100 Chrome Steel | 90 | ZZ | VPDRW |
| | <i>0.217</i> | <i>0.650</i> | <i>0.630</i> | <i>0.669</i> | <i>0.555</i> | <i>0.098</i> | | | | |
| # 626-2RS-VP-2.000 | 6.000 | 19.000 | 6.000 | | 17.880 | 2.000 | SAE52100 Chrome Steel | 120 | 2RS | VP |
| | <i>0.236</i> | <i>0.748</i> | <i>0.236</i> | | <i>0.704</i> | <i>0.079</i> | | | | |
| # 626-VP-1.000 | 6.000 | 19.000 | 6.000 | | 18.080 | 1.000 | SAE52100 Chrome Steel | 90 | Open | VP |
| | <i>0.236</i> | <i>0.748</i> | <i>0.236</i> | | <i>0.712</i> | <i>0.039</i> | | | | |
| # 626-ZZ-VP-2.000 | 6.000 | 19.000 | 6.000 | | 17.880 | 2.000 | SAE52100 Chrome Steel | 120 | ZZ | VP |
| | <i>0.236</i> | <i>0.748</i> | <i>0.236</i> | | <i>0.704</i> | <i>0.079</i> | | | | |
| # 626-ZZ-VP-1.000 | 6.000 | 19.000 | 6.000 | | 18.080 | 1.000 | SAE52100 Chrome Steel | 90 | ZZ | VP |
| | <i>0.236</i> | <i>0.748</i> | <i>0.236</i> | | <i>0.712</i> | <i>0.039</i> | | | | |

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - V Groove Profile OD

| Part Number | ID (d) mm | OD (D) mm | Outer Ring Width (B) mm | Inner Ring Width (Bn) mm | Groove Base Diameter (GD) mm | Groove Width (Gw) mm | Material | Groove Angle Deg. | Closures | Type |
|-----------------------|---------------|---------------|-------------------------|--------------------------|------------------------------|----------------------|--------------------------|-------------------|----------|------|
| | <i>inches</i> | <i>inches</i> | <i>inches</i> | <i>inches</i> | <i>inches</i> | <i>inches</i> | | | | |
| # 626-VP-2.000 | 6.000 | 19.000 | 6.000 | | 17.880 | 2.000 | SAE52100 Chrome Steel | 120 | Open | VP |
| | <i>0.236</i> | <i>0.748</i> | <i>0.236</i> | | <i>0.704</i> | <i>0.079</i> | | | | |
| # 626-2RS-VP-1.000 | 6.000 | 19.000 | 6.000 | | 18.080 | 1.000 | SAE52100 Chrome Steel | 90 | 2RS | VP |
| | <i>0.236</i> | <i>0.748</i> | <i>0.236</i> | | <i>0.712</i> | <i>0.039</i> | | | | |
| # MR206A-2RS-VP-4.380 | 6.000 | 20.000 | 10.000 | | 17.530 | 4.380 | SAE52100 Chrome Steel | 120 | 2RS | VP |
| | <i>0.236</i> | <i>0.787</i> | <i>0.394</i> | | <i>0.690</i> | <i>0.172</i> | | | | |
| # MR206A-ZZ-VP-4.380 | 6.000 | 20.000 | 10.000 | | 17.530 | 4.380 | SAE52100 Chrome Steel | 120 | ZZ | VP |
| | <i>0.236</i> | <i>0.787</i> | <i>0.394</i> | | <i>0.690</i> | <i>0.172</i> | | | | |
| # MR206A-VP-4.380 | 6.000 | 20.000 | 10.000 | | 17.530 | 4.380 | SAE52100 Chrome Steel | 120 | Open | VP |
| | <i>0.236</i> | <i>0.787</i> | <i>0.394</i> | | <i>0.690</i> | <i>0.172</i> | | | | |
| # MR216B-2RS-VP-2.340 | 6.000 | 21.000 | 6.000 | | 18.910 | 2.340 | SAE52100 Chrome Steel | 90 | 2RS | VP |
| | <i>0.236</i> | <i>0.827</i> | <i>0.236</i> | | <i>0.744</i> | <i>0.092</i> | | | | |
| # MR216B-VP-2.340 | 6.000 | 21.000 | 6.000 | | 18.910 | 2.340 | SAE52100 Chrome Steel | 90 | Open | VP |
| | <i>0.236</i> | <i>0.827</i> | <i>0.236</i> | | <i>0.744</i> | <i>0.092</i> | | | | |
| # MR216B-ZZ-VP-2.340 | 6.000 | 21.000 | 6.000 | | 18.910 | 2.340 | SAE52100 Chrome Steel | 90 | ZZ | VP |
| | <i>0.236</i> | <i>0.827</i> | <i>0.236</i> | | <i>0.744</i> | <i>0.092</i> | | | | |

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - V Groove Profile OD

| Part Number | ID (d) mm | OD (D) mm | Outer Ring Width (B) mm | Inner Ring Width (Bn) mm | Groove Base Diameter (GD) mm | Groove Width (Gw) mm | Material | Groove Angle Deg. | Closures | Type |
|---------------------------------|---------------|---------------|-------------------------|---------------------------------|------------------------------|----------------------|-------------------------------------|-------------------|----------|--------|
| | <i>inches</i> | <i>inches</i> | <i>inches</i> | <i>inches</i> | <i>inches</i> | <i>inches</i> | | | | |
| WMR33.3-6-ZZ-VP-ECO-4.700 | 6.000 | 33.300 | 6.000 | 10.000 | 28.600 | 4.700 | Acetal Wheel / Sintered Bronze Bush | 90 | ZZ | VP-ECO |
| | <i>0.236</i> | <i>1.311</i> | <i>0.236</i> | <i>0.394</i> | <i>1.126</i> | <i>0.185</i> | | | | |
| # MR28.4486.35TH-ZZ-VPECO-4.640 | 1/4-28 Thread | 28.448 | 7.112 | 9.922 Extended One Side Only | 23.813 | 4.640 | Nylon Wheel / Steel Balls | 90 | ZZ | VP-ECO |
| | | <i>1.120</i> | <i>0.280</i> | | <i>0.938</i> | <i>0.183</i> | | | | |
| # WMR33.2746.375-ZZ-VPECO-4.700 | 6.375 | 33.274 | 5.842 | 9.525 | 28.575 | 4.700 | Acetal Wheel / Sintered Bronze Bush | 90 | ZZ | VP-ECO |
| | <i>0.251</i> | <i>1.310</i> | <i>0.230</i> | <i>0.375</i> | <i>1.125</i> | <i>0.185</i> | | | | |
| # 627-ZZ-VP-2.600 | 7.000 | 22.000 | 7.000 | | 20.600 | 2.600 | SAE52100 Chrome Steel | 120 | ZZ | VP |
| | <i>0.276</i> | <i>0.866</i> | <i>0.276</i> | | <i>0.811</i> | <i>0.102</i> | | | | |
| # 627-2RS-VP-1.600 | 7.000 | 22.000 | 7.000 | | 20.600 | 1.600 | SAE52100 Chrome Steel | 90 | 2RS | VP |
| | <i>0.276</i> | <i>0.866</i> | <i>0.276</i> | | <i>0.811</i> | <i>0.063</i> | | | | |
| # 627-2RS-VP-2.600 | 7.000 | 22.000 | 7.000 | | 20.600 | 2.600 | SAE52100 Chrome Steel | 120 | 2RS | VP |
| | <i>0.276</i> | <i>0.866</i> | <i>0.276</i> | | <i>0.811</i> | <i>0.102</i> | | | | |
| # 627-VP-1.500 | 7.000 | 22.000 | 7.000 | | 20.600 | 1.500 | SAE52100 Chrome Steel | 90 | Open | VP |
| | <i>0.276</i> | <i>0.866</i> | <i>0.276</i> | | <i>0.811</i> | <i>0.059</i> | | | | |
| # 627-VP-1.600 | 7.000 | 22.000 | 7.000 | | 20.600 | 1.600 | SAE52100 Chrome Steel | 90 | Open | VP |
| | <i>0.276</i> | <i>0.866</i> | <i>0.276</i> | | <i>0.811</i> | <i>0.063</i> | | | | |

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - V Groove Profile OD

| Part Number | ID (d) mm | OD (D) mm | Outer Ring Width (B) mm | Inner Ring Width (Bn) mm | Groove Base Diameter (GD) mm | Groove Width (Gw) mm | Material | Groove Angle Deg. | Closures | Type |
|---------------------|---------------|---------------|-------------------------|--------------------------|------------------------------|----------------------|--------------------------|-------------------|----------|------|
| | <i>inches</i> | <i>inches</i> | <i>inches</i> | <i>inches</i> | <i>inches</i> | <i>inches</i> | | | | |
| # 627-VP-2.600 | 7.000 | 22.000 | 7.000 | | 20.600 | 2.600 | SAE52100 Chrome Steel | 120 | Open | VP |
| | <i>0.276</i> | <i>0.866</i> | <i>0.276</i> | | <i>0.811</i> | <i>0.102</i> | | | | |
| # 627-ZZ-VP-1.500 | 7.000 | 22.000 | 7.000 | | 20.600 | 1.500 | SAE52100 Chrome Steel | 90 | ZZ | VP |
| | <i>0.276</i> | <i>0.866</i> | <i>0.276</i> | | <i>0.811</i> | <i>0.059</i> | | | | |
| # 627-ZZ-VP-1.600 | 7.000 | 22.000 | 7.000 | | 20.600 | 1.600 | SAE52100 Chrome Steel | 90 | ZZ | VP |
| | <i>0.276</i> | <i>0.866</i> | <i>0.276</i> | | <i>0.811</i> | <i>0.063</i> | | | | |
| # 627-2RS-VP-1.500 | 7.000 | 22.000 | 7.000 | | 20.600 | 1.500 | SAE52100 Chrome Steel | 90 | 2RS | VP |
| | <i>0.276</i> | <i>0.866</i> | <i>0.276</i> | | <i>0.811</i> | <i>0.059</i> | | | | |
| # 637A-ZZ-VP-3.330 | 7.000 | 26.000 | 7.000 | | 23.000 | 3.330 | SAE52100 Chrome Steel | 90 | ZZ | VP |
| | <i>0.276</i> | <i>1.024</i> | <i>0.276</i> | | <i>0.906</i> | <i>0.131</i> | | | | |
| # 637A-VP-3.330 | 7.000 | 26.000 | 7.000 | | 23.000 | 3.330 | SAE52100 Chrome Steel | 90 | Open | VP |
| | <i>0.276</i> | <i>1.024</i> | <i>0.276</i> | | <i>0.906</i> | <i>0.131</i> | | | | |
| # 637A-2RS-VP-3.330 | 7.000 | 26.000 | 7.000 | | 23.000 | 3.330 | SAE52100 Chrome Steel | 90 | 2RS | VP |
| | <i>0.276</i> | <i>1.024</i> | <i>0.276</i> | | <i>0.906</i> | <i>0.131</i> | | | | |
| # 698-2RS-VP-1.650 | 8.000 | 19.000 | 6.000 | | 17.400 | 1.650 | SAE52100 Chrome Steel | 90 | 2RS | VP |
| | <i>0.315</i> | <i>0.748</i> | <i>0.236</i> | | <i>0.685</i> | <i>0.065</i> | | | | |

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - V Groove Profile OD

| Part Number | ID (d) mm | OD (D) mm | Outer Ring Width (B) mm | Inner Ring Width (Bn) mm | Groove Base Diameter (GD) mm | Groove Width (Gw) mm | Material | Groove Angle Deg. | Closures | Type |
|----------------------|---------------|---------------|-------------------------|--------------------------|------------------------------|----------------------|--------------------------|-------------------|----------|------|
| | <i>inches</i> | <i>inches</i> | <i>inches</i> | <i>inches</i> | <i>inches</i> | <i>inches</i> | | | | |
| # 698-ZZ-VP-1.650 | 8.000 | 19.000 | 6.000 | | 17.400 | 1.650 | SAE52100 Chrome Steel | 90 | ZZ | VP |
| | <i>0.315</i> | <i>0.748</i> | <i>0.236</i> | | <i>0.685</i> | <i>0.065</i> | | | | |
| # 698-VP-1.650 | 8.000 | 19.000 | 6.000 | | 17.400 | 1.650 | SAE52100 Chrome Steel | 90 | Open | VP |
| | <i>0.315</i> | <i>0.748</i> | <i>0.236</i> | | <i>0.685</i> | <i>0.065</i> | | | | |
| # 608-ZZ-VP-2.000 | 8.000 | 22.000 | 7.000 | | 20.200 | 2.000 | SAE52100 Chrome Steel | 90 | ZZ | VP |
| | <i>0.315</i> | <i>0.866</i> | <i>0.276</i> | | <i>0.795</i> | <i>0.079</i> | | | | |
| # 608-ZZ-VP-0.930 | 8.000 | 22.000 | 7.000 | | 21.160 | 0.930 | SAE52100 Chrome Steel | 90 | ZZ | VP |
| | <i>0.315</i> | <i>0.866</i> | <i>0.276</i> | | <i>0.833</i> | <i>0.037</i> | | | | |
| # 608-ZZ-VP-1.500 | 8.000 | 22.000 | 7.000 | | 20.600 | 1.500 | SAE52100 Chrome Steel | 90 | ZZ | VP |
| | <i>0.315</i> | <i>0.866</i> | <i>0.276</i> | | <i>0.811</i> | <i>0.059</i> | | | | |
| # 608-ZZ-VP-1.700 | 8.000 | 22.000 | 7.000 | | 20.380 | 1.700 | SAE52100 Chrome Steel | 90 | ZZ | VP |
| | <i>0.315</i> | <i>0.866</i> | <i>0.276</i> | | <i>0.802</i> | <i>0.067</i> | | | | |
| # 608-VP-2.500 | 8.000 | 22.000 | 7.000 | | 20.590 | 2.500 | SAE52100 Chrome Steel | 120 | Open | VP |
| | <i>0.315</i> | <i>0.866</i> | <i>0.276</i> | | <i>0.811</i> | <i>0.098</i> | | | | |
| # WD608-2RS-VP-1.970 | 8.000 | 22.000 | 7.000 | 7.400 | 20.200 | 1.970 | SAE52100 Chrome Steel | 90 | 2RS | VPW |
| | <i>0.315</i> | <i>0.866</i> | <i>0.276</i> | <i>0.291</i> | <i>0.795</i> | <i>0.078</i> | | | | |

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - V Groove Profile OD

| Part Number | ID (d) mm | OD (D) mm | Outer Ring Width (B) mm | Inner Ring Width (Bn) mm | Groove Base Diameter (GD) mm | Groove Width (Gw) mm | Material | Groove Angle Deg. | Closures | Type |
|--------------------|---------------|---------------|-------------------------|--------------------------|------------------------------|----------------------|--------------------------|-------------------|----------|------|
| | <i>inches</i> | <i>inches</i> | <i>inches</i> | <i>inches</i> | <i>inches</i> | <i>inches</i> | | | | |
| # 608-VP-2.000 | 8.000 | 22.000 | 7.000 | | 20.200 | 2.000 | SAE52100 Chrome Steel | 90 | Open | VP |
| | <i>0.315</i> | <i>0.866</i> | <i>0.276</i> | | <i>0.795</i> | <i>0.079</i> | | | | |
| # 608-2RS-VP-0.930 | 8.000 | 22.000 | 7.000 | | 21.160 | 0.930 | SAE52100 Chrome Steel | 90 | 2RS | VP |
| | <i>0.315</i> | <i>0.866</i> | <i>0.276</i> | | <i>0.833</i> | <i>0.037</i> | | | | |
| # 608-2RS-VP-2.500 | 8.000 | 22.000 | 7.000 | | 20.590 | 2.500 | SAE52100 Chrome Steel | 120 | 2RS | VP |
| | <i>0.315</i> | <i>0.866</i> | <i>0.276</i> | | <i>0.811</i> | <i>0.098</i> | | | | |
| # 608-VP-0.930 | 8.000 | 22.000 | 7.000 | | 21.160 | 0.930 | SAE52100 Chrome Steel | 90 | Open | VP |
| | <i>0.315</i> | <i>0.866</i> | <i>0.276</i> | | <i>0.833</i> | <i>0.037</i> | | | | |
| # 608-ZZ-VP-2.500 | 8.000 | 22.000 | 7.000 | | 20.590 | 2.500 | SAE52100 Chrome Steel | 120 | ZZ | VP |
| | <i>0.315</i> | <i>0.866</i> | <i>0.276</i> | | <i>0.811</i> | <i>0.098</i> | | | | |
| # 608-2RS-VP-1.500 | 8.000 | 22.000 | 7.000 | | 20.600 | 1.500 | SAE52100 Chrome Steel | 90 | 2RS | VP |
| | <i>0.315</i> | <i>0.866</i> | <i>0.276</i> | | <i>0.811</i> | <i>0.059</i> | | | | |
| # 608-VP-1.500 | 8.000 | 22.000 | 7.000 | | 20.600 | 1.500 | SAE52100 Chrome Steel | 90 | Open | VP |
| | <i>0.315</i> | <i>0.866</i> | <i>0.276</i> | | <i>0.811</i> | <i>0.059</i> | | | | |
| # 608-2RS-VP-1.700 | 8.000 | 22.000 | 7.000 | | 20.380 | 1.700 | SAE52100 Chrome Steel | 90 | 2RS | VP |
| | <i>0.315</i> | <i>0.866</i> | <i>0.276</i> | | <i>0.802</i> | <i>0.067</i> | | | | |

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - V Groove Profile OD

| Part Number | ID (d) mm | OD (D) mm | Outer Ring Width (B) mm | Inner Ring Width (Bn) mm | Groove Base Diameter (GD) mm | Groove Width (Gw) mm | Material | Groove Angle Deg. | Closures | Type |
|----------------------|---------------|---------------|-------------------------|--------------------------|------------------------------|----------------------|--------------------------|-------------------|----------|------|
| | <i>inches</i> | <i>inches</i> | <i>inches</i> | <i>inches</i> | <i>inches</i> | <i>inches</i> | | | | |
| # 608-VP-1.700 | 8.000 | 22.000 | 7.000 | | 20.380 | 1.700 | SAE52100 Chrome Steel | 90 | Open | VP |
| | <i>0.315</i> | <i>0.866</i> | <i>0.276</i> | | <i>0.802</i> | <i>0.067</i> | | | | |
| # 608-2RS-VP-2.000 | 8.000 | 22.000 | 7.000 | | 20.200 | 2.000 | SAE52100 Chrome Steel | 90 | 2RS | VP |
| | <i>0.315</i> | <i>0.866</i> | <i>0.276</i> | | <i>0.795</i> | <i>0.079</i> | | | | |
| # WD608-ZZ-VP-1.970 | 8.000 | 22.000 | 7.000 | 7.400 | 20.200 | 1.970 | SAE52100 Chrome Steel | 90 | ZZ | VPW |
| | <i>0.315</i> | <i>0.866</i> | <i>0.276</i> | <i>0.291</i> | <i>0.795</i> | <i>0.078</i> | | | | |
| # WD608-VP-1.970 | 8.000 | 22.000 | 7.000 | 7.400 | 20.200 | 1.970 | SAE52100 Chrome Steel | 90 | Open | VPW |
| | <i>0.315</i> | <i>0.866</i> | <i>0.276</i> | <i>0.291</i> | <i>0.795</i> | <i>0.078</i> | | | | |
| # MR238-ZZ-VP-1.700 | 8.000 | 23.000 | 7.000 | | 21.540 | 1.700 | SAE52100 Chrome Steel | 90 | ZZ | VP |
| | <i>0.315</i> | <i>0.906</i> | <i>0.276</i> | | <i>0.848</i> | <i>0.067</i> | | | | |
| # MR238-2RS-VP-1.700 | 8.000 | 23.000 | 7.000 | | 21.540 | 1.700 | SAE52100 Chrome Steel | 90 | 2RS | VP |
| | <i>0.315</i> | <i>0.906</i> | <i>0.276</i> | | <i>0.848</i> | <i>0.067</i> | | | | |
| # MR238-VP-1.700 | 8.000 | 23.000 | 7.000 | | 21.540 | 1.700 | SAE52100 Chrome Steel | 90 | Open | VP |
| | <i>0.315</i> | <i>0.906</i> | <i>0.276</i> | | <i>0.848</i> | <i>0.067</i> | | | | |
| # MR268-VP-3.340 | 8.000 | 26.000 | 7.000 | | 22.910 | 3.340 | SAE52100 Chrome Steel | 90 | Open | VP |
| | <i>0.315</i> | <i>1.024</i> | <i>0.276</i> | | <i>0.902</i> | <i>0.131</i> | | | | |

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - V Groove Profile OD

| Part Number | ID (d) mm | OD (D) mm | Outer Ring Width (B) mm | Inner Ring Width (Bn) mm | Groove Base Diameter (GD) mm | Groove Width (Gw) mm | Material | Groove Angle Deg. | Closures | Type |
|-------------------------|---------------|---------------|-------------------------|--------------------------|------------------------------|----------------------|--------------------------|-------------------|----------|------|
| | <i>inches</i> | <i>inches</i> | <i>inches</i> | <i>inches</i> | <i>inches</i> | <i>inches</i> | | | | |
| MR268-ZZ-VP-3.340 | 8.000 | 26.000 | 7.000 | | 22.910 | 3.340 | SAE52100 Chrome Steel | 90 | ZZ | VP |
| | <i>0.315</i> | <i>1.024</i> | <i>0.276</i> | | <i>0.902</i> | <i>0.131</i> | | | | |
| # MR268-2RS-VP-3.340 | 8.000 | 26.000 | 7.000 | | 22.910 | 3.340 | SAE52100 Chrome Steel | 90 | 2RS | VP |
| | <i>0.315</i> | <i>1.024</i> | <i>0.276</i> | | <i>0.902</i> | <i>0.131</i> | | | | |
| # MR29.510-ZZ-VP-5.040 | 10.000 | 29.500 | 8.000 | | 27.010 | 5.040 | SAE52100 Chrome Steel | 120 | ZZ | VP |
| | <i>0.394</i> | <i>1.161</i> | <i>0.315</i> | | <i>1.063</i> | <i>0.198</i> | | | | |
| # MR29.510-VP-5.040 | 10.000 | 29.500 | 8.000 | | 27.010 | 5.040 | SAE52100 Chrome Steel | 120 | Open | VP |
| | <i>0.394</i> | <i>1.161</i> | <i>0.315</i> | | <i>1.063</i> | <i>0.198</i> | | | | |
| # MR29.510-2RS-VP-5.040 | 10.000 | 29.500 | 8.000 | | 27.010 | 5.040 | SAE52100 Chrome Steel | 120 | 2RS | VP |
| | <i>0.394</i> | <i>1.161</i> | <i>0.315</i> | | <i>1.063</i> | <i>0.198</i> | | | | |
| # 6200E-2RS-VP-3.300 | 10.000 | 30.000 | 8.000 | | 26.870 | 3.300 | SAE52100 Chrome Steel | 90 | 2RS | VP |
| | <i>0.394</i> | <i>1.181</i> | <i>0.315</i> | | <i>1.058</i> | <i>0.130</i> | | | | |
| # 6200E-VP-3.300 | 10.000 | 30.000 | 8.000 | | 26.870 | 3.300 | SAE52100 Chrome Steel | 90 | Open | VP |
| | <i>0.394</i> | <i>1.181</i> | <i>0.315</i> | | <i>1.058</i> | <i>0.130</i> | | | | |
| # 6200E-VP-4.550 | 10.000 | 30.000 | 8.000 | | 27.000 | 4.550 | SAE52100 Chrome Steel | 110 | Open | VP |
| | <i>0.394</i> | <i>1.181</i> | <i>0.315</i> | | <i>1.063</i> | <i>0.179</i> | | | | |

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - V Groove Profile OD

| Part Number | ID (d) mm | OD (D) mm | Outer Ring Width (B) mm | Inner Ring Width (Bn) mm | Groove Base Diameter (GD) mm | Groove Width (Gw) mm | Material | Groove Angle Deg. | Closures | Type |
|----------------------|---------------|---------------|-------------------------|--------------------------|------------------------------|----------------------|--------------------------|-------------------|----------|------|
| | <i>inches</i> | <i>inches</i> | <i>inches</i> | <i>inches</i> | <i>inches</i> | <i>inches</i> | | | | |
| # 6200E-VP-5.000 | 10.000 | 30.000 | 8.000 | | 27.180 | 5.000 | SAE52100 Chrome Steel | 120 | Open | VP |
| | <i>0.394</i> | <i>1.181</i> | <i>0.315</i> | | <i>1.070</i> | <i>0.197</i> | | | | |
| # 6200E-VP-6.000 | 10.000 | 30.000 | 8.000 | | 27.020 | 6.000 | SAE52100 Chrome Steel | 120 | Open | VP |
| | <i>0.394</i> | <i>1.181</i> | <i>0.315</i> | | <i>1.064</i> | <i>0.236</i> | | | | |
| # 6200E-ZZ-VP-3.300 | 10.000 | 30.000 | 8.000 | | 26.870 | 3.300 | SAE52100 Chrome Steel | 90 | ZZ | VP |
| | <i>0.394</i> | <i>1.181</i> | <i>0.315</i> | | <i>1.058</i> | <i>0.130</i> | | | | |
| # 6200E-ZZ-VP-4.550 | 10.000 | 30.000 | 8.000 | | 27.000 | 4.550 | SAE52100 Chrome Steel | 110 | ZZ | VP |
| | <i>0.394</i> | <i>1.181</i> | <i>0.315</i> | | <i>1.063</i> | <i>0.179</i> | | | | |
| # 6200E-ZZ-VP-5.000 | 10.000 | 30.000 | 8.000 | | 27.180 | 5.000 | SAE52100 Chrome Steel | 120 | ZZ | VP |
| | <i>0.394</i> | <i>1.181</i> | <i>0.315</i> | | <i>1.070</i> | <i>0.197</i> | | | | |
| # 6200E-ZZ-VP-6.000 | 10.000 | 30.000 | 8.000 | | 27.020 | 6.000 | SAE52100 Chrome Steel | 120 | ZZ | VP |
| | <i>0.394</i> | <i>1.181</i> | <i>0.315</i> | | <i>1.064</i> | <i>0.236</i> | | | | |
| # 6200E-2RS-VP-4.550 | 10.000 | 30.000 | 8.000 | | 27.000 | 4.550 | SAE52100 Chrome Steel | 110 | 2RS | VP |
| | <i>0.394</i> | <i>1.181</i> | <i>0.315</i> | | <i>1.063</i> | <i>0.179</i> | | | | |
| # 6200E-2RS-VP-6.000 | 10.000 | 30.000 | 8.000 | | 27.020 | 6.000 | SAE52100 Chrome Steel | 120 | 2RS | VP |
| | <i>0.394</i> | <i>1.181</i> | <i>0.315</i> | | <i>1.064</i> | <i>0.236</i> | | | | |

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - V Groove Profile OD

| Part Number | ID (d) mm | OD (D) mm | Outer Ring Width (B) mm | Inner Ring Width (Bn) mm | Groove Base Diameter (GD) mm | Groove Width (Gw) mm | Material | Groove Angle Deg. | Closures | Type |
|----------------------------|---------------|---------------|-------------------------|--------------------------|------------------------------|----------------------|---|-------------------|----------|------|
| | <i>inches</i> | <i>inches</i> | <i>inches</i> | <i>inches</i> | <i>inches</i> | <i>inches</i> | | | | |
| # 6200E-2RS-VP-5.000 | 10.000 | 30.000 | 8.000 | | 27.180 | 5.000 | SAE52100 Chrome Steel | 120 | 2RS | VP |
| | <i>0.394</i> | <i>1.181</i> | <i>0.315</i> | | <i>1.070</i> | <i>0.197</i> | | | | |
| # 6200-ZZ-VP-5.330 | 10.000 | 30.000 | 9.000 | | 27.000 | 5.330 | SAE52100 Chrome Steel | 120 | ZZ | VP |
| | <i>0.394</i> | <i>1.181</i> | <i>0.354</i> | | <i>1.063</i> | <i>0.210</i> | | | | |
| # 6200-VP-5.330 | 10.000 | 30.000 | 9.000 | | 27.000 | 5.330 | SAE52100 Chrome Steel | 120 | Open | VP |
| | <i>0.394</i> | <i>1.181</i> | <i>0.354</i> | | <i>1.063</i> | <i>0.210</i> | | | | |
| # 6200-2RS-VP-5.330 | 10.000 | 30.000 | 9.000 | | 27.000 | 5.330 | SAE52100 Chrome Steel | 120 | 2RS | VP |
| | <i>0.394</i> | <i>1.181</i> | <i>0.354</i> | | <i>1.063</i> | <i>0.210</i> | | | | |
| # MR3210-VP-5.130 | 10.000 | 32.000 | 9.000 | | 28.000 | 5.130 | SAE52100 Chrome Steel | 100 | Open | VP |
| | <i>0.394</i> | <i>1.260</i> | <i>0.354</i> | | <i>1.102</i> | <i>0.202</i> | | | | |
| # MR3210-T9H-2RS-VP-5.130 | 10.000 | 32.000 | 9.000 | | 28.000 | 5.130 | SAE52100 Chrome Steel / Polyamide Cage | 100 | 2RS | VP |
| | <i>0.394</i> | <i>1.260</i> | <i>0.354</i> | | <i>1.102</i> | <i>0.202</i> | | | | |
| # DRA-MR3210A-2RS-VP-4.240 | 10.000 | 32.000 | 14.000 | | 28.740 | 4.240 | SAE52100 Chrome Steel | 100 | 2RS | VPDR |
| | <i>0.394</i> | <i>1.260</i> | <i>0.551</i> | | <i>1.131</i> | <i>0.167</i> | | | | |
| # DRA-MR3210A-VP-4.240 | 10.000 | 32.000 | 14.000 | | 28.740 | 4.240 | SAE52100 Chrome Steel | 100 | Open | VPDR |
| | <i>0.394</i> | <i>1.260</i> | <i>0.551</i> | | <i>1.131</i> | <i>0.167</i> | | | | |

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - V Groove Profile OD

| Part Number | ID (d) mm | OD (D) mm | Outer Ring Width (B) mm | Inner Ring Width (Bn) mm | Groove Base Diameter (GD) mm | Groove Width (Gw) mm | Material | Groove Angle Deg. | Closures | Type |
|-----------------------|---------------|---------------|-------------------------|--------------------------|------------------------------|----------------------|--------------------------|-------------------|----------|------|
| | <i>inches</i> | <i>inches</i> | <i>inches</i> | <i>inches</i> | <i>inches</i> | <i>inches</i> | | | | |
| # MR3410-ZZ-VP-6.440 | 10.000 | 34.000 | 9.000 | | 30.900 | 6.440 | SAE52100 Chrome Steel | 120 | ZZ | VP |
| | <i>0.394</i> | <i>1.339</i> | <i>0.354</i> | | <i>1.217</i> | <i>0.254</i> | | | | |
| # MR3410-VP-6.440 | 10.000 | 34.000 | 9.000 | | 30.900 | 6.440 | SAE52100 Chrome Steel | 120 | Open | VP |
| | <i>0.394</i> | <i>1.339</i> | <i>0.354</i> | | <i>1.217</i> | <i>0.254</i> | | | | |
| # MR3410-2RS-VP-6.550 | 10.000 | 34.000 | 9.000 | | 30.900 | 6.550 | SAE52100 Chrome Steel | 120 | 2RS | VP |
| | <i>0.394</i> | <i>1.339</i> | <i>0.354</i> | | <i>1.217</i> | <i>0.258</i> | | | | |
| # MR3410-VP-6.550 | 10.000 | 34.000 | 9.000 | | 30.900 | 6.550 | SAE52100 Chrome Steel | 120 | Open | VP |
| | <i>0.394</i> | <i>1.339</i> | <i>0.354</i> | | <i>1.217</i> | <i>0.258</i> | | | | |
| # MR3410-ZZ-VP-6.550 | 10.000 | 34.000 | 9.000 | | 30.900 | 6.550 | SAE52100 Chrome Steel | 120 | ZZ | VP |
| | <i>0.394</i> | <i>1.339</i> | <i>0.354</i> | | <i>1.217</i> | <i>0.258</i> | | | | |
| # MR3410-2RS-VP-6.440 | 10.000 | 34.000 | 9.000 | | 30.900 | 6.440 | SAE52100 Chrome Steel | 120 | 2RS | VP |
| | <i>0.394</i> | <i>1.339</i> | <i>0.354</i> | | <i>1.217</i> | <i>0.254</i> | | | | |
| # 6300C-2RS-VP-4.300 | 10.000 | 35.000 | 9.000 | | 30.870 | 4.300 | SAE52100 Chrome Steel | 90 | 2RS | VP |
| | <i>0.394</i> | <i>1.378</i> | <i>0.354</i> | | <i>1.215</i> | <i>0.169</i> | | | | |
| # 6300C-ZZ-VP-4.300 | 10.000 | 35.000 | 9.000 | | 30.870 | 4.300 | SAE52100 Chrome Steel | 90 | ZZ | VP |
| | <i>0.394</i> | <i>1.378</i> | <i>0.354</i> | | <i>1.215</i> | <i>0.169</i> | | | | |

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - V Groove Profile OD

| Part Number | ID (d) mm | OD (D) mm | Outer Ring Width (B) mm | Inner Ring Width (Bn) mm | Groove Base Diameter (GD) mm | Groove Width (Gw) mm | Material | Groove Angle Deg. | Closures | Type |
|---------------------|---------------|---------------|-------------------------|--------------------------|------------------------------|----------------------|--------------------------|-------------------|----------|------|
| | <i>inches</i> | <i>inches</i> | <i>inches</i> | <i>inches</i> | <i>inches</i> | <i>inches</i> | | | | |
| # 6300C-VP-4.300 | 10.000 | 35.000 | 9.000 | | 30.870 | 4.300 | SAE52100 Chrome Steel | 90 | Open | VP |
| | <i>0.394</i> | <i>1.378</i> | <i>0.354</i> | | <i>1.215</i> | <i>0.169</i> | | | | |
| # 6201-ZZ-VP-0.900 | 12.000 | 32.000 | 10.000 | | 31.000 | 0.900 | SAE52100 Chrome Steel | 70 | ZZ | VP |
| | <i>0.472</i> | <i>1.260</i> | <i>0.394</i> | | <i>1.220</i> | <i>0.035</i> | | | | |
| # 6201-2RS-VP-0.900 | 12.000 | 32.000 | 10.000 | | 31.000 | 0.900 | SAE52100 Chrome Steel | 70 | 2RS | VP |
| | <i>0.472</i> | <i>1.260</i> | <i>0.394</i> | | <i>1.220</i> | <i>0.035</i> | | | | |
| # 6201-VP-0.900 | 12.000 | 32.000 | 10.000 | | 31.000 | 0.900 | SAE52100 Chrome Steel | 70 | Open | VP |
| | <i>0.472</i> | <i>1.260</i> | <i>0.394</i> | | <i>1.220</i> | <i>0.035</i> | | | | |
| # 6202-ZZ-VP-3.600 | 15.000 | 35.000 | 11.000 | | 33.000 | 3.600 | SAE52100 Chrome Steel | 120 | ZZ | VP |
| | <i>0.591</i> | <i>1.378</i> | <i>0.433</i> | | <i>1.299</i> | <i>0.142</i> | | | | |
| # 6202-ZZ-VP-5.330 | 15.000 | 35.000 | 11.000 | | 32.000 | 5.330 | SAE52100 Chrome Steel | 120 | ZZ | VP |
| | <i>0.591</i> | <i>1.378</i> | <i>0.433</i> | | <i>1.260</i> | <i>0.210</i> | | | | |
| # 6202-VP-3.600 | 15.000 | 35.000 | 11.000 | | 33.000 | 3.600 | SAE52100 Chrome Steel | 120 | Open | VP |
| | <i>0.591</i> | <i>1.378</i> | <i>0.433</i> | | <i>1.299</i> | <i>0.142</i> | | | | |
| # 6202-VP-5.330 | 15.000 | 35.000 | 11.000 | | 32.000 | 5.330 | SAE52100 Chrome Steel | 120 | Open | VP |
| | <i>0.591</i> | <i>1.378</i> | <i>0.433</i> | | <i>1.260</i> | <i>0.210</i> | | | | |

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Bearings - V Groove Profile OD

| Part Number | ID (d) mm | OD (D) mm | Outer Ring Width (B) mm | Inner Ring Width (Bn) mm | Groove Base Diameter (GD) mm | Groove Width (Gw) mm | Material | Groove Angle Deg. | Closures | Type |
|------------------------|---------------|---------------|-------------------------|--------------------------|------------------------------|----------------------|--------------------------|-------------------|----------|------|
| | <i>inches</i> | <i>inches</i> | <i>inches</i> | <i>inches</i> | <i>inches</i> | <i>inches</i> | | | | |
| # MR3915-VP-7.830 | 15.000 | 39.000 | 9.000 | | 32.000 | 7.830 | SAE52100 Chrome Steel | 90 | Open | VP |
| | <i>0.591</i> | <i>1.535</i> | <i>0.354</i> | | <i>1.260</i> | <i>0.308</i> | | | | |
| # MR4015B-VP-4.650 | 15.000 | 40.000 | 11.000 | | 36.400 | 4.650 | SAE52100 Chrome Steel | 100 | Open | VP |
| | <i>0.591</i> | <i>1.575</i> | <i>0.433</i> | | <i>1.433</i> | <i>0.183</i> | | | | |
| # MR4015B-2RS-VP-4.650 | 15.000 | 40.000 | 11.000 | | 36.400 | 4.650 | SAE52100 Chrome Steel | 100 | 2RS | VP |
| | <i>0.591</i> | <i>1.575</i> | <i>0.433</i> | | <i>1.433</i> | <i>0.183</i> | | | | |
| # MR4015B-ZZ-VP-4.650 | 15.000 | 40.000 | 11.000 | | 36.400 | 4.650 | SAE52100 Chrome Steel | 100 | ZZ | VP |
| | <i>0.591</i> | <i>1.575</i> | <i>0.433</i> | | <i>1.433</i> | <i>0.183</i> | | | | |
| # MR4715-2RS-VP-6.000 | 15.000 | 47.000 | 11.000 | | 41.170 | 6.000 | SAE52100 Chrome Steel | 90 | 2RS | VP |
| | <i>0.591</i> | <i>1.850</i> | <i>0.433</i> | | <i>1.621</i> | <i>0.236</i> | | | | |
| # MR4715-ZZ-VP-6.000 | 15.000 | 47.000 | 11.000 | | 41.170 | 6.000 | SAE52100 Chrome Steel | 90 | ZZ | VP |
| | <i>0.591</i> | <i>1.850</i> | <i>0.433</i> | | <i>1.621</i> | <i>0.236</i> | | | | |
| # 6305G-ZZ-VP-11.500 | 25.000 | 62.000 | 16.500 | | 50.00 | 11.50 | SAE52100 Chrome Steel | 90.00 | ZZ | VP |
| | <i>0.984</i> | <i>2.441</i> | <i>0.650</i> | | <i>1.969</i> | <i>0.453</i> | | | | |

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to catalogues@minibearings.com.au

