




MBA

Belts - Flat



Working Tension 2.3 to 27.5 N.

Length Tolerance +/- 0.5%.

Breaking Strength 1108 N.

1 Ply Polyester Woven Cord, Black Neoprene Coating.

Maximum Belt Speed: 5000 mtrs / min (20000 feet / min).

This catalogue to be read in conjunction with information at <http://www.minibearings.com.au//partslist/pulleysflatbelt/pulleys/wide/1/>

<http://www.minibearings.com.au//categories/timing+belts/all/pics/>

<http://www.minibearings.com.au//partslist/pulleysflatbeltidler/pulleys/wide/1/>

Belts - Flat

Part Number	Overall Length (Circumference) mm	Width (w) mm	Thickness (t) mm	Material	Max Speed RPM	Minimum Pulley Diameter mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>			<i>inches</i>
# B-FL-130-063x0.46	130 <i>5.118</i>	6.35 <i>0.250</i>	0.46 <i>0.018</i>	Polyester / Neoprene	6100	6.000 <i>0.236</i>
# B-FL-140-063x0.46	140 <i>5.512</i>	6.35 <i>0.250</i>	0.46 <i>0.018</i>	Polyester / Neoprene	6100	6.000 <i>0.236</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Belts - Flat

Part Number	Overall Length (Circumference) mm	Width (w) mm	Thickness (t) mm	Material	Max Speed RPM	Minimum Pulley Diameter mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>			<i>inches</i>
# B-FL-150-063x0.46	150 <i>5.906</i>	6.35 <i>0.250</i>	0.46 <i>0.018</i>	Polyester / Neoprene	6100	6.000 <i>0.236</i>
# B-FL-160-063x0.46	160 <i>6.299</i>	6.35 <i>0.250</i>	0.46 <i>0.018</i>	Polyester / Neoprene	6100	6.000 <i>0.236</i>
# B-FL-170-063x0.46	170 <i>6.693</i>	6.35 <i>0.250</i>	0.46 <i>0.018</i>	Polyester / Neoprene	6100	6.000 <i>0.236</i>
# B-FL-180-063x0.46	180 <i>7.087</i>	6.35 <i>0.250</i>	0.46 <i>0.018</i>	Polyester / Neoprene	6100	6.000 <i>0.236</i>
# B-FL-190-063x0.46	190 <i>7.480</i>	6.35 <i>0.250</i>	0.46 <i>0.018</i>	Polyester / Neoprene	6100	6.000 <i>0.236</i>
# B-FL-200-063x0.46	200 <i>7.874</i>	6.35 <i>0.250</i>	0.46 <i>0.018</i>	Polyester / Neoprene	6100	6.000 <i>0.236</i>
B-FL-225-063x0.46	225 <i>8.858</i>	6.35 <i>0.250</i>	0.46 <i>0.018</i>	Polyester / Neoprene	6100	6.000 <i>0.236</i>
B-FL-250-063x0.46	250 <i>9.843</i>	6.35 <i>0.250</i>	0.46 <i>0.018</i>	Polyester / Neoprene	6100	6.000 <i>0.236</i>
B-FL-275-063x0.46	275 <i>10.827</i>	6.35 <i>0.250</i>	0.46 <i>0.018</i>	Polyester / Neoprene	6100	6.000 <i>0.236</i>
B-FL-300-063x0.46	300 <i>11.811</i>	6.35 <i>0.250</i>	0.46 <i>0.018</i>	Polyester / Neoprene	6100	6.000 <i>0.236</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Belts - Flat

Part Number	Overall Length (Circumference) mm	Width (w) mm	Thickness (t) mm	Material	Max Speed RPM	Minimum Pulley Diameter mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>			<i>inches</i>
# B-FL-325-063x0.46	325 <i>12.795</i>	6.35 <i>0.250</i>	0.46 <i>0.018</i>	Polyester / Neoprene	6100	6.000 <i>0.236</i>
# B-FL-350-063x0.46	350 <i>13.780</i>	6.35 <i>0.250</i>	0.46 <i>0.018</i>	Polyester / Neoprene	6100	6.000 <i>0.236</i>
# B-FL-375-063x0.46	375 <i>14.764</i>	6.35 <i>0.250</i>	0.46 <i>0.018</i>	Polyester / Neoprene	6100	6.000 <i>0.236</i>
B-FL-400-063x0.46	400 <i>15.748</i>	6.35 <i>0.250</i>	0.46 <i>0.018</i>	Polyester / Neoprene	6100	6.000 <i>0.236</i>
# B-FL-425-063x0.46	425 <i>16.732</i>	6.35 <i>0.250</i>	0.46 <i>0.018</i>	Polyester / Neoprene	6100	6.000 <i>0.236</i>
# B-FL-475-063x0.46	475 <i>18.701</i>	6.35 <i>0.250</i>	0.46 <i>0.018</i>	Polyester / Neoprene	6100	6.000 <i>0.236</i>
# B-FL-500-063x0.46	500 <i>19.685</i>	6.35 <i>0.250</i>	0.46 <i>0.018</i>	Polyester / Neoprene	6100	6.000 <i>0.236</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to catalogues@minibearings.com.au
