




MBA

Belts - Timing - 2.500mm Pitch - T2.5



T Series Metric Timing Belts.

Pitch (P) - 2.500mm.

Tooth Length (T) - 1.50mm.

Tooth Height (H) - 0.70mm.

Belt Height (W) - 1.30mm - Corner Radii (r) - 0.20mm.

Breaking strength is not indicative of working strength.

Belts - Timing - 2.500mm Pitch - T2.5

Part Number	Teeth (No.)	Nom. Width mm	Length mm	Material	Reinforcement	Appearance	Breaking Strength N	Min Temperature Deg C	Max Temperature Deg C	Tooth Angle (A) Deg.
		<i>inches</i>	<i>inches</i>							
B-T2.5-048-040-PF	48	4.00 <i>0.157</i>	120.00 <i>4.724</i>	Polyurethane	Fibreglass	Translucent	156	-18	82	40
B-T2.5-048-060-PF	48	6.00 <i>0.236</i>	120.00 <i>4.724</i>	Polyurethane	Fibreglass	Translucent	234	-18	82	40
B-T2.5-048-100-PF	48	10.00 <i>0.394</i>	120.00 <i>4.724</i>	Polyurethane	Fibreglass	Translucent	390	-18	82	40

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Belts - Timing - 2.500mm Pitch - T2.5

Part Number	Teeth (No.)	Nom. Width mm	Length mm	Material	Reinforcement	Appearance	Breaking Strength N	Min Temperature Deg C	Max Temperature Deg C	Tooth Angle (A) Deg.
		<i>inches</i>	<i>inches</i>							
# B-T2.5-058-040-PF	58	4.00 <i>0.157</i>	145.00 <i>5.709</i>	Polyurethane	Fibreglass	Translucent	156	-18	82	40
# B-T2.5-058-060-PF	58	6.00 <i>0.236</i>	145.00 <i>5.709</i>	Polyurethane	Fibreglass	Translucent	234	-18	82	40
# B-T2.5-058-100-PF	58	10.00 <i>0.394</i>	145.00 <i>5.709</i>	Polyurethane	Fibreglass	Translucent	390	-18	82	40
# B-T2.5-064-040-PF	64	4.00 <i>0.157</i>	160.00 <i>6.299</i>	Polyurethane	Fibreglass	Translucent	156	-18	82	40
B-T2.5-064-060-PF	64	6.00 <i>0.236</i>	160.00 <i>6.299</i>	Polyurethane	Fibreglass	Translucent	234	-18	82	40
# B-T2.5-064-100-PF	64	10.00 <i>0.394</i>	160.00 <i>6.299</i>	Polyurethane	Fibreglass	Translucent	390	-18	82	40
# B-T2.5-071-040-PF	71	4.00 <i>0.157</i>	177.50 <i>6.988</i>	Polyurethane	Fibreglass	Translucent	156	-18	82	40
# B-T2.5-071-060-PF	71	6.00 <i>0.236</i>	177.50 <i>6.988</i>	Polyurethane	Fibreglass	Translucent	234	-18	82	40
# B-T2.5-071-100-PF	71	10.00 <i>0.394</i>	177.50 <i>6.988</i>	Polyurethane	Fibreglass	Translucent	390	-18	82	40
# B-T2.5-080-040-PF	80	4.00 <i>0.157</i>	200.00 <i>7.874</i>	Polyurethane	Fibreglass	Translucent	156	-18	82	40

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Belts - Timing - 2.500mm Pitch - T2.5

Part Number	Teeth (No.)	Nom. Width mm	Length mm	Material	Reinforcement	Appearance	Breaking Strength N	Min Temperature Deg C	Max Temperature Deg C	Tooth Angle (A) Deg.
		<i>inches</i>	<i>inches</i>							
B-T2.5-080-060-PF	80	6.00 <i>0.236</i>	200.00 <i>7.874</i>	Polyurethane	Fibreglass	Translucent	234	-18	82	40
# B-T2.5-080-100-PF	80	10.00 <i>0.394</i>	200.00 <i>7.874</i>	Polyurethane	Fibreglass	Translucent	390	-18	82	40
# B-T2.5-092-040-PF	92	4.00 <i>0.157</i>	230.00 <i>9.055</i>	Polyurethane	Fibreglass	Translucent	156	-18	82	40
B-T2.5-092-060-PF	92	6.00 <i>0.236</i>	230.00 <i>9.055</i>	Polyurethane	Fibreglass	Translucent	234	-18	82	40
# B-T2.5-092-100-PF	92	10.00 <i>0.394</i>	230.00 <i>9.055</i>	Polyurethane	Fibreglass	Translucent	390	-18	82	40
# B-T2.5-098-040-PF	98	4.00 <i>0.157</i>	245.00 <i>9.646</i>	Polyurethane	Fibreglass	Translucent	156	-18	82	40
B-T2.5-098-060-PF	98	6.00 <i>0.236</i>	245.00 <i>9.646</i>	Polyurethane	Fibreglass	Translucent	234	-18	82	40
# B-T2.5-098-100-PF	98	10.00 <i>0.394</i>	245.00 <i>9.646</i>	Polyurethane	Fibreglass	Translucent	390	-18	82	40
# B-T2.5-106-040-PF	106	4.00 <i>0.157</i>	265.00 <i>10.433</i>	Polyurethane	Fibreglass	Translucent	156	-18	82	40
# B-T2.5-106-060-PF	106	6.00 <i>0.236</i>	265.00 <i>10.433</i>	Polyurethane	Fibreglass	Translucent	234	-18	82	40

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Belts - Timing - 2.500mm Pitch - T2.5

Part Number	Teeth (No.)	Nom. Width mm	Length mm	Material	Reinforcement	Appearance	Breaking Strength N	Min Temperature Deg C	Max Temperature Deg C	Tooth Angle (A) Deg.
		<i>inches</i>	<i>inches</i>							
# B-T2.5-106-100-PF	106	10.00 <i>0.394</i>	265.00 <i>10.433</i>	Polyurethane	Fibreglass	Translucent	390	-18	82	40
# B-T2.5-114-040-PF	114	4.00 <i>0.157</i>	285.00 <i>11.220</i>	Polyurethane	Fibreglass	Translucent	156	-18	82	40
# B-T2.5-114-060-PF	114	6.00 <i>0.236</i>	285.00 <i>11.220</i>	Polyurethane	Fibreglass	Translucent	234	-18	82	40
# B-T2.5-114-100-PF	114	10.00 <i>0.394</i>	285.00 <i>11.220</i>	Polyurethane	Fibreglass	Translucent	390	-18	82	40
# B-T2.5-122-040-PF	122	4.00 <i>0.157</i>	305.00 <i>12.008</i>	Polyurethane	Fibreglass	Translucent	156	-18	82	40
# B-T2.5-122-060-PF	122	6.00 <i>0.236</i>	305.00 <i>12.008</i>	Polyurethane	Fibreglass	Translucent	234	-18	82	40
# B-T2.5-122-100-PF	122	10.00 <i>0.394</i>	305.00 <i>12.008</i>	Polyurethane	Fibreglass	Translucent	390	-18	82	40
# B-T2.5-127-040-PF	127	4.00 <i>0.157</i>	317.50 <i>12.500</i>	Polyurethane	Fibreglass	Translucent	156	-18	82	40
B-T2.5-127-060-PF	127	6.00 <i>0.236</i>	317.50 <i>12.500</i>	Polyurethane	Fibreglass	Translucent	234	-18	82	40
# B-T2.5-127-100-PF	127	10.00 <i>0.394</i>	317.50 <i>12.500</i>	Polyurethane	Fibreglass	Translucent	390	-18	82	40

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Belts - Timing - 2.500mm Pitch - T2.5

Part Number	Teeth (No.)	Nom. Width mm	Length mm	Material	Reinforcement	Appearance	Breaking Strength N	Min Temperature Deg C	Max Temperature Deg C	Tooth Angle (A) Deg.
		<i>inches</i>	<i>inches</i>							
# B-T2.5-132-040-PF	132	4.00 <i>0.157</i>	330.00 <i>12.992</i>	Polyurethane	Fibreglass	Translucent	156	-18	82	40
# B-T2.5-132-060-PF	132	6.00 <i>0.236</i>	330.00 <i>12.992</i>	Polyurethane	Fibreglass	Translucent	234	-18	82	40
# B-T2.5-132-100-PF	132	10.00 <i>0.394</i>	330.00 <i>12.992</i>	Polyurethane	Fibreglass	Translucent	390	-18	82	40
# B-T2.5-152-040-PF	152	4.00 <i>0.157</i>	380.00 <i>14.961</i>	Polyurethane	Fibreglass	Translucent	156	-18	82	40
B-T2.5-152-060-PF	152	6.00 <i>0.236</i>	380.00 <i>14.961</i>	Polyurethane	Fibreglass	Translucent	234	-18	82	40
# B-T2.5-152-100-PF	152	10.00 <i>0.394</i>	380.00 <i>14.961</i>	Polyurethane	Fibreglass	Translucent	390	-18	82	40
# B-T2.5-168-040-PF	168	4.00 <i>0.157</i>	420.00 <i>16.535</i>	Polyurethane	Fibreglass	Translucent	156	-18	82	40
B-T2.5-168-060-PF	168	6.00 <i>0.236</i>	420.00 <i>16.535</i>	Polyurethane	Fibreglass	Translucent	234	-18	82	40
# B-T2.5-168-100-PF	168	10.00 <i>0.394</i>	420.00 <i>16.535</i>	Polyurethane	Fibreglass	Translucent	390	-18	82	40
# B-T2.5-192-040-PF	192	4.00 <i>0.157</i>	480.00 <i>18.898</i>	Polyurethane	Fibreglass	Translucent	156	-18	82	40

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Belts - Timing - 2.500mm Pitch - T2.5

Part Number	Teeth (No.)	Nom. Width mm	Length mm	Material	Reinforcement	Appearance	Breaking Strength N	Min Temperature Deg C	Max Temperature Deg C	Tooth Angle (A) Deg.
		<i>inches</i>	<i>inches</i>							
# B-T2.5-192-060-PF	192	6.00 <i>0.236</i>	480.00 <i>18.898</i>	Polyurethane	Fibreglass	Translucent	234	-18	82	40
# B-T2.5-192-100-PF	192	10.00 <i>0.394</i>	480.00 <i>18.898</i>	Polyurethane	Fibreglass	Translucent	390	-18	82	40
# B-T2.5-200-040-PF	200	4.00 <i>0.157</i>	500.00 <i>19.685</i>	Polyurethane	Fibreglass	Translucent	156	-18	82	40
# B-T2.5-200-060-PF	200	6.00 <i>0.236</i>	500.00 <i>19.685</i>	Polyurethane	Fibreglass	Translucent	234	-18	82	40
# B-T2.5-200-100-PF	200	10.00 <i>0.394</i>	500.00 <i>19.685</i>	Polyurethane	Fibreglass	Translucent	390	-18	82	40
# B-T2.5-240-040-PF	240	4.00 <i>0.157</i>	600.00 <i>23.622</i>	Polyurethane	Fibreglass	Translucent	156	-18	82	40
# B-T2.5-240-060-PF	240	6.00 <i>0.236</i>	600.00 <i>23.622</i>	Polyurethane	Fibreglass	Translucent	234	-18	82	40
# B-T2.5-240-100-PF	240	10.00 <i>0.394</i>	600.00 <i>23.622</i>	Polyurethane	Fibreglass	Translucent	390	-18	82	40
# B-T2.5-260-040-PF	260	4.00 <i>0.157</i>	650.00 <i>25.591</i>	Polyurethane	Fibreglass	Translucent	156	-18	82	40
# B-T2.5-260-060-PF	260	6.00 <i>0.236</i>	650.00 <i>25.591</i>	Polyurethane	Fibreglass	Translucent	234	-18	82	40

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Belts - Timing - 2.500mm Pitch - T2.5

Part Number	Teeth (No.)	Nom. Width mm	Length mm	Material	Reinforcement	Appearance	Breaking Strength N	Min Temperature Deg C	Max Temperature Deg C	Tooth Angle (A) Deg.
		<i>inches</i>	<i>inches</i>							
# B-T2.5-260-100-PF	260	10.00 <i>0.394</i>	650.00 <i>25.591</i>	Polyurethane	Fibreglass	Translucent	390	-18	82	40
# B-T2.5-312-040-PF	312	4.00 <i>0.157</i>	780.00 <i>30.709</i>	Polyurethane	Fibreglass	Translucent	156	-18	82	40
# B-T2.5-312-060-PF	312	6.00 <i>0.236</i>	780.00 <i>30.709</i>	Polyurethane	Fibreglass	Translucent	234	-18	82	40
# B-T2.5-312-100-PF	312	10.00 <i>0.394</i>	780.00 <i>30.709</i>	Polyurethane	Fibreglass	Translucent	390	-18	82	40
# B-T2.5-366-040-PF	366	4.00 <i>0.157</i>	915.00 <i>36.024</i>	Polyurethane	Fibreglass	Translucent	156	-18	82	40
# B-T2.5-366-060-PF	366	6.00 <i>0.236</i>	915.00 <i>36.024</i>	Polyurethane	Fibreglass	Translucent	234	-18	82	40
# B-T2.5-366-100-PF	366	10.00 <i>0.394</i>	915.00 <i>36.024</i>	Polyurethane	Fibreglass	Translucent	390	-18	82	40
# B-T2.5-380-040-PF	380	4.00 <i>0.157</i>	950.00 <i>37.402</i>	Polyurethane	Fibreglass	Translucent	156	-18	82	40
B-T2.5-380-060-PF	380	6.00 <i>0.236</i>	950.00 <i>37.402</i>	Polyurethane	Fibreglass	Translucent	234	-18	82	40
# B-T2.5-380-100-PF	380	10.00 <i>0.394</i>	950.00 <i>37.402</i>	Polyurethane	Fibreglass	Translucent	390	-18	82	40

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to catalogues@minibearings.com.au
