




# MBA

## Belts - Timing - 5.000mm Pitch - HTD Double Sided



### HTD Series Metric Timing Belts Double Sided.

Pitch (P) - 5.000mm.

Tooth Height (H) - 2.08mm.

Belt Height (W) - 5.30mm.

Breaking strength is not indicative of working strength.

### Belts - Timing - 5.000mm Pitch - HTD Double Sided

| Part Number        | Teeth (No.) | Nom. Width mm | Length mm     | Material               | Reinforcement | Appearance | Breaking Strength N | Min Temperature Deg C | Max Temperature Deg C |
|--------------------|-------------|---------------|---------------|------------------------|---------------|------------|---------------------|-----------------------|-----------------------|
|                    |             | <i>inches</i> | <i>inches</i> |                        |               |            |                     |                       |                       |
| # BD-H5-080-060-NF | 80          | 6.00          | 400.00        | Nylon Covered Neoprene | Fibreglass    | Black      | 1896                | -34                   | 85                    |
|                    |             | <i>0.236</i>  | <i>15.748</i> |                        |               |            |                     |                       |                       |
| # BD-H5-080-090-NF | 80          | 9.00          | 400.00        | Nylon Covered Neoprene | Fibreglass    | Black      | 2844                | -34                   | 85                    |
|                    |             | <i>0.354</i>  | <i>15.748</i> |                        |               |            |                     |                       |                       |
| # BD-H5-080-150-NF | 80          | 15.00         | 400.00        | Nylon Covered Neoprene | Fibreglass    | Black      | 4740                | -34                   | 85                    |
|                    |             | <i>0.591</i>  | <i>15.748</i> |                        |               |            |                     |                       |                       |

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Belts - Timing - 5.000mm Pitch - HTD Double Sided

| Part Number        | Teeth (No.) | Nom. Width mm                | Length mm                      | Material               | Reinforcement | Appearance | Breaking Strength N | Min Temperature Deg C | Max Temperature Deg C |
|--------------------|-------------|------------------------------|--------------------------------|------------------------|---------------|------------|---------------------|-----------------------|-----------------------|
| # BD-H5-083-060-NF | 83          | 6.00<br><i>0.236 inches</i>  | 415.00<br><i>16.339 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 1896                | -34                   | 85                    |
| # BD-H5-083-090-NF | 83          | 9.00<br><i>0.354 inches</i>  | 415.00<br><i>16.339 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 2844                | -34                   | 85                    |
| # BD-H5-083-150-NF | 83          | 15.00<br><i>0.591 inches</i> | 415.00<br><i>16.339 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 4740                | -34                   | 85                    |
| # BD-H5-085-060-NF | 85          | 6.00<br><i>0.236 inches</i>  | 425.00<br><i>16.732 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 1896                | -34                   | 85                    |
| # BD-H5-085-090-NF | 85          | 9.00<br><i>0.354 inches</i>  | 425.00<br><i>16.732 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 2844                | -34                   | 85                    |
| # BD-H5-085-150-NF | 85          | 15.00<br><i>0.591 inches</i> | 425.00<br><i>16.732 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 4740                | -34                   | 85                    |
| # BD-H5-090-060-NF | 90          | 6.00<br><i>0.236 inches</i>  | 450.00<br><i>17.717 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 1896                | -34                   | 85                    |
| # BD-H5-090-090-NF | 90          | 9.00<br><i>0.354 inches</i>  | 450.00<br><i>17.717 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 2844                | -34                   | 85                    |

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Belts - Timing - 5.000mm Pitch - HTD Double Sided

| Part Number        | Teeth (No.) | Nom. Width mm                | Length mm                      | Material               | Reinforcement | Appearance | Breaking Strength N | Min Temperature Deg C | Max Temperature Deg C |
|--------------------|-------------|------------------------------|--------------------------------|------------------------|---------------|------------|---------------------|-----------------------|-----------------------|
| # BD-H5-090-150-NF | 90          | 15.00<br><i>0.591 inches</i> | 450.00<br><i>17.717 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 4740                | -34                   | 85                    |
| # BD-H5-092-060-NF | 92          | 6.00<br><i>0.236 inches</i>  | 460.00<br><i>18.110 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 1896                | -34                   | 85                    |
| # BD-H5-092-090-NF | 92          | 9.00<br><i>0.354 inches</i>  | 460.00<br><i>18.110 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 2844                | -34                   | 85                    |
| # BD-H5-092-150-NF | 92          | 15.00<br><i>0.591 inches</i> | 460.00<br><i>18.110 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 4740                | -34                   | 85                    |
| # BD-H5-095-060-NF | 95          | 6.00<br><i>0.236 inches</i>  | 475.00<br><i>18.701 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 1896                | -34                   | 85                    |
| # BD-H5-095-090-NF | 95          | 9.00<br><i>0.354 inches</i>  | 475.00<br><i>18.701 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 2844                | -34                   | 85                    |
| # BD-H5-095-150-NF | 95          | 15.00<br><i>0.591 inches</i> | 475.00<br><i>18.701 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 4740                | -34                   | 85                    |
| # BD-H5-096-060-NF | 96          | 6.00<br><i>0.236 inches</i>  | 480.00<br><i>18.898 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 1896                | -34                   | 85                    |

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Belts - Timing - 5.000mm Pitch - HTD Double Sided

| Part Number        | Teeth (No.) | Nom. Width mm                | Length mm                      | Material               | Reinforcement | Appearance | Breaking Strength N | Min Temperature Deg C | Max Temperature Deg C |
|--------------------|-------------|------------------------------|--------------------------------|------------------------|---------------|------------|---------------------|-----------------------|-----------------------|
| # BD-H5-096-090-NF | 96          | 9.00<br><i>0.354 inches</i>  | 480.00<br><i>18.898 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 2844                | -34                   | 85                    |
| # BD-H5-096-150-NF | 96          | 15.00<br><i>0.591 inches</i> | 480.00<br><i>18.898 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 4740                | -34                   | 85                    |
| # BD-H5-099-060-NF | 99          | 6.00<br><i>0.236 inches</i>  | 495.00<br><i>19.488 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 1896                | -34                   | 85                    |
| # BD-H5-099-090-NF | 99          | 9.00<br><i>0.354 inches</i>  | 495.00<br><i>19.488 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 2844                | -34                   | 85                    |
| # BD-H5-099-150-NF | 99          | 15.00<br><i>0.591 inches</i> | 495.00<br><i>19.488 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 4740                | -34                   | 85                    |
| # BD-H5-100-060-NF | 100         | 6.00<br><i>0.236 inches</i>  | 500.00<br><i>19.685 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 1896                | -34                   | 85                    |
| # BD-H5-100-090-NF | 100         | 9.00<br><i>0.354 inches</i>  | 500.00<br><i>19.685 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 2844                | -34                   | 85                    |
| # BD-H5-100-150-NF | 100         | 15.00<br><i>0.591 inches</i> | 500.00<br><i>19.685 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 4740                | -34                   | 85                    |

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Belts - Timing - 5.000mm Pitch - HTD Double Sided

| Part Number        | Teeth (No.) | Nom. Width mm                | Length mm                      | Material               | Reinforcement | Appearance | Breaking Strength N | Min Temperature Deg C | Max Temperature Deg C |
|--------------------|-------------|------------------------------|--------------------------------|------------------------|---------------|------------|---------------------|-----------------------|-----------------------|
| # BD-H5-104-060-NF | 104         | 6.00<br><i>0.236 inches</i>  | 520.00<br><i>20.472 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 1896                | -34                   | 85                    |
| # BD-H5-104-090-NF | 104         | 9.00<br><i>0.354 inches</i>  | 520.00<br><i>20.472 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 2844                | -34                   | 85                    |
| # BD-H5-104-150-NF | 104         | 15.00<br><i>0.591 inches</i> | 520.00<br><i>20.472 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 4740                | -34                   | 85                    |
| # BD-H5-107-060-NF | 107         | 6.00<br><i>0.236 inches</i>  | 535.00<br><i>21.063 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 1896                | -34                   | 85                    |
| # BD-H5-107-090-NF | 107         | 9.00<br><i>0.354 inches</i>  | 535.00<br><i>21.063 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 2844                | -34                   | 85                    |
| # BD-H5-107-150-NF | 107         | 15.00<br><i>0.591 inches</i> | 535.00<br><i>21.063 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 4740                | -34                   | 85                    |
| # BD-H5-111-060-NF | 111         | 6.00<br><i>0.236 inches</i>  | 555.00<br><i>21.850 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 1896                | -34                   | 85                    |
| # BD-H5-111-090-NF | 111         | 9.00<br><i>0.354 inches</i>  | 555.00<br><i>21.850 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 2844                | -34                   | 85                    |

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Belts - Timing - 5.000mm Pitch - HTD Double Sided

| Part Number        | Teeth (No.) | Nom. Width mm         | Length mm               | Material               | Reinforcement | Appearance | Breaking Strength N | Min Temperature Deg C | Max Temperature Deg C |
|--------------------|-------------|-----------------------|-------------------------|------------------------|---------------|------------|---------------------|-----------------------|-----------------------|
| # BD-H5-111-150-NF | 111         | 15.00<br><i>0.591</i> | 555.00<br><i>21.850</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 4740                | -34                   | 85                    |
| # BD-H5-112-060-NF | 112         | 6.00<br><i>0.236</i>  | 560.00<br><i>22.047</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 1896                | -34                   | 85                    |
| # BD-H5-112-090-NF | 112         | 9.00<br><i>0.354</i>  | 560.00<br><i>22.047</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 2844                | -34                   | 85                    |
| # BD-H5-112-150-NF | 112         | 15.00<br><i>0.591</i> | 560.00<br><i>22.047</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 4740                | -34                   | 85                    |
| # BD-H5-113-060-NF | 113         | 6.00<br><i>0.236</i>  | 565.00<br><i>22.244</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 1896                | -34                   | 85                    |
| # BD-H5-113-090-NF | 113         | 9.00<br><i>0.354</i>  | 565.00<br><i>22.244</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 2844                | -34                   | 85                    |
| # BD-H5-113-150-NF | 113         | 15.00<br><i>0.591</i> | 565.00<br><i>22.244</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 4740                | -34                   | 85                    |
| # BD-H5-115-060-NF | 115         | 6.00<br><i>0.236</i>  | 575.00<br><i>22.638</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 1896                | -34                   | 85                    |

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Belts - Timing - 5.000mm Pitch - HTD Double Sided

| Part Number        | Teeth (No.) | Nom. Width mm         | Length mm               | Material               | Reinforcement | Appearance | Breaking Strength N | Min Temperature Deg C | Max Temperature Deg C |
|--------------------|-------------|-----------------------|-------------------------|------------------------|---------------|------------|---------------------|-----------------------|-----------------------|
| # BD-H5-115-090-NF | 115         | 9.00<br><i>0.354</i>  | 575.00<br><i>22.638</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 2844                | -34                   | 85                    |
| # BD-H5-115-150-NF | 115         | 15.00<br><i>0.591</i> | 575.00<br><i>22.638</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 4740                | -34                   | 85                    |
| # BD-H5-116-060-NF | 116         | 6.00<br><i>0.236</i>  | 580.00<br><i>22.835</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 1896                | -34                   | 85                    |
| # BD-H5-116-090-NF | 116         | 9.00<br><i>0.354</i>  | 580.00<br><i>22.835</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 2844                | -34                   | 85                    |
| # BD-H5-116-150-NF | 116         | 15.00<br><i>0.591</i> | 580.00<br><i>22.835</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 4740                | -34                   | 85                    |
| # BD-H5-117-060-NF | 117         | 6.00<br><i>0.236</i>  | 585.00<br><i>23.031</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 1896                | -34                   | 85                    |
| # BD-H5-117-090-NF | 117         | 9.00<br><i>0.354</i>  | 585.00<br><i>23.031</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 2844                | -34                   | 85                    |
| # BD-H5-117-150-NF | 117         | 15.00<br><i>0.591</i> | 585.00<br><i>23.031</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 4740                | -34                   | 85                    |

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Belts - Timing - 5.000mm Pitch - HTD Double Sided

| Part Number        | Teeth (No.) | Nom. Width mm                | Length mm                      | Material               | Reinforcement | Appearance | Breaking Strength N | Min Temperature Deg C | Max Temperature Deg C |
|--------------------|-------------|------------------------------|--------------------------------|------------------------|---------------|------------|---------------------|-----------------------|-----------------------|
| # BD-H5-118-060-NF | 118         | 6.00<br><i>0.236 inches</i>  | 590.00<br><i>23.228 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 1896                | -34                   | 85                    |
| # BD-H5-118-090-NF | 118         | 9.00<br><i>0.354 inches</i>  | 590.00<br><i>23.228 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 2844                | -34                   | 85                    |
| # BD-H5-118-150-NF | 118         | 15.00<br><i>0.591 inches</i> | 590.00<br><i>23.228 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 4740                | -34                   | 85                    |
| # BD-H5-120-060-NF | 120         | 6.00<br><i>0.236 inches</i>  | 600.00<br><i>23.622 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 1896                | -34                   | 85                    |
| # BD-H5-120-090-NF | 120         | 9.00<br><i>0.354 inches</i>  | 600.00<br><i>23.622 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 2844                | -34                   | 85                    |
| # BD-H5-120-150-NF | 120         | 15.00<br><i>0.591 inches</i> | 600.00<br><i>23.622 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 4740                | -34                   | 85                    |
| # BD-H5-122-060-NF | 122         | 6.00<br><i>0.236 inches</i>  | 610.00<br><i>24.016 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 1896                | -34                   | 85                    |
| # BD-H5-122-090-NF | 122         | 9.00<br><i>0.354 inches</i>  | 610.00<br><i>24.016 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 2844                | -34                   | 85                    |

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Belts - Timing - 5.000mm Pitch - HTD Double Sided

| Part Number        | Teeth (No.) | Nom. Width mm                | Length mm                      | Material               | Reinforcement | Appearance | Breaking Strength N | Min Temperature Deg C | Max Temperature Deg C |
|--------------------|-------------|------------------------------|--------------------------------|------------------------|---------------|------------|---------------------|-----------------------|-----------------------|
| # BD-H5-122-150-NF | 122         | 15.00<br><i>0.591 inches</i> | 610.00<br><i>24.016 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 4740                | -34                   | 85                    |
| # BD-H5-123-060-NF | 123         | 6.00<br><i>0.236 inches</i>  | 615.00<br><i>24.213 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 1896                | -34                   | 85                    |
| # BD-H5-123-090-NF | 123         | 9.00<br><i>0.354 inches</i>  | 615.00<br><i>24.213 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 2844                | -34                   | 85                    |
| # BD-H5-123-150-NF | 123         | 15.00<br><i>0.591 inches</i> | 615.00<br><i>24.213 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 4740                | -34                   | 85                    |
| # BD-H5-127-060-NF | 127         | 6.00<br><i>0.236 inches</i>  | 635.00<br><i>25.000 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 1896                | -34                   | 85                    |
| # BD-H5-127-090-NF | 127         | 9.00<br><i>0.354 inches</i>  | 635.00<br><i>25.000 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 2844                | -34                   | 85                    |
| # BD-H5-127-150-NF | 127         | 15.00<br><i>0.591 inches</i> | 635.00<br><i>25.000 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 4740                | -34                   | 85                    |
| # BD-H5-128-060-NF | 128         | 6.00<br><i>0.236 inches</i>  | 640.00<br><i>25.197 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 1896                | -34                   | 85                    |

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Belts - Timing - 5.000mm Pitch - HTD Double Sided

| Part Number        | Teeth (No.) | Nom. Width mm | Length mm     | Material               | Reinforcement | Appearance | Breaking Strength N | Min Temperature Deg C | Max Temperature Deg C |
|--------------------|-------------|---------------|---------------|------------------------|---------------|------------|---------------------|-----------------------|-----------------------|
|                    |             | <i>inches</i> | <i>inches</i> |                        |               |            |                     |                       |                       |
| # BD-H5-128-090-NF | 128         | 9.00          | 640.00        | Nylon Covered Neoprene | Fibreglass    | Black      | 2844                | -34                   | 85                    |
|                    |             | <i>0.354</i>  | <i>25.197</i> |                        |               |            |                     |                       |                       |
| # BD-H5-128-150-NF | 128         | 15.00         | 640.00        | Nylon Covered Neoprene | Fibreglass    | Black      | 4740                | -34                   | 85                    |
|                    |             | <i>0.591</i>  | <i>25.197</i> |                        |               |            |                     |                       |                       |
| # BD-H5-131-060-NF | 131         | 6.00          | 655.00        | Nylon Covered Neoprene | Fibreglass    | Black      | 1896                | -34                   | 85                    |
|                    |             | <i>0.236</i>  | <i>25.787</i> |                        |               |            |                     |                       |                       |
| # BD-H5-131-090-NF | 131         | 9.00          | 655.00        | Nylon Covered Neoprene | Fibreglass    | Black      | 2844                | -34                   | 85                    |
|                    |             | <i>0.354</i>  | <i>25.787</i> |                        |               |            |                     |                       |                       |
| # BD-H5-131-150-NF | 131         | 15.00         | 655.00        | Nylon Covered Neoprene | Fibreglass    | Black      | 4740                | -34                   | 85                    |
|                    |             | <i>0.591</i>  | <i>25.787</i> |                        |               |            |                     |                       |                       |
| # BD-H5-133-060-NF | 133         | 6.00          | 665.00        | Nylon Covered Neoprene | Fibreglass    | Black      | 1896                | -34                   | 85                    |
|                    |             | <i>0.236</i>  | <i>26.181</i> |                        |               |            |                     |                       |                       |
| # BD-H5-133-090-NF | 133         | 9.00          | 665.00        | Nylon Covered Neoprene | Fibreglass    | Black      | 2844                | -34                   | 85                    |
|                    |             | <i>0.354</i>  | <i>26.181</i> |                        |               |            |                     |                       |                       |
| # BD-H5-133-150-NF | 133         | 15.00         | 665.00        | Nylon Covered Neoprene | Fibreglass    | Black      | 4740                | -34                   | 85                    |
|                    |             | <i>0.591</i>  | <i>26.181</i> |                        |               |            |                     |                       |                       |

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Belts - Timing - 5.000mm Pitch - HTD Double Sided

| Part Number        | Teeth (No.) | Nom. Width mm         | Length mm               | Material               | Reinforcement | Appearance | Breaking Strength N | Min Temperature Deg C | Max Temperature Deg C |
|--------------------|-------------|-----------------------|-------------------------|------------------------|---------------|------------|---------------------|-----------------------|-----------------------|
| # BD-H5-134-060-NF | 134         | 6.00<br><i>0.236</i>  | 670.00<br><i>26.378</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 1896                | -34                   | 85                    |
| # BD-H5-134-090-NF | 134         | 9.00<br><i>0.354</i>  | 670.00<br><i>26.378</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 2844                | -34                   | 85                    |
| # BD-H5-134-150-NF | 134         | 15.00<br><i>0.591</i> | 670.00<br><i>26.378</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 4740                | -34                   | 85                    |
| # BD-H5-136-060-NF | 136         | 6.00<br><i>0.236</i>  | 680.00<br><i>26.772</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 1896                | -34                   | 85                    |
| # BD-H5-136-090-NF | 136         | 9.00<br><i>0.354</i>  | 680.00<br><i>26.772</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 2844                | -34                   | 85                    |
| # BD-H5-136-150-NF | 136         | 15.00<br><i>0.591</i> | 680.00<br><i>26.772</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 4740                | -34                   | 85                    |
| # BD-H5-137-060-NF | 137         | 6.00<br><i>0.236</i>  | 685.00<br><i>26.969</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 1896                | -34                   | 85                    |
| # BD-H5-137-090-NF | 137         | 9.00<br><i>0.354</i>  | 685.00<br><i>26.969</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 2844                | -34                   | 85                    |

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Belts - Timing - 5.000mm Pitch - HTD Double Sided

| Part Number        | Teeth (No.) | Nom. Width mm                | Length mm                      | Material               | Reinforcement | Appearance | Breaking Strength N | Min Temperature Deg C | Max Temperature Deg C |
|--------------------|-------------|------------------------------|--------------------------------|------------------------|---------------|------------|---------------------|-----------------------|-----------------------|
| # BD-H5-137-150-NF | 137         | 15.00<br><i>0.591 inches</i> | 685.00<br><i>26.969 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 4740                | -34                   | 85                    |
| # BD-H5-139-060-NF | 139         | 6.00<br><i>0.236 inches</i>  | 695.00<br><i>27.362 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 1896                | -34                   | 85                    |
| # BD-H5-139-090-NF | 139         | 9.00<br><i>0.354 inches</i>  | 695.00<br><i>27.362 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 2844                | -34                   | 85                    |
| # BD-H5-139-150-NF | 139         | 15.00<br><i>0.591 inches</i> | 695.00<br><i>27.362 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 4740                | -34                   | 85                    |
| # BD-H5-140-060-NF | 140         | 6.00<br><i>0.236 inches</i>  | 700.00<br><i>27.559 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 1896                | -34                   | 85                    |
| # BD-H5-140-090-NF | 140         | 9.00<br><i>0.354 inches</i>  | 700.00<br><i>27.559 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 2844                | -34                   | 85                    |
| # BD-H5-140-150-NF | 140         | 15.00<br><i>0.591 inches</i> | 700.00<br><i>27.559 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 4740                | -34                   | 85                    |
| # BD-H5-142-060-NF | 142         | 6.00<br><i>0.236 inches</i>  | 710.00<br><i>27.953 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 1896                | -34                   | 85                    |

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Belts - Timing - 5.000mm Pitch - HTD Double Sided

| Part Number        | Teeth (No.) | Nom. Width mm         | Length mm               | Material               | Reinforcement | Appearance | Breaking Strength N | Min Temperature Deg C | Max Temperature Deg C |
|--------------------|-------------|-----------------------|-------------------------|------------------------|---------------|------------|---------------------|-----------------------|-----------------------|
| # BD-H5-142-090-NF | 142         | 9.00<br><i>0.354</i>  | 710.00<br><i>27.953</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 2844                | -34                   | 85                    |
| # BD-H5-142-150-NF | 142         | 15.00<br><i>0.591</i> | 710.00<br><i>27.953</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 4740                | -34                   | 85                    |
| # BD-H5-148-060-NF | 148         | 6.00<br><i>0.236</i>  | 740.00<br><i>29.134</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 1896                | -34                   | 85                    |
| # BD-H5-148-090-NF | 148         | 9.00<br><i>0.354</i>  | 740.00<br><i>29.134</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 2844                | -34                   | 85                    |
| # BD-H5-148-150-NF | 148         | 15.00<br><i>0.591</i> | 740.00<br><i>29.134</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 4740                | -34                   | 85                    |
| # BD-H5-149-060-NF | 149         | 6.00<br><i>0.236</i>  | 745.00<br><i>29.331</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 1896                | -34                   | 85                    |
| # BD-H5-149-090-NF | 149         | 9.00<br><i>0.354</i>  | 745.00<br><i>29.331</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 2844                | -34                   | 85                    |
| # BD-H5-149-150-NF | 149         | 15.00<br><i>0.591</i> | 745.00<br><i>29.331</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 4740                | -34                   | 85                    |

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Belts - Timing - 5.000mm Pitch - HTD Double Sided

| Part Number        | Teeth (No.) | Nom. Width mm         | Length mm               | Material               | Reinforcement | Appearance | Breaking Strength N | Min Temperature Deg C | Max Temperature Deg C |
|--------------------|-------------|-----------------------|-------------------------|------------------------|---------------|------------|---------------------|-----------------------|-----------------------|
| # BD-H5-151-060-NF | 151         | 6.00<br><i>0.236</i>  | 755.00<br><i>29.724</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 1896                | -34                   | 85                    |
| # BD-H5-151-090-NF | 151         | 9.00<br><i>0.354</i>  | 755.00<br><i>29.724</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 2844                | -34                   | 85                    |
| # BD-H5-151-150-NF | 151         | 15.00<br><i>0.591</i> | 755.00<br><i>29.724</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 4740                | -34                   | 85                    |
| # BD-H5-153-060-NF | 153         | 6.00<br><i>0.236</i>  | 765.00<br><i>30.118</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 1896                | -34                   | 85                    |
| # BD-H5-153-090-NF | 153         | 9.00<br><i>0.354</i>  | 765.00<br><i>30.118</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 2844                | -34                   | 85                    |
| # BD-H5-153-150-NF | 153         | 15.00<br><i>0.591</i> | 765.00<br><i>30.118</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 4740                | -34                   | 85                    |
| # BD-H5-155-060-NF | 155         | 6.00<br><i>0.236</i>  | 775.00<br><i>30.512</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 1896                | -34                   | 85                    |
| # BD-H5-155-090-NF | 155         | 9.00<br><i>0.354</i>  | 775.00<br><i>30.512</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 2844                | -34                   | 85                    |

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Belts - Timing - 5.000mm Pitch - HTD Double Sided

| Part Number        | Teeth (No.) | Nom. Width mm                | Length mm                      | Material               | Reinforcement | Appearance | Breaking Strength N | Min Temperature Deg C | Max Temperature Deg C |
|--------------------|-------------|------------------------------|--------------------------------|------------------------|---------------|------------|---------------------|-----------------------|-----------------------|
| # BD-H5-155-150-NF | 155         | 15.00<br><i>0.591 inches</i> | 775.00<br><i>30.512 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 4740                | -34                   | 85                    |
| # BD-H5-158-060-NF | 158         | 6.00<br><i>0.236 inches</i>  | 790.00<br><i>31.102 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 1896                | -34                   | 85                    |
| # BD-H5-158-090-NF | 158         | 9.00<br><i>0.354 inches</i>  | 790.00<br><i>31.102 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 2844                | -34                   | 85                    |
| # BD-H5-158-150-NF | 158         | 15.00<br><i>0.591 inches</i> | 790.00<br><i>31.102 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 4740                | -34                   | 85                    |
| # BD-H5-160-060-NF | 160         | 6.00<br><i>0.236 inches</i>  | 800.00<br><i>31.496 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 1896                | -34                   | 85                    |
| # BD-H5-160-090-NF | 160         | 9.00<br><i>0.354 inches</i>  | 800.00<br><i>31.496 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 2844                | -34                   | 85                    |
| # BD-H5-160-150-NF | 160         | 15.00<br><i>0.591 inches</i> | 800.00<br><i>31.496 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 4740                | -34                   | 85                    |
| # BD-H5-166-060-NF | 166         | 6.00<br><i>0.236 inches</i>  | 830.00<br><i>32.677 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 1896                | -34                   | 85                    |

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Belts - Timing - 5.000mm Pitch - HTD Double Sided

| Part Number        | Teeth (No.) | Nom. Width mm                | Length mm                      | Material               | Reinforcement | Appearance | Breaking Strength N | Min Temperature Deg C | Max Temperature Deg C |
|--------------------|-------------|------------------------------|--------------------------------|------------------------|---------------|------------|---------------------|-----------------------|-----------------------|
| # BD-H5-166-090-NF | 166         | 9.00<br><i>0.354 inches</i>  | 830.00<br><i>32.677 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 2844                | -34                   | 85                    |
| # BD-H5-166-150-NF | 166         | 15.00<br><i>0.591 inches</i> | 830.00<br><i>32.677 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 4740                | -34                   | 85                    |
| # BD-H5-167-060-NF | 167         | 6.00<br><i>0.236 inches</i>  | 835.00<br><i>32.874 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 1896                | -34                   | 85                    |
| # BD-H5-167-090-NF | 167         | 9.00<br><i>0.354 inches</i>  | 835.00<br><i>32.874 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 2844                | -34                   | 85                    |
| # BD-H5-167-150-NF | 167         | 15.00<br><i>0.591 inches</i> | 835.00<br><i>32.874 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 4740                | -34                   | 85                    |
| # BD-H5-170-060-NF | 170         | 6.00<br><i>0.236 inches</i>  | 850.00<br><i>33.465 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 1896                | -34                   | 85                    |
| # BD-H5-170-090-NF | 170         | 9.00<br><i>0.354 inches</i>  | 850.00<br><i>33.465 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 2844                | -34                   | 85                    |
| # BD-H5-170-150-NF | 170         | 15.00<br><i>0.591 inches</i> | 850.00<br><i>33.465 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 4740                | -34                   | 85                    |

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Belts - Timing - 5.000mm Pitch - HTD Double Sided

| Part Number        | Teeth (No.) | Nom. Width mm         | Length mm               | Material               | Reinforcement | Appearance | Breaking Strength N | Min Temperature Deg C | Max Temperature Deg C |
|--------------------|-------------|-----------------------|-------------------------|------------------------|---------------|------------|---------------------|-----------------------|-----------------------|
|                    |             | <i>inches</i>         | <i>inches</i>           |                        |               |            |                     |                       |                       |
| # BD-H5-174-060-NF | 174         | 6.00<br><i>0.236</i>  | 870.00<br><i>34.252</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 1896                | -34                   | 85                    |
| # BD-H5-174-090-NF | 174         | 9.00<br><i>0.354</i>  | 870.00<br><i>34.252</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 2844                | -34                   | 85                    |
| # BD-H5-174-150-NF | 174         | 15.00<br><i>0.591</i> | 870.00<br><i>34.252</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 4740                | -34                   | 85                    |
| # BD-H5-178-060-NF | 178         | 6.00<br><i>0.236</i>  | 890.00<br><i>35.039</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 1896                | -34                   | 85                    |
| # BD-H5-178-090-NF | 178         | 9.00<br><i>0.354</i>  | 890.00<br><i>35.039</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 2844                | -34                   | 85                    |
| # BD-H5-178-150-NF | 178         | 15.00<br><i>0.591</i> | 890.00<br><i>35.039</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 4740                | -34                   | 85                    |
| # BD-H5-185-060-NF | 185         | 6.00<br><i>0.236</i>  | 925.00<br><i>36.417</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 1896                | -34                   | 85                    |
| # BD-H5-185-090-NF | 185         | 9.00<br><i>0.354</i>  | 925.00<br><i>36.417</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 2844                | -34                   | 85                    |

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Belts - Timing - 5.000mm Pitch - HTD Double Sided

| Part Number        | Teeth (No.) | Nom. Width mm                | Length mm                      | Material               | Reinforcement | Appearance | Breaking Strength N | Min Temperature Deg C | Max Temperature Deg C |
|--------------------|-------------|------------------------------|--------------------------------|------------------------|---------------|------------|---------------------|-----------------------|-----------------------|
| # BD-H5-185-150-NF | 185         | 15.00<br><i>0.591 inches</i> | 925.00<br><i>36.417 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 4740                | -34                   | 85                    |
| # BD-H5-186-060-NF | 186         | 6.00<br><i>0.236 inches</i>  | 930.00<br><i>36.614 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 1896                | -34                   | 85                    |
| # BD-H5-186-090-NF | 186         | 9.00<br><i>0.354 inches</i>  | 930.00<br><i>36.614 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 2844                | -34                   | 85                    |
| # BD-H5-186-150-NF | 186         | 15.00<br><i>0.591 inches</i> | 930.00<br><i>36.614 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 4740                | -34                   | 85                    |
| # BD-H5-187-060-NF | 187         | 6.00<br><i>0.236 inches</i>  | 935.00<br><i>36.811 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 1896                | -34                   | 85                    |
| # BD-H5-187-090-NF | 187         | 9.00<br><i>0.354 inches</i>  | 935.00<br><i>36.811 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 2844                | -34                   | 85                    |
| # BD-H5-187-150-NF | 187         | 15.00<br><i>0.591 inches</i> | 935.00<br><i>36.811 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 4740                | -34                   | 85                    |
| # BD-H5-190-060-NF | 190         | 6.00<br><i>0.236 inches</i>  | 950.00<br><i>37.402 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 1896                | -34                   | 85                    |

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Belts - Timing - 5.000mm Pitch - HTD Double Sided

| Part Number        | Teeth (No.) | Nom. Width mm | Length mm     | Material               | Reinforcement | Appearance | Breaking Strength N | Min Temperature Deg C | Max Temperature Deg C |
|--------------------|-------------|---------------|---------------|------------------------|---------------|------------|---------------------|-----------------------|-----------------------|
|                    |             | <i>inches</i> | <i>inches</i> |                        |               |            |                     |                       |                       |
| # BD-H5-190-090-NF | 190         | 9.00          | 950.00        | Nylon Covered Neoprene | Fibreglass    | Black      | 2844                | -34                   | 85                    |
|                    |             | <i>0.354</i>  | <i>37.402</i> |                        |               |            |                     |                       |                       |
| # BD-H5-190-150-NF | 190         | 15.00         | 950.00        | Nylon Covered Neoprene | Fibreglass    | Black      | 4740                | -34                   | 85                    |
|                    |             | <i>0.591</i>  | <i>37.402</i> |                        |               |            |                     |                       |                       |
| # BD-H5-195-060-NF | 195         | 6.00          | 975.00        | Nylon Covered Neoprene | Fibreglass    | Black      | 1896                | -34                   | 85                    |
|                    |             | <i>0.236</i>  | <i>38.386</i> |                        |               |            |                     |                       |                       |
| # BD-H5-195-090-NF | 195         | 9.00          | 975.00        | Nylon Covered Neoprene | Fibreglass    | Black      | 2844                | -34                   | 85                    |
|                    |             | <i>0.354</i>  | <i>38.386</i> |                        |               |            |                     |                       |                       |
| # BD-H5-195-150-NF | 195         | 15.00         | 975.00        | Nylon Covered Neoprene | Fibreglass    | Black      | 4740                | -34                   | 85                    |
|                    |             | <i>0.591</i>  | <i>38.386</i> |                        |               |            |                     |                       |                       |
| # BD-H5-196-060-NF | 196         | 6.00          | 980.00        | Nylon Covered Neoprene | Fibreglass    | Black      | 1896                | -34                   | 85                    |
|                    |             | <i>0.236</i>  | <i>38.583</i> |                        |               |            |                     |                       |                       |
| # BD-H5-196-090-NF | 196         | 9.00          | 980.00        | Nylon Covered Neoprene | Fibreglass    | Black      | 2844                | -34                   | 85                    |
|                    |             | <i>0.354</i>  | <i>38.583</i> |                        |               |            |                     |                       |                       |
| # BD-H5-196-150-NF | 196         | 15.00         | 980.00        | Nylon Covered Neoprene | Fibreglass    | Black      | 4740                | -34                   | 85                    |
|                    |             | <i>0.591</i>  | <i>38.583</i> |                        |               |            |                     |                       |                       |

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Belts - Timing - 5.000mm Pitch - HTD Double Sided

| Part Number        | Teeth (No.) | Nom. Width mm                | Length mm                       | Material               | Reinforcement | Appearance | Breaking Strength N | Min Temperature Deg C | Max Temperature Deg C |
|--------------------|-------------|------------------------------|---------------------------------|------------------------|---------------|------------|---------------------|-----------------------|-----------------------|
| # BD-H5-197-060-NF | 197         | 6.00<br><i>0.236 inches</i>  | 985.00<br><i>38.780 inches</i>  | Nylon Covered Neoprene | Fibreglass    | Black      | 1896                | -34                   | 85                    |
| # BD-H5-197-090-NF | 197         | 9.00<br><i>0.354 inches</i>  | 985.00<br><i>38.780 inches</i>  | Nylon Covered Neoprene | Fibreglass    | Black      | 2844                | -34                   | 85                    |
| # BD-H5-197-150-NF | 197         | 15.00<br><i>0.591 inches</i> | 985.00<br><i>38.780 inches</i>  | Nylon Covered Neoprene | Fibreglass    | Black      | 4740                | -34                   | 85                    |
| # BD-H5-200-060-NF | 200         | 6.00<br><i>0.236 inches</i>  | 1000.00<br><i>39.370 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 1896                | -34                   | 85                    |
| # BD-H5-200-090-NF | 200         | 9.00<br><i>0.354 inches</i>  | 1000.00<br><i>39.370 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 2844                | -34                   | 85                    |
| # BD-H5-200-150-NF | 200         | 15.00<br><i>0.591 inches</i> | 1000.00<br><i>39.370 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 4740                | -34                   | 85                    |
| # BD-H5-207-060-NF | 207         | 6.00<br><i>0.236 inches</i>  | 1035.00<br><i>40.748 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 1896                | -34                   | 85                    |
| # BD-H5-207-090-NF | 207         | 9.00<br><i>0.354 inches</i>  | 1035.00<br><i>40.748 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 2844                | -34                   | 85                    |

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Belts - Timing - 5.000mm Pitch - HTD Double Sided

| Part Number        | Teeth (No.) | Nom. Width mm                | Length mm                       | Material               | Reinforcement | Appearance | Breaking Strength N | Min Temperature Deg C | Max Temperature Deg C |
|--------------------|-------------|------------------------------|---------------------------------|------------------------|---------------|------------|---------------------|-----------------------|-----------------------|
| # BD-H5-207-150-NF | 207         | 15.00<br><i>0.591 inches</i> | 1035.00<br><i>40.748 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 4740                | -34                   | 85                    |
| # BD-H5-210-060-NF | 210         | 6.00<br><i>0.236 inches</i>  | 1050.00<br><i>41.339 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 1896                | -34                   | 85                    |
| # BD-H5-210-090-NF | 210         | 9.00<br><i>0.354 inches</i>  | 1050.00<br><i>41.339 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 2844                | -34                   | 85                    |
| # BD-H5-210-150-NF | 210         | 15.00<br><i>0.591 inches</i> | 1050.00<br><i>41.339 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 4740                | -34                   | 85                    |
| # BD-H5-220-060-NF | 220         | 6.00<br><i>0.236 inches</i>  | 1100.00<br><i>43.307 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 1896                | -34                   | 85                    |
| # BD-H5-220-090-NF | 220         | 9.00<br><i>0.354 inches</i>  | 1100.00<br><i>43.307 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 2844                | -34                   | 85                    |
| # BD-H5-220-150-NF | 220         | 15.00<br><i>0.591 inches</i> | 1100.00<br><i>43.307 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 4740                | -34                   | 85                    |
| # BD-H5-225-060-NF | 225         | 6.00<br><i>0.236 inches</i>  | 1125.00<br><i>44.291 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 1896                | -34                   | 85                    |

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Belts - Timing - 5.000mm Pitch - HTD Double Sided

| Part Number        | Teeth (No.) | Nom. Width mm | Length mm     | Material               | Reinforcement | Appearance | Breaking Strength N | Min Temperature Deg C | Max Temperature Deg C |
|--------------------|-------------|---------------|---------------|------------------------|---------------|------------|---------------------|-----------------------|-----------------------|
|                    |             | <i>inches</i> | <i>inches</i> |                        |               |            |                     |                       |                       |
| # BD-H5-225-090-NF | 225         | 9.00          | 1125.00       | Nylon Covered Neoprene | Fibreglass    | Black      | 2844                | -34                   | 85                    |
|                    |             | <i>0.354</i>  | <i>44.291</i> |                        |               |            |                     |                       |                       |
| # BD-H5-225-150-NF | 225         | 15.00         | 1125.00       | Nylon Covered Neoprene | Fibreglass    | Black      | 4740                | -34                   | 85                    |
|                    |             | <i>0.591</i>  | <i>44.291</i> |                        |               |            |                     |                       |                       |
| # BD-H5-239-060-NF | 239         | 6.00          | 1195.00       | Nylon Covered Neoprene | Fibreglass    | Black      | 1896                | -34                   | 85                    |
|                    |             | <i>0.236</i>  | <i>47.047</i> |                        |               |            |                     |                       |                       |
| # BD-H5-239-090-NF | 239         | 9.00          | 1195.00       | Nylon Covered Neoprene | Fibreglass    | Black      | 2844                | -34                   | 85                    |
|                    |             | <i>0.354</i>  | <i>47.047</i> |                        |               |            |                     |                       |                       |
| # BD-H5-239-150-NF | 239         | 15.00         | 1195.00       | Nylon Covered Neoprene | Fibreglass    | Black      | 4740                | -34                   | 85                    |
|                    |             | <i>0.591</i>  | <i>47.047</i> |                        |               |            |                     |                       |                       |
| # BD-H5-240-060-NF | 240         | 6.00          | 1200.00       | Nylon Covered Neoprene | Fibreglass    | Black      | 1896                | -34                   | 85                    |
|                    |             | <i>0.236</i>  | <i>47.244</i> |                        |               |            |                     |                       |                       |
| # BD-H5-240-090-NF | 240         | 9.00          | 1200.00       | Nylon Covered Neoprene | Fibreglass    | Black      | 2844                | -34                   | 85                    |
|                    |             | <i>0.354</i>  | <i>47.244</i> |                        |               |            |                     |                       |                       |
| # BD-H5-240-150-NF | 240         | 15.00         | 1200.00       | Nylon Covered Neoprene | Fibreglass    | Black      | 4740                | -34                   | 85                    |
|                    |             | <i>0.591</i>  | <i>47.244</i> |                        |               |            |                     |                       |                       |

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Belts - Timing - 5.000mm Pitch - HTD Double Sided

| Part Number        | Teeth (No.) | Nom. Width mm                | Length mm                       | Material               | Reinforcement | Appearance | Breaking Strength N | Min Temperature Deg C | Max Temperature Deg C |
|--------------------|-------------|------------------------------|---------------------------------|------------------------|---------------|------------|---------------------|-----------------------|-----------------------|
| # BD-H5-245-060-NF | 245         | 6.00<br><i>0.236 inches</i>  | 1225.00<br><i>48.228 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 1896                | -34                   | 85                    |
| # BD-H5-245-090-NF | 245         | 9.00<br><i>0.354 inches</i>  | 1225.00<br><i>48.228 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 2844                | -34                   | 85                    |
| # BD-H5-245-150-NF | 245         | 15.00<br><i>0.591 inches</i> | 1225.00<br><i>48.228 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 4740                | -34                   | 85                    |
| # BD-H5-250-060-NF | 250         | 6.00<br><i>0.236 inches</i>  | 1250.00<br><i>49.213 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 1896                | -34                   | 85                    |
| # BD-H5-250-090-NF | 250         | 9.00<br><i>0.354 inches</i>  | 1250.00<br><i>49.213 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 2844                | -34                   | 85                    |
| # BD-H5-250-150-NF | 250         | 15.00<br><i>0.591 inches</i> | 1250.00<br><i>49.213 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 4740                | -34                   | 85                    |
| # BD-H5-254-060-NF | 254         | 6.00<br><i>0.236 inches</i>  | 1270.00<br><i>50.000 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 1896                | -34                   | 85                    |
| # BD-H5-254-090-NF | 254         | 9.00<br><i>0.354 inches</i>  | 1270.00<br><i>50.000 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 2844                | -34                   | 85                    |

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Belts - Timing - 5.000mm Pitch - HTD Double Sided

| Part Number        | Teeth (No.) | Nom. Width mm                | Length mm                       | Material               | Reinforcement | Appearance | Breaking Strength N | Min Temperature Deg C | Max Temperature Deg C |
|--------------------|-------------|------------------------------|---------------------------------|------------------------|---------------|------------|---------------------|-----------------------|-----------------------|
| # BD-H5-254-150-NF | 254         | 15.00<br><i>0.591 inches</i> | 1270.00<br><i>50.000 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 4740                | -34                   | 85                    |
| # BD-H5-259-060-NF | 259         | 6.00<br><i>0.236 inches</i>  | 1295.00<br><i>50.984 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 1896                | -34                   | 85                    |
| # BD-H5-259-090-NF | 259         | 9.00<br><i>0.354 inches</i>  | 1295.00<br><i>50.984 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 2844                | -34                   | 85                    |
| # BD-H5-259-150-NF | 259         | 15.00<br><i>0.591 inches</i> | 1295.00<br><i>50.984 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 4740                | -34                   | 85                    |
| # BD-H5-275-060-NF | 275         | 6.00<br><i>0.236 inches</i>  | 1375.00<br><i>54.134 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 1896                | -34                   | 85                    |
| # BD-H5-275-090-NF | 275         | 9.00<br><i>0.354 inches</i>  | 1375.00<br><i>54.134 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 2844                | -34                   | 85                    |
| # BD-H5-275-150-NF | 275         | 15.00<br><i>0.591 inches</i> | 1375.00<br><i>54.134 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 4740                | -34                   | 85                    |
| # BD-H5-284-060-NF | 284         | 6.00<br><i>0.236 inches</i>  | 1420.00<br><i>55.906 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 1896                | -34                   | 85                    |

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Belts - Timing - 5.000mm Pitch - HTD Double Sided

| Part Number        | Teeth (No.) | Nom. Width mm                | Length mm                       | Material               | Reinforcement | Appearance | Breaking Strength N | Min Temperature Deg C | Max Temperature Deg C |
|--------------------|-------------|------------------------------|---------------------------------|------------------------|---------------|------------|---------------------|-----------------------|-----------------------|
| # BD-H5-284-090-NF | 284         | 9.00<br><i>0.354 inches</i>  | 1420.00<br><i>55.906 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 2844                | -34                   | 85                    |
| # BD-H5-284-150-NF | 284         | 15.00<br><i>0.591 inches</i> | 1420.00<br><i>55.906 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 4740                | -34                   | 85                    |
| # BD-H5-300-060-NF | 300         | 6.00<br><i>0.236 inches</i>  | 1500.00<br><i>59.055 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 1896                | -34                   | 85                    |
| # BD-H5-300-090-NF | 300         | 9.00<br><i>0.354 inches</i>  | 1500.00<br><i>59.055 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 2844                | -34                   | 85                    |
| # BD-H5-300-150-NF | 300         | 15.00<br><i>0.591 inches</i> | 1500.00<br><i>59.055 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 4740                | -34                   | 85                    |
| # BD-H5-315-060-NF | 315         | 6.00<br><i>0.236 inches</i>  | 1575.00<br><i>62.008 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 1896                | -34                   | 85                    |
| # BD-H5-315-090-NF | 315         | 9.00<br><i>0.354 inches</i>  | 1575.00<br><i>62.008 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 2844                | -34                   | 85                    |
| # BD-H5-315-150-NF | 315         | 15.00<br><i>0.591 inches</i> | 1575.00<br><i>62.008 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 4740                | -34                   | 85                    |

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Belts - Timing - 5.000mm Pitch - HTD Double Sided

| Part Number        | Teeth (No.) | Nom. Width mm                | Length mm                       | Material               | Reinforcement | Appearance | Breaking Strength N | Min Temperature Deg C | Max Temperature Deg C |
|--------------------|-------------|------------------------------|---------------------------------|------------------------|---------------|------------|---------------------|-----------------------|-----------------------|
| # BD-H5-319-060-NF | 319         | 6.00<br><i>0.236 inches</i>  | 1595.00<br><i>62.795 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 1896                | -34                   | 85                    |
| # BD-H5-319-090-NF | 319         | 9.00<br><i>0.354 inches</i>  | 1595.00<br><i>62.795 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 2844                | -34                   | 85                    |
| # BD-H5-319-150-NF | 319         | 15.00<br><i>0.591 inches</i> | 1595.00<br><i>62.795 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 4740                | -34                   | 85                    |
| # BD-H5-327-060-NF | 327         | 6.00<br><i>0.236 inches</i>  | 1635.00<br><i>64.370 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 1896                | -34                   | 85                    |
| # BD-H5-327-090-NF | 327         | 9.00<br><i>0.354 inches</i>  | 1635.00<br><i>64.370 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 2844                | -34                   | 85                    |
| # BD-H5-327-150-NF | 327         | 15.00<br><i>0.591 inches</i> | 1635.00<br><i>64.370 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 4740                | -34                   | 85                    |
| # BD-H5-338-060-NF | 338         | 6.00<br><i>0.236 inches</i>  | 1690.00<br><i>66.535 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 1896                | -34                   | 85                    |
| # BD-H5-338-090-NF | 338         | 9.00<br><i>0.354 inches</i>  | 1690.00<br><i>66.535 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 2844                | -34                   | 85                    |

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Belts - Timing - 5.000mm Pitch - HTD Double Sided

| Part Number        | Teeth (No.) | Nom. Width mm                | Length mm                       | Material               | Reinforcement | Appearance | Breaking Strength N | Min Temperature Deg C | Max Temperature Deg C |
|--------------------|-------------|------------------------------|---------------------------------|------------------------|---------------|------------|---------------------|-----------------------|-----------------------|
| # BD-H5-338-150-NF | 338         | 15.00<br><i>0.591 inches</i> | 1690.00<br><i>66.535 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 4740                | -34                   | 85                    |
| # BD-H5-358-060-NF | 358         | 6.00<br><i>0.236 inches</i>  | 1790.00<br><i>70.472 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 1896                | -34                   | 85                    |
| # BD-H5-358-090-NF | 358         | 9.00<br><i>0.354 inches</i>  | 1790.00<br><i>70.472 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 2844                | -34                   | 85                    |
| # BD-H5-358-150-NF | 358         | 15.00<br><i>0.591 inches</i> | 1790.00<br><i>70.472 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 4740                | -34                   | 85                    |
| # BD-H5-360-060-NF | 360         | 6.00<br><i>0.236 inches</i>  | 1800.00<br><i>70.866 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 1896                | -34                   | 85                    |
| # BD-H5-360-090-NF | 360         | 9.00<br><i>0.354 inches</i>  | 1800.00<br><i>70.866 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 2844                | -34                   | 85                    |
| # BD-H5-360-150-NF | 360         | 15.00<br><i>0.591 inches</i> | 1800.00<br><i>70.866 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 4740                | -34                   | 85                    |
| # BD-H5-369-060-NF | 369         | 6.00<br><i>0.236 inches</i>  | 1845.00<br><i>72.638 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 1896                | -34                   | 85                    |

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Belts - Timing - 5.000mm Pitch - HTD Double Sided

| Part Number        | Teeth (No.) | Nom. Width mm                | Length mm                       | Material               | Reinforcement | Appearance | Breaking Strength N | Min Temperature Deg C | Max Temperature Deg C |
|--------------------|-------------|------------------------------|---------------------------------|------------------------|---------------|------------|---------------------|-----------------------|-----------------------|
| # BD-H5-369-090-NF | 369         | 9.00<br><i>0.354 inches</i>  | 1845.00<br><i>72.638 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 2844                | -34                   | 85                    |
| # BD-H5-369-150-NF | 369         | 15.00<br><i>0.591 inches</i> | 1845.00<br><i>72.638 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 4740                | -34                   | 85                    |
| # BD-H5-374-060-NF | 374         | 6.00<br><i>0.236 inches</i>  | 1870.00<br><i>73.622 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 1896                | -34                   | 85                    |
| # BD-H5-374-090-NF | 374         | 9.00<br><i>0.354 inches</i>  | 1870.00<br><i>73.622 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 2844                | -34                   | 85                    |
| # BD-H5-374-150-NF | 374         | 15.00<br><i>0.591 inches</i> | 1870.00<br><i>73.622 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 4740                | -34                   | 85                    |
| # BD-H5-379-060-NF | 379         | 6.00<br><i>0.236 inches</i>  | 1895.00<br><i>74.606 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 1896                | -34                   | 85                    |
| # BD-H5-379-090-NF | 379         | 9.00<br><i>0.354 inches</i>  | 1895.00<br><i>74.606 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 2844                | -34                   | 85                    |
| # BD-H5-379-150-NF | 379         | 15.00<br><i>0.591 inches</i> | 1895.00<br><i>74.606 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 4740                | -34                   | 85                    |

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Belts - Timing - 5.000mm Pitch - HTD Double Sided

| Part Number        | Teeth (No.) | Nom. Width mm                | Length mm                       | Material               | Reinforcement | Appearance | Breaking Strength N | Min Temperature Deg C | Max Temperature Deg C |
|--------------------|-------------|------------------------------|---------------------------------|------------------------|---------------|------------|---------------------|-----------------------|-----------------------|
| # BD-H5-389-060-NF | 389         | 6.00<br><i>0.236 inches</i>  | 1945.00<br><i>76.575 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 1896                | -34                   | 85                    |
| # BD-H5-389-090-NF | 389         | 9.00<br><i>0.354 inches</i>  | 1945.00<br><i>76.575 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 2844                | -34                   | 85                    |
| # BD-H5-389-150-NF | 389         | 15.00<br><i>0.591 inches</i> | 1945.00<br><i>76.575 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 4740                | -34                   | 85                    |
| # BD-H5-396-060-NF | 396         | 6.00<br><i>0.236 inches</i>  | 1980.00<br><i>77.953 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 1896                | -34                   | 85                    |
| # BD-H5-396-090-NF | 396         | 9.00<br><i>0.354 inches</i>  | 1980.00<br><i>77.953 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 2844                | -34                   | 85                    |
| # BD-H5-396-150-NF | 396         | 15.00<br><i>0.591 inches</i> | 1980.00<br><i>77.953 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 4740                | -34                   | 85                    |
| # BD-H5-400-060-NF | 400         | 6.00<br><i>0.236 inches</i>  | 2000.00<br><i>78.740 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 1896                | -34                   | 85                    |
| # BD-H5-400-090-NF | 400         | 9.00<br><i>0.354 inches</i>  | 2000.00<br><i>78.740 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 2844                | -34                   | 85                    |

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Belts - Timing - 5.000mm Pitch - HTD Double Sided

| Part Number        | Teeth (No.) | Nom. Width mm                | Length mm                       | Material               | Reinforcement | Appearance | Breaking Strength N | Min Temperature Deg C | Max Temperature Deg C |
|--------------------|-------------|------------------------------|---------------------------------|------------------------|---------------|------------|---------------------|-----------------------|-----------------------|
| # BD-H5-400-150-NF | 400         | 15.00<br><i>0.591 inches</i> | 2000.00<br><i>78.740 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 4740                | -34                   | 85                    |
| # BD-H5-420-060-NF | 420         | 6.00<br><i>0.236 inches</i>  | 2100.00<br><i>82.677 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 1896                | -34                   | 85                    |
| # BD-H5-420-090-NF | 420         | 9.00<br><i>0.354 inches</i>  | 2100.00<br><i>82.677 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 2844                | -34                   | 85                    |
| # BD-H5-420-150-NF | 420         | 15.00<br><i>0.591 inches</i> | 2100.00<br><i>82.677 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 4740                | -34                   | 85                    |
| # BD-H5-422-060-NF | 422         | 6.00<br><i>0.236 inches</i>  | 2110.00<br><i>83.071 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 1896                | -34                   | 85                    |
| # BD-H5-422-090-NF | 422         | 9.00<br><i>0.354 inches</i>  | 2110.00<br><i>83.071 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 2844                | -34                   | 85                    |
| # BD-H5-422-150-NF | 422         | 15.00<br><i>0.591 inches</i> | 2110.00<br><i>83.071 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 4740                | -34                   | 85                    |
| # BD-H5-450-060-NF | 450         | 6.00<br><i>0.236 inches</i>  | 2250.00<br><i>88.583 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 1896                | -34                   | 85                    |

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Belts - Timing - 5.000mm Pitch - HTD Double Sided

| Part Number        | Teeth (No.) | Nom. Width mm                | Length mm                       | Material               | Reinforcement | Appearance | Breaking Strength N | Min Temperature Deg C | Max Temperature Deg C |
|--------------------|-------------|------------------------------|---------------------------------|------------------------|---------------|------------|---------------------|-----------------------|-----------------------|
| # BD-H5-450-090-NF | 450         | 9.00<br><i>0.354 inches</i>  | 2250.00<br><i>88.583 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 2844                | -34                   | 85                    |
| # BD-H5-450-150-NF | 450         | 15.00<br><i>0.591 inches</i> | 2250.00<br><i>88.583 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 4740                | -34                   | 85                    |
| # BD-H5-470-060-NF | 470         | 6.00<br><i>0.236 inches</i>  | 2350.00<br><i>92.520 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 1896                | -34                   | 85                    |
| # BD-H5-470-090-NF | 470         | 9.00<br><i>0.354 inches</i>  | 2350.00<br><i>92.520 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 2844                | -34                   | 85                    |
| # BD-H5-470-150-NF | 470         | 15.00<br><i>0.591 inches</i> | 2350.00<br><i>92.520 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 4740                | -34                   | 85                    |
| # BD-H5-505-060-NF | 505         | 6.00<br><i>0.236 inches</i>  | 2525.00<br><i>99.409 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 1896                | -34                   | 85                    |
| # BD-H5-505-090-NF | 505         | 9.00<br><i>0.354 inches</i>  | 2525.00<br><i>99.409 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 2844                | -34                   | 85                    |
| # BD-H5-505-150-NF | 505         | 15.00<br><i>0.591 inches</i> | 2525.00<br><i>99.409 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 4740                | -34                   | 85                    |

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Belts - Timing - 5.000mm Pitch - HTD Double Sided

| Part Number        | Teeth (No.) | Nom. Width mm                | Length mm                        | Material               | Reinforcement | Appearance | Breaking Strength N | Min Temperature Deg C | Max Temperature Deg C |
|--------------------|-------------|------------------------------|----------------------------------|------------------------|---------------|------------|---------------------|-----------------------|-----------------------|
| # BD-H5-552-060-NF | 552         | 6.00<br><i>0.236 inches</i>  | 2760.00<br><i>108.661 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 1896                | -34                   | 85                    |
| # BD-H5-552-090-NF | 552         | 9.00<br><i>0.354 inches</i>  | 2760.00<br><i>108.661 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 2844                | -34                   | 85                    |
| # BD-H5-552-150-NF | 552         | 15.00<br><i>0.591 inches</i> | 2760.00<br><i>108.661 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 4740                | -34                   | 85                    |
| # BD-H5-624-060-NF | 624         | 6.00<br><i>0.236 inches</i>  | 3120.00<br><i>122.835 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 1896                | -34                   | 85                    |
| # BD-H5-624-090-NF | 624         | 9.00<br><i>0.354 inches</i>  | 3120.00<br><i>122.835 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 2844                | -34                   | 85                    |
| # BD-H5-624-150-NF | 624         | 15.00<br><i>0.591 inches</i> | 3120.00<br><i>122.835 inches</i> | Nylon Covered Neoprene | Fibreglass    | Black      | 4740                | -34                   | 85                    |

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to [catalogues@minibearings.com.au](mailto:catalogues@minibearings.com.au)

|  |  |  |  |  |  |
|--|--|--|--|--|--|
|  |  |  |  |  |  |
|  |  |  |  |  |  |
|  |  |  |  |  |  |