




MBA

Belts - Timing - 5.000mm Pitch - T5



T Series Metric Timing Belts.

Pitch (P) - 5.000mm.

Tooth Length (T) - 1.40mm.

Tooth Height (H) - 1.20mm.

Belt Height (W) - 2.20mm - Corner Radii (r) - 0.40mm.

Breaking strength is not indicative of working strength.

Belts - Timing - 5.000mm Pitch - T5

Part Number	Teeth (No.)	Nom. Width mm	Length mm	Material	Reinforcement	Appearance	Breaking Strength N	Min Temperature Deg C	Max Temperature Deg C	Tooth Angle (A) Deg.
		<i>inches</i>	<i>inches</i>							
# B-T5-033-060-PF	33	6.00 <i>0.236</i>	165.00 <i>6.496</i>	Polyurethane	Fibreglass	Translucent	714	-18	82	40
# B-T5-033-100-PF	33	10.00 <i>0.394</i>	165.00 <i>6.496</i>	Polyurethane	Fibreglass	Translucent	1190	-18	82	40
# B-T5-033-160-PF	33	16.00 <i>0.630</i>	165.00 <i>6.496</i>	Polyurethane	Fibreglass	Translucent	1904	-18	82	

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Belts - Timing - 5.000mm Pitch - T5

Part Number	Teeth (No.)	Nom. Width mm	Length mm	Material	Reinforcement	Appearance	Breaking Strength N	Min Temperature Deg C	Max Temperature Deg C	Tooth Angle (A) Deg.
		<i>inches</i>	<i>inches</i>							
# B-T5-037-060-PF	37	6.00 <i>0.236</i>	185.00 <i>7.283</i>	Polyurethane	Fibreglass	Translucent	714	-18	82	40
# B-T5-037-100-PF	37	10.00 <i>0.394</i>	185.00 <i>7.283</i>	Polyurethane	Fibreglass	Translucent	1190	-18	82	40
# B-T5-037-160-PF	37	16.00 <i>0.630</i>	185.00 <i>7.283</i>	Polyurethane	Fibreglass	Translucent	1904	-18	82	
# B-T5-040-060-PF	40	6.00 <i>0.236</i>	200.00 <i>7.874</i>	Polyurethane	Fibreglass	Translucent	714	-18	82	40
B-T5-040-100-PF	40	10.00 <i>0.394</i>	200.00 <i>7.874</i>	Polyurethane	Fibreglass	Translucent	1190	-18	82	40
# B-T5-040-160-PF	40	16.00 <i>0.630</i>	200.00 <i>7.874</i>	Polyurethane	Fibreglass	Translucent	1904	-18	82	
# B-T5-043-060-PF	43	6.00 <i>0.236</i>	215.00 <i>8.465</i>	Polyurethane	Fibreglass	Translucent	714	-18	82	40
# B-T5-043-100-PF	43	10.00 <i>0.394</i>	215.00 <i>8.465</i>	Polyurethane	Fibreglass	Translucent	1190	-18	82	40
# B-T5-043-160-PF	43	16.00 <i>0.630</i>	215.00 <i>8.465</i>	Polyurethane	Fibreglass	Translucent	1904	-18	82	
# B-T5-044-060-PF	44	6.00 <i>0.236</i>	220.00 <i>8.661</i>	Polyurethane	Fibreglass	Translucent	714	-18	82	40

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Belts - Timing - 5.000mm Pitch - T5

Part Number	Teeth (No.)	Nom. Width mm	Length mm	Material	Reinforcement	Appearance	Breaking Strength N	Min Temperature Deg C	Max Temperature Deg C	Tooth Angle (A) Deg.
		<i>inches</i>	<i>inches</i>							
# B-T5-044-100-PF	44	10.00 <i>0.394</i>	220.00 <i>8.661</i>	Polyurethane	Fibreglass	Translucent	1190	-18	82	40
# B-T5-044-160-PF	44	16.00 <i>0.630</i>	220.00 <i>8.661</i>	Polyurethane	Fibreglass	Translucent	1904	-18	82	
# B-T5-045-060-PF	45	6.00 <i>0.236</i>	225.00 <i>8.858</i>	Polyurethane	Fibreglass	Translucent	714	-18	82	40
# B-T5-045-100-PF	45	10.00 <i>0.394</i>	225.00 <i>8.858</i>	Polyurethane	Fibreglass	Translucent	1190	-18	82	40
# B-T5-045-160-PF	45	16.00 <i>0.630</i>	225.00 <i>8.858</i>	Polyurethane	Fibreglass	Translucent	1904	-18	82	
B-T5-049-060-PF	49	6.00 <i>0.236</i>	245.00 <i>9.646</i>	Polyurethane	Fibreglass	Translucent	714	-18	82	40
B-T5-049-100-PF	49	10.00 <i>0.394</i>	245.00 <i>9.646</i>	Polyurethane	Fibreglass	Translucent	1190	-18	82	40
# B-T5-049-160-PF	49	16.00 <i>0.630</i>	245.00 <i>9.646</i>	Polyurethane	Fibreglass	Translucent	1904	-18	82	
# B-T5-050-060-PF	50	6.00 <i>0.236</i>	250.00 <i>9.843</i>	Polyurethane	Fibreglass	Translucent	714	-18	82	40
# B-T5-050-100-PF	50	10.00 <i>0.394</i>	250.00 <i>9.843</i>	Polyurethane	Fibreglass	Translucent	1190	-18	82	40

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Belts - Timing - 5.000mm Pitch - T5

Part Number	Teeth (No.)	Nom. Width mm	Length mm	Material	Reinforcement	Appearance	Breaking Strength N	Min Temperature Deg C	Max Temperature Deg C	Tooth Angle (A) Deg.
		<i>inches</i>	<i>inches</i>							
# B-T5-050-160-PF	50	16.00 <i>0.630</i>	250.00 <i>9.843</i>	Polyurethane	Fibreglass	Translucent	1904	-18	82	
# B-T5-051-060-PF	51	6.00 <i>0.236</i>	255.00 <i>10.039</i>	Polyurethane	Fibreglass	Translucent	714	-18	82	40
B-T5-051-100-PF	51	10.00 <i>0.394</i>	255.00 <i>10.039</i>	Polyurethane	Fibreglass	Translucent	1190	-18	82	40
B-T5-051-160-PF	51	16.00 <i>0.630</i>	255.00 <i>10.039</i>	Polyurethane	Fibreglass	Translucent	1904	-18	82	
# B-T5-052-060-PF	52	6.00 <i>0.236</i>	260.00 <i>10.236</i>	Polyurethane	Fibreglass	Translucent	714	-18	82	40
# B-T5-052-100-PF	52	10.00 <i>0.394</i>	260.00 <i>10.236</i>	Polyurethane	Fibreglass	Translucent	1190	-18	82	40
# B-T5-052-160-PF	52	16.00 <i>0.630</i>	260.00 <i>10.236</i>	Polyurethane	Fibreglass	Translucent	1904	-18	82	
# B-T5-054-060-PF	54	6.00 <i>0.236</i>	270.00 <i>10.630</i>	Polyurethane	Fibreglass	Translucent	714	-18	82	40
B-T5-054-100-PF	54	10.00 <i>0.394</i>	270.00 <i>10.630</i>	Polyurethane	Fibreglass	Translucent	1190	-18	82	40
# B-T5-054-160-PF	54	16.00 <i>0.630</i>	270.00 <i>10.630</i>	Polyurethane	Fibreglass	Translucent	1904	-18	82	

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Belts - Timing - 5.000mm Pitch - T5

Part Number	Teeth (No.)	Nom. Width mm	Length mm	Material	Reinforcement	Appearance	Breaking Strength N	Min Temperature Deg C	Max Temperature Deg C	Tooth Angle (A) Deg.
		<i>inches</i>	<i>inches</i>							
# B-T5-055-060-PF	55	6.00 <i>0.236</i>	275.00 <i>10.827</i>	Polyurethane	Fibreglass	Translucent	714	-18	82	40
# B-T5-055-100-PF	55	10.00 <i>0.394</i>	275.00 <i>10.827</i>	Polyurethane	Fibreglass	Translucent	1190	-18	82	40
# B-T5-055-160-PF	55	16.00 <i>0.630</i>	275.00 <i>10.827</i>	Polyurethane	Fibreglass	Translucent	1904	-18	82	
# B-T5-056-060-PF	56	6.00 <i>0.236</i>	280.00 <i>11.024</i>	Polyurethane	Fibreglass	Translucent	714	-18	82	40
# B-T5-056-100-PF	56	10.00 <i>0.394</i>	280.00 <i>11.024</i>	Polyurethane	Fibreglass	Translucent	1190	-18	82	40
# B-T5-056-160-PF	56	16.00 <i>0.630</i>	280.00 <i>11.024</i>	Polyurethane	Fibreglass	Translucent	1904	-18	82	
B-T5-059-060-PF	59	6.00 <i>0.236</i>	295.00 <i>11.614</i>	Polyurethane	Fibreglass	Translucent	714	-18	82	40
# B-T5-059-100-PF	59	10.00 <i>0.394</i>	295.00 <i>11.614</i>	Polyurethane	Fibreglass	Translucent	1190	-18	82	40
# B-T5-059-160-PF	59	16.00 <i>0.630</i>	295.00 <i>11.614</i>	Polyurethane	Fibreglass	Translucent	1904	-18	82	
# B-T5-060-060-PF	60	6.00 <i>0.236</i>	300.00 <i>11.811</i>	Polyurethane	Fibreglass	Translucent	714	-18	82	40

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Belts - Timing - 5.000mm Pitch - T5

Part Number	Teeth (No.)	Nom. Width mm	Length mm	Material	Reinforcement	Appearance	Breaking Strength N	Min Temperature Deg C	Max Temperature Deg C	Tooth Angle (A) Deg.
		<i>inches</i>	<i>inches</i>							
# B-T5-060-100-PF	60	10.00 <i>0.394</i>	300.00 <i>11.811</i>	Polyurethane	Fibreglass	Translucent	1190	-18	82	40
# B-T5-060-160-PF	60	16.00 <i>0.630</i>	300.00 <i>11.811</i>	Polyurethane	Fibreglass	Translucent	1904	-18	82	
# B-T5-061-060-PF	61	6.00 <i>0.236</i>	305.00 <i>12.008</i>	Polyurethane	Fibreglass	Translucent	714	-18	82	40
# B-T5-061-100-PF	61	10.00 <i>0.394</i>	305.00 <i>12.008</i>	Polyurethane	Fibreglass	Translucent	1190	-18	82	40
B-T5-061-160-PF	61	16.00 <i>0.630</i>	305.00 <i>12.008</i>	Polyurethane	Fibreglass	Translucent	1904	-18	82	
# B-T5-065-060-PF	65	6.00 <i>0.236</i>	325.00 <i>12.795</i>	Polyurethane	Fibreglass	Translucent	714	-18	82	40
B-T5-065-100-PF	65	10.00 <i>0.394</i>	325.00 <i>12.795</i>	Polyurethane	Fibreglass	Translucent	1190	-18	82	40
# B-T5-065-160-PF	65	16.00 <i>0.630</i>	325.00 <i>12.795</i>	Polyurethane	Fibreglass	Translucent	1904	-18	82	
# B-T5-066-060-PF	66	6.00 <i>0.236</i>	330.00 <i>12.992</i>	Polyurethane	Fibreglass	Translucent	714	-18	82	40
B-T5-066-100-PF	66	10.00 <i>0.394</i>	330.00 <i>12.992</i>	Polyurethane	Fibreglass	Translucent	1190	-18	82	40

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Belts - Timing - 5.000mm Pitch - T5

Part Number	Teeth (No.)	Nom. Width mm	Length mm	Material	Reinforcement	Appearance	Breaking Strength N	Min Temperature Deg C	Max Temperature Deg C	Tooth Angle (A) Deg.
		<i>inches</i>	<i>inches</i>							
# B-T5-066-160-PF	66	16.00 <i>0.630</i>	330.00 <i>12.992</i>	Polyurethane	Fibreglass	Translucent	1904	-18	82	
# B-T5-068-060-PF	68	6.00 <i>0.236</i>	340.00 <i>13.386</i>	Polyurethane	Fibreglass	Translucent	714	-18	82	40
# B-T5-068-100-PF	68	10.00 <i>0.394</i>	340.00 <i>13.386</i>	Polyurethane	Fibreglass	Translucent	1190	-18	82	40
# B-T5-068-160-PF	68	16.00 <i>0.630</i>	340.00 <i>13.386</i>	Polyurethane	Fibreglass	Translucent	1904	-18	82	
# B-T5-070-060-PF	70	6.00 <i>0.236</i>	350.00 <i>13.780</i>	Polyurethane	Fibreglass	Translucent	714	-18	82	40
# B-T5-070-100-PF	70	10.00 <i>0.394</i>	350.00 <i>13.780</i>	Polyurethane	Fibreglass	Translucent	1190	-18	82	40
# B-T5-070-160-PF	70	16.00 <i>0.630</i>	350.00 <i>13.780</i>	Polyurethane	Fibreglass	Translucent	1904	-18	82	
# B-T5-071-060-PF	71	6.00 <i>0.236</i>	355.00 <i>13.976</i>	Polyurethane	Fibreglass	Translucent	714	-18	82	40
B-T5-071-100-PF	71	10.00 <i>0.394</i>	355.00 <i>13.976</i>	Polyurethane	Fibreglass	Translucent	1190	-18	82	40
# B-T5-071-160-PF	71	16.00 <i>0.630</i>	355.00 <i>13.976</i>	Polyurethane	Fibreglass	Translucent	1904	-18	82	

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Belts - Timing - 5.000mm Pitch - T5

Part Number	Teeth (No.)	Nom. Width mm	Length mm	Material	Reinforcement	Appearance	Breaking Strength N	Min Temperature Deg C	Max Temperature Deg C	Tooth Angle (A) Deg.
		<i>inches</i>	<i>inches</i>							
B-T5-073-060-PF	73	6.00 <i>0.236</i>	365.00 <i>14.370</i>	Polyurethane	Fibreglass	Translucent	714	-18	82	40
# B-T5-073-100-PF	73	10.00 <i>0.394</i>	365.00 <i>14.370</i>	Polyurethane	Fibreglass	Translucent	1190	-18	82	40
# B-T5-073-160-PF	73	16.00 <i>0.630</i>	365.00 <i>14.370</i>	Polyurethane	Fibreglass	Translucent	1904	-18	82	
# B-T5-078-060-PF	78	6.00 <i>0.236</i>	390.00 <i>15.354</i>	Polyurethane	Fibreglass	Translucent	714	-18	82	40
B-T5-078-100-PF	78	10.00 <i>0.394</i>	390.00 <i>15.354</i>	Polyurethane	Fibreglass	Translucent	1190	-18	82	40
# B-T5-078-160-PF	78	16.00 <i>0.630</i>	390.00 <i>15.354</i>	Polyurethane	Fibreglass	Translucent	1904	-18	82	
# B-T5-080-060-PF	80	6.00 <i>0.236</i>	400.00 <i>15.748</i>	Polyurethane	Fibreglass	Translucent	714	-18	82	40
# B-T5-080-100-PF	80	10.00 <i>0.394</i>	400.00 <i>15.748</i>	Polyurethane	Fibreglass	Translucent	1190	-18	82	40
# B-T5-080-160-PF	80	16.00 <i>0.630</i>	400.00 <i>15.748</i>	Polyurethane	Fibreglass	Translucent	1904	-18	82	
# B-T5-082-060-PF	82	6.00 <i>0.236</i>	410.00 <i>16.142</i>	Polyurethane	Fibreglass	Translucent	714	-18	82	40

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Belts - Timing - 5.000mm Pitch - T5

Part Number	Teeth (No.)	Nom. Width mm	Length mm	Material	Reinforcement	Appearance	Breaking Strength N	Min Temperature Deg C	Max Temperature Deg C	Tooth Angle (A) Deg.
		<i>inches</i>	<i>inches</i>							
# B-T5-082-100-PF	82	10.00 <i>0.394</i>	410.00 <i>16.142</i>	Polyurethane	Fibreglass	Translucent	1190	-18	82	40
# B-T5-082-160-PF	82	16.00 <i>0.630</i>	410.00 <i>16.142</i>	Polyurethane	Fibreglass	Translucent	1904	-18	82	
# B-T5-084-060-PF	84	6.00 <i>0.236</i>	420.00 <i>16.535</i>	Polyurethane	Fibreglass	Translucent	714	-18	82	40
B-T5-084-100-PF	84	10.00 <i>0.394</i>	420.00 <i>16.535</i>	Polyurethane	Fibreglass	Translucent	1190	-18	82	40
# B-T5-084-160-PF	84	16.00 <i>0.630</i>	420.00 <i>16.535</i>	Polyurethane	Fibreglass	Translucent	1904	-18	82	
# B-T5-085-060-PF	85	6.00 <i>0.236</i>	425.00 <i>16.732</i>	Polyurethane	Fibreglass	Translucent	714	-18	82	40
# B-T5-085-100-PF	85	10.00 <i>0.394</i>	425.00 <i>16.732</i>	Polyurethane	Fibreglass	Translucent	1190	-18	82	40
# B-T5-085-160-PF	85	16.00 <i>0.630</i>	425.00 <i>16.732</i>	Polyurethane	Fibreglass	Translucent	1904	-18	82	
# B-T5-090-060-PF	90	6.00 <i>0.236</i>	450.00 <i>17.717</i>	Polyurethane	Fibreglass	Translucent	714	-18	82	40
# B-T5-090-100-PF	90	10.00 <i>0.394</i>	450.00 <i>17.717</i>	Polyurethane	Fibreglass	Translucent	1190	-18	82	40

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Belts - Timing - 5.000mm Pitch - T5

Part Number	Teeth (No.)	Nom. Width mm	Length mm	Material	Reinforcement	Appearance	Breaking Strength N	Min Temperature Deg C	Max Temperature Deg C	Tooth Angle (A) Deg.
		<i>inches</i>	<i>inches</i>							
# B-T5-090-160-PF	90	16.00 <i>0.630</i>	450.00 <i>17.717</i>	Polyurethane	Fibreglass	Translucent	1904	-18	82	
# B-T5-091-060-PF	91	6.00 <i>0.236</i>	455.00 <i>17.913</i>	Polyurethane	Fibreglass	Translucent	714	-18	82	40
# B-T5-091-100-PF	91	10.00 <i>0.394</i>	455.00 <i>17.913</i>	Polyurethane	Fibreglass	Translucent	1190	-18	82	40
# B-T5-091-160-PF	91	16.00 <i>0.630</i>	455.00 <i>17.913</i>	Polyurethane	Fibreglass	Translucent	1904	-18	82	
# B-T5-093-060-PF	93	6.00 <i>0.236</i>	465.00 <i>18.307</i>	Polyurethane	Fibreglass	Translucent	714	-18	82	40
# B-T5-093-100-PF	93	10.00 <i>0.394</i>	465.00 <i>18.307</i>	Polyurethane	Fibreglass	Translucent	1190	-18	82	40
# B-T5-093-160-PF	93	16.00 <i>0.630</i>	465.00 <i>18.307</i>	Polyurethane	Fibreglass	Translucent	1904	-18	82	
# B-T5-095-060-PF	95	6.00 <i>0.236</i>	475.00 <i>18.701</i>	Polyurethane	Fibreglass	Translucent	714	-18	82	40
# B-T5-095-100-PF	95	10.00 <i>0.394</i>	475.00 <i>18.701</i>	Polyurethane	Fibreglass	Translucent	1190	-18	82	40
# B-T5-095-160-PF	95	16.00 <i>0.630</i>	475.00 <i>18.701</i>	Polyurethane	Fibreglass	Translucent	1904	-18	82	

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Belts - Timing - 5.000mm Pitch - T5

Part Number	Teeth (No.)	Nom. Width mm	Length mm	Material	Reinforcement	Appearance	Breaking Strength N	Min Temperature Deg C	Max Temperature Deg C	Tooth Angle (A) Deg.
		<i>inches</i>	<i>inches</i>							
# B-T5-096-060-PF	96	6.00 <i>0.236</i>	480.00 <i>18.898</i>	Polyurethane	Fibreglass	Translucent	714	-18	82	40
# B-T5-096-100-PF	96	10.00 <i>0.394</i>	480.00 <i>18.898</i>	Polyurethane	Fibreglass	Translucent	1190	-18	82	40
# B-T5-096-160-PF	96	16.00 <i>0.630</i>	480.00 <i>18.898</i>	Polyurethane	Fibreglass	Translucent	1904	-18	82	
# B-T5-100-060-PF	100	6.00 <i>0.236</i>	500.00 <i>19.685</i>	Polyurethane	Fibreglass	Translucent	714	-18	82	40
B-T5-100-100-PF	100	10.00 <i>0.394</i>	500.00 <i>19.685</i>	Polyurethane	Fibreglass	Translucent	1190	-18	82	40
# B-T5-100-160-PF	100	16.00 <i>0.630</i>	500.00 <i>19.685</i>	Polyurethane	Fibreglass	Translucent	1904	-18	82	
# B-T5-102-060-PF	102	6.00 <i>0.236</i>	510.00 <i>20.079</i>	Polyurethane	Fibreglass	Translucent	714	-18	82	40
# B-T5-102-100-PF	102	10.00 <i>0.394</i>	510.00 <i>20.079</i>	Polyurethane	Fibreglass	Translucent	1190	-18	82	40
# B-T5-102-160-PF	102	16.00 <i>0.630</i>	510.00 <i>20.079</i>	Polyurethane	Fibreglass	Translucent	1904	-18	82	
# B-T5-105-060-PF	105	6.00 <i>0.236</i>	525.00 <i>20.669</i>	Polyurethane	Fibreglass	Translucent	714	-18	82	40

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Belts - Timing - 5.000mm Pitch - T5

Part Number	Teeth (No.)	Nom. Width mm <i>inches</i>	Length mm <i>inches</i>	Material	Reinforcement	Appearance	Breaking Strength N	Min Temperature Deg C	Max Temperature Deg C	Tooth Angle (A) Deg.
# B-T5-105-100-PF	105	10.00 <i>0.394</i>	525.00 <i>20.669</i>	Polyurethane	Fibreglass	Translucent	1190	-18	82	40
# B-T5-105-160-PF	105	16.00 <i>0.630</i>	525.00 <i>20.669</i>	Polyurethane	Fibreglass	Translucent	1904	-18	82	
# B-T5-109-060-PF	109	6.00 <i>0.236</i>	545.00 <i>21.457</i>	Polyurethane	Fibreglass	Translucent	714	-18	82	40
# B-T5-109-100-PF	109	10.00 <i>0.394</i>	545.00 <i>21.457</i>	Polyurethane	Fibreglass	Translucent	1190	-18	82	40
# B-T5-109-160-PF	109	16.00 <i>0.630</i>	545.00 <i>21.457</i>	Polyurethane	Fibreglass	Translucent	1904	-18	82	
# B-T5-110-060-PF	110	6.00 <i>0.236</i>	550.00 <i>21.654</i>	Polyurethane	Fibreglass	Translucent	714	-18	82	40
# B-T5-110-100-PF	110	10.00 <i>0.394</i>	550.00 <i>21.654</i>	Polyurethane	Fibreglass	Translucent	1190	-18	82	40
# B-T5-110-160-PF	110	16.00 <i>0.630</i>	550.00 <i>21.654</i>	Polyurethane	Fibreglass	Translucent	1904	-18	82	
# B-T5-112-060-PF	112	6.00 <i>0.236</i>	560.00 <i>22.047</i>	Polyurethane	Fibreglass	Translucent	714	-18	82	40
# B-T5-112-100-PF	112	10.00 <i>0.394</i>	560.00 <i>22.047</i>	Polyurethane	Fibreglass	Translucent	1190	-18	82	40

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Belts - Timing - 5.000mm Pitch - T5

Part Number	Teeth (No.)	Nom. Width mm	Length mm	Material	Reinforcement	Appearance	Breaking Strength N	Min Temperature Deg C	Max Temperature Deg C	Tooth Angle (A) Deg.
		<i>inches</i>	<i>inches</i>							
# B-T5-112-160-PF	112	16.00 <i>0.630</i>	560.00 <i>22.047</i>	Polyurethane	Fibreglass	Translucent	1904	-18	82	
# B-T5-115-060-PF	115	6.00 <i>0.236</i>	575.00 <i>22.638</i>	Polyurethane	Fibreglass	Translucent	714	-18	82	40
# B-T5-115-100-PF	115	10.00 <i>0.394</i>	575.00 <i>22.638</i>	Polyurethane	Fibreglass	Translucent	1190	-18	82	40
# B-T5-115-160-PF	115	16.00 <i>0.630</i>	575.00 <i>22.638</i>	Polyurethane	Fibreglass	Translucent	1904	-18	82	
# B-T5-120-060-PF	120	6.00 <i>0.236</i>	600.00 <i>23.622</i>	Polyurethane	Fibreglass	Translucent	714	-18	82	40
# B-T5-120-100-PF	120	10.00 <i>0.394</i>	600.00 <i>23.622</i>	Polyurethane	Fibreglass	Translucent	1190	-18	82	40
# B-T5-120-160-PF	120	16.00 <i>0.630</i>	600.00 <i>23.622</i>	Polyurethane	Fibreglass	Translucent	1904	-18	82	
# B-T5-122-060-PF	122	6.00 <i>0.236</i>	610.00 <i>24.016</i>	Polyurethane	Fibreglass	Translucent	714	-18	82	40
# B-T5-122-100-PF	122	10.00 <i>0.394</i>	610.00 <i>24.016</i>	Polyurethane	Fibreglass	Translucent	1190	-18	82	40
# B-T5-122-160-PF	122	16.00 <i>0.630</i>	610.00 <i>24.016</i>	Polyurethane	Fibreglass	Translucent	1904	-18	82	

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Belts - Timing - 5.000mm Pitch - T5

Part Number	Teeth (No.)	Nom. Width mm	Length mm	Material	Reinforcement	Appearance	Breaking Strength N	Min Temperature Deg C	Max Temperature Deg C	Tooth Angle (A) Deg.
		<i>inches</i>	<i>inches</i>							
# B-T5-124-060-PF	124	6.00 <i>0.236</i>	620.00 <i>24.409</i>	Polyurethane	Fibreglass	Translucent	714	-18	82	40
# B-T5-124-100-PF	124	10.00 <i>0.394</i>	620.00 <i>24.409</i>	Polyurethane	Fibreglass	Translucent	1190	-18	82	40
# B-T5-124-160-PF	124	16.00 <i>0.630</i>	620.00 <i>24.409</i>	Polyurethane	Fibreglass	Translucent	1904	-18	82	
# B-T5-126-060-PF	126	6.00 <i>0.236</i>	630.00 <i>24.803</i>	Polyurethane	Fibreglass	Translucent	714	-18	82	40
# B-T5-126-100-PF	126	10.00 <i>0.394</i>	630.00 <i>24.803</i>	Polyurethane	Fibreglass	Translucent	1190	-18	82	40
# B-T5-126-160-PF	126	16.00 <i>0.630</i>	630.00 <i>24.803</i>	Polyurethane	Fibreglass	Translucent	1904	-18	82	
# B-T5-128-060-PF	128	6.00 <i>0.236</i>	640.00 <i>25.197</i>	Polyurethane	Fibreglass	Translucent	714	-18	82	40
B-T5-128-100-PF	128	10.00 <i>0.394</i>	640.00 <i>25.197</i>	Polyurethane	Fibreglass	Translucent	1190	-18	82	40
# B-T5-128-160-PF	128	16.00 <i>0.630</i>	640.00 <i>25.197</i>	Polyurethane	Fibreglass	Translucent	1904	-18	82	
# B-T5-130-060-PF	130	6.00 <i>0.236</i>	650.00 <i>25.591</i>	Polyurethane	Fibreglass	Translucent	714	-18	82	40

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Belts - Timing - 5.000mm Pitch - T5

Part Number	Teeth (No.)	Nom. Width mm	Length mm	Material	Reinforcement	Appearance	Breaking Strength N	Min Temperature Deg C	Max Temperature Deg C	Tooth Angle (A) Deg.
		<i>inches</i>	<i>inches</i>							
B-T5-130-100-PF	130	10.00 <i>0.394</i>	650.00 <i>25.591</i>	Polyurethane	Fibreglass	Translucent	1190	-18	82	40
# B-T5-130-160-PF	130	16.00 <i>0.630</i>	650.00 <i>25.591</i>	Polyurethane	Fibreglass	Translucent	1904	-18	82	
# B-T5-132-060-PF	132	6.00 <i>0.236</i>	660.00 <i>25.984</i>	Polyurethane	Fibreglass	Translucent	714	-18	82	40
# B-T5-132-100-PF	132	10.00 <i>0.394</i>	660.00 <i>25.984</i>	Polyurethane	Fibreglass	Translucent	1190	-18	82	40
# B-T5-132-160-PF	132	16.00 <i>0.630</i>	660.00 <i>25.984</i>	Polyurethane	Fibreglass	Translucent	1904	-18	82	
# B-T5-138-060-PF	138	6.00 <i>0.236</i>	690.00 <i>27.165</i>	Polyurethane	Fibreglass	Translucent	714	-18	82	40
B-T5-138-100-PF	138	10.00 <i>0.394</i>	690.00 <i>27.165</i>	Polyurethane	Fibreglass	Translucent	1190	-18	82	40
# B-T5-138-160-PF	138	16.00 <i>0.630</i>	690.00 <i>27.165</i>	Polyurethane	Fibreglass	Translucent	1904	-18	82	
# B-T5-139-060-PF	139	6.00 <i>0.236</i>	695.00 <i>27.362</i>	Polyurethane	Fibreglass	Translucent	714	-18	82	40
# B-T5-139-100-PF	139	10.00 <i>0.394</i>	695.00 <i>27.362</i>	Polyurethane	Fibreglass	Translucent	1190	-18	82	40

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Belts - Timing - 5.000mm Pitch - T5

Part Number	Teeth (No.)	Nom. Width mm	Length mm	Material	Reinforcement	Appearance	Breaking Strength N	Min Temperature Deg C	Max Temperature Deg C	Tooth Angle (A) Deg.
		<i>inches</i>	<i>inches</i>							
# B-T5-139-160-PF	139	16.00 <i>0.630</i>	695.00 <i>27.362</i>	Polyurethane	Fibreglass	Translucent	1904	-18	82	
# B-T5-140-060-PF	140	6.00 <i>0.236</i>	700.00 <i>27.559</i>	Polyurethane	Fibreglass	Translucent	714	-18	82	40
# B-T5-140-100-PF	140	10.00 <i>0.394</i>	700.00 <i>27.559</i>	Polyurethane	Fibreglass	Translucent	1190	-18	82	40
# B-T5-140-160-PF	140	16.00 <i>0.630</i>	700.00 <i>27.559</i>	Polyurethane	Fibreglass	Translucent	1904	-18	82	
# B-T5-144-060-PF	144	6.00 <i>0.236</i>	720.00 <i>28.346</i>	Polyurethane	Fibreglass	Translucent	714	-18	82	40
# B-T5-144-100-PF	144	10.00 <i>0.394</i>	720.00 <i>28.346</i>	Polyurethane	Fibreglass	Translucent	1190	-18	82	40
# B-T5-144-160-PF	144	16.00 <i>0.630</i>	720.00 <i>28.346</i>	Polyurethane	Fibreglass	Translucent	1904	-18	82	
# B-T5-150-060-PF	150	6.00 <i>0.236</i>	750.00 <i>29.528</i>	Polyurethane	Fibreglass	Translucent	714	-18	82	40
# B-T5-150-100-PF	150	10.00 <i>0.394</i>	750.00 <i>29.528</i>	Polyurethane	Fibreglass	Translucent	1190	-18	82	40
# B-T5-150-160-PF	150	16.00 <i>0.630</i>	750.00 <i>29.528</i>	Polyurethane	Fibreglass	Translucent	1904	-18	82	

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Belts - Timing - 5.000mm Pitch - T5

Part Number	Teeth (No.)	Nom. Width mm	Length mm	Material	Reinforcement	Appearance	Breaking Strength N	Min Temperature Deg C	Max Temperature Deg C	Tooth Angle (A) Deg.
		<i>inches</i>	<i>inches</i>							
# B-T5-156-060-PF	156	6.00 <i>0.236</i>	780.00 <i>30.709</i>	Polyurethane	Fibreglass	Translucent	714	-18	82	40
# B-T5-156-100-PF	156	10.00 <i>0.394</i>	780.00 <i>30.709</i>	Polyurethane	Fibreglass	Translucent	1190	-18	82	40
# B-T5-156-160-PF	156	16.00 <i>0.630</i>	780.00 <i>30.709</i>	Polyurethane	Fibreglass	Translucent	1904	-18	82	
# B-T5-160-150-PF	160	15.00 <i>0.591</i>	800.00 <i>31.496</i>	Polyurethane	Fibreglass	Translucent	1785	-18	82	
# B-T5-163-060-PF	163	6.00 <i>0.236</i>	815.00 <i>32.087</i>	Polyurethane	Fibreglass	Translucent	714	-18	82	40
# B-T5-163-100-PF	163	10.00 <i>0.394</i>	815.00 <i>32.087</i>	Polyurethane	Fibreglass	Translucent	1190	-18	82	40
# B-T5-163-150-PF	163	15.00 <i>0.591</i>	815.00 <i>32.087</i>	Polyurethane	Fibreglass	Translucent	1785	-18	82	
# B-T5-163-160-PF	163	16.00 <i>0.630</i>	815.00 <i>32.087</i>	Polyurethane	Fibreglass	Translucent	1904	-18	82	
# B-T5-168-060-PF	168	6.00 <i>0.236</i>	840.00 <i>33.071</i>	Polyurethane	Fibreglass	Translucent	714	-18	82	40
# B-T5-168-100-PF	168	10.00 <i>0.394</i>	840.00 <i>33.071</i>	Polyurethane	Fibreglass	Translucent	1190	-18	82	40

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Belts - Timing - 5.000mm Pitch - T5

Part Number	Teeth (No.)	Nom. Width mm	Length mm	Material	Reinforcement	Appearance	Breaking Strength N	Min Temperature Deg C	Max Temperature Deg C	Tooth Angle (A) Deg.
		<i>inches</i>	<i>inches</i>							
# B-T5-168-160-PF	168	16.00 <i>0.630</i>	840.00 <i>33.071</i>	Polyurethane	Fibreglass	Translucent	1904	-18	82	
# B-T5-170-060-PF	170	6.00 <i>0.236</i>	850.00 <i>33.465</i>	Polyurethane	Fibreglass	Translucent	714	-18	82	40
# B-T5-170-100-PF	170	10.00 <i>0.394</i>	850.00 <i>33.465</i>	Polyurethane	Fibreglass	Translucent	1190	-18	82	40
# B-T5-170-160-PF	170	16.00 <i>0.630</i>	850.00 <i>33.465</i>	Polyurethane	Fibreglass	Translucent	1904	-18	82	
# B-T5-180-060-PF	180	6.00 <i>0.236</i>	900.00 <i>35.433</i>	Polyurethane	Fibreglass	Translucent	714	-18	82	40
B-T5-180-100-PF	180	10.00 <i>0.394</i>	900.00 <i>35.433</i>	Polyurethane	Fibreglass	Translucent	1190	-18	82	40
# B-T5-180-160-PF	180	16.00 <i>0.630</i>	900.00 <i>35.433</i>	Polyurethane	Fibreglass	Translucent	1904	-18	82	
# B-T5-198-060-PF	198	6.00 <i>0.236</i>	990.00 <i>38.976</i>	Polyurethane	Fibreglass	Translucent	714	-18	82	40
# B-T5-198-100-PF	198	10.00 <i>0.394</i>	990.00 <i>38.976</i>	Polyurethane	Fibreglass	Translucent	1190	-18	82	40
# B-T5-198-160-PF	198	16.00 <i>0.630</i>	990.00 <i>38.976</i>	Polyurethane	Fibreglass	Translucent	1904	-18	82	

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Belts - Timing - 5.000mm Pitch - T5

Part Number	Teeth (No.)	Nom. Width mm	Length mm	Material	Reinforcement	Appearance	Breaking Strength N	Min Temperature Deg C	Max Temperature Deg C	Tooth Angle (A) Deg.
		<i>inches</i>	<i>inches</i>							
# B-T5-200-060-PF	200	6.00 <i>0.236</i>	1000.00 <i>39.370</i>	Polyurethane	Fibreglass	Translucent	714	-18	82	40
# B-T5-200-100-PF	200	10.00 <i>0.394</i>	1000.00 <i>39.370</i>	Polyurethane	Fibreglass	Translucent	1190	-18	82	40
# B-T5-200-160-PF	200	16.00 <i>0.630</i>	1000.00 <i>39.370</i>	Polyurethane	Fibreglass	Translucent	1904	-18	82	
# B-T5-215-060-PF	215	6.00 <i>0.236</i>	1075.00 <i>42.323</i>	Polyurethane	Fibreglass	Translucent	714	-18	82	40
# B-T5-215-100-PF	215	10.00 <i>0.394</i>	1075.00 <i>42.323</i>	Polyurethane	Fibreglass	Translucent	1190	-18	82	40
# B-T5-215-160-PF	215	16.00 <i>0.630</i>	1075.00 <i>42.323</i>	Polyurethane	Fibreglass	Translucent	1904	-18	82	
# B-T5-220-060-PF	220	6.00 <i>0.236</i>	1100.00 <i>43.307</i>	Polyurethane	Fibreglass	Translucent	714	-18	82	40
# B-T5-220-100-PF	220	10.00 <i>0.394</i>	1100.00 <i>43.307</i>	Polyurethane	Fibreglass	Translucent	1190	-18	82	40
B-T5-220-160-PF	220	16.00 <i>0.630</i>	1100.00 <i>43.307</i>	Polyurethane	Fibreglass	Translucent	1904	-18	82	
# B-T5-243-060-PF	243	6.00 <i>0.236</i>	1215.00 <i>47.835</i>	Polyurethane	Fibreglass	Translucent	714	-18	82	40

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Belts - Timing - 5.000mm Pitch - T5

Part Number	Teeth (No.)	Nom. Width mm <i>inches</i>	Length mm <i>inches</i>	Material	Reinforcement	Appearance	Breaking Strength N	Min Temperature Deg C	Max Temperature Deg C	Tooth Angle (A) Deg.
# B-T5-243-100-PF	243	10.00 <i>0.394</i>	1215.00 <i>47.835</i>	Polyurethane	Fibreglass	Translucent	1190	-18	82	40
# B-T5-243-160-PF	243	16.00 <i>0.630</i>	1215.00 <i>47.835</i>	Polyurethane	Fibreglass	Translucent	1904	-18	82	
# B-T5-276-060-PF	276	6.00 <i>0.236</i>	1380.00 <i>54.331</i>	Polyurethane	Fibreglass	Translucent	714	-18	82	40
# B-T5-276-100-PF	276	10.00 <i>0.394</i>	1380.00 <i>54.331</i>	Polyurethane	Fibreglass	Translucent	1190	-18	82	40
# B-T5-276-160-PF	276	16.00 <i>0.630</i>	1380.00 <i>54.331</i>	Polyurethane	Fibreglass	Translucent	1904	-18	82	
# B-T5-280-060-PF	280	6.00 <i>0.236</i>	1400.00 <i>55.118</i>	Polyurethane	Fibreglass	Translucent	714	-18	82	
# B-T5-280-100-PF	280	10.00 <i>0.394</i>	1400.00 <i>55.118</i>	Polyurethane	Fibreglass	Translucent	1190	-18	82	
# B-T5-280-160-PF	280	16.00 <i>0.630</i>	1400.00 <i>55.118</i>	Polyurethane	Fibreglass	Translucent	1904	-18	82	
# B-T5-288-060-PF	288	6.00 <i>0.236</i>	1440.00 <i>56.693</i>	Polyurethane	Fibreglass	Translucent	714	-18	82	40
B-T5-288-100-PF	288	10.00 <i>0.394</i>	1440.00 <i>56.693</i>	Polyurethane	Fibreglass	Translucent	1190	-18	82	40

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Belts - Timing - 5.000mm Pitch - T5

Part Number	Teeth (No.)	Nom. Width mm	Length mm	Material	Reinforcement	Appearance	Breaking Strength N	Min Temperature Deg C	Max Temperature Deg C	Tooth Angle (A) Deg.
		<i>inches</i>	<i>inches</i>							
# B-T5-288-160-PF	288	16.00	1440.00	Polyurethane	Fibreglass	Translucent	1904	-18	82	
		<i>0.630</i>	<i>56.693</i>							

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to catalogues@minibearings.com.au

