




MBA

Belts - Timing - 10.000mm Pitch - T10



T Series Metric Timing Belts.

Pitch (P) - 10.000mm.

Tooth Length (T) - 3.25mm.

Tooth Height (H) - 2.50mm.

Belt Height (W) - 4.50mm - Corner Radii (r)- 0.60mm.

Breaking strength is not indicative of working strength.

Belts - Timing - 10.000mm Pitch - T10

Part Number	Teeth (No.)	Nom. Width mm	Length mm	Material	Reinforcement	Appearance	Breaking Strength N	Min Temperature Deg C	Max Temperature Deg C	Tooth Angle (A) Deg.
		<i>inches</i>	<i>inches</i>							
# B-T10-026-150-PF	26	15.00 <i>0.591</i>	260.00 <i>10.236</i>	Polyurethane	Fibreglass	Translucent	3990	-18	82	40
# B-T10-026-250-PF	26	25.00 <i>0.984</i>	260.00 <i>10.236</i>	Polyurethane	Fibreglass	Translucent	6650	-18	82	40
# B-T10-037-160-PF	37	16.00 <i>0.630</i>	370.00 <i>14.567</i>	Polyurethane	Fibreglass	Translucent	4256	-18	82	40

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Belts - Timing - 10.000mm Pitch - T10

Part Number	Teeth (No.)	Nom. Width mm	Length mm	Material	Reinforcement	Appearance	Breaking Strength N	Min Temperature Deg C	Max Temperature Deg C	Tooth Angle (A) Deg.
		<i>inches</i>	<i>inches</i>							
# B-T10-037-250-PF	37	25.00 <i>0.984</i>	370.00 <i>14.567</i>	Polyurethane	Fibreglass	Translucent	6650	-18	82	40
# B-T10-040-160-PF	40	16.00 <i>0.630</i>	400.00 <i>15.748</i>	Polyurethane	Fibreglass	Translucent	4256	-18	82	40
# B-T10-040-250-PF	40	25.00 <i>0.984</i>	400.00 <i>15.748</i>	Polyurethane	Fibreglass	Translucent	6650	-18	82	40
# B-T10-041-160-PF	41	16.00 <i>0.630</i>	410.00 <i>16.142</i>	Polyurethane	Fibreglass	Translucent	4256	-18	82	40
# B-T10-041-250-PF	41	25.00 <i>0.984</i>	410.00 <i>16.142</i>	Polyurethane	Fibreglass	Translucent	6650	-18	82	40
# B-T10-044-160-PF	44	16.00 <i>0.630</i>	440.00 <i>17.323</i>	Polyurethane	Fibreglass	Translucent	4256	-18	82	40
# B-T10-044-250-PF	44	25.00 <i>0.984</i>	440.00 <i>17.323</i>	Polyurethane	Fibreglass	Translucent	6650	-18	82	40
# B-T10-045-160-PF	45	16.00 <i>0.630</i>	450.00 <i>17.717</i>	Polyurethane	Fibreglass	Translucent	4256	-18	82	40
# B-T10-045-250-PF	45	25.00 <i>0.984</i>	450.00 <i>17.717</i>	Polyurethane	Fibreglass	Translucent	6650	-18	82	40
# B-T10-046-160-PF	46	16.00 <i>0.630</i>	460.00 <i>18.110</i>	Polyurethane	Fibreglass	Translucent	4256	-18	82	40

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Belts - Timing - 10.000mm Pitch - T10

Part Number	Teeth (No.)	Nom. Width mm	Length mm	Material	Reinforcement	Appearance	Breaking Strength N	Min Temperature Deg C	Max Temperature Deg C	Tooth Angle (A) Deg.
		<i>inches</i>	<i>inches</i>							
# B-T10-046-250-PF	46	25.00 <i>0.984</i>	460.00 <i>18.110</i>	Polyurethane	Fibreglass	Translucent	6650	-18	82	40
# B-T10-049-160-PF	49	16.00 <i>0.630</i>	490.00 <i>19.291</i>	Polyurethane	Fibreglass	Translucent	4256	-18	82	40
# B-T10-049-250-PF	49	25.00 <i>0.984</i>	490.00 <i>19.291</i>	Polyurethane	Fibreglass	Translucent	6650	-18	82	40
# B-T10-050-160-PF	50	16.00 <i>0.630</i>	500.00 <i>19.685</i>	Polyurethane	Fibreglass	Translucent	4256	-18	82	40
# B-T10-050-250-PF	50	25.00 <i>0.984</i>	500.00 <i>19.685</i>	Polyurethane	Fibreglass	Translucent	6650	-18	82	40
# B-T10-053-160-PF	53	16.00 <i>0.630</i>	530.00 <i>20.866</i>	Polyurethane	Fibreglass	Translucent	4256	-18	82	40
# B-T10-053-250-PF	53	25.00 <i>0.984</i>	530.00 <i>20.866</i>	Polyurethane	Fibreglass	Translucent	6650	-18	82	40
# B-T10-056-160-PF	56	16.00 <i>0.630</i>	560.00 <i>22.047</i>	Polyurethane	Fibreglass	Translucent	4256	-18	82	40
# B-T10-056-250-PF	56	25.00 <i>0.984</i>	560.00 <i>22.047</i>	Polyurethane	Fibreglass	Translucent	6650	-18	82	40
# B-T10-061-160-PF	61	16.00 <i>0.630</i>	610.00 <i>24.016</i>	Polyurethane	Fibreglass	Translucent	4256	-18	82	40

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Belts - Timing - 10.000mm Pitch - T10

Part Number	Teeth (No.)	Nom. Width mm	Length mm	Material	Reinforcement	Appearance	Breaking Strength N	Min Temperature Deg C	Max Temperature Deg C	Tooth Angle (A) Deg.
		<i>inches</i>	<i>inches</i>							
# B-T10-061-250-PF	61	25.00 <i>0.984</i>	610.00 <i>24.016</i>	Polyurethane	Fibreglass	Translucent	6650	-18	82	40
# B-T10-063-160-PF	63	16.00 <i>0.630</i>	630.00 <i>24.803</i>	Polyurethane	Fibreglass	Translucent	4256	-18	82	40
# B-T10-063-250-PF	63	25.00 <i>0.984</i>	630.00 <i>24.803</i>	Polyurethane	Fibreglass	Translucent	6650	-18	82	40
# B-T10-066-160-PF	66	16.00 <i>0.630</i>	660.00 <i>25.984</i>	Polyurethane	Fibreglass	Translucent	4256	-18	82	40
# B-T10-066-250-PF	66	25.00 <i>0.984</i>	660.00 <i>25.984</i>	Polyurethane	Fibreglass	Translucent	6650	-18	82	40
# B-T10-069-160-PF	69	16.00 <i>0.630</i>	690.00 <i>27.165</i>	Polyurethane	Fibreglass	Translucent	4256	-18	82	40
# B-T10-069-250-PF	69	25.00 <i>0.984</i>	690.00 <i>27.165</i>	Polyurethane	Fibreglass	Translucent	6650	-18	82	40
# B-T10-070-160-PF	70	16.00 <i>0.630</i>	700.00 <i>27.559</i>	Polyurethane	Fibreglass	Translucent	4256	-18	82	40
# B-T10-070-250-PF	70	25.00 <i>0.984</i>	700.00 <i>27.559</i>	Polyurethane	Fibreglass	Translucent	6650	-18	82	40
# B-T10-072-160-PF	72	16.00 <i>0.630</i>	720.00 <i>28.346</i>	Polyurethane	Fibreglass	Translucent	4256	-18	82	40

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Belts - Timing - 10.000mm Pitch - T10

Part Number	Teeth (No.)	Nom. Width mm	Length mm	Material	Reinforcement	Appearance	Breaking Strength N	Min Temperature Deg C	Max Temperature Deg C	Tooth Angle (A) Deg.
		<i>inches</i>	<i>inches</i>							
# B-T10-072-250-PF	72	25.00 <i>0.984</i>	720.00 <i>28.346</i>	Polyurethane	Fibreglass	Translucent	6650	-18	82	40
# B-T10-075-160-PF	75	16.00 <i>0.630</i>	750.00 <i>29.528</i>	Polyurethane	Fibreglass	Translucent	4256	-18	82	40
# B-T10-075-250-PF	75	25.00 <i>0.984</i>	750.00 <i>29.528</i>	Polyurethane	Fibreglass	Translucent	6650	-18	82	40
# B-T10-078-160-PF	78	16.00 <i>0.630</i>	780.00 <i>30.709</i>	Polyurethane	Fibreglass	Translucent	4256	-18	82	40
# B-T10-078-250-PF	78	25.00 <i>0.984</i>	780.00 <i>30.709</i>	Polyurethane	Fibreglass	Translucent	6650	-18	82	40
# B-T10-081-160-PF	81	16.00 <i>0.630</i>	810.00 <i>31.890</i>	Polyurethane	Fibreglass	Translucent	4256	-18	82	40
# B-T10-081-250-PF	81	25.00 <i>0.984</i>	810.00 <i>31.890</i>	Polyurethane	Fibreglass	Translucent	6650	-18	82	40
# B-T10-084-160-PF	84	16.00 <i>0.630</i>	840.00 <i>33.071</i>	Polyurethane	Fibreglass	Translucent	4256	-18	82	40
# B-T10-084-250-PF	84	25.00 <i>0.984</i>	840.00 <i>33.071</i>	Polyurethane	Fibreglass	Translucent	6650	-18	82	40
# B-T10-088-160-PF	88	16.00 <i>0.630</i>	880.00 <i>34.646</i>	Polyurethane	Fibreglass	Translucent	4256	-18	82	40

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Belts - Timing - 10.000mm Pitch - T10

Part Number	Teeth (No.)	Nom. Width mm	Length mm	Material	Reinforcement	Appearance	Breaking Strength N	Min Temperature Deg C	Max Temperature Deg C	Tooth Angle (A) Deg.
		<i>inches</i>	<i>inches</i>							
# B-T10-088-250-PF	88	25.00 <i>0.984</i>	880.00 <i>34.646</i>	Polyurethane	Fibreglass	Translucent	6650	-18	82	40
# B-T10-089-160-PF	89	16.00 <i>0.630</i>	890.00 <i>35.039</i>	Polyurethane	Fibreglass	Translucent	4256	-18	82	40
# B-T10-089-250-PF	89	25.00 <i>0.984</i>	890.00 <i>35.039</i>	Polyurethane	Fibreglass	Translucent	6650	-18	82	40
# B-T10-090-160-PF	90	16.00 <i>0.630</i>	900.00 <i>35.433</i>	Polyurethane	Fibreglass	Translucent	4256	-18	82	40
# B-T10-090-250-PF	90	25.00 <i>0.984</i>	900.00 <i>35.433</i>	Polyurethane	Fibreglass	Translucent	6650	-18	82	40
# B-T10-092-160-PF	92	16.00 <i>0.630</i>	920.00 <i>36.220</i>	Polyurethane	Fibreglass	Translucent	4256	-18	82	40
# B-T10-092-250-PF	92	25.00 <i>0.984</i>	920.00 <i>36.220</i>	Polyurethane	Fibreglass	Translucent	6650	-18	82	40
# B-T10-096-160-PF	96	16.00 <i>0.630</i>	960.00 <i>37.795</i>	Polyurethane	Fibreglass	Translucent	4256	-18	82	40
# B-T10-096-250-PF	96	25.00 <i>0.984</i>	960.00 <i>37.795</i>	Polyurethane	Fibreglass	Translucent	6650	-18	82	40
# B-T10-097-160-PF	97	16.00 <i>0.630</i>	970.00 <i>38.189</i>	Polyurethane	Fibreglass	Translucent	4256	-18	82	40

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Belts - Timing - 10.000mm Pitch - T10

Part Number	Teeth (No.)	Nom. Width mm	Length mm	Material	Reinforcement	Appearance	Breaking Strength N	Min Temperature Deg C	Max Temperature Deg C	Tooth Angle (A) Deg.
		<i>inches</i>	<i>inches</i>							
# B-T10-097-250-PF	97	25.00 <i>0.984</i>	970.00 <i>38.189</i>	Polyurethane	Fibreglass	Translucent	6650	-18	82	40
# B-T10-098-160-PF	98	16.00 <i>0.630</i>	980.00 <i>38.583</i>	Polyurethane	Fibreglass	Translucent	4256	-18	82	40
# B-T10-098-250-PF	98	25.00 <i>0.984</i>	980.00 <i>38.583</i>	Polyurethane	Fibreglass	Translucent	6650	-18	82	40
# B-T10-101-160-PF	101	16.00 <i>0.630</i>	1010.00 <i>39.764</i>	Polyurethane	Fibreglass	Translucent	4256	-18	82	40
# B-T10-101-250-PF	101	25.00 <i>0.984</i>	1010.00 <i>39.764</i>	Polyurethane	Fibreglass	Translucent	6650	-18	82	40
# B-T10-108-160-PF	108	16.00 <i>0.630</i>	1080.00 <i>42.520</i>	Polyurethane	Fibreglass	Translucent	4256	-18	82	40
# B-T10-108-250-PF	108	25.00 <i>0.984</i>	1080.00 <i>42.520</i>	Polyurethane	Fibreglass	Translucent	6650	-18	82	40
# B-T10-111-160-PF	111	16.00 <i>0.630</i>	1110.00 <i>43.701</i>	Polyurethane	Fibreglass	Translucent	4256	-18	82	40
# B-T10-111-250-PF	111	25.00 <i>0.984</i>	1110.00 <i>43.701</i>	Polyurethane	Fibreglass	Translucent	6650	-18	82	40
# B-T10-114-160-PF	114	16.00 <i>0.630</i>	1140.00 <i>44.882</i>	Polyurethane	Fibreglass	Translucent	4256	-18	82	40

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Belts - Timing - 10.000mm Pitch - T10

Part Number	Teeth (No.)	Nom. Width mm	Length mm	Material	Reinforcement	Appearance	Breaking Strength N	Min Temperature Deg C	Max Temperature Deg C	Tooth Angle (A) Deg.
		<i>inches</i>	<i>inches</i>							
# B-T10-114-250-PF	114	25.00 <i>0.984</i>	1140.00 <i>44.882</i>	Polyurethane	Fibreglass	Translucent	6650	-18	82	40
# B-T10-115-160-PF	115	16.00 <i>0.630</i>	1150.00 <i>45.276</i>	Polyurethane	Fibreglass	Translucent	4256	-18	82	40
# B-T10-115-250-PF	115	25.00 <i>0.984</i>	1150.00 <i>45.276</i>	Polyurethane	Fibreglass	Translucent	6650	-18	82	40
# B-T10-121-160-PF	121	16.00 <i>0.630</i>	1210.00 <i>47.638</i>	Polyurethane	Fibreglass	Translucent	4256	-18	82	40
# B-T10-121-250-PF	121	25.00 <i>0.984</i>	1210.00 <i>47.638</i>	Polyurethane	Fibreglass	Translucent	6650	-18	82	40
# B-T10-124-160-PF	124	16.00 <i>0.630</i>	1240.00 <i>48.819</i>	Polyurethane	Fibreglass	Translucent	4256	-18	82	40
# B-T10-124-250-PF	124	25.00 <i>0.984</i>	1240.00 <i>48.819</i>	Polyurethane	Fibreglass	Translucent	6650	-18	82	40
# B-T10-125-160-PF	125	16.00 <i>0.630</i>	1250.00 <i>49.213</i>	Polyurethane	Fibreglass	Translucent	4256	-18	82	40
# B-T10-125-250-PF	125	25.00 <i>0.984</i>	1250.00 <i>49.213</i>	Polyurethane	Fibreglass	Translucent	6650	-18	82	40
# B-T10-130-160-PF	130	16.00 <i>0.630</i>	1300.00 <i>51.181</i>	Polyurethane	Fibreglass	Translucent	4256	-18	82	40

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Belts - Timing - 10.000mm Pitch - T10

Part Number	Teeth (No.)	Nom. Width mm	Length mm	Material	Reinforcement	Appearance	Breaking Strength N	Min Temperature Deg C	Max Temperature Deg C	Tooth Angle (A) Deg.
		<i>inches</i>	<i>inches</i>							
# B-T10-130-250-PF	130	25.00 <i>0.984</i>	1300.00 <i>51.181</i>	Polyurethane	Fibreglass	Translucent	6650	-18	82	40
# B-T10-132-160-PF	132	16.00 <i>0.630</i>	1320.00 <i>51.969</i>	Polyurethane	Fibreglass	Translucent	4256	-18	82	40
# B-T10-132-250-PF	132	25.00 <i>0.984</i>	1320.00 <i>51.969</i>	Polyurethane	Fibreglass	Translucent	6650	-18	82	40
# B-T10-135-160-PF	135	16.00 <i>0.630</i>	1350.00 <i>53.150</i>	Polyurethane	Fibreglass	Translucent	4256	-18	82	40
# B-T10-135-250-PF	135	25.00 <i>0.984</i>	1350.00 <i>53.150</i>	Polyurethane	Fibreglass	Translucent	6650	-18	82	40
# B-T10-139-160-PF	139	16.00 <i>0.630</i>	1390.00 <i>54.724</i>	Polyurethane	Fibreglass	Translucent	4256	-18	82	40
# B-T10-139-250-PF	139	25.00 <i>0.984</i>	1390.00 <i>54.724</i>	Polyurethane	Fibreglass	Translucent	6650	-18	82	40
# B-T10-140-160-PF	140	16.00 <i>0.630</i>	1400.00 <i>55.118</i>	Polyurethane	Fibreglass	Translucent	4256	-18	82	40
# B-T10-140-250-PF	140	25.00 <i>0.984</i>	1400.00 <i>55.118</i>	Polyurethane	Fibreglass	Translucent	6650	-18	82	40
# B-T10-142-160-PF	142	16.00 <i>0.630</i>	1420.00 <i>55.906</i>	Polyurethane	Fibreglass	Translucent	4256	-18	82	40

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Belts - Timing - 10.000mm Pitch - T10

Part Number	Teeth (No.)	Nom. Width mm	Length mm	Material	Reinforcement	Appearance	Breaking Strength N	Min Temperature Deg C	Max Temperature Deg C	Tooth Angle (A) Deg.
		<i>inches</i>	<i>inches</i>							
# B-T10-142-250-PF	142	25.00 <i>0.984</i>	1420.00 <i>55.906</i>	Polyurethane	Fibreglass	Translucent	6650	-18	82	40
# B-T10-144-160-PF	144	16.00 <i>0.630</i>	1440.00 <i>56.693</i>	Polyurethane	Fibreglass	Translucent	4256	-18	82	40
# B-T10-144-250-PF	144	25.00 <i>0.984</i>	1440.00 <i>56.693</i>	Polyurethane	Fibreglass	Translucent	6650	-18	82	40
# B-T10-146-160-PF	146	16.00 <i>0.630</i>	1460.00 <i>57.480</i>	Polyurethane	Fibreglass	Translucent	4256	-18	82	40
# B-T10-146-250-PF	146	25.00 <i>0.984</i>	1460.00 <i>57.480</i>	Polyurethane	Fibreglass	Translucent	6650	-18	82	40
# B-T10-150-160-PF	150	16.00 <i>0.630</i>	1500.00 <i>59.055</i>	Polyurethane	Fibreglass	Translucent	4256	-18	82	40
# B-T10-150-250-PF	150	25.00 <i>0.984</i>	1500.00 <i>59.055</i>	Polyurethane	Fibreglass	Translucent	6650	-18	82	40
# B-T10-156-160-PF	156	16.00 <i>0.630</i>	1560.00 <i>61.417</i>	Polyurethane	Fibreglass	Translucent	4256	-18	82	40
# B-T10-156-250-PF	156	25.00 <i>0.984</i>	1560.00 <i>61.417</i>	Polyurethane	Fibreglass	Translucent	6650	-18	82	40
# B-T10-161-160-PF	161	16.00 <i>0.630</i>	1610.00 <i>63.386</i>	Polyurethane	Fibreglass	Translucent	4256	-18	82	40

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Belts - Timing - 10.000mm Pitch - T10

Part Number	Teeth (No.)	Nom. Width mm	Length mm	Material	Reinforcement	Appearance	Breaking Strength N	Min Temperature Deg C	Max Temperature Deg C	Tooth Angle (A) Deg.
		<i>inches</i>	<i>inches</i>							
# B-T10-161-250-PF	161	25.00 <i>0.984</i>	1610.00 <i>63.386</i>	Polyurethane	Fibreglass	Translucent	6650	-18	82	40
# B-T10-175-160-PF	175	16.00 <i>0.630</i>	1750.00 <i>68.898</i>	Polyurethane	Fibreglass	Translucent	4256	-18	82	40
# B-T10-175-250-PF	175	25.00 <i>0.984</i>	1750.00 <i>68.898</i>	Polyurethane	Fibreglass	Translucent	6650	-18	82	40
# B-T10-178-160-PF	178	16.00 <i>0.630</i>	1780.00 <i>70.079</i>	Polyurethane	Fibreglass	Translucent	4256	-18	82	40
# B-T10-178-250-PF	178	25.00 <i>0.984</i>	1780.00 <i>70.079</i>	Polyurethane	Fibreglass	Translucent	6650	-18	82	40
# B-T10-188-160-PF	188	16.00 <i>0.630</i>	1880.00 <i>74.016</i>	Polyurethane	Fibreglass	Translucent	4256	-18	82	40
# B-T10-188-250-PF	188	25.00 <i>0.984</i>	1880.00 <i>74.016</i>	Polyurethane	Fibreglass	Translucent	6650	-18	82	40
# B-T10-196-160-PF	196	16.00 <i>0.630</i>	1960.00 <i>77.165</i>	Polyurethane	Fibreglass	Translucent	4256	-18	82	40
# B-T10-196-250-PF	196	25.00 <i>0.984</i>	1960.00 <i>77.165</i>	Polyurethane	Fibreglass	Translucent	6650	-18	82	40
# B-T10-225-160-PF	225	16.00 <i>0.630</i>	2250.00 <i>88.583</i>	Polyurethane	Fibreglass	Translucent	4256	-18	82	40

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Belts - Timing - 10.000mm Pitch - T10

Part Number	Teeth (No.)	Nom. Width mm	Length mm	Material	Reinforcement	Appearance	Breaking Strength N	Min Temperature Deg C	Max Temperature Deg C	Tooth Angle (A) Deg.
		<i>inches</i>	<i>inches</i>							
# B-T10-225-250-PF	225	25.00 <i>0.984</i>	2250.00 <i>88.583</i>	Polyurethane	Fibreglass	Translucent	6650	-18	82	40

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to catalogues@minibearings.com.au
