



MBA

Belts - Timing - Lengths

Sold per meter - Refer diagrams in timing belt listings for aspects of various pitches.

Lengths of timing belt stock are used for reciprocating applications.

Not meant to be joined.

Belts - Timing - Lengths

Part Number	Pitch size mm <i>inches</i>	Nominal Width mm <i>inches</i>	Maximum Continuous Length Mtr	Pitch Designation	Material	Cord
B-G2-ST-060-NF	2.00 <i>0.079</i>	6.00 <i>0.236</i>	7	GT 2mm	Nylon Covered Neoprene	Fibreglass
B-G2-ST-090-NF	2.00 <i>0.079</i>	9.00 <i>0.354</i>	7	GT 2mm	Nylon Covered Neoprene	Fibreglass
B-G2-ST-120-NF	2.00 <i>0.079</i>	12.00 <i>0.472</i>	7	GT 2mm	Nylon Covered Neoprene	Fibreglass
B-MX-ST-030-PP	2.032 <i>0.080</i>	3.00 <i>0.118</i>	3	MXL 2.032mm	Polyurethane - Golden Orange	Polyester

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Belts - Timing - Lengths

Part Number	Pitch size mm <i>inches</i>	Nominal Width mm <i>inches</i>	Maximum Continuous Length Mtr	Pitch Designation	Material	Cord
# B-MX-ST-030-PK	2.032 <i>0.080</i>	3.00 <i>0.118</i>	3	MXL 2.032mm	Polyurethane - Grey	Kevlar
B-MX-ST-030-NF	2.032 <i>0.080</i>	3.00 <i>0.118</i>	20	MXL 2.032mm	Nylon Covered Neoprene	Fibreglass
# B-MX-ST-031-NF	2.032 <i>0.080</i>	3.18 <i>0.125</i>	20	MXL 2.032mm	Nylon Covered Neoprene	Fibreglass
# B-MX-ST-045-PK	2.032 <i>0.080</i>	4.50 <i>0.177</i>	3	MXL 2.032mm	Polyurethane - Grey	Kevlar
# B-MX-ST-045-PP	2.032 <i>0.080</i>	4.50 <i>0.177</i>	3	MXL 2.032mm	Polyurethane - Golden Orange	Polyester
# B-MX-ST-045-NF	2.032 <i>0.080</i>	4.50 <i>0.177</i>	13	MXL 2.032mm	Nylon Covered Neoprene	Fibreglass
# B-MX-ST-047-NF	2.032 <i>0.080</i>	4.76 <i>0.187</i>	13	MXL 2.032mm	Nylon Covered Neoprene	Fibreglass
B-MX-ST-060-PP	2.032 <i>0.080</i>	6.00 <i>0.236</i>	3	MXL 2.032mm	Polyurethane - Golden Orange	Polyester
# B-MX-ST-060-PK	2.032 <i>0.080</i>	6.00 <i>0.236</i>	3	MXL 2.032mm	Polyurethane - Grey	Kevlar
# B-MX-ST-060-NF	2.032 <i>0.080</i>	6.00 <i>0.236</i>	13	MXL 2.032mm	Nylon Covered Neoprene	Fibreglass

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Belts - Timing - Lengths

Part Number	Pitch size mm <i>inches</i>	Nominal Width mm <i>inches</i>	Maximum Continuous Length Mtr	Pitch Designation	Material	Cord
B-MX-ST-063-NF	2.032 <i>0.080</i>	6.35 <i>0.250</i>	13	MXL 2.032mm	Nylon Covered Neoprene	Fibreglass
# B-MX-ST-080-PP	2.032 <i>0.080</i>	8.00 <i>0.315</i>	3	MXL 2.032mm	Polyurethane - Golden Orange	Polyester
# B-MX-ST-080-PK	2.032 <i>0.080</i>	8.00 <i>0.315</i>	3	MXL 2.032mm	Polyurethane - Grey	Kevlar
# B-MX-ST-095-PP	2.032 <i>0.080</i>	9.50 <i>0.374</i>	3	MXL 2.032mm	Polyurethane - Golden Orange	Polyester
# B-MX-ST-095-PK	2.032 <i>0.080</i>	9.50 <i>0.374</i>	3	MXL 2.032mm	Polyurethane - Grey	Kevlar
B-MX-ST-095-NF	2.032 <i>0.080</i>	9.50 <i>0.374</i>	13	MXL 2.032mm	Nylon Covered Neoprene	Fibreglass
# B-MX-ST-096-NF	2.032 <i>0.080</i>	9.53 <i>0.375</i>	20	MXL 2.032mm	Nylon Covered Neoprene	Fibreglass
B-G3-ST-060-NF	3.000 <i>0.118</i>	6.00 <i>0.236</i>	7	GT 3mm	Nylon Covered Neoprene	Fibreglass
# B-G3-ST-090-NF	3.000 <i>0.118</i>	9.00 <i>0.354</i>	7	GT 3mm	Nylon Covered Neoprene	Fibreglass
# B-G3-ST-120-NF	3.000 <i>0.118</i>	12.00 <i>0.472</i>	7	GT 3mm	Nylon Covered Neoprene	Fibreglass

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Belts - Timing - Lengths

Part Number	Pitch size mm <i>inches</i>	Nominal Width mm <i>inches</i>	Maximum Continuous Length Mtr	Pitch Designation	Material	Cord
# B-H3-ST-060-NF	3.000 <i>0.118</i>	6.00 <i>0.236</i>	8	HTD 3mm	Nylon Covered Neoprene	Fibreglass
B-H3-ST-090-NF	3.000 <i>0.118</i>	9.00 <i>0.354</i>	8	HTD 3mm	Nylon Covered Neoprene	Fibreglass
# B-H3-ST-150-NF	3.000 <i>0.118</i>	15.00 <i>0.591</i>	50	HTD 3mm	Neoprene	Fibreglass
# B-H3-ST-250-NF	3.000 <i>0.118</i>	25.00 <i>0.984</i>	8	HTD 3mm	Nylon Covered Neoprene	Fibreglass
B-G5-ST-090-NF	5.000 <i>0.197</i>	9.00 <i>0.354</i>	7	GT 5mm	Nylon Covered Neoprene	Fibreglass
B-G5-ST-120-NF	5.000 <i>0.197</i>	12.00 <i>0.472</i>	7	GT 5mm	Nylon Covered Neoprene	Fibreglass
# B-H5-ST-060-NF	5.000 <i>0.197</i>	6.00 <i>0.236</i>	8	HTD 5mm	Nylon Covered Neoprene	Fibreglass
B-H5-ST-090-NF	5.000 <i>0.197</i>	9.00 <i>0.354</i>	8	HTD 5mm	Nylon Covered Neoprene	Fibreglass
# B-H5-ST-130-NF	5.000 <i>0.197</i>	13.00 <i>0.512</i>	8	HTD 5mm	Nylon Covered Neoprene	Fibreglass
# B-H5-ST-150-NF	5.000 <i>0.197</i>	15.00 <i>0.591</i>	50	HTD 5mm	Neoprene	Fibreglass

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Belts - Timing - Lengths

Part Number	Pitch size mm <i>inches</i>	Nominal Width mm <i>inches</i>	Maximum Continuous Length Mtr	Pitch Designation	Material	Cord
# B-H5-ST-250-NF	5.000 <i>0.197</i>	25.00 <i>0.984</i>	8	HTD 5mm	Nylon Covered Neoprene	Fibreglass
B-T5-ST-100-PS	5.000 <i>0.197</i>	10.00 <i>0.394</i>	20	T5 - 5mm	Translucent Polyurethane	Steel
B-T5-ST-150-PS	5.000 <i>0.197</i>	15.00 <i>0.591</i>	20	T5 - 5mm	Translucent Polyurethane	Steel
# B-XL-ST-060-PS	5.080 <i>0.200</i>	6.00 <i>0.236</i>	24	XL 5.08mm	Translucent Polyurethane	Steel
B-XL-ST-060-NF	5.080 <i>0.200</i>	6.00 <i>0.236</i>	24	XL 5.08mm	Nylon Covered Neoprene	Fibreglass
# B-XL-ST-063-NF	5.080 <i>0.200</i>	6.35 <i>0.250</i>	24	XL 5.08mm	Nylon Covered Neoprene	Fibreglass
# B-XL-ST-063-PS	5.080 <i>0.200</i>	6.35 <i>0.250</i>	24	XL 5.08mm	Translucent Polyurethane	Steel
# B-XL-ST-095-PS	5.080 <i>0.200</i>	9.50 <i>0.374</i>	24	XL 5.08mm	Translucent Polyurethane	Steel
# B-XL-ST-095-NF	5.080 <i>0.200</i>	9.50 <i>0.374</i>	24	XL 5.08mm	Nylon Covered Neoprene	Fibreglass
B-XL-ST-096-PS	5.080 <i>0.200</i>	9.53 <i>0.375</i>	24	XL 5.08mm	Translucent Polyurethane	Steel

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Belts - Timing - Lengths

Part Number	Pitch size mm <i>inches</i>	Nominal Width mm <i>inches</i>	Maximum Continuous Length Mtr	Pitch Designation	Material	Cord
# B-XL-ST-096-NF	5.080 <i>0.200</i>	9.53 <i>0.375</i>	24	XL 5.08mm	Nylon Covered Neoprene	Fibreglass
# B-XL-ST-127-PS	5.080 <i>0.200</i>	12.70 <i>0.500</i>	24	XL 5.08mm	Translucent Polyurethane	Steel
# B-XL-ST-127-NF	5.080 <i>0.200</i>	12.70 <i>0.500</i>	24	XL 5.08mm	Nylon Covered Neoprene	Fibreglass
# B-XL-ST-130-PS	5.080 <i>0.200</i>	13.00 <i>0.512</i>	24	XL 5.08mm	Translucent Polyurethane	Steel
# B-XL-ST-130-NF	5.080 <i>0.200</i>	13.00 <i>0.512</i>	24	XL 5.08mm	Nylon Covered Neoprene	Fibreglass
# B-L9-ST-127-PS	9.525 <i>0.375</i>	12.70 <i>0.500</i>	12	L 9.525mm	Translucent Polyurethane	Steel
# B-L9-ST-127-NF	9.525 <i>0.375</i>	12.70 <i>0.500</i>	12	L 9.525mm	Nylon Covered Neoprene	Fibreglass
# B-L9-ST-130-NF	9.525 <i>0.375</i>	13.00 <i>0.512</i>	12	L 9.525mm	Nylon Covered Neoprene	Fibreglass
# B-L9-ST-130-PS	9.525 <i>0.375</i>	13.00 <i>0.512</i>	12	L 9.525mm	Translucent Polyurethane	Steel
# B-L9-ST-190-NF	9.525 <i>0.375</i>	19.00 <i>0.748</i>	12	L 9.525mm	Nylon Covered Neoprene	Fibreglass

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Belts - Timing - Lengths

Part Number	Pitch size mm <i>inches</i>	Nominal Width mm <i>inches</i>	Maximum Continuous Length Mtr	Pitch Designation	Material	Cord
# B-L9-ST-190-PS	9.525 <i>0.375</i>	19.00 <i>0.748</i>	12	L 9.525mm	Translucent Polyurethane	Steel
# B-L9-ST-191-NF	9.525 <i>0.375</i>	19.05 <i>0.750</i>	12	L 9.525mm	Nylon Covered Neoprene	Fibreglass
# B-L9-ST-191-PS	9.525 <i>0.375</i>	19.05 <i>0.750</i>	12	L 9.525mm	Translucent Polyurethane	Steel
# B-L9-ST-250-NF	9.525 <i>0.375</i>	25.00 <i>0.984</i>	12	L 9.525mm	Nylon Covered Neoprene	Fibreglass
# B-L9-ST-250-PS	9.525 <i>0.375</i>	25.00 <i>0.984</i>	12	L 9.525mm	Translucent Polyurethane	Steel
# B-L9-ST-254-PS	9.525 <i>0.375</i>	25.40 <i>1.000</i>	12	L 9.525mm	Translucent Polyurethane	Steel
# B-L9-ST-254-NF	9.525 <i>0.375</i>	25.40 <i>1.000</i>	12	L 9.525mm	Nylon Covered Neoprene	Fibreglass
B-T10-ST-150-PS	10.000 <i>0.394</i>	15.00 <i>0.591</i>	20	T10 - 10mm	Translucent Polyurethane	Steel
# B-T10-ST-250-PS	10.000 <i>0.394</i>	25.00 <i>0.984</i>	20	T10 - 10mm	Translucent Polyurethane	Steel

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to catalogues@minibearings.com.au

