




# MBA

## Bumpers - Conical



Anti vibration application for machinery.

### Bumpers - Conical

Part Number	Max Load kg (lbs)	Occasional Dynamic Load kg (lbs)	Material	Thread Size
# BC-20-516F	19.6 (44.0)	35.7 (80.0)	Steel Brass Plated/Natural Rubber	5/16-24 UNF
# BC-20-M8	19.6 (44.0)	35.7 (80.0)	Steel zinc plated/Natural Rubber	M8
# BC-22-516F	21.9 (49.0)	44.6 (100.0)	Steel Brass Plated/Natural Rubber	5/16-24 UNF
# BC-22-M8	21.9 (49.0)	44.6 (100.0)	Steel zinc plated/Natural Rubber	M8
# BC-25-516F	25.0 (56.0)	54.5 (122.0)	Steel Brass Plated/Natural Rubber	5/16-24 UNF
# BC-25-M8	25.0 (56.0)	54.5 (122.0)	Steel zinc plated/Natural Rubber	M8
# BC-28-516F	27.7 (62.0)	64.7 (145.0)	Steel Brass Plated/Natural Rubber	5/16-24 UNF

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Bumpers - Conical

Part Number	Max Load kg (lbs)	Occasional Dynamic Load kg (lbs)	Material	Thread Size
# BC-28-M8	27.7 (62.0)	64.7 (145.0)	Steel zinc plated/Natural Rubber	M8

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to [catalogues@minibearings.com.au](mailto:catalogues@minibearings.com.au)
