




# MBA

## Bushings - Integral Taper



### Stainless Steel Taper Bushings.

Will not mar shafts.

### Bushings - Integral Taper

Part Number	Shaft Size (d) H7 mm	Component ID (D) h7 mm	Sleeve Length (l) mm	Max. Torque N.m	Overall Length (L) +/-0.1 mm	Bore Tolerances mm	OD Tolerance mm	Dimension Across Flats mm	Thread Size (T)
	<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	
# BIT-04.00x08.00	4.000 <i>0.157</i>	8.000 <i>0.315</i>	12.500 <i>0.492</i>	3	15.00 <i>0.591</i>	+0.012/-0.000	+0.000/-0.015	8 <i>0.315</i>	M6x0.5
# BIT-05.00x10.00	5.000 <i>0.197</i>	10.000 <i>0.394</i>	12.500 <i>0.492</i>	4	15.00 <i>0.591</i>	+0.012/-0.000	+0.000/-0.015	10 <i>0.394</i>	M8x0.5
# BIT-06.00x10.00	6.000 <i>0.236</i>	10.000 <i>0.394</i>	12.500 <i>0.492</i>	7	15.00 <i>0.591</i>	+0.012/-0.000	+0.000/-0.015	10 <i>0.394</i>	M8x0.5
# BIT-06.35x10.00	6.350 <i>0.250</i>	10.000 <i>0.394</i>	12.500 <i>0.492</i>	7	15.00 <i>0.591</i>	+0.012/-0.000	+0.000/-0.015	10 <i>0.394</i>	M8x0.5

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Bushings - Integral Taper

Part Number	Shaft Size (d) H7 mm	Component ID (D) h7 mm	Sleeve Length (l) mm	Max. Torque N.m	Overall Length (L) +/-0.1 mm	Bore Tolerances mm	OD Tolerance mm	Dimension Across Flats mm	Thread Size (T)
	<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	
# BIT-07.00x12.00	7.000 <i>0.276</i>	12.000 <i>0.472</i>	12.000 <i>0.472</i>	8	15.00 <i>0.591</i>	+0.015/-0.000	+0.000/-0.018	12 <i>0.472</i>	M10x0.75
# BIT-08.00x14.00	8.000 <i>0.315</i>	14.000 <i>0.551</i>	19.000 <i>0.748</i>	14	22.00 <i>0.866</i>	+0.015/-0.000	+0.000/-0.018	16 <i>0.630</i>	M12x1
# BIT-09.00x14.00	9.000 <i>0.354</i>	14.000 <i>0.551</i>	19.000 <i>0.748</i>	14	22.00 <i>0.866</i>	+0.015/-0.000	+0.000/-0.018	16 <i>0.630</i>	M12x1
# BIT-09.52x14.00	9.525 <i>0.375</i>	14.000 <i>0.551</i>	19.000 <i>0.748</i>	14	22.00 <i>0.866</i>	+0.015/-0.000	+0.000/-0.018	16 <i>0.630</i>	M12x1
# BIT-10.00x17.00	10.000 <i>0.394</i>	17.000 <i>0.669</i>	18.500 <i>0.728</i>	18	22.00 <i>0.866</i>	+0.015/-0.000	+0.000/-0.018	18 <i>0.709</i>	M15x1
# BIT-11.00x17.00	11.000 <i>0.433</i>	17.000 <i>0.669</i>	18.500 <i>0.728</i>	18	22.00 <i>0.866</i>	+0.018/-0.000	+0.000/-0.018	18 <i>0.709</i>	M15x1
# BIT-12.00x17.00	12.000 <i>0.472</i>	17.000 <i>0.669</i>	18.500 <i>0.728</i>	18	22.00 <i>0.866</i>	+0.018/-0.000	+0.000/-0.018	18 <i>0.709</i>	M15x1
# BIT-14.00x20.00	14.000 <i>0.551</i>	20.000 <i>0.787</i>	23.000 <i>0.906</i>	24	28.00 <i>1.102</i>	+0.018/-0.000	+0.000/-0.021	20 <i>0.787</i>	M17x1
# BIT-15.00x20.00	15.000 <i>0.591</i>	20.000 <i>0.787</i>	23.000 <i>0.906</i>	24	28.00 <i>1.102</i>	+0.018/-0.000	+0.000/-0.021	20 <i>0.787</i>	M17x1
# BIT-15.88x23.00	15.875 <i>0.625</i>	23.000 <i>0.906</i>	23.000 <i>0.906</i>	26	28.00 <i>1.102</i>	+0.021/-0.000	+0.000/-0.021	26 <i>1.024</i>	M20x1

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Bushings - Integral Taper

Part Number	Shaft Size (d) H7 mm	Component ID (D) h7 mm	Sleeve Length (l) mm	Max. Torque N.m	Overall Length (L) +/-0.1 mm	Bore Tolerances mm	OD Tolerance mm	Dimension Across Flats mm	Thread Size (T)
	<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	
# BIT-16.00x23.00	16.000 <i>0.630</i>	23.000 <i>0.906</i>	23.000 <i>0.906</i>	26	28.00 <i>1.102</i>	+0.018/-0.000	+0.000/-0.021	26 <i>1.024</i>	M20x1
# BIT-17.00x23.00	17.000 <i>0.669</i>	23.000 <i>0.906</i>	23.000 <i>0.906</i>	26	28.00 <i>1.102</i>	+0.018/-0.000	+0.000/-0.021	26 <i>1.024</i>	M20x1
# BIT-19.00x25.00	19.000 <i>0.748</i>	25.000 <i>0.984</i>	23.000 <i>0.906</i>	29	28.00 <i>1.102</i>	+0.021/-0.000	+0.000/-0.021	27 <i>1.063</i>	M22x1
# BIT-20.00x28.00	20.000 <i>0.787</i>	28.000 <i>1.102</i>	23.000 <i>0.906</i>	31	28.00 <i>1.102</i>	+0.021/-0.000	+0.000/-0.021	30 <i>1.181</i>	M25x1

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to [catalogues@minibearings.com.au](mailto:catalogues@minibearings.com.au)
