




MBA

Cable - Miniature



Nylon coated Stainless Steel.

Recommended that nylon coating is stripped prior to swaging.

Sold per 300mm length. Multiple quantities will be supplied in a continuous length up to 3mtr maximum.

Cable - Miniature

Part Number	Cable OD mm <i>inches</i>	Wire Diameter (A) mm <i>inches</i>	Breaking Strength kg
# CBL-0.61x300mm	0.61 <i>0.024</i>	0.46 <i>0.018</i>	17.8
CBL-0.86x300mm	0.86 <i>0.034</i>	0.69 <i>0.027</i>	40.10
# CBL-0.94x300mm	0.94 <i>0.037</i>	0.79 <i>0.031</i>	53.50
# CBL-1.12x300mm	1.12 <i>0.044</i>	0.91 <i>0.036</i>	71.40

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Cable - Miniature

Part Number	Cable OD mm <i>inches</i>	Wire Diameter (A) mm <i>inches</i>	Breaking Strength kg
CBL-1.58x300mm	1.58 <i>0.062</i>	1.19 <i>0.047</i>	120.00
CBL-2.38x300mm	2.38 <i>0.094</i>	1.58 <i>0.062</i>	214.00
# CBL-3.18x300mm	3.18 <i>0.125</i>	2.38 <i>0.094</i>	410.00

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to catalogues@minibearings.com.au

