


MBA

Cable - Synchronesh



Pitch Error ± 0.050 mm.

Cumulative Pitch Error ± 4.070 mm max. over 100 pitches.

Temperature Range = -30 Deg. Celcius to +80 Deg. Celcius.

Avoid strong acids, alkalies and organic solvents.

This catalogue to be read in conjunction with information at <http://www.minibearings.com.au/ogue/tech/synchronesh/synchronesh.pdf>

Cable - Synchronesh

Part Number	Pitch mm	Outside Diameter mm	Core + Casing Thickness mm	Core Thickness mm	W Dimension mm	Minimum Tensile Load Kgf	Core Material	Casing Material
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>			
# SM-CBL-01.50x03.05	3.048 <i>0.120</i>	1.500 <i>0.059</i>	0.600 <i>0.024</i>	0.450 <i>0.018</i>	0.720 <i>0.028</i>	16.33	304 Stainless Steel	Nylon
# SM-CBL-02.06x03.81	3.810 <i>0.150</i>	2.060 <i>0.081</i>	0.800 <i>0.031</i>	0.630 <i>0.025</i>	0.920 <i>0.036</i>	31.63	304 Stainless Steel	Nylon
# SM-CBL-02.60x05.08	5.080 <i>0.200</i>	2.600 <i>0.102</i>	1.000 <i>0.039</i>	0.810 <i>0.032</i>	1.150 <i>0.045</i>	55.10	304 Stainless Steel	Nylon

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Cable - Synchronesh

Part Number	Pitch mm	Outside Diameter mm	Core + Casing Thickness mm	Core Thickness mm	W Dimension mm	Minimum Tensile Load Kgf	Core Material	Casing Material
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>			
SM-CBL-03.40x06.35	6.350	3.400	1.200	1.000	1.380	82.65	304 Stainless Steel	Nylon
	<i>0.250</i>	<i>0.134</i>	<i>0.047</i>	<i>0.039</i>	<i>0.054</i>			

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to catalogues@minibearings.com.au

