




MBA

Cam Followers - Roller Type - Miniature - Standard



Small carbon steel roller type cam followers.

Carbon Steel - Nitrile Rubber seals assembled in the outer ring.

Screwdriver slot for mounting.

Stud designed to fit H7 housing.

This catalogue to be read in conjunction with information at http://www.minibearings.com.au/ogue/tech/followers/cam_followers.pdf

Cam Followers - Roller Type - Miniature - Standard

Part Number	Diameter (D) mm <i>inches</i>	Length (B1) mm <i>inches</i>	Thread	Thread Length (G1) mm <i>inches</i>	Roller Width (C) mm <i>inches</i>	Type	Hex Size (H) mm <i>inches</i>	Material	Max Allowable Load N	Other Info
# CFS2V	4.50 <i>0.177</i>	8.00 <i>0.315</i>	M2.0x0.40	4.00 <i>0.157</i>	4.00 <i>0.157</i>	Full Complement	0.90 <i>0.035</i>	Carbon Steel	229.00	See PDF File
# CFS2	4.50 <i>0.177</i>	8.00 <i>0.315</i>	M2.0x0.40	4.00 <i>0.157</i>	4.00 <i>0.157</i>	Caged	0.90 <i>0.035</i>	Carbon Steel	202.00	See PDF File
# CFS2.5V	5.00 <i>0.197</i>	9.50 <i>0.374</i>	M2.5x0.45	5.00 <i>0.197</i>	4.50 <i>0.177</i>	Full Complement	0.90 <i>0.035</i>	Carbon Steel	360.00	See PDF File

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Cam Followers - Roller Type - Miniature - Standard

Part Number	Diameter (D) mm <i>inches</i>	Length (B1) mm <i>inches</i>	Thread	Thread Length (G1) mm <i>inches</i>	Roller Width (C) mm <i>inches</i>	Type	Hex Size (H) mm <i>inches</i>	Material	Max Allowable Load N	Other Info
# CFS2.5	5.00 <i>0.197</i>	9.50 <i>0.374</i>	M2.5x0.45	5.00 <i>0.197</i>	4.50 <i>0.177</i>	Caged	0.90 <i>0.035</i>	Carbon Steel	351.00	See PDF File
# CFS3V	6.00 <i>0.236</i>	11.50 <i>0.453</i>	M3.0x0.50	6.00 <i>0.236</i>	5.50 <i>0.217</i>	Full Complement	1.30 <i>0.051</i>	Carbon Steel	484.00	See PDF File
# CFS3	6.00 <i>0.236</i>	11.50 <i>0.453</i>	M3.0x0.50	6.00 <i>0.236</i>	5.50 <i>0.217</i>	Caged	1.30 <i>0.051</i>	Carbon Steel	484.00	See PDF File
# CFS4V	8.00 <i>0.315</i>	15.00 <i>0.591</i>	M4.0x0.70	8.00 <i>0.315</i>	7.00 <i>0.276</i>	Full Complement	1.50 <i>0.059</i>	Carbon Steel	919.00	See PDF File
# CFS4	8.00 <i>0.315</i>	15.00 <i>0.591</i>	M4.0x0.70	8.00 <i>0.315</i>	7.00 <i>0.276</i>	Caged	1.50 <i>0.059</i>	Carbon Steel	919.00	See PDF File
# CFS5V	10.00 <i>0.394</i>	18.00 <i>0.709</i>	M5.0x0.80	10.00 <i>0.394</i>	8.00 <i>0.315</i>	Full Complement	2.00 <i>0.079</i>	Carbon Steel	1570.00	See PDF File
# CFS5	10.00 <i>0.394</i>	18.00 <i>0.709</i>	M5.0x0.80	10.00 <i>0.394</i>	8.00 <i>0.315</i>	Caged	2.00 <i>0.079</i>	Carbon Steel	1570.00	See PDF File
# CFS6V	12.00 <i>0.472</i>	21.50 <i>0.846</i>	M6.0x1.00	12.00 <i>0.472</i>	9.50 <i>0.374</i>	Full Complement	2.50 <i>0.098</i>	Carbon Steel	2150.00	See PDF File
# CFS6	12.00 <i>0.472</i>	21.50 <i>0.846</i>	M6.0x1.00	12.00 <i>0.472</i>	9.50 <i>0.374</i>	Caged	2.50 <i>0.098</i>	Carbon Steel	2150.00	See PDF File

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to catalogues@minibearings.com.au

