




# MBA

## Cam Followers - Roller Type - Stainless Steel



Stainless steel roller type cam followers.

Stainless Steel similar to 440C.

Seals: Synthetic rubber seals.

Shields: Stainless Steel shields.

Screwdriver slot for mounting.

Stud designed to fit H7 housing.

This catalogue to be read in conjunction with information at [http://www.minibearings.com.au/ogue/tech/followers/cam\\_followers.pdf](http://www.minibearings.com.au/ogue/tech/followers/cam_followers.pdf)

### Cam Followers - Roller Type - Stainless Steel

Part Number	Diameter (D) mm <i>inches</i>	Length (B1) mm <i>inches</i>	Thread Type	Thread Length (G1) mm <i>inches</i>	Roller Width (C) mm <i>inches</i>	Seals	Basic Static Load (Co) N	Max Allowable Load N
# CF3-FBUU	10.00 <i>0.394</i>	17.00 <i>0.669</i>	M3x0.50	9.00 <i>0.354</i>	8.00 <i>0.315</i>	Sealed	784	382
# CF3-FB	10.00 <i>0.394</i>	17.00 <i>0.669</i>	M3x0.50	9.00 <i>0.354</i>	8.00 <i>0.315</i>	Shielded	784	382
# CF4-FBUU	12.00 <i>0.472</i>	20.00 <i>0.787</i>	M4x0.70	11.00 <i>0.433</i>	9.00 <i>0.354</i>	Sealed	1274	833

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Cam Followers - Roller Type - Stainless Steel

Part Number	Diameter (D) mm	Length (B1) mm	Thread Type	Thread Length (G1) mm	Roller Width (C) mm	Seals	Basic Static Load (Co) N	Max Allowable Load N
	<i>inches</i>	<i>inches</i>		<i>inches</i>	<i>inches</i>			
# CF4-FB	12.00 <i>0.472</i>	20.00 <i>0.787</i>	M4x0.70	11.00 <i>0.433</i>	9.00 <i>0.354</i>	Shielded	1274	833
# CF5-FBUU	13.00 <i>0.512</i>	23.00 <i>0.906</i>	M5x0.80	13.00 <i>0.512</i>	10.00 <i>0.394</i>	Sealed	1765	1274
# CF5-FB	13.00 <i>0.512</i>	23.00 <i>0.906</i>	M5x0.80	13.00 <i>0.512</i>	10.00 <i>0.394</i>	Shielded	1765	1274
# CF6-FBUUR	16.00 <i>0.630</i>	28.20 <i>1.110</i>	M6x1.00	16.00 <i>0.630</i>	12.20 <i>0.480</i>	Sealed	2942	1961
# CF6-FBR	16.00 <i>0.630</i>	28.20 <i>1.110</i>	M6x1.00	16.00 <i>0.630</i>	12.20 <i>0.480</i>	Shielded	2942	1961
# CF8-FBUUR	19.00 <i>0.748</i>	32.20 <i>1.268</i>	M8x1.25	20.00 <i>0.787</i>	12.20 <i>0.480</i>	Sealed	3726	3726
# CF8-FBR	19.00 <i>0.748</i>	32.20 <i>1.268</i>	M8x1.25	20.00 <i>0.787</i>	12.20 <i>0.480</i>	Shielded	3726	3726
# CF10-FBR	22.00 <i>0.866</i>	36.20 <i>1.425</i>	M10x1.25	23.00 <i>0.906</i>	13.20 <i>0.520</i>	Shielded	5491	5491
CF10-FBUUR	22.00 <i>0.866</i>	36.20 <i>1.425</i>	M10x1.25	23.00 <i>0.906</i>	13.20 <i>0.520</i>	Sealed	5491	5491
# CF12-FBR	32.00 <i>1.260</i>	40.20 <i>1.583</i>	M12x1.5	25.00 <i>0.984</i>	15.20 <i>0.598</i>	Shielded	7845	7845

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Cam Followers - Roller Type - Stainless Steel

Part Number	Diameter (D) mm	Length (B1) mm	Thread Type	Thread Length (G1) mm	Roller Width (C) mm	Seals	Basic Static Load (Co) N	Max Allowable Load N
	<i>inches</i>	<i>inches</i>		<i>inches</i>	<i>inches</i>			
# CF12-FBUUR	32.00 <i>1.260</i>	40.20 <i>1.583</i>	M12x1.5	25.00 <i>0.984</i>	15.20 <i>0.598</i>	Sealed	7845	7845
# CF16-FBUUR	35.00 <i>1.378</i>	52.10 <i>2.051</i>	M16x1.5	32.50 <i>1.280</i>	19.60 <i>0.772</i>	Sealed	14709	14709
# CF16-FBR	35.00 <i>1.378</i>	52.10 <i>2.051</i>	M16x1.5	32.50 <i>1.280</i>	19.60 <i>0.772</i>	Shielded	14709	14709
# CF18-FBUUR	40.00 <i>1.575</i>	58.10 <i>2.287</i>	M18x1.5	36.50 <i>1.437</i>	21.60 <i>0.850</i>	Sealed	20201	20201
# CF18-FBR	40.00 <i>1.575</i>	58.10 <i>2.287</i>	M18x1.5	36.50 <i>1.437</i>	21.60 <i>0.850</i>	Shielded	20201	20201
# CF20-FBUUR	52.00 <i>2.047</i>	66.10 <i>2.602</i>	M20x1.5	40.50 <i>1.594</i>	25.60 <i>1.008</i>	Sealed	27654	27654
# CF20-FBR	52.00 <i>2.047</i>	66.10 <i>2.602</i>	M20x1.5	40.50 <i>1.594</i>	25.60 <i>1.008</i>	Shielded	27654	27654

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to [catalogues@minibearings.com.au](mailto:catalogues@minibearings.com.au)
