



MBA

Castors - Blue Non Marking Rubber



Blue non-marking rubber castors including fixed, swivel and brake types. Economical, protects floors, quiet, easy to roll over obstacles

Castors - Blue Non Marking Rubber

Part Number	Wheel diameter mm <i>inches</i>	Type	Tyre material	Max. Load Rating per castor kg	Hole Spacing (a x b) mm <i>inches</i>	Plate Height (h) mm <i>inches</i>	Tyre Width (w) mm <i>inches</i>
# DBU050S	50 <i>1.969</i>	Swivel	Blue Non Marking Rubber	65.0	53 x 24 <i>inches</i>	63.0 <i>2.480</i>	22.0 <i>0.866</i>
DBU050SB	50 <i>1.969</i>	Swivel with Brake	Blue Non Marking Rubber	65.0	53 x 24	63.0 <i>2.480</i>	22.0 <i>0.866</i>
# DBU050R	50 <i>1.969</i>	Rigid	Blue Non Marking Rubber	65.0	53 x 24	63.0 <i>2.480</i>	22.0 <i>0.866</i>

Castors - Blue Non Marking Rubber

Part Number	Wheel diameter mm	Type	Tyre material	Max. Load Rating per castor kg	Hole Spacing (a x b) mm	Plate Height (h) mm	Tyre Width (w) mm
	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>
# DBU075R	75 <i>2.953</i>	Rigid	Blue Non Marking Rubber	90.0	82 x 35	95.0 <i>3.740</i>	37.0 <i>1.457</i>
# DBU075S	75 <i>2.953</i>	Swivel	Blue Non Marking Rubber	90.0	87 x 54	95.0 <i>3.740</i>	37.0 <i>1.457</i>
# DBU075SB	75 <i>2.953</i>	Swivel with Brake	Blue Non Marking Rubber	90.0	87 x 54	95.0 <i>3.740</i>	37.0 <i>1.457</i>
# DBU100SB	100 <i>3.937</i>	Swivel with Brake	Blue Non Marking Rubber	160.0	80 x 60	127.0 <i>5.000</i>	36.0 <i>1.417</i>
# DBU100R	100 <i>3.937</i>	Rigid	Blue Non Marking Rubber	160.0	80 x 60	127.0 <i>5.000</i>	36.0 <i>1.417</i>
# DBU100S	100 <i>3.937</i>	Swivel	Blue Non Marking Rubber	160.0	80 x 60	127.0 <i>5.000</i>	36.0 <i>1.417</i>
# DBU125S	125 <i>4.921</i>	Swivel	Blue Non Marking Rubber	170.0	80 x 60	155.0 <i>6.102</i>	36.0 <i>1.417</i>
# DBU125SB	125 <i>4.921</i>	Swivel with Brake	Blue Non Marking Rubber	170.0	80 x 60	155.0 <i>6.102</i>	36.0 <i>1.417</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Castors - Blue Non Marking Rubber

Part Number	Wheel diameter mm	Type	Tyre material	Max. Load Rating per castor kg	Hole Spacing (a x b) mm	Plate Height (h) mm	Tyre Width (w) mm
	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>
# DBU125R	125 <i>4.921</i>	Rigid	Blue Non Marking Rubber	170.0	80 x 60	155.0 <i>6.102</i>	36.0 <i>1.417</i>
# DBU150R	150 <i>5.906</i>	Rigid	Blue Non Marking Rubber	300.0	106 x 80	184.0 <i>7.244</i>	50.0 <i>1.969</i>
# DBU150S	150 <i>5.906</i>	Swivel	Blue Non Marking Rubber	300.0	106 x 80	184.0 <i>7.244</i>	50.0 <i>1.969</i>
# DBU150SB	150 <i>5.906</i>	Swivel with Brake	Blue Non Marking Rubber	300.0	106 x 80	184.0 <i>7.244</i>	50.0 <i>1.969</i>
# DBU200SB	200 <i>7.874</i>	Swivel with Brake	Blue Non Marking Rubber	300.0	106 x 80	230.0 <i>9.055</i>	50.0 <i>1.969</i>
# DBU200R	200 <i>7.874</i>	Rigid	Blue Non Marking Rubber	300.0	106 x 80	230.0 <i>9.055</i>	50.0 <i>1.969</i>
# DBU200S	200 <i>7.874</i>	Swivel	Blue Non Marking Rubber	300.0	106 x 80	230.0 <i>9.055</i>	50.0 <i>1.969</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to catalogues@minibearings.com.au
