




# MBA

## Castors - Polyurethane Heavy Duty



Polyurethane castors including fixed, swivel and brake types.  
High load, polyurethane on a cast iron core, needle roller bearing centres.

### Castors - Polyurethane Heavy Duty

Part Number	Wheel diameter mm	Type	Tyre material	Max. Load Rating per castor kg	Hole Spacing (a x b) mm	Plate Height (h) mm	Tyre Width (w) mm
	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>
# DPU100SB	100	Swivel with Brake	Polyurethane Heavy Duty	270.0	85 x 75	143.0	50.0
	<i>3.937</i>					<i>5.630</i>	<i>1.969</i>
# DPU100S	100	Swivel	Polyurethane Heavy Duty	270.0	85 x 75	143.0	50.0
	<i>3.937</i>					<i>5.630</i>	<i>1.969</i>
# DPU100R	100	Rigid	Polyurethane Heavy Duty	270.0	85 x 75	143.0	50.0
	<i>3.937</i>					<i>5.630</i>	<i>1.969</i>

# Indicates item not stocked at time of printing - Please enquire for lead time  
E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd  
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Castors - Polyurethane Heavy Duty

Part Number	Wheel diameter mm <i>inches</i>	Type	Tyre material	Max. Load Rating per castor kg	Hole Spacing (a x b) mm <i>inches</i>	Plate Height (h) mm <i>inches</i>	Tyre Width (w) mm <i>inches</i>
# DPU125SB	125 <i>4.921</i>	Swivel with Brake	Polyurethane Heavy Duty	320.0	85 x 75	165.0 <i>6.496</i>	50.0 <i>1.969</i>
# DPU125S	125 <i>4.921</i>	Swivel	Polyurethane Heavy Duty	320.0	85 x 75	165.0 <i>6.496</i>	50.0 <i>1.969</i>
# DPU125R	125 <i>4.921</i>	Rigid	Polyurethane Heavy Duty	320.0	85 x 75	165.0 <i>6.496</i>	50.0 <i>1.969</i>
# DPU150SB	150 <i>5.906</i>	Swivel with Brake	Polyurethane Heavy Duty	400.0	85 x 75	190.0 <i>7.480</i>	50.0 <i>1.969</i>
# DPU150S	150 <i>5.906</i>	Swivel	Polyurethane Heavy Duty	400.0	85 x 75	190.0 <i>7.480</i>	50.0 <i>1.969</i>
# DPU150R	150 <i>5.906</i>	Rigid	Polyurethane Heavy Duty	400.0	85 x 75	190.0 <i>7.480</i>	50.0 <i>1.969</i>
# DPU200SB	200 <i>7.874</i>	Swivel with Brake	Polyurethane Heavy Duty	400.0	85 x 75	241.0 <i>9.488</i>	50.0 <i>1.969</i>
# DPU200S	200 <i>7.874</i>	Swivel	Polyurethane Heavy Duty	400.0	85 x 75	241.0 <i>9.488</i>	50.0 <i>1.969</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Castors - Polyurethane Heavy Duty

Part Number	Wheel diameter mm	Type	Tyre material	Max. Load Rating per castor kg	Hole Spacing (a x b) mm	Plate Height (h) mm	Tyre Width (w) mm
	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>
# DPU200R	200	Rigid	Polyurethane Heavy Duty	400.0	85 x 75	241.0	50.0
	<i>7.874</i>					<i>9.488</i>	<i>1.969</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to [catalogues@minibearings.com.au](mailto:catalogues@minibearings.com.au)
