




# MBA

## Chain - Roller - Metal - Simplex - Stainless Steel



Includes Miniature Sizes.

### Chain - Roller - Metal - Simplex - Stainless Steel

Part Number	Pitch (p) mm	Roller Width (b1) mm	Strands	Roller Diameter (D) mm	Pin Diameter (d2) mm	Pin Width (a1) / Crank Width mm	Material	Length mm	Link Plate Height (g) mm	Average Tensile Load kg
	<i>inches</i>	<i>inches</i>		<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>	<i>inches</i>	
# CHR1-0375x0712-304	3.747	1.800	Single	2.300	1.600	5.340	304 Stainless Steel	712	3.500	-
	<i>0.148</i>	<i>0.071</i>		<i>0.091</i>	<i>0.063</i>	<i>0.210</i>		<i>28.031</i>	<i>0.138</i>	
# CHR1-0375x0225-304	3.747	1.800	Single	2.300	1.600	5.340	304 Stainless Steel	225	3.500	-
	<i>0.148</i>	<i>0.071</i>		<i>0.091</i>	<i>0.063</i>	<i>0.210</i>		<i>8.858</i>	<i>0.138</i>	
# CHR1-0375x0262-304	3.747	1.800	Single	2.300	1.600	5.340	304 Stainless Steel	262	3.500	-
	<i>0.148</i>	<i>0.071</i>		<i>0.091</i>	<i>0.063</i>	<i>0.210</i>		<i>10.315</i>	<i>0.138</i>	
CHR1-0375x0300-304	3.747	1.800	Single	2.300	1.600	5.340	304 Stainless Steel	300	3.500	-
	<i>0.148</i>	<i>0.071</i>		<i>0.091</i>	<i>0.063</i>	<i>0.210</i>		<i>11.811</i>	<i>0.138</i>	

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Chain - Roller - Metal - Simplex - Stainless Steel

Part Number	Pitch (p) mm <i>inches</i>	Roller Width (b1) mm <i>inches</i>	Strands	Roller Diameter (D) mm <i>inches</i>	Pin Diameter (d2) mm <i>inches</i>	Pin Width (a1) / Crank Width mm <i>inches</i>	Material	Length mm <i>inches</i>	Link Plate Height (g) mm <i>inches</i>	Average Tensile Load kg
# CHR1-0375x0337-304	3.747 <i>0.148</i>	1.800 <i>0.071</i>	Single	2.300 <i>0.091</i>	1.600 <i>0.063</i>	5.340 <i>0.210</i>	304 Stainless Steel	337 <i>13.268</i>	3.500 <i>0.138</i>	-
# CHR1-0375x0375-304	3.747 <i>0.148</i>	1.800 <i>0.071</i>	Single	2.300 <i>0.091</i>	1.600 <i>0.063</i>	5.340 <i>0.210</i>	304 Stainless Steel	375 <i>14.764</i>	3.500 <i>0.138</i>	-
# CHR1-0375x0412-304	3.747 <i>0.148</i>	1.800 <i>0.071</i>	Single	2.300 <i>0.091</i>	1.600 <i>0.063</i>	5.340 <i>0.210</i>	304 Stainless Steel	412 <i>16.220</i>	3.500 <i>0.138</i>	-
# CHR1-0375x0450-304	3.747 <i>0.148</i>	1.800 <i>0.071</i>	Single	2.300 <i>0.091</i>	1.600 <i>0.063</i>	5.340 <i>0.210</i>	304 Stainless Steel	450 <i>17.717</i>	3.500 <i>0.138</i>	-
# CHR1-0375x0487-304	3.747 <i>0.148</i>	1.800 <i>0.071</i>	Single	2.300 <i>0.091</i>	1.600 <i>0.063</i>	5.340 <i>0.210</i>	304 Stainless Steel	487 <i>19.173</i>	3.500 <i>0.138</i>	-
# CHR1-0375x0525-304	3.747 <i>0.148</i>	1.800 <i>0.071</i>	Single	2.300 <i>0.091</i>	1.600 <i>0.063</i>	5.340 <i>0.210</i>	304 Stainless Steel	525 <i>20.669</i>	3.500 <i>0.138</i>	-
# CHR1-0375x0562-304	3.747 <i>0.148</i>	1.800 <i>0.071</i>	Single	2.300 <i>0.091</i>	1.600 <i>0.063</i>	5.340 <i>0.210</i>	304 Stainless Steel	562 <i>22.126</i>	3.500 <i>0.138</i>	-
# CHR1-0375x0599-304	3.747 <i>0.148</i>	1.800 <i>0.071</i>	Single	2.300 <i>0.091</i>	1.600 <i>0.063</i>	5.340 <i>0.210</i>	304 Stainless Steel	599 <i>23.583</i>	3.500 <i>0.138</i>	-

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Chain - Roller - Metal - Simplex - Stainless Steel

Part Number	Pitch (p) mm <i>inches</i>	Roller Width (b1) mm <i>inches</i>	Strands	Roller Diameter (D) mm <i>inches</i>	Pin Diameter (d2) mm <i>inches</i>	Pin Width (a1) / Crank Width mm <i>inches</i>	Material	Length mm <i>inches</i>	Link Plate Height (g) mm <i>inches</i>	Average Tensile Load kg
# CHR1-0375x0187-304	3.747 <i>0.148</i>	1.800 <i>0.071</i>	Single	2.300 <i>0.091</i>	1.600 <i>0.063</i>	5.340 <i>0.210</i>	304 Stainless Steel	187 <i>7.362</i>	3.500 <i>0.138</i>	
# CHR1-0375x0674-304	3.747 <i>0.148</i>	1.800 <i>0.071</i>	Single	2.300 <i>0.091</i>	1.600 <i>0.063</i>	5.340 <i>0.210</i>	304 Stainless Steel	674 <i>26.535</i>	3.500 <i>0.138</i>	-
# CHR1-0375x0749-304	3.747 <i>0.148</i>	1.800 <i>0.071</i>	Single	2.300 <i>0.091</i>	1.600 <i>0.063</i>	5.340 <i>0.210</i>	304 Stainless Steel	749 <i>29.488</i>	3.500 <i>0.138</i>	-
# CHR1-0375x0787-304	3.747 <i>0.148</i>	1.800 <i>0.071</i>	Single	2.300 <i>0.091</i>	1.600 <i>0.063</i>	5.340 <i>0.210</i>	304 Stainless Steel	787 <i>30.984</i>	3.500 <i>0.138</i>	-
# CHR1-0375x0824-304	3.747 <i>0.148</i>	1.800 <i>0.071</i>	Single	2.300 <i>0.091</i>	1.600 <i>0.063</i>	5.340 <i>0.210</i>	304 Stainless Steel	824 <i>32.441</i>	3.500 <i>0.138</i>	-
# CHR1-0375x0862-304	3.747 <i>0.148</i>	1.800 <i>0.071</i>	Single	2.300 <i>0.091</i>	1.600 <i>0.063</i>	5.340 <i>0.210</i>	304 Stainless Steel	862 <i>33.937</i>	3.500 <i>0.138</i>	-
# CHR1-0375x0899-304	3.747 <i>0.148</i>	1.800 <i>0.071</i>	Single	2.300 <i>0.091</i>	1.600 <i>0.063</i>	5.340 <i>0.210</i>	304 Stainless Steel	899 <i>35.394</i>	3.500 <i>0.138</i>	-
# CHR1-0375x0637-304	3.747 <i>0.148</i>	1.800 <i>0.071</i>	Single	2.300 <i>0.091</i>	1.600 <i>0.063</i>	5.340 <i>0.210</i>	304 Stainless Steel	637 <i>25.079</i>	3.500 <i>0.138</i>	-

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Chain - Roller - Metal - Simplex - Stainless Steel

Part Number	Pitch (p) mm <i>inches</i>	Roller Width (b1) mm <i>inches</i>	Strands	Roller Diameter (D) mm <i>inches</i>	Pin Diameter (d2) mm <i>inches</i>	Pin Width (a1) / Crank Width mm <i>inches</i>	Material	Length mm <i>inches</i>	Link Plate Height (g) mm <i>inches</i>	Average Tensile Load kg
CHR1-0635x0305-304	6.350 <i>0.250</i>	3.200 (25-1 ASA) <i>0.126</i>	Single	3.300 <i>0.130</i>	2.300 <i>0.091</i>	8.64 <i>0.340</i>	304 Stainless Steel	304.8 (1 foot)	5.800 <i>0.228</i>	
# CHR1-0953057x1000-304	9.525 <i>0.375</i>	5.720 (06B-1)	Single	6.350 <i>0.250</i>	3.280 <i>0.129</i>	13.630 <i>0.537</i>	Steel	1000 (1 metre)	8.300 <i>0.327</i>	
# CHR1-12700775x3048-304	12.700 <i>0.500</i>	7.750 (08B-1)	Single	8.510 <i>0.335</i>	4.450 <i>0.175</i>	16.900 / 18.200	304 Stainless Steel	3048 (10 feet)	11.600 <i>0.457</i>	
# CHR1-12700785x3048-304	12.700 <i>0.500</i>	7.850 (40-1 ASA)	Single	7.950 <i>0.313</i>	3.960 <i>0.156</i>	19.100 <i>0.752</i>	304 Stainless Steel	3048 (10 feet)	11.600 <i>0.457</i>	
# CHR1-1588095x3048-304	15.875 <i>0.625</i>	9.400 (50-1 ASA)	Single	10.160 <i>0.400</i>	5.080 <i>0.200</i>	20.600 / 21.800	304 Stainless Steel	3048 (10 feet)	15.000 <i>0.591</i>	
# CHR1-1588096x3048-304	15.875 <i>0.625</i>	9.650 (10B-1)	Single	10.160 <i>0.400</i>	5.080 <i>0.200</i>	18.900 / 20.500	304 Stainless Steel	3048 (10 feet)	14.600 <i>0.575</i>	
# CHR1-1905117x3048-304	19.050 <i>0.750</i>	11.680 (12B-1)	Single	12.070 <i>0.475</i>	5.720 <i>0.225</i>	22.100 / 24.700	304 Stainless Steel	3048 (10 feet)	15.900 <i>0.626</i>	
# CHR1-2540170x3048-304	25.400 <i>1.000</i>	17.020 (16B-1)	Single	15.880 <i>0.625</i>	35.400 <i>1.394</i>	35.400 / 36.700	304 Stainless Steel	3048 (10 feet)	20.800 <i>0.819</i>	

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to [catalogues@minibearings.com.au](mailto:catalogues@minibearings.com.au)

