




MBA

Chain - Roller - Metal - Simplex



Includes Miniature Sizes.

Chain - Roller - Metal - Simplex

Part Number	Pitch (p) mm	Roller Width (b1) mm	Strands	Roller Diameter (D) mm	Pin Diameter (d2) mm	Pin Width (a1) / Crank Width mm	Material	Length mm	Link Plate Height (g) mm	Average Tensile Load kg
	<i>inches</i>	<i>inches</i>		<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>	<i>inches</i>	
# CHR1-0600x3048	6.000 <i>0.236</i>	2.800 <i>0.110</i>	Single	4.000 <i>0.157</i>	1.850 <i>0.073</i>	7.400 / 10.300	Steel	3048 (10 feet)	5.000 <i>0.197</i>	
CHR1-0635x3048	6.350 <i>0.250</i>	3.200 (25-1 ASA)	Single	3.300 <i>0.130</i>	2.300 <i>0.091</i>	8.64 <i>0.340</i>	Steel	3048 (10 feet)	5.800 <i>0.228</i>	
CHR1-0800x3048	8.000 <i>0.315</i>	3.000 <i>0.118</i>	Single	5.000 <i>0.197</i>	2.310 <i>0.091</i>	11.700 <i>0.461</i>	Steel	3048 (10 feet)	7.100 <i>0.280</i>	
CHR1-0953047x3048	9.525 <i>0.375</i>	4.680 (35-1 ASA)	Single	5.080 <i>0.200</i>	3.580 <i>0.141</i>	12.000 / 14.400	Steel	3048 (10 feet)	9.000 <i>0.354</i>	

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Chain - Roller - Metal - Simplex

Part Number	Pitch (p) mm <i>inches</i>	Roller Width (b1) mm <i>inches</i>	Strands	Roller Diameter (D) mm <i>inches</i>	Pin Diameter (d2) mm <i>inches</i>	Pin Width (a1) / Crank Width mm <i>inches</i>	Material	Length mm <i>inches</i>	Link Plate Height (g) mm <i>inches</i>	Average Tensile Load kg
CHR1-0953057x3048	9.525 <i>0.375</i>	5.720 (06B-1)	Single	6.350 <i>0.250</i>	3.280 <i>0.129</i>	13.630 <i>0.537</i>	Steel	3048 (10 feet)	8.300 <i>0.327</i>	
# CHR1-1270033x3048	12.700 <i>0.500</i>	3.300 <i>0.130</i>	Single	7.750 <i>0.305</i>	3.660 <i>0.144</i>	10.200 / 11.700	Steel	3048 (10 feet)	9.900 <i>0.390</i>	
# CHR1-1270049Bx3048	12.700 <i>0.500</i>	4.880 <i>0.192</i>	Single	7.750 <i>0.305</i>	4.090 <i>0.161</i>	14.800 / 16.300	Steel	3048 (10 feet)	11.100 <i>0.437</i>	
# CHR1-1270049x3048	12.700 <i>0.500</i>	4.880 <i>0.192</i>	Single	7.750 <i>0.305</i>	4.090 <i>0.161</i>	12.900 / 14.400	Steel	3048 (10 feet)	10.300 <i>0.406</i>	
CHR1-12700638x3048	12.700 <i>0.500</i>	6.380 (41-1 ASA)	Single	7.770 <i>0.306</i>	3.580 <i>0.141</i>	14.000 / 16.000	Steel	3048 (10 feet)	9.900 <i>0.390</i>	
# CHR1-12700640x3048	12.700 <i>0.500</i>	6.400 <i>0.252</i>	Single	8.510 <i>0.335</i>	4.450 <i>0.175</i>	15.400 / 18.900	Steel	3048 (10 feet)	11.600 <i>0.457</i>	
CHR1-12700775x3048	12.700 <i>0.500</i>	7.750 (08B-1)	Single	8.510 <i>0.335</i>	4.450 <i>0.175</i>	17.000 / 19.000	Steel	3048 (10 feet)	11.600 <i>0.457</i>	
# CHR1-12700785x3048	12.700 <i>0.500</i>	7.850 (40-1 ASA)	Single	7.950 <i>0.313</i>	3.960 <i>0.156</i>	19.100 <i>0.752</i>	Steel	3048 (10 feet)	11.600 <i>0.457</i>	
# CHR1-1588065x3048	15.875 <i>0.625</i>	6.480 <i>0.255</i>	Single	10.160 <i>0.400</i>	5.080 <i>0.200</i>	16.000 / 20.000	Steel	3048 (10 feet)	14.700 <i>0.579</i>	

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Chain - Roller - Metal - Simplex

Part Number	Pitch (p) mm <i>inches</i>	Roller Width (b1) mm <i>inches</i>	Strands	Roller Diameter (D) mm <i>inches</i>	Pin Diameter (d2) mm <i>inches</i>	Pin Width (a1) / Crank Width mm <i>inches</i>	Material	Length mm <i>inches</i>	Link Plate Height (g) mm <i>inches</i>	Average Tensile Load kg
# CHR1-1588094x3048	15.875 <i>0.625</i>	9.400 (50-1 ASA) <i>0.370</i>	Single	10.160 <i>0.400</i>	5.080 <i>0.200</i>	20.300 / 23.000	Steel	3048 (10 feet)	14.600 <i>0.575</i>	
# CHR1-1588096x3048	15.875 <i>0.625</i>	9.650 (10B-1)	Single	10.160 <i>0.400</i>	5.080 <i>0.200</i>	19.600 / 22.000	Steel	3048 (10 feet)	14.600 <i>0.575</i>	
# CHR1-1905117x3048	19.050 <i>0.750</i>	11.680 (12B-1)	Single	12.070 <i>0.475</i>	5.720 <i>0.225</i>	22.700 / 25.100	Steel	3048 (10 feet)	15.900 <i>0.626</i>	
# CHR1-1905126x3048	19.050 <i>0.750</i>	12.570 (60-1 ASA)	Single	11.910 <i>0.469</i>	5.940 <i>0.234</i>	25.700 / 28.600	Steel	3048 (10 feet)	17.700 <i>0.697</i>	
# CHR1-1905135x3048	19.050 <i>0.750</i>	13.500 <i>0.531</i>	Single	12.070 <i>0.475</i>	5.720 <i>0.225</i>	27.000 / 31.800	Steel	3048 (10 feet)	16.800 <i>0.661</i>	
# CHR1-2000x3048	20.000 <i>0.787</i>	16.000 <i>0.630</i>	Single	12.000 <i>0.472</i>	6.000 <i>0.236</i>	32.100 / 35.900	Steel	3048 (10 feet)	19.000 <i>0.748</i>	
# CHR1-2540127x3048	25.400 <i>1.000</i>	12.700 <i>0.500</i>	Single	14.000 <i>0.551</i>	7.000 <i>0.276</i>	27.300 / 33.100	Steel	3048 (10 feet)	19.700 <i>0.776</i>	
# CHR1-2540158x3048	25.400 <i>1.000</i>	15.750 (80-1 ASA)	Single	15.880 <i>0.625</i>	7.920 <i>0.312</i>	33.000 / 38.000	Steel	3048 (10 feet)	23.500 <i>0.925</i>	
# CHR1-2540170x3048	25.400 <i>1.000</i>	17.020 (16B-1)	Single	15.880 <i>0.625</i>	8.280 <i>0.326</i>	36.100 / 42.400	Steel	3048 (10 feet)	20.500 <i>0.807</i>	

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Chain - Roller - Metal - Simplex

Part Number	Pitch (p) mm <i>inches</i>	Roller Width (b1) mm <i>inches</i>	Strands	Roller Diameter (D) mm <i>inches</i>	Pin Diameter (d2) mm <i>inches</i>	Pin Width (a1) / Crank Width mm <i>inches</i>	Material	Length mm <i>inches</i>	Link Plate Height (g) mm <i>inches</i>	Average Tensile Load kg
# CHR1-3000170x3048	30.000 <i>1.181</i>	17.020 <i>0.670</i>	Single	15.880 <i>0.625</i>	8.280 <i>0.326</i>	35.500 / 41.900	Steel	3048 (10 feet)	20.500 <i>0.807</i>	
# CHR1-3175189x3048	31.750 <i>1.250</i>	18.900 (100-1 ASA)	Single	19.050 <i>0.750</i>	9.530 <i>0.375</i>	39.400 / 44.900	Steel	3048 (10 feet)	29.200 <i>1.150</i>	
# CHR1-3175196x3048	31.750 <i>1.250</i>	19.560 (20B-1)	Single	19.050 <i>0.750</i>	10.190 <i>0.401</i>	40.400 / 47.600	Steel	3048 (10 feet)	25.700 <i>1.012</i>	
# CHR1-3810252x3048	38.100 <i>1.500</i>	25.220 (120-1 ASA)	Single	22.230 <i>0.875</i>	11.100 <i>0.437</i>	49.800 / 56.100	Steel	3048 (10 feet)	34.400 <i>1.354</i>	
# CHR1-3810254x3048	38.100 <i>1.500</i>	25.400 (24B-1)	Single	25.400 <i>1.000</i>	14.630 <i>0.576</i>	53.800 / 60.600	Steel	3048 (10 feet)	33.000 <i>1.299</i>	

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to catalogues@minibearings.com.au

