




MBA

Circlips - Internal - Inverted



M1308 / JV / INTV / BN830.

Inverted lugs seat into the groove for better clearance and cleaner appearance.

Good for shielded bearings that pass tightly through the bore or housing.

Use recommended installation pliers.

Circlips - Internal - Inverted

Part Number	Bore (Db) mm	Free Outside Dia (Dr) mm	Radial Wall Max (S) mm	Thickness (T) mm	Groove Dia. (Dg) mm	Groove Depth (d) mm	Groove Width Min. (W) mm	Material	Tool
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>		
# DHOI-010	10.00 <i>0.394</i>	10.77 - 11.32	1.4 - 1.5	0.55 - 0.60	10.50 - 10.61	0.25 <i>0.010</i>	0.70 <i>0.028</i>	Spring Steel	PRS-I009
# DHOI-012	12.00 <i>0.472</i>	12.97 - 13.52	1.7 - 1.8	0.55 - 0.60	12.60 - 12.71	0.30 <i>0.012</i>	0.70 <i>0.028</i>	Spring Steel	PRS-I009
# DHOI-015	15.00 <i>0.591</i>	15.97 - 16.52	1.9 - 2.0	0.75 - 0.80	15.70 - 15.81	0.35 <i>0.014</i>	0.90 <i>0.035</i>	Spring Steel	PRS-I009

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Circlips - Internal - Inverted

Part Number	Bore (Db) mm <i>inches</i>	Free Outside Dia (Dr) mm <i>inches</i>	Radial Wall Max (S) mm <i>inches</i>	Thickness (T) mm <i>inches</i>	Groove Dia. (Dg) mm <i>inches</i>	Groove Depth (d) mm <i>inches</i>	Groove Width Min. (W) mm <i>inches</i>	Material	Tool
# DHOI-016	16.00 <i>0.630</i>	17.17 - 17.72	2.0 - 2.1	0.94 - 1.00	16.80 - 16.91	0.40 <i>0.016</i>	1.10 <i>0.043</i>	Spring Steel	PRS-I011
# DHOI-017	17.00 <i>0.669</i>	18.17 - 18.72	2.0 - 2.1	0.94 - 1.00	17.80 - 17.91	0.40 <i>0.016</i>	1.10 <i>0.043</i>	Spring Steel	PRS-I011
# DHOI-018	18.00 <i>0.709</i>	19.37 - 19.92	2.1 - 2.2	0.94 - 1.00	19.00 - 19.15	0.50 <i>0.020</i>	1.10 <i>0.043</i>	Spring Steel	PRS-I011
# DHOI-019	19.00 <i>0.748</i>	20.37 - 20.92	2.1 - 2.2	0.94 - 1.00	20.00 - 20.15	0.50 <i>0.020</i>	1.10 <i>0.043</i>	Spring Steel	PRS-I011
# DHOI-020	20.00 <i>0.787</i>	21.37 - 21.92	2.2 - 2.3	0.94 - 1.00	21.00 - 21.15	0.50 <i>0.020</i>	1.10 <i>0.043</i>	Spring Steel	PRS-I011
# DHOI-021	21.00 <i>0.827</i>	22.37 - 22.92	2.3 - 2.4	0.94 - 1.00	22.00 - 22.15	0.50 <i>0.020</i>	1.10 <i>0.043</i>	Spring Steel	PRS-I011
# DHOI-022	22.00 <i>0.866</i>	23.37 - 23.92	2.3 - 2.4	0.94 - 1.00	23.00 - 23.15	0.50 <i>0.020</i>	1.10 <i>0.043</i>	Spring Steel	PRS-I011
# DHOI-024	24.00 <i>0.945</i>	25.69 - 26.32	2.7 - 2.8	1.14 - 1.20	25.20 - 25.41	0.60 <i>0.024</i>	1.30 <i>0.051</i>	Spring Steel	PRS-I011
# DHOI-025	25.00 <i>0.984</i>	26.69 - 27.32	2.7 - 2.8	1.14 - 1.20	26.20 - 26.41	0.60 <i>0.024</i>	1.30 <i>0.051</i>	Spring Steel	PRS-I011
# DHOI-026	26.00 <i>1.024</i>	27.69 - 28.32	2.9 - 3.0	1.14 - 1.20	27.20 - 27.41	0.60 <i>0.024</i>	1.30 <i>0.051</i>	Spring Steel	PRS-I011

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Circlips - Internal - Inverted

Part Number	Bore (Db) mm <i>inches</i>	Free Outside Dia (Dr) mm <i>inches</i>	Radial Wall Max (S) mm <i>inches</i>	Thickness (T) mm <i>inches</i>	Groove Dia. (Dg) mm <i>inches</i>	Groove Depth (d) mm <i>inches</i>	Groove Width Min. (W) mm <i>inches</i>	Material	Tool
# DHOI-027	27.00 <i>1.063</i>	28.89 - 29.52	2.9 - 3.0	1.14 - 1.20	28.40 - 28.61	0.70 <i>0.028</i>	1.30 <i>0.051</i>	Spring Steel	PRS-I011
DHOI-028	28.00 <i>1.102</i>	29.85 - 30.60	3.0 - 3.1	1.14 - 1.20	29.40 - 29.61	0.70 <i>0.028</i>	1.30 <i>0.051</i>	Spring Steel	PRS-I011
# DHOI-030	30.00 <i>1.181</i>	31.58 - 32.60	3.1 - 3.2	1.14 - 1.20	31.40 - 31.65	0.70 <i>0.028</i>	1.30 <i>0.051</i>	Spring Steel	PRS-I011
# DHOI-032	32.00 <i>1.260</i>	34.15 - 39.90	3.2 - 3.3	1.14 - 1.20	33.70 - 33.95	0.85 <i>0.033</i>	1.30 <i>0.051</i>	Spring Steel	PRS-I011
# DHOI-033	33.00 <i>1.299</i>	35.25 - 40.00	3.2 - 3.3	1.14 - 1.20	34.70 - 34.95	0.85 <i>0.033</i>	1.30 <i>0.051</i>	Spring Steel	PRS-I011
# DHOI-035	35.00 <i>1.378</i>	37.55 - 38.30	3.3 - 3.4	1.44 - 1.50	37.00 - 37.25	1.00 <i>0.039</i>	1.60 <i>0.063</i>	Spring Steel	PRS-I011
# DHOI-036	36.00 <i>1.417</i>	38.55 - 39.30	3.5 - 3.6	1.44 - 1.50	38.00 - 38.25	1.00 <i>0.039</i>	1.60 <i>0.063</i>	Spring Steel	PRS-I011
# DHOI-038	38.00 <i>1.496</i>	40.55 - 41.30	3.7 - 3.8	1.44 - 1.50	40.00 - 40.25	1.00 <i>0.039</i>	1.60 <i>0.063</i>	Spring Steel	PRS-I011
# DHOI-040	40.00 <i>1.575</i>	43.11 - 44.40	4.0 - 4.2	1.69 - 1.75	42.50 - 42.75	1.25 <i>0.049</i>	1.85 <i>0.073</i>	Spring Steel	PRS-I018
# DHOI-042	42.00 <i>1.654</i>	45.11 - 46.40	4.0 - 4.2	1.69 - 1.75	44.50 - 44.75	1.25 <i>0.049</i>	1.85 <i>0.073</i>	Spring Steel	PRS-I018

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Circlips - Internal - Inverted

Part Number	Bore (Db) mm <i>inches</i>	Free Outside Dia (Dr) mm <i>inches</i>	Radial Wall Max (S) mm <i>inches</i>	Thickness (T) mm <i>inches</i>	Groove Dia. (Dg) mm <i>inches</i>	Groove Depth (d) mm <i>inches</i>	Groove Width Min. (W) mm <i>inches</i>	Material	Tool
# DHOI-045	45.00 <i>1.772</i>	48.11 - 49.40	4.0 - 4.2	1.69 - 1.75	47.50 - 47.75	1.25 <i>0.049</i>	1.85 <i>0.073</i>	Spring Steel	PRS-I018
# DHOI-047	47.00 <i>1.850</i>	50.04 - 51.60	4.5 - 4.7	1.69 - 1.75	49.50 - 49.75	1.25 <i>0.049</i>	1.85 <i>0.073</i>	Spring Steel	PRS-I018
# DHOI-048	48.00 <i>1.890</i>	51.04 - 52.60	4.5 - 4.7	1.69 - 1.75	50.50 - 50.80	1.25 <i>0.049</i>	1.85 <i>0.073</i>	Spring Steel	PRS-I018
# DHOI-050	50.00 <i>1.969</i>	53.74 - 55.30	5.0 - 5.2	1.93 - 2.00	53.00 - 53.30	1.50 <i>0.059</i>	2.15 <i>0.085</i>	Spring Steel	PRS-I018
# DHOI-052	52.00 <i>2.047</i>	55.74 - 57.30	5.0 - 5.2	1.93 - 2.00	55.00 - 55.30	1.50 <i>0.059</i>	2.15 <i>0.085</i>	Spring Steel	PRS-I018
# DHOI-055	55.00 <i>2.165</i>	58.74 - 60.30	5.0 - 5.2	1.93 - 2.00	58.00 - 58.30	1.50 <i>0.059</i>	2.15 <i>0.085</i>	Spring Steel	PRS-I018
# DHOI-057	57.00 <i>2.244</i>	60.74 - 62.30	5.0 - 5.2	1.93 - 2.00	60.00 - 60.30	1.50 <i>0.059</i>	2.15 <i>0.085</i>	Spring Steel	PRS-I018
# DHOI-058	58.00 <i>2.283</i>	61.74 - 63.30	5.0 - 5.2	1.93 - 2.00	61.00 - 61.30	1.50 <i>0.059</i>	2.15 <i>0.085</i>	Spring Steel	PRS-I018
# DHOI-060	60.00 <i>2.362</i>	63.74 - 65.30	5.0 - 5.2	1.93 - 2.00	63.00 - 63.30	1.50 <i>0.059</i>	2.15 <i>0.085</i>	Spring Steel	PRS-I018
# DHOI-062	62.00 <i>2.441</i>	65.74 - 67.30	5.0 - 5.2	1.93 - 2.00	65.00 - 65.30	1.50 <i>0.059</i>	2.15 <i>0.085</i>	Spring Steel	PRS-I023

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Circlips - Internal - Inverted

Part Number	Bore (Db) mm <i>inches</i>	Free Outside Dia (Dr) mm <i>inches</i>	Radial Wall Max (S) mm <i>inches</i>	Thickness (T) mm <i>inches</i>	Groove Dia. (Dg) mm <i>inches</i>	Groove Depth (d) mm <i>inches</i>	Groove Width Min. (W) mm <i>inches</i>	Material	Tool
# DHOI-065	65.00 <i>2.559</i>	68.74 - 70.30	5.5 - 5.7	2.43 - 2.50	68.00 - 68.30	1.50 <i>0.059</i>	2.65 <i>0.104</i>	Spring Steel	PRS-I023
# DHOI-067	67.00 <i>2.638</i>	71.04 - 72.60	5.4 - 5.7	2.43 - 2.50	70.00 - 70.30	1.50 <i>0.059</i>	2.65 <i>0.104</i>	Spring Steel	PRS-I023
# DHOI-068	68.00 <i>2.677</i>	72.04 - 73.60	5.4 - 5.7	2.43 - 2.50	71.00 - 71.30	1.50 <i>0.059</i>	2.65 <i>0.104</i>	Spring Steel	PRS-I023
# DHOI-072	72.00 <i>2.835</i>	76.04 - 77.60	5.7 - 6.0	2.43 - 2.50	75.00 - 75.30	1.50 <i>0.059</i>	2.65 <i>0.104</i>	Spring Steel	PRS-I023
# DHOI-080	80.00 <i>3.150</i>	84.96 - 86.80	5.7 - 6.0	2.43 - 2.50	83.50 - 83.85	1.75 <i>0.069</i>	2.65 <i>0.104</i>	Spring Steel	PRS-I023
# DHOI-090	90.00 <i>3.543</i>	94.96 - 96.80	6.3 - 6.6	2.92 - 3.00	93.50 - 93.85	1.75 <i>0.069</i>	3.15 <i>0.124</i>	Spring Steel	PRS-I023
# DHOI-100	100.00 <i>3.937</i>	104.96 - 106.80	7.1 - 7.4	2.92 - 3.00	103.50 - 103.85	1.75 <i>0.069</i>	3.15 <i>0.124</i>	Spring Steel	PRS-I023

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to catalogues@minibearings.com.au

