




MBA

Clamps - Gear - Split



Commercial - Precision - Stainless - Aluminium - Carbon Steel - For clamp type gears.

Precision Type : Height and Clearance Radii Tolerances +/- 0.397.

Precision Type : All other dimensional tolerances except ID +/-0.127.

Commercial Type : Height and Clearance Radii Tolerances +/- 0.794.

Commercial Type : All other dimensional tolerances except ID +/-0.254.

ID Tolerances - Refer to table.

Clamps - Gear - Split

Part Number	Inside Diameter (ID) mm	Clearance Radius mm	Depth (t) mm	ID Tolerances mm	Type	Grade	Material	Screw Size mm	Height mm	Width (B) mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>
# CGS-0318-STRC-3	3.175	3.302	4.826	+0.051 / - 0.000	Strap - Type 6	Commercial / Not Balanced	303 Stainless	2-56	7.747	7.145
	<i>0.125</i>	<i>0.130</i>	<i>0.190</i>						<i>0.305</i>	<i>0.281</i>
# CGS-0318-R1P-4	3.175	6.604	3.810	+0.025 / - 0.000	Rectangular - Type 1	Precision / Not Balanced	416 Stainless Hardened	2-56	7.366	4.978
	<i>0.125</i>	<i>0.260</i>	<i>0.150</i>						<i>0.290</i>	<i>0.196</i>

Indicates item not stocked at time of printing - Please enquire for lead time
 E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
 MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Clamps - Gear - Split

Part Number	Inside Diameter (ID) mm	Clearance Radius mm	Depth (t) mm	ID Tolerances mm	Type	Grade	Material	Screw Size mm	Height mm	Width (B) mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>
# CGS-0318-R1C-4	3.175	6.604	3.810	+0.051 / - 0.000	Rectangular - Type 1	Commercial / Not Balanced	416 Stainless Hardened	2-56	7.366 (+/- 0.794)	4.978
	<i>0.125</i>	<i>0.260</i>	<i>0.150</i>							<i>0.196</i>
# CGS-0318-RD5C-4	3.175	7.544	4.064	+0.025 / - 0.000	Round - Type 5	Commercial / Not Balanced	416 Stainless Hardened	2-56	12.700	12.700
	<i>0.125</i>	<i>0.297</i>	<i>0.160</i>						<i>0.500</i>	<i>0.500</i>
# CGS-0318-RD5P-4	3.175	7.544	4.064	+0.013 / - 0.000	Round - Type 5	Precision / Not Balanced	416 Stainless Hardened	2-56	12.700	12.700
	<i>0.125</i>	<i>0.297</i>	<i>0.160</i>						<i>0.500</i>	<i>0.500</i>
# CGS-0318-R1P-3	3.175	8.334	4.750	+0.025 / - 0.000	Rectangular - Type 1	Precision / Not Balanced	303 Stainless	4-40	9.129	5.537
	<i>0.125</i>	<i>0.328</i>	<i>0.187</i>						<i>0.359</i>	<i>0.218</i>
# CGS-0318-R1C-3	3.175	8.334	4.750	+0.051 / - 0.000	Rectangular - Type 1	Commercial / Not Balanced	303 Stainless	4-40	9.129	5.537
	<i>0.125</i>	<i>0.328</i>	<i>0.187</i>						<i>0.359</i>	<i>0.218</i>
# CGS-0318144-O4P-A	3.175	9.525	3.962	+0.025 / - 0.000	Round - Type 4	Precision / Not Balanced	2024-T351 Aluminium	2-56	14.288	3.962
	<i>0.125</i>	<i>0.375</i>	<i>0.156</i>						<i>0.563</i>	<i>0.156</i>
# CGS-0318164-O4P-3	3.175	9.525	3.962	+0.025 / - 0.000	Round - Type 4	Precision / Not Balanced	303 Stainless	2-56	15.875	3.962
	<i>0.125</i>	<i>0.375</i>	<i>0.156</i>						<i>0.625</i>	<i>0.156</i>
# CGS-0318144-O4P-3	3.175	9.525	3.962	+0.025 / - 0.000	Round - Type 4	Precision / Not Balanced	303 Stainless	2-56	14.288	3.962
	<i>0.125</i>	<i>0.375</i>	<i>0.156</i>						<i>0.563</i>	<i>0.156</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Clamps - Gear - Split

Part Number	Inside Diameter (ID) mm	Clearance Radius mm	Depth (t) mm	ID Tolerances mm	Type	Grade	Material	Screw Size mm	Height mm	Width (B) mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>
# CGS-0318164-O4C-3	3.175	9.525	3.962	+0.051 / - 0.000	Round - Type 4	Commercial / Not Balanced	303 Stainless	2-56	15.875	3.962
	<i>0.125</i>	<i>0.375</i>	<i>0.156</i>						<i>0.625</i>	<i>0.156</i>
# CGS-0318144-O4C-3	3.175	9.525	3.962	+0.051 / - 0.000	Round - Type 4	Commercial / Not Balanced	303 Stainless	2-56	14.288	3.962
	<i>0.125</i>	<i>0.375</i>	<i>0.156</i>						<i>0.563</i>	<i>0.156</i>
# CGS-0318164-O4P-A	3.175	9.525	3.962	+0.025 / - 0.000	Round - Type 4	Precision / Not Balanced	2024-T351 Aluminium	2-56	15.875	3.962
	<i>0.125</i>	<i>0.375</i>	<i>0.156</i>						<i>0.625</i>	<i>0.156</i>
# CGS-0318144-O4C-A	3.175	9.525	3.962	+0.051 / - 0.000	Round - Type 4	Commercial / Not Balanced	2024-T351 Aluminium	2-56	14.288	3.962
	<i>0.125</i>	<i>0.375</i>	<i>0.156</i>						<i>0.563</i>	<i>0.156</i>
# CGS-0318164-O4C-A	3.175	9.525	3.962	+0.051 / - 0.000	Round - Type 4	Commercial / Not Balanced	2024-T351 Aluminium	2-56	15.875	3.962
	<i>0.125</i>	<i>0.375</i>	<i>0.156</i>						<i>0.625</i>	<i>0.156</i>
# CGS-0357-R1C-4	3.571	6.858	3.810	+0.051 / - 0.000	Rectangular - Type 1	Commercial / Not Balanced	416 Stainless Hardened	2-56	7.722 (+/- 0.794)	5.334
	<i>0.141</i>	<i>0.270</i>	<i>0.150</i>							<i>0.210</i>
# CGS-0357-R1P-4	3.571	6.858	3.810	+0.025 / - 0.000	Rectangular - Type 1	Precision / Not Balanced	416 Stainless Hardened	2-56	7.722	5.334
	<i>0.141</i>	<i>0.270</i>	<i>0.150</i>						<i>0.304</i>	<i>0.210</i>
# CGS-0397-R1P-4	3.967	7.112	3.810	+0.025 / - 0.000	Rectangular - Type 1	Precision / Not Balanced	416 Stainless Hardened	2-56	8.128	5.740
	<i>0.156</i>	<i>0.280</i>	<i>0.150</i>						<i>0.320</i>	<i>0.226</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Clamps - Gear - Split

Part Number	Inside Diameter (ID) mm	Clearance Radius mm	Depth (t) mm	ID Tolerances mm	Type	Grade	Material	Screw Size mm	Height mm	Width (B) mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>
# CGS-0397-R1C-4	3.967	7.112	3.810	+0.051 / - 0.000	Rectangular - Type 1	Commercial / Not Balanced	416 Stainless Hardened	2-56	8.128 (+/- 0.794)	5.740
	<i>0.156</i>	<i>0.280</i>	<i>0.150</i>							<i>0.226</i>
# CGS-0397-RD5P-4	3.967	7.544	4.064	+0.013 / - 0.000	Round - Type 5	Precision / Not Balanced	416 Stainless Hardened	2-56	12.700	12.700
	<i>0.156</i>	<i>0.297</i>	<i>0.160</i>						<i>0.500</i>	<i>0.500</i>
# CGS-0397-RD5C-4	3.967	7.544	4.064	+0.025 / - 0.000	Round - Type 5	Commercial / Not Balanced	416 Stainless Hardened	2-56	12.700	12.700
	<i>0.156</i>	<i>0.297</i>	<i>0.160</i>						<i>0.500</i>	<i>0.500</i>
# CGS-0436-R1C-4	4.364	7.366	3.810	+0.051 / - 0.000	Rectangular - Type 1	Commercial / Not Balanced	416 Stainless Hardened	2-56	8.534 (+/- 0.794)	6.147
	<i>0.172</i>	<i>0.290</i>	<i>0.150</i>							<i>0.242</i>
# CGS-0436-R1P-4	4.364	7.366	3.810	+0.025 / - 0.000	Rectangular - Type 1	Precision / Not Balanced	416 Stainless Hardened	2-56	8.534	6.147
	<i>0.172</i>	<i>0.290</i>	<i>0.150</i>						<i>0.336</i>	<i>0.242</i>
# CGS-0476-STRC-3	4.763	3.302	6.350	+0.051 / - 0.000	Strap - Type 6	Commercial / Not Balanced	303 Stainless	2-56	9.398	7.938
	<i>0.188</i>	<i>0.130</i>	<i>0.250</i>						<i>0.370</i>	<i>0.313</i>
# CGS-0476-STRP-3	4.763	3.302	6.350	+0.025 / - 0.000	Strap - Type 6	Precision / Not Balanced	303 Stainless	2-56	9.398	7.938
	<i>0.188</i>	<i>0.130</i>	<i>0.250</i>						<i>0.370</i>	<i>0.313</i>
# CGS-0476-RD5C-3	4.763	7.544	3.048	+0.051 / - 0.000	Round - Type 5	Commercial / Not Balanced	303 Stainless	1-72	12.700	12.700
	<i>0.188</i>	<i>0.297</i>	<i>0.120</i>						<i>0.500</i>	<i>0.500</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Clamps - Gear - Split

Part Number	Inside Diameter (ID) mm	Clearance Radius mm	Depth (t) mm	ID Tolerances mm	Type	Grade	Material	Screw Size mm	Height mm	Width (B) mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>
# CGS-0476-RD5P-3	4.763	7.544	3.048	+0.025 / - 0.000	Round - Type 5	Precision / Not Balanced	303 Stainless	1-72	12.700	12.700
	<i>0.188</i>	<i>0.297</i>	<i>0.120</i>						<i>0.500</i>	<i>0.500</i>
# CGS-0476-RD5C-4	4.763	7.544	4.064	+0.025 / - 0.000	Round - Type 5	Commercial / Not Balanced	416 Stainless Hardened	2-56	12.700	12.700
	<i>0.188</i>	<i>0.297</i>	<i>0.160</i>						<i>0.500</i>	<i>0.500</i>
# CGS-0476-RD5P-4	4.763	7.544	4.064	+0.013 / - 0.000	Round - Type 5	Precision / Not Balanced	416 Stainless Hardened	2-56	12.700	12.700
	<i>0.188</i>	<i>0.297</i>	<i>0.160</i>						<i>0.500</i>	<i>0.500</i>
# CGS-0476S-R1C-4	4.763	7.620	3.810	+0.051 / - 0.000	Rectangular - Type 1	Commercial / Not Balanced	416 Stainless Hardened	2-56	8.941 (+/- 0.794)	6.553
	<i>0.188</i>	<i>0.300</i>	<i>0.150</i>							<i>0.258</i>
# CGS-0476S-R1P-4	4.763	7.620	3.810	+0.025 / - 0.000	Rectangular - Type 1	Precision / Not Balanced	416 Stainless Hardened	2-56	8.941	6.553
	<i>0.188</i>	<i>0.300</i>	<i>0.150</i>						<i>0.352</i>	<i>0.258</i>
# CGS-0476-ARSNC-C	4.763	7.938	3.556	+0.051 / - 0.000	Arch - Type 3	Commercial / Not Balanced	Carbon Steel	2-56	11.908	7.925
	<i>0.188</i>	<i>0.313</i>	<i>0.140</i>						<i>0.469</i>	<i>0.312</i>
# CGS-0476-ARSNP-3	4.763	7.938	3.556	+0.025 / - 0.000	Arch - Type 3	Precision / Not Balanced	303 Stainless	2-56	11.908	7.925
	<i>0.188</i>	<i>0.313</i>	<i>0.140</i>						<i>0.469</i>	<i>0.312</i>
# CGS-0476-ARSNP-CCP	4.763	7.938	3.556	+0.025 / - 0.000	Arch - Type 3	Precision / Not Balanced	Carbon Steel / Cadmium Plated	2-56	11.908	7.925
	<i>0.188</i>	<i>0.313</i>	<i>0.140</i>						<i>0.469</i>	<i>0.312</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Clamps - Gear - Split

Part Number	Inside Diameter (ID) mm	Clearance Radius mm	Depth (t) mm	ID Tolerances mm	Type	Grade	Material	Screw Size mm	Height mm	Width (B) mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>
# CGS-0476-ARSNC-3	4.763	7.938	3.556	+0.051 / - 0.000	Arch - Type 3	Commercial / Not Balanced	303 Stainless	2-56	11.908	7.925
	<i>0.188</i>	<i>0.313</i>	<i>0.140</i>						<i>0.469</i>	<i>0.312</i>
# CGS-0476-ARNC-C	4.763	8.733	3.556	+0.051 / - 0.000	Arch - Type 3	Commercial / Not Balanced	Carbon Steel	2-56	11.908	7.925
	<i>0.188</i>	<i>0.344</i>	<i>0.140</i>						<i>0.469</i>	<i>0.312</i>
# CGS-0476-ARNP-CCP	4.763	8.733	3.556	+0.025 / - 0.000	Arch - Type 3	Precision / Not Balanced	Carbon Steel / Cadmium Plated	2-56	11.908	7.925
	<i>0.188</i>	<i>0.344</i>	<i>0.140</i>						<i>0.469</i>	<i>0.312</i>
# CGS-0476-ARNP-3	4.763	8.733	3.556	+0.025 / - 0.000	Arch - Type 3	Precision / Not Balanced	303 Stainless	2-56	11.908	7.925
	<i>0.188</i>	<i>0.344</i>	<i>0.140</i>						<i>0.469</i>	<i>0.312</i>
# CGS-0476-ARNC-3	4.763	8.733	3.556	+0.051 / - 0.000	Arch - Type 3	Commercial / Not Balanced	303 Stainless	2-56	11.908	7.925
	<i>0.188</i>	<i>0.344</i>	<i>0.140</i>						<i>0.469</i>	<i>0.312</i>
# CGS-0476143-O4P-A	4.763	9.525	3.175	+0.025 / - 0.000	Round - Type 4	Precision / Not Balanced	2024-T351 Aluminium	1-72	14.288	3.175
	<i>0.188</i>	<i>0.375</i>	<i>0.125</i>						<i>0.563</i>	<i>0.125</i>
# CGS-0476143-O4P-3	4.763	9.525	3.175	+0.025 / - 0.000	Round - Type 4	Precision / Not Balanced	303 Stainless	1-72	14.288	3.175
	<i>0.188</i>	<i>0.375</i>	<i>0.125</i>						<i>0.563</i>	<i>0.125</i>
# CGS-0476143-O4C-3	4.763	9.525	3.175	+0.051 / - 0.000	Round - Type 4	Commercial / Not Balanced	303 Stainless	1-72	14.288	3.175
	<i>0.188</i>	<i>0.375</i>	<i>0.125</i>						<i>0.563</i>	<i>0.125</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Clamps - Gear - Split

Part Number	Inside Diameter (ID) mm	Clearance Radius mm	Depth (t) mm	ID Tolerances mm	Type	Grade	Material	Screw Size mm	Height mm	Width (B) mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>
# CGS-0476143-O4C-A	4.763	9.525	3.175	+0.051 / - 0.000	Round - Type 4	Commercial / Not Balanced	2024-T351 Aluminium	1-72	14.288	3.175
	<i>0.188</i>	<i>0.375</i>	<i>0.125</i>						<i>0.563</i>	<i>0.125</i>
# CGS-0476164-O4C-A	4.763	9.525	3.962	+0.051 / - 0.000	Round - Type 4	Commercial / Not Balanced	2024-T351 Aluminium	2-56	15.875	3.962
	<i>0.188</i>	<i>0.375</i>	<i>0.156</i>						<i>0.625</i>	<i>0.156</i>
# CGS-0476144-O4C-A	4.763	9.525	3.962	+0.051 / - 0.000	Round - Type 4	Commercial / Not Balanced	2024-T351 Aluminium	2-56	14.288	3.962
	<i>0.188</i>	<i>0.375</i>	<i>0.156</i>						<i>0.563</i>	<i>0.156</i>
# CGS-0476144-O4P-3	4.763	9.525	3.962	+0.025 / - 0.000	Round - Type 4	Precision / Not Balanced	303 Stainless	2-56	14.288	3.962
	<i>0.188</i>	<i>0.375</i>	<i>0.156</i>						<i>0.563</i>	<i>0.156</i>
# CGS-0476164-O4C-3	4.763	9.525	3.962	+0.051 / - 0.000	Round - Type 4	Commercial / Not Balanced	303 Stainless	2-56	15.875	3.962
	<i>0.188</i>	<i>0.375</i>	<i>0.156</i>						<i>0.625</i>	<i>0.156</i>
# CGS-0476164-O4P-A	4.763	9.525	3.962	+0.025 / - 0.000	Round - Type 4	Precision / Not Balanced	2024-T351 Aluminium	2-56	15.875	3.962
	<i>0.188</i>	<i>0.375</i>	<i>0.156</i>						<i>0.625</i>	<i>0.156</i>
# CGS-0476144-O4C-3	4.763	9.525	3.962	+0.051 / - 0.000	Round - Type 4	Commercial / Not Balanced	303 Stainless	2-56	14.288	3.962
	<i>0.188</i>	<i>0.375</i>	<i>0.156</i>						<i>0.563</i>	<i>0.156</i>
# CGS-0476144-O4P-A	4.763	9.525	3.962	+0.025 / - 0.000	Round - Type 4	Precision / Not Balanced	2024-T351 Aluminium	2-56	14.288	3.962
	<i>0.188</i>	<i>0.375</i>	<i>0.156</i>						<i>0.563</i>	<i>0.156</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Clamps - Gear - Split

Part Number	Inside Diameter (ID) mm	Clearance Radius mm	Depth (t) mm	ID Tolerances mm	Type	Grade	Material	Screw Size mm	Height mm	Width (B) mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>
# CGS-0476164-O4P-3	4.763	9.525	3.962	+0.025 / - 0.000	Round - Type 4	Precision / Not Balanced	303 Stainless	2-56	15.875	3.962
	<i>0.188</i>	<i>0.375</i>	<i>0.156</i>						<i>0.625</i>	<i>0.156</i>
# CGS-0476-ARSP-CCP	4.763	9.525	6.350	+0.025 / - 0.000	Arch - Type 3	Precision / Not Balanced	Carbon Steel / Cadmium Plated	6-32	11.908	7.925
	<i>0.188</i>	<i>0.375</i>	<i>0.250</i>						<i>0.469</i>	<i>0.312</i>
# CGS-0476-ARSP-4	4.763	9.525	6.350	+0.025 / - 0.000	Arch - Type 3	Precision / Not Balanced	416 Stainless Hardened	6-32	11.908	7.925
	<i>0.188</i>	<i>0.375</i>	<i>0.250</i>						<i>0.469</i>	<i>0.312</i>
# CGS-0476-ARSC-3	4.763	9.525	6.350	+0.051 / - 0.000	Arch - Type 3	Commercial / Not Balanced	303 Stainless	6-32	11.908	7.925
	<i>0.188</i>	<i>0.375</i>	<i>0.250</i>						<i>0.469</i>	<i>0.312</i>
# CGS-0476-ARSC-C	4.763	9.525	6.350	+0.051 / - 0.000	Arch - Type 3	Commercial / Not Balanced	Carbon Steel	6-32	11.908	7.925
	<i>0.188</i>	<i>0.375</i>	<i>0.250</i>						<i>0.469</i>	<i>0.312</i>
# CGS-0476-ARSP-3	4.763	9.525	6.350	+0.025 / - 0.000	Arch - Type 3	Precision / Not Balanced	303 Stainless	6-32	11.908	7.925
	<i>0.188</i>	<i>0.375</i>	<i>0.250</i>						<i>0.469</i>	<i>0.312</i>
# CGS-0476-ARSC-4	4.763	9.525	6.350	+0.051 / - 0.000	Arch - Type 3	Commercial / Not Balanced	416 Stainless Hardened	6-32	11.908	7.925
	<i>0.188</i>	<i>0.375</i>	<i>0.250</i>						<i>0.469</i>	<i>0.312</i>
# CGS-0476-R2SNC-C	4.763	9.921	3.556	+0.051 / - 0.000	Rectangular - Type 2	Commercial / Balanced	Carbon Steel	2-56	17.462	7.925
	<i>0.188</i>	<i>0.391</i>	<i>0.140</i>						<i>0.687</i>	<i>0.312</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Clamps - Gear - Split

Part Number	Inside Diameter (ID) mm	Clearance Radius mm	Depth (t) mm	ID Tolerances mm	Type	Grade	Material	Screw Size mm	Height mm	Width (B) mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>
# CGS-0476-R2SNP-C	4.763	9.921	3.556	+0.025 / - 0.000	Rectangular - Type 2	Precision / Balanced	Carbon Steel	2-56	17.462	7.925
	<i>0.188</i>	<i>0.391</i>	<i>0.140</i>						<i>0.687</i>	<i>0.312</i>
# CGS-0476-R1P-3	4.763	9.921	4.750	+0.025 / - 0.000	Rectangular - Type 1	Precision / Not Balanced	303 Stainless	4-40	10.716	7.137
	<i>0.188</i>	<i>0.391</i>	<i>0.187</i>						<i>0.422</i>	<i>0.281</i>
# CGS-0476L-R1C-4	4.763	9.921	4.750	+0.051 / - 0.000	Rectangular - Type 1	Commercial / Not Balanced	416 Stainless Hardened	4-40	12.700	7.925
	<i>0.188</i>	<i>0.391</i>	<i>0.187</i>						<i>0.500</i>	<i>0.312</i>
# CGS-0476L-R1P-4	4.763	9.921	4.750	+0.025 / - 0.000	Rectangular - Type 1	Precision / Not Balanced	416 Stainless Hardened	4-40	12.700	7.925
	<i>0.188</i>	<i>0.391</i>	<i>0.187</i>						<i>0.500</i>	<i>0.312</i>
# CGS-0476-R1C-3	4.763	9.921	4.750	+0.051 / - 0.000	Rectangular - Type 1	Commercial / Not Balanced	303 Stainless	4-40	10.716	7.137
	<i>0.188</i>	<i>0.391</i>	<i>0.187</i>						<i>0.422</i>	<i>0.281</i>
# CGS-0476-R2SP-3	4.763	9.921	6.350	+0.025 / - 0.000	Rectangular - Type 2	Precision / Balanced	303 Stainless	6-32	17.462	7.925
	<i>0.188</i>	<i>0.391</i>	<i>0.250</i>						<i>0.687</i>	<i>0.312</i>
# CGS-0476-R2SC-3	4.763	9.921	6.350	+0.051 / - 0.000	Rectangular - Type 2	Commercial / Balanced	303 Stainless	6-32	17.462	7.925
	<i>0.188</i>	<i>0.391</i>	<i>0.250</i>						<i>0.687</i>	<i>0.312</i>
# CGS-0476-R2SC-C	4.763	9.921	6.350	+0.051 / - 0.000	Rectangular - Type 2	Commercial / Balanced	Carbon Steel	6-32	17.462	7.925
	<i>0.188</i>	<i>0.391</i>	<i>0.250</i>						<i>0.687</i>	<i>0.312</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Clamps - Gear - Split

Part Number	Inside Diameter (ID) mm	Clearance Radius mm	Depth (t) mm	ID Tolerances mm	Type	Grade	Material	Screw Size mm	Height mm	Width (B) mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>
# CGS-0476-R2SP-C	4.763	9.921	6.350	+0.025 / - 0.000	Rectangular - Type 2	Precision / Balanced	Carbon Steel	6-32	17.462	7.925
	<i>0.188</i>	<i>0.391</i>	<i>0.250</i>						<i>0.687</i>	<i>0.312</i>
# CGS-0476-R2NC-C	4.763	10.716	3.556	+0.051 / - 0.000	Rectangular - Type 2	Commercial / Balanced	Carbon Steel	2-56	17.462	7.925
	<i>0.188</i>	<i>0.422</i>	<i>0.140</i>						<i>0.687</i>	<i>0.312</i>
# CGS-0476-R2NP-C	4.763	10.716	3.556	+0.025 / - 0.000	Rectangular - Type 2	Precision / Balanced	Carbon Steel	2-56	17.462	7.925
	<i>0.188</i>	<i>0.422</i>	<i>0.140</i>						<i>0.687</i>	<i>0.312</i>
# CGS-0476-R2P-4OX	4.763	10.716	6.096	+0.025 / - 0.000	Rectangular - Type 2	Precision / Balanced	416 Stainless Hardened / Black Oxide	6-32	17.462	7.925
	<i>0.188</i>	<i>0.422</i>	<i>0.240</i>						<i>0.687</i>	<i>0.312</i>
# CGS-0476-R2C-4OX	4.763	10.716	6.096	+0.051 / - 0.000	Rectangular - Type 2	Commercial / Balanced	416 Stainless Hardened / Black Oxide	6-32	17.462	7.925
	<i>0.188</i>	<i>0.422</i>	<i>0.240</i>						<i>0.687</i>	<i>0.312</i>
# CGS-0476-R2C-4	4.763	10.716	6.096	+0.051 / - 0.000	Rectangular - Type 2	Commercial / Balanced	416 Stainless Hardened	6-32	17.462	7.925
	<i>0.188</i>	<i>0.422</i>	<i>0.240</i>						<i>0.687</i>	<i>0.312</i>
# CGS-0476-R2P-4	4.763	10.716	6.096	+0.025 / - 0.000	Rectangular - Type 2	Precision / Balanced	416 Stainless Hardened	6-32	17.462	7.925
	<i>0.188</i>	<i>0.422</i>	<i>0.240</i>						<i>0.687</i>	<i>0.312</i>
# CGS-0476-R2C-3	4.763	10.716	6.350	+0.051 / - 0.000	Rectangular - Type 2	Commercial / Balanced	303 Stainless	6-32	17.462	7.925
	<i>0.188</i>	<i>0.422</i>	<i>0.250</i>						<i>0.687</i>	<i>0.312</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Clamps - Gear - Split

Part Number	Inside Diameter (ID) mm	Clearance Radius mm	Depth (t) mm	ID Tolerances mm	Type	Grade	Material	Screw Size mm	Height mm	Width (B) mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>
# CGS-0476-ARC-4	4.763	10.716	6.350	+0.051 / - 0.000	Arch - Type 3	Commercial / Not Balanced	416 Stainless Hardened	6-32	11.908	7.925
	<i>0.188</i>	<i>0.422</i>	<i>0.250</i>						<i>0.469</i>	<i>0.312</i>
# CGS-0476-R2C-C	4.763	10.716	6.350	+0.051 / - 0.000	Rectangular - Type 2	Commercial / Balanced	Carbon Steel	6-32	17.462	7.925
	<i>0.188</i>	<i>0.422</i>	<i>0.250</i>						<i>0.687</i>	<i>0.312</i>
# CGS-0476-R2P-C	4.763	10.716	6.350	+0.025 / - 0.000	Rectangular - Type 2	Precision / Balanced	Carbon Steel	6-32	17.462	7.925
	<i>0.188</i>	<i>0.422</i>	<i>0.250</i>						<i>0.687</i>	<i>0.312</i>
# CGS-0476-ARC-C	4.763	10.716	6.350	+0.051 / - 0.000	Arch - Type 3	Commercial / Not Balanced	Carbon Steel	6-32	11.908	7.925
	<i>0.188</i>	<i>0.422</i>	<i>0.250</i>						<i>0.469</i>	<i>0.312</i>
# CGS-0476-ARP-4	4.763	10.716	6.350	+0.025 / - 0.000	Arch - Type 3	Precision / Not Balanced	416 Stainless Hardened	6-32	11.908	7.925
	<i>0.188</i>	<i>0.422</i>	<i>0.250</i>						<i>0.469</i>	<i>0.312</i>
# CGS-0476-R2P-3	4.763	10.716	6.350	+0.025 / - 0.000	Rectangular - Type 2	Precision / Balanced	303 Stainless	6-32	17.462	7.925
	<i>0.188</i>	<i>0.422</i>	<i>0.250</i>						<i>0.687</i>	<i>0.312</i>
# CGS-0476-ARP-3	4.763	10.716	6.350	+0.025 / - 0.000	Arch - Type 3	Precision / Not Balanced	303 Stainless	6-32	11.908	7.925
	<i>0.188</i>	<i>0.422</i>	<i>0.250</i>						<i>0.469</i>	<i>0.312</i>
# CGS-0476-ARC-3	4.763	10.716	6.350	+0.051 / - 0.000	Arch - Type 3	Commercial / Not Balanced	303 Stainless	6-32	11.908	7.925
	<i>0.188</i>	<i>0.422</i>	<i>0.250</i>						<i>0.469</i>	<i>0.312</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Clamps - Gear - Split

Part Number	Inside Diameter (ID) mm	Clearance Radius mm	Depth (t) mm	ID Tolerances mm	Type	Grade	Material	Screw Size mm	Height mm	Width (B) mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>
# CGS-0476-ARP-CCP	4.763	10.716	6.350	+0.025 / - 0.000	Arch - Type 3	Precision / Not Balanced	Carbon Steel / Cadmium Plated	6-32	11.908	7.925
	<i>0.188</i>	<i>0.422</i>	<i>0.250</i>						<i>0.469</i>	<i>0.312</i>
# CGS-0476226-O4C-3	4.763	13.096	6.350	+0.051 / - 0.000	Round - Type 4	Commercial / Not Balanced	303 Stainless	6-32	22.225	6.35
	<i>0.188</i>	<i>0.516</i>	<i>0.250</i>						<i>0.875</i>	<i>0.250</i>
# CGS-0476226-O4C-A	4.763	13.096	6.350	+0.051 / - 0.000	Round - Type 4	Commercial / Not Balanced	2024-T351 Aluminium	6-32	22.225	6.35
	<i>0.188</i>	<i>0.516</i>	<i>0.250</i>						<i>0.875</i>	<i>0.250</i>
# CGS-0476226-O4P-A	4.763	13.096	6.350	+0.025 / - 0.000	Round - Type 4	Precision / Not Balanced	2024-T351 Aluminium	6-32	22.225	6.35
	<i>0.188</i>	<i>0.516</i>	<i>0.250</i>						<i>0.875</i>	<i>0.250</i>
# CGS-0476226-O4P-3	4.763	13.096	6.350	+0.025 / - 0.000	Round - Type 4	Precision / Not Balanced	303 Stainless	6-32	22.225	6.35
	<i>0.188</i>	<i>0.516</i>	<i>0.250</i>						<i>0.875</i>	<i>0.250</i>
# CGS-0516-R1C-4	5.159	7.874	3.810	+0.051 / - 0.000	Rectangular - Type 1	Commercial / Not Balanced	416 Stainless Hardened	2-56	9.347 (+/- 0.794)	6.960
	<i>0.203</i>	<i>0.310</i>	<i>0.150</i>							<i>0.274</i>
# CGS-0516-R1P-4	5.159	7.874	3.810	+0.025 / - 0.000	Rectangular - Type 1	Precision / Not Balanced	416 Stainless Hardened	2-56	9.347	6.960
	<i>0.203</i>	<i>0.310</i>	<i>0.150</i>						<i>0.368</i>	<i>0.274</i>
# CGS-0556-R1C-4	5.555	8.128	3.810	+0.051 / - 0.000	Rectangular - Type 1	Commercial / Not Balanced	416 Stainless Hardened	2-56	9.703 (+/- 0.794)	7.315
	<i>0.219</i>	<i>0.320</i>	<i>0.150</i>							<i>0.288</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Clamps - Gear - Split

Part Number	Inside Diameter (ID) mm	Clearance Radius mm	Depth (t) mm	ID Tolerances mm	Type	Grade	Material	Screw Size mm	Height mm	Width (B) mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>
# CGS-0556-R1P-4	5.555	8.128	3.810	+0.025 / - 0.000	Rectangular - Type 1	Precision / Not Balanced	416 Stainless Hardened	2-56	9.703	7.315
	<i>0.219</i>	<i>0.320</i>	<i>0.150</i>						<i>0.382</i>	<i>0.288</i>
# CGS-0595-R1C-4	5.951	8.382	3.810	+0.051 / - 0.000	Rectangular - Type 1	Commercial / Not Balanced	416 Stainless Hardened	2-56	10.109 (+/- 0.794)	7.722
	<i>0.234</i>	<i>0.330</i>	<i>0.150</i>							<i>0.304</i>
# CGS-0595-R1P-4	5.951	8.382	3.810	+0.025 / - 0.000	Rectangular - Type 1	Precision / Not Balanced	416 Stainless Hardened	2-56	10.109	7.722
	<i>0.234</i>	<i>0.330</i>	<i>0.150</i>						<i>0.398</i>	<i>0.304</i>
# CGS-0635-STRP-3	6.350	3.302	7.874	+0.025 / - 0.000	Strap - Type 6	Precision / Not Balanced	303 Stainless	2-56	11.049	8.733
	<i>0.250</i>	<i>0.130</i>	<i>0.310</i>						<i>0.435</i>	<i>0.344</i>
# CGS-0635-STRC-3	6.350	3.302	7.874	+0.051 / - 0.000	Strap - Type 6	Commercial / Not Balanced	303 Stainless	2-56	11.049	8.733
	<i>0.250</i>	<i>0.130</i>	<i>0.310</i>						<i>0.435</i>	<i>0.344</i>
# CGS-0635-RD5P-4	6.350	8.738	4.064	+0.013 / - 0.000	Round - Type 5	Precision / Not Balanced	416 Stainless Hardened	2-56	15.081	15.081
	<i>0.250</i>	<i>0.344</i>	<i>0.160</i>						<i>0.594</i>	<i>0.594</i>
# CGS-0635-RD5C-4	6.350	8.738	4.064	+0.025 / - 0.000	Round - Type 5	Commercial / Not Balanced	416 Stainless Hardened	2-56	15.081	15.081
	<i>0.250</i>	<i>0.344</i>	<i>0.160</i>						<i>0.594</i>	<i>0.594</i>
# CGS-0635-R1SC-4	6.350	8.890	3.810	+0.051 / - 0.000	Rectangular - Type 1	Commercial / Not Balanced	416 Stainless Hardened	2-56	10.516 (+/- 0.794)	8.128
	<i>0.250</i>	<i>0.350</i>	<i>0.150</i>							<i>0.320</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Clamps - Gear - Split

Part Number	Inside Diameter (ID) mm	Clearance Radius mm	Depth (t) mm	ID Tolerances mm	Type	Grade	Material	Screw Size mm	Height mm	Width (B) mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>
# CGS-0635-R1SP-4	6.350	8.890	3.810	+0.025 / - 0.000	Rectangular - Type 1	Precision / Not Balanced	416 Stainless Hardened	2-56	10.516	8.128
	<i>0.250</i>	<i>0.350</i>	<i>0.150</i>						<i>0.414</i>	<i>0.320</i>
# CGS-0635-ARSNC-3	6.350	9.129	3.556	+0.051 / - 0.000	Arch - Type 3	Commercial / Not Balanced	303 Stainless	2-56	12.700	9.525
	<i>0.250</i>	<i>0.359</i>	<i>0.140</i>						<i>0.500</i>	<i>0.375</i>
# CGS-0635-ARSNP-CCP	6.350	9.129	3.556	+0.025 / - 0.000	Arch - Type 3	Precision / Not Balanced	Carbon Steel / Cadmium Plated	2-56	12.700	9.525
	<i>0.250</i>	<i>0.359</i>	<i>0.140</i>						<i>0.500</i>	<i>0.375</i>
# CGS-0635-ARSNC-C	6.350	9.129	3.556	+0.051 / - 0.000	Arch - Type 3	Commercial / Not Balanced	Carbon Steel	2-56	12.700	9.525
	<i>0.250</i>	<i>0.359</i>	<i>0.140</i>						<i>0.500</i>	<i>0.375</i>
# CGS-0635-ARSNP-3	6.350	9.129	3.556	+0.025 / - 0.000	Arch - Type 3	Precision / Not Balanced	303 Stainless	2-56	12.700	9.525
	<i>0.250</i>	<i>0.359</i>	<i>0.140</i>						<i>0.500</i>	<i>0.375</i>
# CGS-0635143-O4C-3	6.350	9.525	3.175	+0.051 / - 0.000	Round - Type 4	Commercial / Not Balanced	303 Stainless	1-72	14.288	3.175
	<i>0.250</i>	<i>0.375</i>	<i>0.125</i>						<i>0.563</i>	<i>0.125</i>
# CGS-0635143-O4P-A	6.350	9.525	3.175	+0.025 / - 0.000	Round - Type 4	Precision / Not Balanced	2024-T351 Aluminium	1-72	14.288	3.175
	<i>0.250</i>	<i>0.375</i>	<i>0.125</i>						<i>0.563</i>	<i>0.125</i>
# CGS-0635143-O4C-A	6.350	9.525	3.175	+0.051 / - 0.000	Round - Type 4	Commercial / Not Balanced	2024-T351 Aluminium	1-72	14.288	3.175
	<i>0.250</i>	<i>0.375</i>	<i>0.125</i>						<i>0.563</i>	<i>0.125</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Clamps - Gear - Split

Part Number	Inside Diameter (ID) mm	Clearance Radius mm	Depth (t) mm	ID Tolerances mm	Type	Grade	Material	Screw Size mm	Height mm	Width (B) mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>
# CGS-0635143-O4P-3	6.350	9.525	3.175	+0.025 / - 0.000	Round - Type 4	Precision / Not Balanced	303 Stainless	1-72	14.288	3.175
	<i>0.250</i>	<i>0.375</i>	<i>0.125</i>						<i>0.563</i>	<i>0.125</i>
# CGS-0635144-O4P-3	6.350	9.525	3.962	+0.025 / - 0.000	Round - Type 4	Precision / Not Balanced	303 Stainless	2-56	14.288	3.962
	<i>0.250</i>	<i>0.375</i>	<i>0.156</i>						<i>0.563</i>	<i>0.156</i>
# CGS-0635164-O4P-A	6.350	9.525	3.962	+0.025 / - 0.000	Round - Type 4	Precision / Not Balanced	2024-T351 Aluminium	2-56	15.875	3.962
	<i>0.250</i>	<i>0.375</i>	<i>0.156</i>						<i>0.625</i>	<i>0.156</i>
# CGS-0635144-O4C-3	6.350	9.525	3.962	+0.051 / - 0.000	Round - Type 4	Commercial / Not Balanced	303 Stainless	2-56	14.288	3.962
	<i>0.250</i>	<i>0.375</i>	<i>0.156</i>						<i>0.563</i>	<i>0.156</i>
# CGS-0635144-O4C-A	6.350	9.525	3.962	+0.051 / - 0.000	Round - Type 4	Commercial / Not Balanced	2024-T351 Aluminium	2-56	14.288	3.962
	<i>0.250</i>	<i>0.375</i>	<i>0.156</i>						<i>0.563</i>	<i>0.156</i>
# CGS-0635164-O4C-3	6.350	9.525	3.962	+0.051 / - 0.000	Round - Type 4	Commercial / Not Balanced	303 Stainless	2-56	15.875	3.962
	<i>0.250</i>	<i>0.375</i>	<i>0.156</i>						<i>0.625</i>	<i>0.156</i>
# CGS-0635164-O4C-A	6.350	9.525	3.962	+0.051 / - 0.000	Round - Type 4	Commercial / Not Balanced	2024-T351 Aluminium	2-56	15.875	3.962
	<i>0.250</i>	<i>0.375</i>	<i>0.156</i>						<i>0.625</i>	<i>0.156</i>
# CGS-0635164-O4P-3	6.350	9.525	3.962	+0.025 / - 0.000	Round - Type 4	Precision / Not Balanced	303 Stainless	2-56	15.875	3.962
	<i>0.250</i>	<i>0.375</i>	<i>0.156</i>						<i>0.625</i>	<i>0.156</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Clamps - Gear - Split

Part Number	Inside Diameter (ID) mm	Clearance Radius mm	Depth (t) mm	ID Tolerances mm	Type	Grade	Material	Screw Size mm	Height mm	Width (B) mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>
# CGS-0635144-O4P-A	6.350	9.525	3.962	+0.025 / - 0.000	Round - Type 4	Precision / Not Balanced	2024-T351 Aluminium	2-56	14.288	3.962
	<i>0.250</i>	<i>0.375</i>	<i>0.156</i>						<i>0.563</i>	<i>0.156</i>
# CGS-0635-ARNC-3	6.350	9.921	3.556	+0.051 / - 0.000	Arch - Type 3	Commercial / Not Balanced	303 Stainless	2-56	12.700	9.525
	<i>0.250</i>	<i>0.391</i>	<i>0.140</i>						<i>0.500</i>	<i>0.375</i>
# CGS-0635-ARNC-C	6.350	9.921	3.556	+0.051 / - 0.000	Arch - Type 3	Commercial / Not Balanced	Carbon Steel	2-56	12.700	9.525
	<i>0.250</i>	<i>0.391</i>	<i>0.140</i>						<i>0.500</i>	<i>0.375</i>
# CGS-0635-ARNP-3	6.350	9.921	3.556	+0.025 / - 0.000	Arch - Type 3	Precision / Not Balanced	303 Stainless	2-56	12.700	9.525
	<i>0.250</i>	<i>0.391</i>	<i>0.140</i>						<i>0.500</i>	<i>0.375</i>
# CGS-0635-ARNP-CCP	6.350	9.921	3.556	+0.025 / - 0.000	Arch - Type 3	Precision / Not Balanced	Carbon Steel / Cadmium Plated	2-56	12.700	9.525
	<i>0.250</i>	<i>0.391</i>	<i>0.140</i>						<i>0.500</i>	<i>0.375</i>
# CGS-0635-R1P-4	6.350	11.112	4.750	+0.025 / - 0.000	Rectangular - Type 1	Precision / Not Balanced	416 Stainless Hardened	4-40	15.875	9.525
	<i>0.250</i>	<i>0.437</i>	<i>0.187</i>						<i>0.625</i>	<i>0.375</i>
# CGS-0635-R1C-3	6.350	11.112	4.750	+0.051 / - 0.000	Rectangular - Type 1	Commercial / Not Balanced	303 Stainless	4-40	12.304	8.738
	<i>0.250</i>	<i>0.437</i>	<i>0.187</i>						<i>0.484</i>	<i>0.344</i>
# CGS-0635-R1C-4	6.350	11.112	4.750	+0.051 / - 0.000	Rectangular - Type 1	Commercial / Not Balanced	416 Stainless Hardened	4-40	15.875	9.525
	<i>0.250</i>	<i>0.437</i>	<i>0.187</i>						<i>0.625</i>	<i>0.375</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Clamps - Gear - Split

Part Number	Inside Diameter (ID) mm	Clearance Radius mm	Depth (t) mm	ID Tolerances mm	Type	Grade	Material	Screw Size mm	Height mm	Width (B) mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>
# CGS-0635-R1P-3	6.350	11.112	4.750	+0.025 / - 0.000	Rectangular - Type 1	Precision / Not Balanced	303 Stainless	4-40	12.304	8.738
	<i>0.250</i>	<i>0.437</i>	<i>0.187</i>						<i>0.484</i>	<i>0.344</i>
# CGS-0635-ARSC-3	6.350	11.509	6.350	+0.051 / - 0.000	Arch - Type 3	Commercial / Not Balanced	303 Stainless	6-32	14.288	9.525
	<i>0.250</i>	<i>0.453</i>	<i>0.250</i>						<i>0.563</i>	<i>0.375</i>
# CGS-0635-ARSP-3	6.350	11.509	6.350	+0.025 / - 0.000	Arch - Type 3	Precision / Not Balanced	303 Stainless	6-32	14.288	9.525
	<i>0.250</i>	<i>0.453</i>	<i>0.250</i>						<i>0.563</i>	<i>0.375</i>
# CGS-0635-ARSC-C	6.350	11.509	6.350	+0.051 / - 0.000	Arch - Type 3	Commercial / Not Balanced	Carbon Steel	6-32	14.288	9.525
	<i>0.250</i>	<i>0.453</i>	<i>0.250</i>						<i>0.563</i>	<i>0.375</i>
# CGS-0635-ARSP-CCP	6.350	11.509	6.350	+0.025 / - 0.000	Arch - Type 3	Precision / Not Balanced	Carbon Steel / Cadmium Plated	6-32	14.288	9.525
	<i>0.250</i>	<i>0.453</i>	<i>0.250</i>						<i>0.563</i>	<i>0.375</i>
# CGS-0635-ARSP-4	6.350	11.509	6.350	+0.025 / - 0.000	Arch - Type 3	Precision / Not Balanced	416 Stainless Hardened	6-32	14.288	9.525
	<i>0.250</i>	<i>0.453</i>	<i>0.250</i>						<i>0.563</i>	<i>0.375</i>
# CGS-0635-ARSC-4	6.350	11.509	6.350	+0.051 / - 0.000	Arch - Type 3	Commercial / Not Balanced	416 Stainless Hardened	6-32	14.288	9.525
	<i>0.250</i>	<i>0.453</i>	<i>0.250</i>						<i>0.563</i>	<i>0.375</i>
# CGS-0635-R2SNC-C	6.350	11.908	3.556	+0.051 / - 0.000	Rectangular - Type 2	Commercial / Balanced	Carbon Steel	2-56	20.241	9.525
	<i>0.250</i>	<i>0.469</i>	<i>0.140</i>						<i>0.797</i>	<i>0.375</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Clamps - Gear - Split

Part Number	Inside Diameter (ID) mm	Clearance Radius mm	Depth (t) mm	ID Tolerances mm	Type	Grade	Material	Screw Size mm	Height mm	Width (B) mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>
# CGS-0635-R2SNP-C	6.350	11.908	3.556	+0.025 / - 0.000	Rectangular - Type 2	Precision / Balanced	Carbon Steel	2-56	20.241	9.525
	<i>0.250</i>	<i>0.469</i>	<i>0.140</i>						<i>0.797</i>	<i>0.375</i>
# CGS-0635-R2SC-C	6.350	11.908	6.350	+0.051 / - 0.000	Rectangular - Type 2	Commercial / Balanced	Carbon Steel	6-32	20.241	9.525
	<i>0.250</i>	<i>0.469</i>	<i>0.250</i>						<i>0.797</i>	<i>0.375</i>
# CGS-0635-R2SC-3	6.350	11.908	6.350	+0.051 / - 0.000	Rectangular - Type 2	Commercial / Balanced	303 Stainless	6-32	20.241	9.525
	<i>0.250</i>	<i>0.469</i>	<i>0.250</i>						<i>0.797</i>	<i>0.375</i>
# CGS-0635-R2SP-3	6.350	11.908	6.350	+0.025 / - 0.000	Rectangular - Type 2	Precision / Balanced	303 Stainless	6-32	20.241	9.525
	<i>0.250</i>	<i>0.469</i>	<i>0.250</i>						<i>0.797</i>	<i>0.375</i>
# CGS-0635-R2SP-C	6.350	11.908	6.350	+0.025 / - 0.000	Rectangular - Type 2	Precision / Balanced	Carbon Steel	6-32	20.241	9.525
	<i>0.250</i>	<i>0.469</i>	<i>0.250</i>						<i>0.797</i>	<i>0.375</i>
# CGS-0635-ARC-3	6.350	12.304	6.350	+0.051 / - 0.000	Arch - Type 3	Commercial / Not Balanced	303 Stainless	6-32	14.288	9.525
	<i>0.250</i>	<i>0.484</i>	<i>0.250</i>						<i>0.563</i>	<i>0.375</i>
# CGS-0635-ARC-C	6.350	12.304	6.350	+0.051 / - 0.000	Arch - Type 3	Commercial / Not Balanced	Carbon Steel	6-32	14.288	9.525
	<i>0.250</i>	<i>0.484</i>	<i>0.250</i>						<i>0.563</i>	<i>0.375</i>
# CGS-0635-ARP-CCP	6.350	12.304	6.350	+0.025 / - 0.000	Arch - Type 3	Precision / Not Balanced	Carbon Steel / Cadmium Plated	6-32	14.288	9.525
	<i>0.250</i>	<i>0.484</i>	<i>0.250</i>						<i>0.563</i>	<i>0.375</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Clamps - Gear - Split

Part Number	Inside Diameter (ID) mm	Clearance Radius mm	Depth (t) mm	ID Tolerances mm	Type	Grade	Material	Screw Size mm	Height mm	Width (B) mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>
# CGS-0635-ARP-3	6.350	12.304	6.350	+0.025 / - 0.000	Arch - Type 3	Precision / Not Balanced	303 Stainless	6-32	14.288	9.525
	<i>0.250</i>	<i>0.484</i>	<i>0.250</i>						<i>0.563</i>	<i>0.375</i>
# CGS-0635-ARC-4	6.350	12.304	6.350	+0.051 / - 0.000	Arch - Type 3	Commercial / Not Balanced	416 Stainless Hardened	6-32	14.288	9.525
	<i>0.250</i>	<i>0.484</i>	<i>0.250</i>						<i>0.563</i>	<i>0.375</i>
# CGS-0635-ARP-4	6.350	12.304	6.350	+0.025 / - 0.000	Arch - Type 3	Precision / Not Balanced	416 Stainless Hardened	6-32	14.288	9.525
	<i>0.250</i>	<i>0.484</i>	<i>0.250</i>						<i>0.563</i>	<i>0.375</i>
# CGS-0635-R2NC-C	6.350	12.700	3.556	+0.051 / - 0.000	Rectangular - Type 2	Commercial / Balanced	Carbon Steel	2-56	20.241	9.525
	<i>0.250</i>	<i>0.500</i>	<i>0.140</i>						<i>0.797</i>	<i>0.375</i>
# CGS-0635-R2NP-C	6.350	12.700	3.556	+0.025 / - 0.000	Rectangular - Type 2	Precision / Balanced	Carbon Steel	2-56	20.241	9.525
	<i>0.250</i>	<i>0.500</i>	<i>0.140</i>						<i>0.797</i>	<i>0.375</i>
# CGS-0635-R2C-4OX	6.350	12.700	6.096	+0.051 / - 0.000	Rectangular - Type 2	Commercial / Balanced	416 Stainless Hardened / Black Oxide	6-32	20.638	9.525
	<i>0.250</i>	<i>0.500</i>	<i>0.240</i>						<i>0.813</i>	<i>0.375</i>
# CGS-0635-R2C-4	6.350	12.700	6.096	+0.051 / - 0.000	Rectangular - Type 2	Commercial / Balanced	416 Stainless Hardened	6-32	20.638	9.525
	<i>0.250</i>	<i>0.500</i>	<i>0.240</i>						<i>0.813</i>	<i>0.375</i>
# CGS-0635-R2P-4	6.350	12.700	6.096	+0.025 / - 0.000	Rectangular - Type 2	Precision / Balanced	416 Stainless Hardened	6-32	20.638	9.525
	<i>0.250</i>	<i>0.500</i>	<i>0.240</i>						<i>0.813</i>	<i>0.375</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Clamps - Gear - Split

Part Number	Inside Diameter (ID) mm	Clearance Radius mm	Depth (t) mm	ID Tolerances mm	Type	Grade	Material	Screw Size mm	Height mm	Width (B) mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>
# CGS-0635-R2P-4OX	6.350	12.700	6.096	+0.025 / - 0.000	Rectangular - Type 2	Precision / Balanced	416 Stainless Hardened / Black Oxide	6-32	20.638	9.525
	<i>0.250</i>	<i>0.500</i>	<i>0.240</i>						<i>0.813</i>	<i>0.375</i>
# CGS-0635-R2C-C	6.350	12.700	6.350	+0.051 / - 0.000	Rectangular - Type 2	Commercial / Balanced	Carbon Steel	6-32	20.241	9.525
	<i>0.250</i>	<i>0.500</i>	<i>0.250</i>						<i>0.797</i>	<i>0.375</i>
# CGS-0635-R2P-3	6.350	12.700	6.350	+0.025 / - 0.000	Rectangular - Type 2	Precision / Balanced	303 Stainless	6-32	20.241	9.525
	<i>0.250</i>	<i>0.500</i>	<i>0.250</i>						<i>0.797</i>	<i>0.375</i>
# CGS-0635-R2P-C	6.350	12.700	6.350	+0.025 / - 0.000	Rectangular - Type 2	Precision / Balanced	Carbon Steel	6-32	20.241	9.525
	<i>0.250</i>	<i>0.500</i>	<i>0.250</i>						<i>0.797</i>	<i>0.375</i>
CGS-0635-R2C-3	6.350	12.700	6.350	+0.051 / - 0.000	Rectangular - Type 2	Commercial / Balanced	303 Stainless	6-32	20.241	9.525
	<i>0.250</i>	<i>0.500</i>	<i>0.250</i>						<i>0.797</i>	<i>0.375</i>
# CGS-0635226-O4P-A	6.350	13.096	6.350	+0.025 / - 0.000	Round - Type 4	Precision / Not Balanced	2024-T351 Aluminium	6-32	22.225	6.35
	<i>0.250</i>	<i>0.516</i>	<i>0.250</i>						<i>0.875</i>	<i>0.250</i>
# CGS-0635226-O4P-3	6.350	13.096	6.350	+0.025 / - 0.000	Round - Type 4	Precision / Not Balanced	303 Stainless	6-32	22.225	6.35
	<i>0.250</i>	<i>0.516</i>	<i>0.250</i>						<i>0.875</i>	<i>0.250</i>
# CGS-0635226-O4C-3	6.350	13.096	6.350	+0.051 / - 0.000	Round - Type 4	Commercial / Not Balanced	303 Stainless	6-32	22.225	6.35
	<i>0.250</i>	<i>0.516</i>	<i>0.250</i>						<i>0.875</i>	<i>0.250</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Clamps - Gear - Split

Part Number	Inside Diameter (ID) mm	Clearance Radius mm	Depth (t) mm	ID Tolerances mm	Type	Grade	Material	Screw Size mm	Height mm	Width (B) mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>
# CGS-0635226-O4C-A	6.350	13.096	6.350	+0.051 / - 0.000	Round - Type 4	Commercial / Not Balanced	2024-T351 Aluminium	6-32	22.225	6.35
	<i>0.250</i>	<i>0.516</i>	<i>0.250</i>						<i>0.875</i>	<i>0.250</i>
# CGS-0794-ARSNP-CCP	7.938	9.921	3.556	+0.025 / - 0.000	Arch - Type 3	Precision / Not Balanced	Carbon Steel / Cadmium Plated	2-56	15.083	11.100
	<i>0.313</i>	<i>0.391</i>	<i>0.140</i>						<i>0.594</i>	<i>0.437</i>
# CGS-0794-ARSNC-3	7.938	9.921	3.556	+0.051 / - 0.000	Arch - Type 3	Commercial / Not Balanced	303 Stainless	2-56	15.083	11.100
	<i>0.313</i>	<i>0.391</i>	<i>0.140</i>						<i>0.594</i>	<i>0.437</i>
# CGS-0794-ARSNC-C	7.938	9.921	3.556	+0.051 / - 0.000	Arch - Type 3	Commercial / Not Balanced	Carbon Steel	2-56	15.083	11.100
	<i>0.313</i>	<i>0.391</i>	<i>0.140</i>						<i>0.594</i>	<i>0.437</i>
# CGS-0794-ARSNP-3	7.938	9.921	3.556	+0.025 / - 0.000	Arch - Type 3	Precision / Not Balanced	303 Stainless	2-56	15.083	11.100
	<i>0.313</i>	<i>0.391</i>	<i>0.140</i>						<i>0.594</i>	<i>0.437</i>
# CGS-0794-ARNC-C	7.938	11.112	3.556	+0.051 / - 0.000	Arch - Type 3	Commercial / Not Balanced	Carbon Steel	2-56	15.083	11.100
	<i>0.313</i>	<i>0.437</i>	<i>0.140</i>						<i>0.594</i>	<i>0.437</i>
# CGS-0794-ARNP-3	7.938	11.112	3.556	+0.025 / - 0.000	Arch - Type 3	Precision / Not Balanced	303 Stainless	2-56	15.083	11.100
	<i>0.313</i>	<i>0.437</i>	<i>0.140</i>						<i>0.594</i>	<i>0.437</i>
# CGS-0794-ARNC-3	7.938	11.112	3.556	+0.051 / - 0.000	Arch - Type 3	Commercial / Not Balanced	303 Stainless	2-56	15.083	11.100
	<i>0.313</i>	<i>0.437</i>	<i>0.140</i>						<i>0.594</i>	<i>0.437</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Clamps - Gear - Split

Part Number	Inside Diameter (ID) mm	Clearance Radius mm	Depth (t) mm	ID Tolerances mm	Type	Grade	Material	Screw Size mm	Height mm	Width (B) mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>
# CGS-0794-ARNP-CCP	7.938	11.112	3.556	+0.025 / - 0.000	Arch - Type 3	Precision / Not Balanced	Carbon Steel / Cadmium Plated	2-56	15.083	11.100
	<i>0.313</i>	<i>0.437</i>	<i>0.140</i>						<i>0.594</i>	<i>0.437</i>
# CGS-0794-ARSP-CCP	7.938	11.908	6.350	+0.025 / - 0.000	Arch - Type 3	Precision / Not Balanced	Carbon Steel / Cadmium Plated	6-32	15.083	11.100
	<i>0.313</i>	<i>0.469</i>	<i>0.250</i>						<i>0.594</i>	<i>0.437</i>
# CGS-0794-ARSC-4	7.938	11.908	6.350	+0.051 / - 0.000	Arch - Type 3	Commercial / Not Balanced	416 Stainless Hardened	6-32	15.083	11.100
	<i>0.313</i>	<i>0.469</i>	<i>0.250</i>						<i>0.594</i>	<i>0.437</i>
# CGS-0794-ARSP-4	7.938	11.908	6.350	+0.025 / - 0.000	Arch - Type 3	Precision / Not Balanced	416 Stainless Hardened	6-32	15.083	11.100
	<i>0.313</i>	<i>0.469</i>	<i>0.250</i>						<i>0.594</i>	<i>0.437</i>
# CGS-0794-ARSP-3	7.938	11.908	6.350	+0.025 / - 0.000	Arch - Type 3	Precision / Not Balanced	303 Stainless	6-32	15.083	11.100
	<i>0.313</i>	<i>0.469</i>	<i>0.250</i>						<i>0.594</i>	<i>0.437</i>
# CGS-0794-ARSC-3	7.938	11.908	6.350	+0.051 / - 0.000	Arch - Type 3	Commercial / Not Balanced	303 Stainless	6-32	15.083	11.100
	<i>0.313</i>	<i>0.469</i>	<i>0.250</i>						<i>0.594</i>	<i>0.437</i>
# CGS-0794-ARSC-C	7.938	11.908	6.350	+0.051 / - 0.000	Arch - Type 3	Commercial / Not Balanced	Carbon Steel	6-32	15.083	11.100
	<i>0.313</i>	<i>0.469</i>	<i>0.250</i>						<i>0.594</i>	<i>0.437</i>
# CGS-0794-R2SNC-C	7.938	12.304	3.556	+0.051 / - 0.000	Rectangular - Type 2	Commercial / Balanced	Carbon Steel	2-56	20.638	11.100
	<i>0.313</i>	<i>0.484</i>	<i>0.140</i>						<i>0.813</i>	<i>0.437</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Clamps - Gear - Split

Part Number	Inside Diameter (ID) mm	Clearance Radius mm	Depth (t) mm	ID Tolerances mm	Type	Grade	Material	Screw Size mm	Height mm	Width (B) mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>
# CGS-0794-R2SNP-C	7.938	12.304	3.556	+0.025 / - 0.000	Rectangular - Type 2	Precision / Balanced	Carbon Steel	2-56	20.638	11.100
	<i>0.313</i>	<i>0.484</i>	<i>0.140</i>						<i>0.813</i>	<i>0.437</i>
# CGS-0794-R2SC-C	7.938	12.304	6.350	+0.051 / - 0.000	Rectangular - Type 2	Commercial / Balanced	Carbon Steel	6-32	20.638	11.100
	<i>0.313</i>	<i>0.484</i>	<i>0.250</i>						<i>0.813</i>	<i>0.437</i>
# CGS-0794-R2SP-3	7.938	12.304	6.350	+0.025 / - 0.000	Rectangular - Type 2	Precision / Balanced	303 Stainless	6-32	20.638	11.100
	<i>0.313</i>	<i>0.484</i>	<i>0.250</i>						<i>0.813</i>	<i>0.437</i>
# CGS-0794-R2SP-C	7.938	12.304	6.350	+0.025 / - 0.000	Rectangular - Type 2	Precision / Balanced	Carbon Steel	6-32	20.638	11.100
	<i>0.313</i>	<i>0.484</i>	<i>0.250</i>						<i>0.813</i>	<i>0.437</i>
CGS-0794-R2SC-3	7.938	12.304	6.350	+0.051 / - 0.000	Rectangular - Type 2	Commercial / Balanced	303 Stainless	6-32	20.638	11.100
	<i>0.313</i>	<i>0.484</i>	<i>0.250</i>						<i>0.813</i>	<i>0.437</i>
# CGS-0794-ARC-C	7.938	12.700	6.350	+0.051 / - 0.000	Arch - Type 3	Commercial / Not Balanced	Carbon Steel	6-32	15.083	11.100
	<i>0.313</i>	<i>0.500</i>	<i>0.250</i>						<i>0.594</i>	<i>0.437</i>
# CGS-0794-ARC-4	7.938	12.700	6.350	+0.051 / - 0.000	Arch - Type 3	Commercial / Not Balanced	416 Stainless Hardened	6-32	15.083	11.100
	<i>0.313</i>	<i>0.500</i>	<i>0.250</i>						<i>0.594</i>	<i>0.437</i>
# CGS-0794-ARP-4	7.938	12.700	6.350	+0.025 / - 0.000	Arch - Type 3	Precision / Not Balanced	416 Stainless Hardened	6-32	15.083	11.100
	<i>0.313</i>	<i>0.500</i>	<i>0.250</i>						<i>0.594</i>	<i>0.437</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Clamps - Gear - Split

Part Number	Inside Diameter (ID) mm	Clearance Radius mm	Depth (t) mm	ID Tolerances mm	Type	Grade	Material	Screw Size mm	Height mm	Width (B) mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>
# CGS-0794-ARP-3	7.938	12.700	6.350	+0.025 / - 0.000	Arch - Type 3	Precision / Not Balanced	303 Stainless	6-32	15.083	11.100
	<i>0.313</i>	<i>0.500</i>	<i>0.250</i>						<i>0.594</i>	<i>0.437</i>
# CGS-0794-ARP-CCP	7.938	12.700	6.350	+0.025 / - 0.000	Arch - Type 3	Precision / Not Balanced	Carbon Steel / Cadmium Plated	6-32	15.083	11.100
	<i>0.313</i>	<i>0.500</i>	<i>0.250</i>						<i>0.594</i>	<i>0.437</i>
# CGS-0794-ARC-3	7.938	12.700	6.350	+0.051 / - 0.000	Arch - Type 3	Commercial / Not Balanced	303 Stainless	6-32	15.083	11.100
	<i>0.313</i>	<i>0.500</i>	<i>0.250</i>						<i>0.594</i>	<i>0.437</i>
# CGS-0794-R2NP-C	7.938	13.096	3.556	+0.025 / - 0.000	Rectangular - Type 2	Precision / Balanced	Carbon Steel	2-56	20.638	11.100
	<i>0.313</i>	<i>0.516</i>	<i>0.140</i>						<i>0.813</i>	<i>0.437</i>
# CGS-0794-R2NC-C	7.938	13.096	3.556	+0.051 / - 0.000	Rectangular - Type 2	Commercial / Balanced	Carbon Steel	2-56	20.638	11.100
	<i>0.313</i>	<i>0.516</i>	<i>0.140</i>						<i>0.813</i>	<i>0.437</i>
# CGS-0794-R2P-4OX	7.938	13.096	6.096	+0.025 / - 0.000	Rectangular - Type 2	Precision / Balanced	416 Stainless Hardened / Black Oxide	6-32	20.638	11.100
	<i>0.313</i>	<i>0.516</i>	<i>0.240</i>						<i>0.813</i>	<i>0.437</i>
# CGS-0794-R2C-4OX	7.938	13.096	6.096	+0.051 / - 0.000	Rectangular - Type 2	Commercial / Balanced	416 Stainless Hardened / Black Oxide	6-32	20.638	11.100
	<i>0.313</i>	<i>0.516</i>	<i>0.240</i>						<i>0.813</i>	<i>0.437</i>
# CGS-0794-R2C-4	7.938	13.096	6.096	+0.051 / - 0.000	Rectangular - Type 2	Commercial / Balanced	416 Stainless Hardened	6-32	20.638	11.100
	<i>0.313</i>	<i>0.516</i>	<i>0.240</i>						<i>0.813</i>	<i>0.437</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Clamps - Gear - Split

Part Number	Inside Diameter (ID) mm	Clearance Radius mm	Depth (t) mm	ID Tolerances mm	Type	Grade	Material	Screw Size mm	Height mm	Width (B) mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>
# CGS-0794-R2P-4	7.938	13.096	6.096	+0.025 / - 0.000	Rectangular - Type 2	Precision / Balanced	416 Stainless Hardened	6-32	20.638	11.100
	<i>0.313</i>	<i>0.516</i>	<i>0.240</i>						<i>0.813</i>	<i>0.437</i>
# CGS-0794-R2C-3	7.938	13.096	6.350	+0.051 / - 0.000	Rectangular - Type 2	Commercial / Balanced	303 Stainless	6-32	20.638	11.100
	<i>0.313</i>	<i>0.516</i>	<i>0.250</i>						<i>0.813</i>	<i>0.437</i>
# CGS-0794-R2C-C	7.938	13.096	6.350	+0.051 / - 0.000	Rectangular - Type 2	Commercial / Balanced	Carbon Steel	6-32	20.638	11.100
	<i>0.313</i>	<i>0.516</i>	<i>0.250</i>						<i>0.813</i>	<i>0.437</i>
# CGS-0794226-O4P-A	7.938	13.096	6.350	+0.025 / - 0.000	Round - Type 4	Precision / Not Balanced	2024-T351 Aluminium	6-32	22.225	6.35
	<i>0.313</i>	<i>0.516</i>	<i>0.250</i>						<i>0.875</i>	<i>0.250</i>
# CGS-0794-R2P-3	7.938	13.096	6.350	+0.025 / - 0.000	Rectangular - Type 2	Precision / Balanced	303 Stainless	6-32	20.638	11.100
	<i>0.313</i>	<i>0.516</i>	<i>0.250</i>						<i>0.813</i>	<i>0.437</i>
# CGS-0794226-O4C-A	7.938	13.096	6.350	+0.051 / - 0.000	Round - Type 4	Commercial / Not Balanced	2024-T351 Aluminium	6-32	22.225	6.35
	<i>0.313</i>	<i>0.516</i>	<i>0.250</i>						<i>0.875</i>	<i>0.250</i>
# CGS-0794226-O4P-3	7.938	13.096	6.350	+0.025 / - 0.000	Round - Type 4	Precision / Not Balanced	303 Stainless	6-32	22.225	6.35
	<i>0.313</i>	<i>0.516</i>	<i>0.250</i>						<i>0.875</i>	<i>0.250</i>
# CGS-0794-R2P-C	7.938	13.096	6.350	+0.025 / - 0.000	Rectangular - Type 2	Precision / Balanced	Carbon Steel	6-32	20.638	11.100
	<i>0.313</i>	<i>0.516</i>	<i>0.250</i>						<i>0.813</i>	<i>0.437</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Clamps - Gear - Split

Part Number	Inside Diameter (ID) mm	Clearance Radius mm	Depth (t) mm	ID Tolerances mm	Type	Grade	Material	Screw Size mm	Height mm	Width (B) mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>
# CGS-0794226-O4C-3	7.938	13.096	6.350	+0.051 / - 0.000	Round - Type 4	Commercial / Not Balanced	303 Stainless	6-32	22.225	6.35
	<i>0.313</i>	<i>0.516</i>	<i>0.250</i>						<i>0.875</i>	<i>0.250</i>
# CGS-0953-ARSNP-CCP	9.525	11.112	3.556	+0.025 / - 0.000	Arch - Type 3	Precision / Not Balanced	Carbon Steel / Cadmium Plated	2-56	16.670	12.700
	<i>0.375</i>	<i>0.437</i>	<i>0.140</i>						<i>0.656</i>	<i>0.500</i>
# CGS-0953-ARSNC-3	9.525	11.112	3.556	+0.051 / - 0.000	Arch - Type 3	Commercial / Not Balanced	303 Stainless	2-56	16.670	12.700
	<i>0.375</i>	<i>0.437</i>	<i>0.140</i>						<i>0.656</i>	<i>0.500</i>
# CGS-0953-ARSNC-C	9.525	11.112	3.556	+0.051 / - 0.000	Arch - Type 3	Commercial / Not Balanced	Carbon Steel	2-56	16.670	12.700
	<i>0.375</i>	<i>0.437</i>	<i>0.140</i>						<i>0.656</i>	<i>0.500</i>
# CGS-0953-ARSNP-3	9.525	11.112	3.556	+0.025 / - 0.000	Arch - Type 3	Precision / Not Balanced	303 Stainless	2-56	16.670	12.700
	<i>0.375</i>	<i>0.437</i>	<i>0.140</i>						<i>0.656</i>	<i>0.500</i>
# CGS-0953-ARNC-C	9.525	11.908	3.556	+0.051 / - 0.000	Arch - Type 3	Commercial / Not Balanced	Carbon Steel	2-56	16.670	12.700
	<i>0.375</i>	<i>0.469</i>	<i>0.140</i>						<i>0.656</i>	<i>0.500</i>
# CGS-0953-ARNP-CCP	9.525	11.908	3.556	+0.025 / - 0.000	Arch - Type 3	Precision / Not Balanced	Carbon Steel / Cadmium Plated	2-56	16.670	12.700
	<i>0.375</i>	<i>0.469</i>	<i>0.140</i>						<i>0.656</i>	<i>0.500</i>
# CGS-0953-ARNP-3	9.525	11.908	3.556	+0.025 / - 0.000	Arch - Type 3	Precision / Not Balanced	303 Stainless	2-56	16.670	12.700
	<i>0.375</i>	<i>0.469</i>	<i>0.140</i>						<i>0.656</i>	<i>0.500</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Clamps - Gear - Split

Part Number	Inside Diameter (ID) mm	Clearance Radius mm	Depth (t) mm	ID Tolerances mm	Type	Grade	Material	Screw Size mm	Height mm	Width (B) mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>
# CGS-0953-ARNC-3	9.525	11.908	3.556	+0.051 / - 0.000	Arch - Type 3	Commercial / Not Balanced	303 Stainless	2-56	16.670	12.700
	<i>0.375</i>	<i>0.469</i>	<i>0.140</i>						<i>0.656</i>	<i>0.500</i>
# CGS-0953-ARSC-4	9.525	13.096	6.350	+0.051 / - 0.000	Arch - Type 3	Commercial / Not Balanced	416 Stainless Hardened	6-32	16.670	12.700
	<i>0.375</i>	<i>0.516</i>	<i>0.250</i>						<i>0.656</i>	<i>0.500</i>
# CGS-0953-ARSP-4	9.525	13.096	6.350	+0.025 / - 0.000	Arch - Type 3	Precision / Not Balanced	416 Stainless Hardened	6-32	16.670	12.700
	<i>0.375</i>	<i>0.516</i>	<i>0.250</i>						<i>0.656</i>	<i>0.500</i>
# CGS-0953-ARSC-3	9.525	13.096	6.350	+0.051 / - 0.000	Arch - Type 3	Commercial / Not Balanced	303 Stainless	6-32	16.670	12.700
	<i>0.375</i>	<i>0.516</i>	<i>0.250</i>						<i>0.656</i>	<i>0.500</i>
# CGS-0953-ARSP-CCP	9.525	13.096	6.350	+0.025 / - 0.000	Arch - Type 3	Precision / Not Balanced	Carbon Steel / Cadmium Plated	6-32	16.670	12.700
	<i>0.375</i>	<i>0.516</i>	<i>0.250</i>						<i>0.656</i>	<i>0.500</i>
# CGS-0953-ARSP-3	9.525	13.096	6.350	+0.025 / - 0.000	Arch - Type 3	Precision / Not Balanced	303 Stainless	6-32	16.670	12.700
	<i>0.375</i>	<i>0.516</i>	<i>0.250</i>						<i>0.656</i>	<i>0.500</i>
# CGS-0953-ARSC-C	9.525	13.096	6.350	+0.051 / - 0.000	Arch - Type 3	Commercial / Not Balanced	Carbon Steel	6-32	16.670	12.700
	<i>0.375</i>	<i>0.516</i>	<i>0.250</i>						<i>0.656</i>	<i>0.500</i>
# CGS-0953-R2SNP-C	9.525	13.495	3.556	+0.025 / - 0.000	Rectangular - Type 2	Precision / Balanced	Carbon Steel	2-56	22.225	12.700
	<i>0.375</i>	<i>0.531</i>	<i>0.140</i>						<i>0.875</i>	<i>0.500</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Clamps - Gear - Split

Part Number	Inside Diameter (ID) mm	Clearance Radius mm	Depth (t) mm	ID Tolerances mm	Type	Grade	Material	Screw Size mm	Height mm	Width (B) mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>
# CGS-0953-R2SNC-C	9.525	13.495	3.556	+0.051 / - 0.000	Rectangular - Type 2	Commercial / Balanced	Carbon Steel	2-56	22.225	12.700
	<i>0.375</i>	<i>0.531</i>	<i>0.140</i>						<i>0.875</i>	<i>0.500</i>
# CGS-0953-R2SC-3	9.525	13.495	6.350	+0.051 / - 0.000	Rectangular - Type 2	Commercial / Balanced	303 Stainless	6-32	22.225	12.700
	<i>0.375</i>	<i>0.531</i>	<i>0.250</i>						<i>0.875</i>	<i>0.500</i>
# CGS-0953-R2SC-C	9.525	13.495	6.350	+0.051 / - 0.000	Rectangular - Type 2	Commercial / Balanced	Carbon Steel	6-32	22.225	12.700
	<i>0.375</i>	<i>0.531</i>	<i>0.250</i>						<i>0.875</i>	<i>0.500</i>
# CGS-0953-R2SP-C	9.525	13.495	6.350	+0.025 / - 0.000	Rectangular - Type 2	Precision / Balanced	Carbon Steel	6-32	22.225	12.700
	<i>0.375</i>	<i>0.531</i>	<i>0.250</i>						<i>0.875</i>	<i>0.500</i>
# CGS-0953-R2SP-3	9.525	13.495	6.350	+0.025 / - 0.000	Rectangular - Type 2	Precision / Balanced	303 Stainless	6-32	22.225	12.700
	<i>0.375</i>	<i>0.531</i>	<i>0.250</i>						<i>0.875</i>	<i>0.500</i>
# CGS-0953-R2NC-C	9.525	14.288	3.556	+0.051 / - 0.000	Rectangular - Type 2	Commercial / Balanced	Carbon Steel	2-56	22.225	12.700
	<i>0.375</i>	<i>0.563</i>	<i>0.140</i>						<i>0.875</i>	<i>0.500</i>
# CGS-0953-R2NP-C	9.525	14.288	3.556	+0.025 / - 0.000	Rectangular - Type 2	Precision / Balanced	Carbon Steel	2-56	22.225	12.700
	<i>0.375</i>	<i>0.563</i>	<i>0.140</i>						<i>0.875</i>	<i>0.500</i>
# CGS-0953-ARP-3	9.525	14.288	6.350	+0.025 / - 0.000	Arch - Type 3	Precision / Not Balanced	303 Stainless	6-32	16.670	12.700
	<i>0.375</i>	<i>0.563</i>	<i>0.250</i>						<i>0.656</i>	<i>0.500</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Clamps - Gear - Split

Part Number	Inside Diameter (ID) mm	Clearance Radius mm	Depth (t) mm	ID Tolerances mm	Type	Grade	Material	Screw Size mm	Height mm	Width (B) mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>
# CGS-0953-R2C-C	9.525	14.288	6.350	+0.051 / - 0.000	Rectangular - Type 2	Commercial / Balanced	Carbon Steel	6-32	22.225	12.700
	<i>0.375</i>	<i>0.563</i>	<i>0.250</i>						<i>0.875</i>	<i>0.500</i>
# CGS-0953-ARP-CCP	9.525	14.288	6.350	+0.025 / - 0.000	Arch - Type 3	Precision / Not Balanced	Carbon Steel / Cadmium Plated	6-32	16.670	12.700
	<i>0.375</i>	<i>0.563</i>	<i>0.250</i>						<i>0.656</i>	<i>0.500</i>
# CGS-0953-ARC-3	9.525	14.288	6.350	+0.051 / - 0.000	Arch - Type 3	Commercial / Not Balanced	303 Stainless	6-32	16.670	12.700
	<i>0.375</i>	<i>0.563</i>	<i>0.250</i>						<i>0.656</i>	<i>0.500</i>
# CGS-0953-R2C-3	9.525	14.288	6.350	+0.051 / - 0.000	Rectangular - Type 2	Commercial / Balanced	303 Stainless	6-32	22.225	12.700
	<i>0.375</i>	<i>0.563</i>	<i>0.250</i>						<i>0.875</i>	<i>0.500</i>
# CGS-0953-ARC-4	9.525	14.288	6.350	+0.051 / - 0.000	Arch - Type 3	Commercial / Not Balanced	416 Stainless Hardened	6-32	16.670	12.700
	<i>0.375</i>	<i>0.563</i>	<i>0.250</i>						<i>0.656</i>	<i>0.500</i>
# CGS-0953-ARC-C	9.525	14.288	6.350	+0.051 / - 0.000	Arch - Type 3	Commercial / Not Balanced	Carbon Steel	6-32	16.670	12.700
	<i>0.375</i>	<i>0.563</i>	<i>0.250</i>						<i>0.656</i>	<i>0.500</i>
# CGS-0953-ARP-4	9.525	14.288	6.350	+0.025 / - 0.000	Arch - Type 3	Precision / Not Balanced	416 Stainless Hardened	6-32	16.670	12.700
	<i>0.375</i>	<i>0.563</i>	<i>0.250</i>						<i>0.656</i>	<i>0.500</i>
# CGS-0953-R2P-3	9.525	14.288	6.350	+0.025 / - 0.000	Rectangular - Type 2	Precision / Balanced	303 Stainless	6-32	22.225	12.700
	<i>0.375</i>	<i>0.563</i>	<i>0.250</i>						<i>0.875</i>	<i>0.500</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Clamps - Gear - Split

Part Number	Inside Diameter (ID) mm	Clearance Radius mm	Depth (t) mm	ID Tolerances mm	Type	Grade	Material	Screw Size mm	Height mm	Width (B) mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>
# CGS-0953-R2P-C	9.525	14.288	6.350	+0.025 / - 0.000	Rectangular - Type 2	Precision / Balanced	Carbon Steel	6-32	22.225	12.700
	<i>0.375</i>	<i>0.563</i>	<i>0.250</i>						<i>0.875</i>	<i>0.500</i>
# CGS-1111-ARSNC-C	11.113	13.096	3.556	+0.051 / - 0.000	Arch - Type 3	Commercial / Not Balanced	Carbon Steel	2-56	19.845	15.875
	<i>0.438</i>	<i>0.516</i>	<i>0.140</i>						<i>0.781</i>	<i>0.625</i>
# CGS-1111-ARSNP-3	11.113	13.096	3.556	+0.025 / - 0.000	Arch - Type 3	Precision / Not Balanced	303 Stainless	2-56	19.845	15.875
	<i>0.438</i>	<i>0.516</i>	<i>0.140</i>						<i>0.781</i>	<i>0.625</i>
# CGS-1111-ARSNP-CCP	11.113	13.096	3.556	+0.025 / - 0.000	Arch - Type 3	Precision / Not Balanced	Carbon Steel / Cadmium Plated	2-56	19.845	15.875
	<i>0.438</i>	<i>0.516</i>	<i>0.140</i>						<i>0.781</i>	<i>0.625</i>
# CGS-1111-ARSNC-3	11.113	13.096	3.556	+0.051 / - 0.000	Arch - Type 3	Commercial / Not Balanced	303 Stainless	2-56	19.845	15.875
	<i>0.438</i>	<i>0.516</i>	<i>0.140</i>						<i>0.781</i>	<i>0.625</i>
# CGS-1111-ARNC-C	11.113	14.288	3.556	+0.051 / - 0.000	Arch - Type 3	Commercial / Not Balanced	Carbon Steel	2-56	19.845	15.875
	<i>0.438</i>	<i>0.563</i>	<i>0.140</i>						<i>0.781</i>	<i>0.625</i>
# CGS-1111-ARNP-CCP	11.113	14.288	3.556	+0.025 / - 0.000	Arch - Type 3	Precision / Not Balanced	Carbon Steel / Cadmium Plated	2-56	19.845	15.875
	<i>0.438</i>	<i>0.563</i>	<i>0.140</i>						<i>0.781</i>	<i>0.625</i>
# CGS-1111-ARNP-3	11.113	14.288	3.556	+0.025 / - 0.000	Arch - Type 3	Precision / Not Balanced	303 Stainless	2-56	19.845	15.875
	<i>0.438</i>	<i>0.563</i>	<i>0.140</i>						<i>0.781</i>	<i>0.625</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Clamps - Gear - Split

Part Number	Inside Diameter (ID) mm	Clearance Radius mm	Depth (t) mm	ID Tolerances mm	Type	Grade	Material	Screw Size mm	Height mm	Width (B) mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>
# CGS-1111-ARNC-3	11.113	14.288	3.556	+0.051 / - 0.000	Arch - Type 3	Commercial / Not Balanced	303 Stainless	2-56	19.845	15.875
	<i>0.438</i>	<i>0.563</i>	<i>0.140</i>						<i>0.781</i>	<i>0.625</i>
# CGS-1111-ARSC-C	11.113	15.083	6.350	+0.051 / - 0.000	Arch - Type 3	Commercial / Not Balanced	Carbon Steel	6-32	19.845	15.875
	<i>0.438</i>	<i>0.594</i>	<i>0.250</i>						<i>0.781</i>	<i>0.625</i>
# CGS-1111-ARSC-4	11.113	15.083	6.350	+0.051 / - 0.000	Arch - Type 3	Commercial / Not Balanced	416 Stainless Hardened	6-32	19.845	15.875
	<i>0.438</i>	<i>0.594</i>	<i>0.250</i>						<i>0.781</i>	<i>0.625</i>
# CGS-1111-ARSP-CCP	11.113	15.083	6.350	+0.025 / - 0.000	Arch - Type 3	Precision / Not Balanced	Carbon Steel / Cadmium Plated	6-32	19.845	15.875
	<i>0.438</i>	<i>0.594</i>	<i>0.250</i>						<i>0.781</i>	<i>0.625</i>
# CGS-1111-ARSC-3	11.113	15.083	6.350	+0.051 / - 0.000	Arch - Type 3	Commercial / Not Balanced	303 Stainless	6-32	19.845	15.875
	<i>0.438</i>	<i>0.594</i>	<i>0.250</i>						<i>0.781</i>	<i>0.625</i>
# CGS-1111-ARSP-4	11.113	15.083	6.350	+0.025 / - 0.000	Arch - Type 3	Precision / Not Balanced	416 Stainless Hardened	6-32	19.845	15.875
	<i>0.438</i>	<i>0.594</i>	<i>0.250</i>						<i>0.781</i>	<i>0.625</i>
# CGS-1111-ARSP-3	11.113	15.083	6.350	+0.025 / - 0.000	Arch - Type 3	Precision / Not Balanced	303 Stainless	6-32	19.845	15.875
	<i>0.438</i>	<i>0.594</i>	<i>0.250</i>						<i>0.781</i>	<i>0.625</i>
# CGS-1111-R2SNC-C	11.113	15.479	3.556	+0.051 / - 0.000	Rectangular - Type 2	Commercial / Balanced	Carbon Steel	2-56	26.195	15.875
	<i>0.438</i>	<i>0.609</i>	<i>0.140</i>						<i>1.031</i>	<i>0.625</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Clamps - Gear - Split

Part Number	Inside Diameter (ID) mm	Clearance Radius mm	Depth (t) mm	ID Tolerances mm	Type	Grade	Material	Screw Size mm	Height mm	Width (B) mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>
# CGS-1111-R2SNP-C	11.113	15.479	3.556	+0.025 / - 0.000	Rectangular - Type 2	Precision / Balanced	Carbon Steel	2-56	26.195	15.875
	<i>0.438</i>	<i>0.609</i>	<i>0.140</i>						<i>1.031</i>	<i>0.625</i>
# CGS-1111-R2SC-C	11.113	15.479	6.350	+0.051 / - 0.000	Rectangular - Type 2	Commercial / Balanced	Carbon Steel	6-32	26.195	15.875
	<i>0.438</i>	<i>0.609</i>	<i>0.250</i>						<i>1.031</i>	<i>0.625</i>
# CGS-1111-R2SP-C	11.113	15.479	6.350	+0.025 / - 0.000	Rectangular - Type 2	Precision / Balanced	Carbon Steel	6-32	26.195	15.875
	<i>0.438</i>	<i>0.609</i>	<i>0.250</i>						<i>1.031</i>	<i>0.625</i>
# CGS-1111-R2SC-3	11.113	15.479	6.350	+0.051 / - 0.000	Rectangular - Type 2	Commercial / Balanced	303 Stainless	6-32	26.195	15.875
	<i>0.438</i>	<i>0.609</i>	<i>0.250</i>						<i>1.031</i>	<i>0.625</i>
# CGS-1111-R2SP-3	11.113	15.479	6.350	+0.025 / - 0.000	Rectangular - Type 2	Precision / Balanced	303 Stainless	6-32	26.195	15.875
	<i>0.438</i>	<i>0.609</i>	<i>0.250</i>						<i>1.031</i>	<i>0.625</i>
# CGS-1111-R2NP-C	11.113	16.271	3.556	+0.025 / - 0.000	Rectangular - Type 2	Precision / Balanced	Carbon Steel	2-56	26.195	15.875
	<i>0.438</i>	<i>0.641</i>	<i>0.140</i>						<i>1.031</i>	<i>0.625</i>
# CGS-1111-R2NC-C	11.113	16.271	3.556	+0.051 / - 0.000	Rectangular - Type 2	Commercial / Balanced	Carbon Steel	2-56	26.195	15.875
	<i>0.438</i>	<i>0.641</i>	<i>0.140</i>						<i>1.031</i>	<i>0.625</i>
# CGS-1111-ARP-CCP	11.113	16.271	6.350	+0.025 / - 0.000	Arch - Type 3	Precision / Not Balanced	Carbon Steel / Cadmium Plated	6-32	19.845	15.875
	<i>0.438</i>	<i>0.641</i>	<i>0.250</i>						<i>0.781</i>	<i>0.625</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Clamps - Gear - Split

Part Number	Inside Diameter (ID) mm	Clearance Radius mm	Depth (t) mm	ID Tolerances mm	Type	Grade	Material	Screw Size mm	Height mm	Width (B) mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>
# CGS-1111-ARC-C	11.113	16.271	6.350	+0.051 / - 0.000	Arch - Type 3	Commercial / Not Balanced	Carbon Steel	6-32	19.845	15.875
	<i>0.438</i>	<i>0.641</i>	<i>0.250</i>						<i>0.781</i>	<i>0.625</i>
# CGS-1111-R2C-C	11.113	16.271	6.350	+0.051 / - 0.000	Rectangular - Type 2	Commercial / Balanced	Carbon Steel	6-32	26.195	15.875
	<i>0.438</i>	<i>0.641</i>	<i>0.250</i>						<i>1.031</i>	<i>0.625</i>
# CGS-1111-R2C-3	11.113	16.271	6.350	+0.051 / - 0.000	Rectangular - Type 2	Commercial / Balanced	303 Stainless	6-32	26.195	15.875
	<i>0.438</i>	<i>0.641</i>	<i>0.250</i>						<i>1.031</i>	<i>0.625</i>
# CGS-1111-R2P-C	11.113	16.271	6.350	+0.025 / - 0.000	Rectangular - Type 2	Precision / Balanced	Carbon Steel	6-32	26.195	15.875
	<i>0.438</i>	<i>0.641</i>	<i>0.250</i>						<i>1.031</i>	<i>0.625</i>
# CGS-1111-ARC-3	11.113	16.271	6.350	+0.051 / - 0.000	Arch - Type 3	Commercial / Not Balanced	303 Stainless	6-32	19.845	15.875
	<i>0.438</i>	<i>0.641</i>	<i>0.250</i>						<i>0.781</i>	<i>0.625</i>
# CGS-1111-ARC-4	11.113	16.271	6.350	+0.051 / - 0.000	Arch - Type 3	Commercial / Not Balanced	416 Stainless Hardened	6-32	19.845	15.875
	<i>0.438</i>	<i>0.641</i>	<i>0.250</i>						<i>0.781</i>	<i>0.625</i>
# CGS-1111-ARP-3	11.113	16.271	6.350	+0.025 / - 0.000	Arch - Type 3	Precision / Not Balanced	303 Stainless	6-32	19.845	15.875
	<i>0.438</i>	<i>0.641</i>	<i>0.250</i>						<i>0.781</i>	<i>0.625</i>
# CGS-1111-ARP-4	11.113	16.271	6.350	+0.025 / - 0.000	Arch - Type 3	Precision / Not Balanced	416 Stainless Hardened	6-32	19.845	15.875
	<i>0.438</i>	<i>0.641</i>	<i>0.250</i>						<i>0.781</i>	<i>0.625</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Clamps - Gear - Split

Part Number	Inside Diameter (ID) mm	Clearance Radius mm	Depth (t) mm	ID Tolerances mm	Type	Grade	Material	Screw Size mm	Height mm	Width (B) mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>
# CGS-1111-R2P-3	11.113	16.271	6.350	+0.025 / - 0.000	Rectangular - Type 2	Precision / Balanced	303 Stainless	6-32	26.195	15.875
	<i>0.438</i>	<i>0.641</i>	<i>0.250</i>						<i>1.031</i>	<i>0.625</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to catalogues@minibearings.com.au

