




MBA

Clutch Assemblies - Slip - Standard



Adjustable Torque range 360-3600 g.cm (5-50 oz.in).

Adjustable Torque.

303 Stainless Steel with Cork Brake Material.

Use with hubless gears with 9.525 bore and 3.175 face width.

Clutch Assemblies - Slip - Standard

Part Number	Inner Diameter mm <i>inches</i>	Mounting Diameter mm <i>inches</i>	Overall Length mm <i>inches</i>	Figure	Torque Range g.cm	Frication Plate Diameter mm <i>inches</i>	Hub Type	Hub Diameter mm <i>inches</i>
# CSSA4-03.17x07.93-P	3.170 <i>0.125</i>	9.515 <i>0.375</i>	25.796 <i>1.016</i>	4	360-2160 (5-30 oz.in)	15.88 <i>0.625</i>	Pin Hub	7.93 <i>0.312</i>
# CSSA3-03.17x04.78-CL	3.170 <i>0.125</i>	9.515 <i>0.375</i>	25.796 <i>1.016</i>	3	360-3600 (5-50 oz.in)	25.40 <i>1.000</i>	Clamp Hub	4.78 <i>0.188</i>
# CSSA2-03.17x07.93-P	3.170 <i>0.125</i>	9.515 <i>0.375</i>	25.796 <i>1.016</i>	2	360-3600 (5-50 oz.in)	25.40 <i>1.000</i>	Pin Hub	7.93 <i>0.312</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Clutch Assemblies - Slip - Standard

Part Number	Inner Diameter mm	Mounting Diameter mm	Overall Length mm	Figure	Torque Range g.cm	Frication Plate Diameter mm	Hub Type	Hub Diameter mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>			<i>inches</i>		<i>inches</i>
# CSSA1-03.17x04.78-CL	3.170	9.515	25.796	1	360-3600 (5-50 oz.in)	25.40	Clamp Hub	4.78
	<i>0.125</i>	<i>0.375</i>	<i>1.016</i>			<i>1.000</i>		<i>0.188</i>
# CSSA4-04.76x09.53-P	4.757	9.515	25.796	4	360-2160 (5-30 oz.in)	15.88	Pin Hub	9.53
	<i>0.187</i>	<i>0.375</i>	<i>1.016</i>			<i>0.625</i>		<i>0.375</i>
# CSSA3-04.76x06.35-CL	4.757	9.515	25.796	3	360-3600 (5-50 oz.in)	25.40	Clamp Hub	6.35
	<i>0.187</i>	<i>0.375</i>	<i>1.016</i>			<i>1.000</i>		<i>0.250</i>
# CSSA2-04.76x09.53-P	4.757	9.515	25.796	2	360-3600 (5-50 oz.in)	25.40	Pin Hub	9.53
	<i>0.187</i>	<i>0.375</i>	<i>1.016</i>			<i>1.000</i>		<i>0.375</i>
# CSSA1-04.76x06.35-CL	4.757	9.515	25.796	1	360-3600 (5-50 oz.in)	25.40	Clamp Hub	6.35
	<i>0.187</i>	<i>0.375</i>	<i>1.016</i>			<i>1.000</i>		<i>0.250</i>
# CSSA4-06.34x12.70-P	6.345	9.515	25.796	4	360-2160 (5-30 oz.in)	15.88	Pin Hub	12.70
	<i>0.250</i>	<i>0.375</i>	<i>1.016</i>			<i>0.625</i>		<i>0.500</i>
# CSSA3-06.34x07.93-CL	6.345	9.515	25.796	3	360-3600 (5-50 oz.in)	25.40	Clamp Hub	7.93
	<i>0.250</i>	<i>0.375</i>	<i>1.016</i>			<i>1.000</i>		<i>0.312</i>
# CSSA2-06.34x12.70-P	6.345	9.515	25.796	2	360-3600 (5-50 oz.in)	25.40	Pin Hub	12.70
	<i>0.250</i>	<i>0.375</i>	<i>1.016</i>			<i>1.000</i>		<i>0.500</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Clutch Assemblies - Slip - Standard

Part Number	Inner Diameter mm	Mounting Diameter mm	Overall Length mm	Figure	Torque Range g.cm	Frication Plate Diameter mm	Hub Type	Hub Diameter mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>			<i>inches</i>		<i>inches</i>
# CSSA1-06.34x07.93-CL	6.345	9.515	25.796	1	360-3600 (5-50 oz.in)	25.40	Clamp Hub	7.93
	<i>0.250</i>	<i>0.375</i>	<i>1.016</i>			<i>1.000</i>		<i>0.312</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to catalogues@minibearings.com.au
