




# MBA

## Clutches - Combinorm - Power On



Applying a standard 24 V DC the armature is attracted by the force of a magnetic field.

This results in a frictionally engaged connected (for single-face elements).

or a positive-locking connection (for tooth clutches).

This catalogue to be read in conjunction with information at <http://www.minibearings.com.au/ogue/tech/clutches/combinormtech.pdf>

<http://www.minibearings.com.au/ogue/tech/clutches/combinormclutch.pdf>

### Clutches - Combinorm - Power On

Part Number	M2N Nm	P at 20°C W	A (h8) mm	B mm	C (H8) mm	C1 mm	C2 mm	d (max) mm	T mm	More Information
			<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	
# O1.03.110.00	0.50	6.00	39.00	33.50	11.00	13.50	-	6.00	31.00	See poweron.pdf in ftp/clutches folder
			<i>1.535</i>	<i>1.319</i>	<i>0.433</i>	<i>0.531</i>		<i>0.236</i>	<i>1.220</i>	
# O1.031300000	0.50	6.00	39.00	33.50	11.00	13.50	-	6.00	31.00	See poweron.pdf in ftp/clutches folder
			<i>1.535</i>	<i>1.319</i>	<i>0.433</i>	<i>0.531</i>		<i>0.236</i>	<i>1.220</i>	

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Clutches - Combinorm - Power On

Part Number	M2N Nm	P at 20°C W	A (h8) mm	B mm	C (H8) mm	C1 mm	C2 mm	d (max) mm	T mm	More Information
			<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	
# O2.031300000	0.75	6.00	45.00	38.00	13.00	16.00	13.60	8.00	34.00	See poweron.pdf in ftp/clutches folder
			<i>1.772</i>	<i>1.496</i>	<i>0.512</i>	<i>0.630</i>	<i>0.535</i>	<i>0.315</i>	<i>1.339</i>	
# O2.03.110.00	0.75	6.00	45.00	38.00	13.00	16.00	13.60	8.00	34.00	See poweron.pdf in ftp/clutches folder
			<i>1.772</i>	<i>1.496</i>	<i>0.512</i>	<i>0.630</i>	<i>0.535</i>	<i>0.315</i>	<i>1.339</i>	
# O3.031300000	1.50	8.00	54.00	47.00	19.00	22.00	20.00	10.00	43.00	See poweron.pdf in ftp/clutches folder
			<i>2.126</i>	<i>1.850</i>	<i>0.748</i>	<i>0.866</i>	<i>0.787</i>	<i>0.394</i>	<i>1.693</i>	
# O3.03.110.00	1.50	8.00	54.00	47.00	19.00	22.00	20.00	10.00	43.00	See poweron.pdf in ftp/clutches folder
			<i>2.126</i>	<i>1.850</i>	<i>0.748</i>	<i>0.866</i>	<i>0.787</i>	<i>0.394</i>	<i>1.693</i>	
# O5.031300000	3.00	10.00	65.00	58.00	26.00	24.00	27.00	15.00	54.00	See poweron.pdf in ftp/clutches folder
			<i>2.559</i>	<i>2.283</i>	<i>1.024</i>	<i>0.945</i>	<i>1.063</i>	<i>0.591</i>	<i>2.126</i>	
# O5.03.110.00	3.00	10.00	65.00	58.00	26.00	24.00	27.00	15.00	54.00	See poweron.pdf in ftp/clutches folder
			<i>2.559</i>	<i>2.283</i>	<i>1.024</i>	<i>0.945</i>	<i>1.063</i>	<i>0.591</i>	<i>2.126</i>	

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Clutches - Combinorm - Power On

Part Number	M2N Nm	P at 20°C W	A (h8) mm	B mm	C (H8) mm	C1 mm	C2 mm	d (max) mm	T mm	More Information
			<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	
# O6.03.130000	7.00	15.00	80.00	72.00	35.00	32.00	36.00	18.00	67.00	See poweron.pdf in ftp/clutches folder
			<i>3.150</i>	<i>2.835</i>	<i>1.378</i>	<i>1.260</i>	<i>1.417</i>	<i>0.709</i>	<i>2.638</i>	
# O6.03.110.00	7.00	15.00	80.00	72.00	35.00	32.00	36.00	18.00	67.00	See poweron.pdf in ftp/clutches folder
			<i>3.150</i>	<i>2.835</i>	<i>1.378</i>	<i>1.260</i>	<i>1.417</i>	<i>0.709</i>	<i>2.638</i>	
# O7.031300000	15.00	20.00	100.00	90.00	42.00	38.00	43.50	22.00	85.00	See poweron.pdf in ftp/clutches folder
			<i>3.937</i>	<i>3.543</i>	<i>1.654</i>	<i>1.496</i>	<i>1.713</i>	<i>0.866</i>	<i>3.346</i>	
# O7.03.110.00	15.00	20.00	100.00	90.00	42.00	38.00	43.50	22.00	85.00	See poweron.pdf in ftp/clutches folder
			<i>3.937</i>	<i>3.543</i>	<i>1.654</i>	<i>1.496</i>	<i>1.713</i>	<i>0.866</i>	<i>3.346</i>	
# O8.03.110.00	30.00	28.00	125.00	112.00	52.00	48.00	53.80	30.00	106.00	See poweron.pdf in ftp/clutches folder
			<i>4.921</i>	<i>4.409</i>	<i>2.047</i>	<i>1.890</i>	<i>2.118</i>	<i>1.181</i>	<i>4.173</i>	
# O8.031300000	30.00	28.00	125.00	112.00	52.00	48.00	53.80	30.00	106.00	See poweron.pdf in ftp/clutches folder
			<i>4.921</i>	<i>4.409</i>	<i>2.047</i>	<i>1.890</i>	<i>2.118</i>	<i>1.181</i>	<i>4.173</i>	

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Clutches - Combinorm - Power On

Part Number	M2N Nm	P at 20°C W	A (h8) mm	B mm	C (H8) mm	C1 mm	C2 mm	d (max) mm	T mm	More Information
			<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	
# 09.031300000	65.00	35.00	150.00	137.00	62.00	58.00	63.80	35.00	133.00	See poweron.pdf in ftp/clutches folder
			<i>5.906</i>	<i>5.394</i>	<i>2.441</i>	<i>2.283</i>	<i>2.512</i>	<i>1.378</i>	<i>5.236</i>	
# 09.03.110.00	65.00	35.00	150.00	137.00	62.00	58.00	63.80	35.00	133.00	See poweron.pdf in ftp/clutches folder
			<i>5.906</i>	<i>5.394</i>	<i>2.441</i>	<i>2.283</i>	<i>2.512</i>	<i>1.378</i>	<i>5.236</i>	
# 10.0313	130.00	50.00	190.00	175.00	80.00	73.00	82.10	45.00	169.00	See poweron.pdf in ftp/clutches folder
			<i>7.480</i>	<i>6.890</i>	<i>3.150</i>	<i>2.874</i>	<i>3.232</i>	<i>1.772</i>	<i>6.654</i>	
# 10.03.110.00	130.00	50.00	190.00	175.00	80.00	73.00	82.10	45.00	169.00	See poweron.pdf in ftp/clutches folder
			<i>7.480</i>	<i>6.890</i>	<i>3.150</i>	<i>2.874</i>	<i>3.232</i>	<i>1.772</i>	<i>6.654</i>	
# 11.0313	250.00	68.00	230.00	215.00	100.00	92.00	102.10	60.00	212.50	See poweron.pdf in ftp/clutches folder
			<i>9.055</i>	<i>8.465</i>	<i>3.937</i>	<i>3.622</i>	<i>4.020</i>	<i>2.362</i>	<i>8.366</i>	
# 11.03.110.00	250.00	68.00	230.00	215.00	100.00	92.00	102.10	60.00	212.50	See poweron.pdf in ftp/clutches folder
			<i>9.055</i>	<i>8.465</i>	<i>3.937</i>	<i>3.622</i>	<i>4.020</i>	<i>2.362</i>	<i>8.366</i>	

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Clutches - Combinorm - Power On

Part Number	M2N Nm	P at 20°C W	A (h8) mm	B mm	C (H8) mm	C1 mm	C2 mm	d (max) mm	T mm	More Information
			<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	
# 12.0313	500.00	85.00	290.00	270.00	125.00	112.00	127.40	70.00	266.00	See poweron.pdf in ftp/clutches folder
			<i>11.417</i>	<i>10.630</i>	<i>4.921</i>	<i>4.409</i>	<i>5.016</i>	<i>2.756</i>	<i>10.472</i>	
# 12.03.110.00	500.00	85.00	290.00	270.00	125.00	112.00	127.40	70.00	266.00	See poweron.pdf in ftp/clutches folder
			<i>11.417</i>	<i>10.630</i>	<i>4.921</i>	<i>4.409</i>	<i>5.016</i>	<i>2.756</i>	<i>10.472</i>	

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to [catalogues@minibearings.com.au](mailto:catalogues@minibearings.com.au)

