




# MBA

## Clutches - Magnetic - Bu-Ord Size 11 - Triplex



Breakaway Torque (Energised) at 24-28 V DC : 14.4g.cm (0.20 oz.in).

Breakaway Torque (De-energised) at 24-28 V DC : 4.3g.cm (0.06 oz.in).

Shafts A & B coupled when energised (terminals 1 and 2).

Shafts A & C coupled when energised (terminals 3 and 4).

Inertia (Energised) at 24-28 VDC : 8.0g.cm sq (0.045 oz.in sq) either coil, 10.7g.cm sq (0.060 oz.in sq) both coils.

### Clutches - Magnetic - Bu-Ord Size 11 - Triplex

Part Number	Output Torque g.cm	Shaft Diameter mm <i>inches</i>	Coupling Type	Configuration	Outside Diameter mm <i>inches</i>	Backlash min
# CMT27-0318-1440	1440.00	3.18 / 6.35 / 6.35	Friction	Triplex End	27.00 <i>1.063</i>	5 Min Max
# CMT27-0318-5040	5040.00	3.18 / 6.35 / 6.35	Crown Tooth	Triplex End	27.00 <i>1.063</i>	10 Min Max


# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

# MBA

## MINIATURE BEARINGS AUSTRALIA PTY LTD



ABN 94 069 113 800



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to [catalogues@minibearings.com.au](mailto:catalogues@minibearings.com.au)

**SDPSI**  
Stock Drive Products / Spring Instrument

**JK**

ANOTHER QUALITY PRODUCT BY  
**MOLYTEC**  
Australia

**Origin**  
BEARING

**WIB**

**THOMSON**

**EZO**



**myonic**  
solutions in microspace

**rino**



**inox**  
Quality Products

**GRW**

**DualVee<sup>x</sup>**  
Bishop-Wisecarver Corp.

**ondrives**  
Precision Manufacturing

**RMB**

**SOLARBOTICS<sup>INTL</sup>**

**KSK**  
BALL BEARING