




MBA

Clutches - Magnetic - Bu-Ord Size 11



Breakaway Torque (Energised) at 24-28 V DC : 10.8g.cm (0.15 oz.in).

Breakaway Torque (De-Energised) at 24-28 V DC : 3.6g.cm (0.05 oz.in).

Shafts A & B coupled when energised, braked when de-energised.

Inertia (De-Energised) at 24-28 VDC : 0.94g.cm sq (0.013 oz.in sq).

Inertia (Energised) at 24-28 VDC : 2.09g.cm sq (0.029 oz.in sq).

Clutches - Magnetic - Bu-Ord Size 11

Part Number	Output Torque g.cm	Shaft Diameter mm <i>inches</i>	Coupling Type	Configuration	Outside Diameter mm <i>inches</i>
# CM-03.18x26.98-1728	1728 (24 oz.in)	3.175 (+0/-0.013)	Friction	Double Ended	26.975 <i>1.062</i>
# CM-03.18x26.98-5040	5040 (70 oz.in)	3.175 (+0/-0.013)	Crown Tooth	Double Ended	26.975 <i>1.062</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to catalogues@minibearings.com.au
