




MBA

Clutches - Magnetic - Bu-Ord Size 18 - Triplex



Breakaway Torque (Energised) at 24-28 VDC : 14.4g.cm (0.20 oz.in).

Breakaway Torque (De-Energised) at 24-28 VDC : 4.3g.cm (0.06 oz.in).

Shafts A & B coupled when energised (terminals 1 and 2).

Shafts A & C coupled when energised (terminals 3 and 4).

Inertia (Energised) at 24-28 VDC : 19.2g.cm sq (0.108 oz.in sq) either coil, 25.86g.cm sq (0.145 oz.in sq) both coils.

Clutches - Magnetic - Bu-Ord Size 18 - Triplex

Part Number	Output Torque g.cm	Shaft Diameter mm <i>inches</i>	Coupling Type	Configuration	Outside Diameter mm <i>inches</i>
# CMT44-0318-3600	3600.00	3.18 / 6.35 / 6.35	Friction	Triplex End	44.45 <i>1.750</i>
# CMT44-0318-7200	7200.00	3.18 / 6.35 / 6.35	Crown Tooth	Triplex End	44.45 <i>1.750</i>


Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

MBA

MINIATURE BEARINGS AUSTRALIA PTY LTD



ABN 94 069 113 800



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to catalogues@minibearings.com.au

SDPSI
Stock Drive Products / Spring Instrument

JK

ANOTHER QUALITY PRODUCT BY
MOLYTEC
Australia

Origin
BEARING

WIB

THOMSON

EZO



myonic
solutions in microspace

rino



inox
Quality Products

GRW

DualVee^x
Bishop-Wisecarver Corp.

ondrives
Precision Manufacturing

RMB

SOLARBOTICS^{INTL}

KSK
BALL BEARING