




MBA

Collars - Shaft - Clamp Type



Collars - Shaft - Clamp Type

Part Number	Shaft Size (d) mm	Outside Diameter (D) mm	Overall Width (S) mm	Collar Style	Material	Screw Centres (E) mm	Screw Size	Dampening Pad Thickness (L2) mm	Shaft Tolerance mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>			<i>inches</i>		<i>inches</i>	<i>inches</i>
# COL-03.00x15.00-CL2-304	3.000	15.0	8.0	Two Piece Clamp	304 Stainless Steel	4.50	M3	-	+0.000/-0.007
	<i>0.118</i>	<i>0.591</i>	<i>0.315</i>			<i>0.177</i>			
COL-03.00x15.00-CL1-304	3.000	15.0	8.0	One Piece Clamp	304 Stainless Steel	4.50	M3	-	+0.000/-0.007
	<i>0.118</i>	<i>0.591</i>	<i>0.315</i>			<i>0.177</i>			
COL-03.00x15.00-CL1-CSP	3.000	15.0	10.0	One Piece Clamp with Urethane Pad	Carbon Steel Black-Chromate	4.50	M3	2.0	+0.000/-0.007
	<i>0.118</i>	<i>0.591</i>	<i>0.394</i>			<i>0.177</i>		<i>0.079</i>	

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Collars - Shaft - Clamp Type

Part Number	Shaft Size (d) mm <i>inches</i>	Outside Diameter (D) mm <i>inches</i>	Overall Width (S) mm <i>inches</i>	Collar Style	Material	Screw Centres (E) mm <i>inches</i>	Screw Size	Dampening Pad Thickness (L2) mm <i>inches</i>	Shaft Tolerance mm <i>inches</i>
# COL-03.00x15.00-CL1-304P	3.000 <i>0.118</i>	15.0 <i>0.591</i>	10.0 <i>0.394</i>	One Piece Clamp with Urethane Pad	304 Stainless Steel	4.50 <i>0.177</i>	M3	2.0 <i>0.079</i>	+0.000/-0.007
# 2SM003	3.000 <i>0.118</i>	16.0 <i>0.630</i>	9.0 <i>0.354</i>	Two Piece Clamp	303 Stainless Steel		M3	-	-
# 1LM003	3.000 <i>0.118</i>	16.0 <i>0.630</i>	9.0 <i>0.354</i>	One Piece Clamp	Steel 12L14 (9SMn Pb36)		M3	-	-
# 2LM003	3.000 <i>0.118</i>	16.0 <i>0.630</i>	9.0 <i>0.354</i>	Two Piece Clamp	Steel 12L14 (9SMn Pb36)		M3	-	-
# 1SM003	3.000 <i>0.118</i>	16.0 <i>0.630</i>	9.0 <i>0.354</i>	One Piece Clamp	303 Stainless Steel		M3	-	-
# COL-04.00x15.00-CL2-304	4.000 <i>0.157</i>	15.0 <i>0.591</i>	8.0 <i>0.315</i>	Two Piece Clamp	304 Stainless Steel	4.50 <i>0.177</i>	M3	-	+0.000/-0.012
# COL-04.00x15.00-CL1-304	4.000 <i>0.157</i>	15.0 <i>0.591</i>	8.0 <i>0.315</i>	One Piece Clamp	304 Stainless Steel	4.50 <i>0.177</i>	M3	-	+0.000/-0.012
# COL-04.00x15.00-CL1-304P	4.000 <i>0.157</i>	15.0 <i>0.591</i>	10.0 <i>0.394</i>	One Piece Clamp with Urethane Pad	304 Stainless Steel	4.50 <i>0.177</i>	M3	2.0 <i>0.079</i>	+0.000/-0.012

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Collars - Shaft - Clamp Type

Part Number	Shaft Size (d) mm <i>inches</i>	Outside Diameter (D) mm <i>inches</i>	Overall Width (S) mm <i>inches</i>	Collar Style	Material	Screw Centres (E) mm <i>inches</i>	Screw Size	Dampening Pad Thickness (L2) mm <i>inches</i>	Shaft Tolerance mm <i>inches</i>
# COL-04.00x15.00-CL1-CSP	4.000 <i>0.157</i>	15.0 <i>0.591</i>	10.0 <i>0.394</i>	One Piece Clamp with Urethane Pad	Carbon Steel Black-Chromate	4.50 <i>0.177</i>	M3	2.0 <i>0.079</i>	+0.000/-0.012
# 2LM004	4.000 <i>0.157</i>	16.0 <i>0.630</i>	9.0 <i>0.354</i>	Two Piece Clamp	Steel 12L14 (9SMn Pb36)		M3	-	-
# 2SM004	4.000 <i>0.157</i>	16.0 <i>0.630</i>	9.0 <i>0.354</i>	Two Piece Clamp	303 Stainless Steel		M3	-	-
# 1SM004	4.000 <i>0.157</i>	16.0 <i>0.630</i>	9.0 <i>0.354</i>	One Piece Clamp	303 Stainless Steel		M3	-	-
# 1LM004	4.000 <i>0.157</i>	16.0 <i>0.630</i>	9.0 <i>0.354</i>	One Piece Clamp	Steel 12L14 (9SMn Pb36)		M3	-	-
# 2LM005	5.000 <i>0.197</i>	16.0 <i>0.630</i>	9.0 <i>0.354</i>	Two Piece Clamp	Steel 12L14 (9SMn Pb36)		M3	-	-
# 1SM005	5.000 <i>0.197</i>	16.0 <i>0.630</i>	9.0 <i>0.354</i>	One Piece Clamp	303 Stainless Steel		M3	-	-
# 1LM005	5.000 <i>0.197</i>	16.0 <i>0.630</i>	9.0 <i>0.354</i>	One Piece Clamp	Steel 12L14 (9SMn Pb36)		M3	-	-

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Collars - Shaft - Clamp Type

Part Number	Shaft Size (d) mm	Outside Diameter (D) mm	Overall Width (S) mm	Collar Style	Material	Screw Centres (E) mm	Screw Size	Dampening Pad Thickness (L2) mm	Shaft Tolerance mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>			<i>inches</i>		<i>inches</i>	<i>inches</i>
# 2SM005	5.000 <i>0.197</i>	16.0 <i>0.630</i>	9.0 <i>0.354</i>	Two Piece Clamp	303 Stainless Steel		M3	-	-
# COL-05.00x20.00-CL2-304	5.000 <i>0.197</i>	20.0 <i>0.787</i>	8.0 <i>0.315</i>	Two Piece Clamp	304 Stainless Steel	5.50 <i>0.217</i>	M3	-	+0.000/-0.012
# COL-05.00x20.00-CL1-304	5.000 <i>0.197</i>	20.0 <i>0.787</i>	8.0 <i>0.315</i>	One Piece Clamp	304 Stainless Steel	6.00 <i>0.236</i>	M3	-	+0.000/-0.012
# COL-05.00x20.00-CL1-304P	5.000 <i>0.197</i>	20.0 <i>0.787</i>	12.0 <i>0.472</i>	One Piece Clamp with Urethane Pad	304 Stainless Steel	6.00 <i>0.236</i>	M4	2.0 <i>0.079</i>	+0.000/-0.012
# COL-05.00x20.00-CL1-CSP	5.000 <i>0.197</i>	20.0 <i>0.787</i>	12.0 <i>0.472</i>	One Piece Clamp with Urethane Pad	Carbon Steel Black-Chromate	6.00 <i>0.236</i>	M4	2.0 <i>0.079</i>	+0.000/-0.012
# 1SM006	6.000 <i>0.236</i>	16.0 <i>0.630</i>	9.0 <i>0.354</i>	One Piece Clamp	303 Stainless Steel		M3	-	-
# 1LM006	6.000 <i>0.236</i>	16.0 <i>0.630</i>	9.0 <i>0.354</i>	One Piece Clamp	Steel 12L14 (9SMn Pb36)		M3	-	-
# 2LM006	6.000 <i>0.236</i>	16.0 <i>0.630</i>	9.0 <i>0.354</i>	Two Piece Clamp	Steel 12L14 (9SMn Pb36)		M3	-	-

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Collars - Shaft - Clamp Type

Part Number	Shaft Size (d) mm	Outside Diameter (D) mm	Overall Width (S) mm	Collar Style	Material	Screw Centres (E) mm	Screw Size	Dampening Pad Thickness (L2) mm	Shaft Tolerance mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>			<i>inches</i>		<i>inches</i>	<i>inches</i>
# 2SM006	6.000	16.0	9.0	Two Piece Clamp	303 Stainless Steel		M3	-	-
	<i>0.236</i>	<i>0.630</i>	<i>0.354</i>						
# COL-06.00x20.00-CL2-304	6.000	20.0	8.0	Two Piece Clamp	304 Stainless Steel	6.00	M3	-	+0.000/-0.012
	<i>0.236</i>	<i>0.787</i>	<i>0.315</i>			<i>0.236</i>			
# COL-06.00x20.00-CL1-304	6.000	20.0	8.0	One Piece Clamp	304 Stainless Steel	6.00	M3	-	+0.000/-0.012
	<i>0.236</i>	<i>0.787</i>	<i>0.315</i>			<i>0.236</i>			
# COL-06.00x20.00-CL1-CSP	6.000	20.0	12.0	One Piece Clamp with Urethane Pad	Carbon Steel Black-Chromate	6.00	M4	2.0	+0.000/-0.012
	<i>0.236</i>	<i>0.787</i>	<i>0.472</i>			<i>0.236</i>		<i>0.079</i>	
# COL-06.00x20.00-CL1-304P	6.000	20.0	12.0	One Piece Clamp with Urethane Pad	304 Stainless Steel	6.00	M4	2.0	+0.000/-0.012
	<i>0.236</i>	<i>0.787</i>	<i>0.472</i>			<i>0.236</i>		<i>0.079</i>	
# 2LM008	8.000	18.0	9.0	Two Piece Clamp	Steel 12L14 (9SMn Pb36)		M3	-	-
	<i>0.315</i>	<i>0.709</i>	<i>0.354</i>						
# 2SM008	8.000	18.0	9.0	Two Piece Clamp	303 Stainless Steel		M3	-	-
	<i>0.315</i>	<i>0.709</i>	<i>0.354</i>						
# 1LM008	8.000	18.0	9.0	One Piece Clamp	Steel 12L14 (9SMn Pb36)		M3	-	-
	<i>0.315</i>	<i>0.709</i>	<i>0.354</i>						

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Collars - Shaft - Clamp Type

Part Number	Shaft Size (d) mm	Outside Diameter (D) mm	Overall Width (S) mm	Collar Style	Material	Screw Centres (E) mm	Screw Size	Dampening Pad Thickness (L2) mm	Shaft Tolerance mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>			<i>inches</i>		<i>inches</i>	<i>inches</i>
# 1SM008	8.000	18.0	9.0	One Piece Clamp	303 Stainless Steel		M3	-	-
	<i>0.315</i>	<i>0.709</i>	<i>0.354</i>						
# COL-08.00x25.00-CL1-304	8.000	25.0	8.0	One Piece Clamp	304 Stainless Steel	8.00	M3	-	+0.000/-0.015
	<i>0.315</i>	<i>0.984</i>	<i>0.315</i>			<i>0.315</i>			
# COL-08.00x25.00-CL2-304	8.000	25.0	8.0	Two Piece Clamp	304 Stainless Steel	8.00	M3	-	+0.000/-0.015
	<i>0.315</i>	<i>0.984</i>	<i>0.315</i>			<i>0.315</i>			
# COL-08.00x30.00-CL2-CSP	8.000	30.0	18.0	Two Piece Clamp with Urethane Pad	Carbon St. - Black Chromate	9.00	M6	3.0	+0.000/-0.015
	<i>0.315</i>	<i>1.181</i>	<i>0.709</i>			<i>0.354</i>		<i>0.118</i>	
# COL-08.00x30.00-CL1-CSP	8.000	30.0	18.0	One Piece Clamp with Urethane Pad	Carbon Steel Black-Chromate	9.00	M6	3.0	+0.000/-0.015
	<i>0.315</i>	<i>1.181</i>	<i>0.709</i>			<i>0.354</i>		<i>0.118</i>	
# COL-08.00x30.00-CL1-304P	8.000	30.0	18.0	One Piece Clamp with Urethane Pad	304 Stainless Steel	9.00	M6	3.0	+0.000/-0.015
	<i>0.315</i>	<i>1.181</i>	<i>0.709</i>			<i>0.354</i>		<i>0.118</i>	
# 2LM009	9.000	24.0	9.0	Two Piece Clamp	Steel 12L14 (9SMn Pb36)		M3	-	-
	<i>0.354</i>	<i>0.945</i>	<i>0.354</i>						
# 2SM009	9.000	24.0	9.0	Two Piece Clamp	303 Stainless Steel		M3	-	-
	<i>0.354</i>	<i>0.945</i>	<i>0.354</i>						

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Collars - Shaft - Clamp Type

Part Number	Shaft Size (d) mm	Outside Diameter (D) mm	Overall Width (S) mm	Collar Style	Material	Screw Centres (E) mm	Screw Size	Dampening Pad Thickness (L2) mm	Shaft Tolerance mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>			<i>inches</i>		<i>inches</i>	<i>inches</i>
# 1SM009	9.000 <i>0.354</i>	24.0 <i>0.945</i>	9.0 <i>0.354</i>	One Piece Clamp	303 Stainless Steel		M3	-	-
# 1LM009	9.000 <i>0.354</i>	24.0 <i>0.945</i>	9.0 <i>0.354</i>	One Piece Clamp	Steel 12L14 (9SMn Pb36)		M3	-	-
# 2LM010	10.000 <i>0.394</i>	24.0 <i>0.945</i>	9.0 <i>0.354</i>	Two Piece Clamp	Steel 12L14 (9SMn Pb36)		M3	-	-
1LM010	10.000 <i>0.394</i>	24.0 <i>0.945</i>	9.0 <i>0.354</i>	One Piece Clamp	Steel 12L14 (9SMn Pb36)		M3	-	-
# 1SM010	10.000 <i>0.394</i>	24.0 <i>0.945</i>	9.0 <i>0.354</i>	One Piece Clamp	303 Stainless Steel		M3	-	-
# 2SM010	10.000 <i>0.394</i>	24.0 <i>0.945</i>	9.0 <i>0.354</i>	Two Piece Clamp	303 Stainless Steel		M3	-	-
# COL-10.00x30.00-CL2-304	10.000 <i>0.394</i>	30.0 <i>1.181</i>	10.0 <i>0.394</i>	Two Piece Clamp	304 Stainless Steel	9.00 <i>0.354</i>	M4	-	+0.000/-0.015
# COL-10.00x30.00-CL1-304	10.000 <i>0.394</i>	30.0 <i>1.181</i>	10.0 <i>0.394</i>	One Piece Clamp	304 Stainless Steel	9.00 <i>0.354</i>	M4	-	+0.000/-0.015

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Collars - Shaft - Clamp Type

Part Number	Shaft Size (d) mm	Outside Diameter (D) mm	Overall Width (S) mm	Collar Style	Material	Screw Centres (E) mm	Screw Size	Dampening Pad Thickness (L2) mm	Shaft Tolerance mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>			<i>inches</i>		<i>inches</i>	<i>inches</i>
# COL-10.00x35.00-CL1-304P	10.000	35.0	18.0	One Piece Clamp with Urethane Pad	304 Stainless Steel	10.00	M6	3.0	+0.000/-0.015
	<i>0.394</i>	<i>1.378</i>	<i>0.709</i>			<i>0.394</i>		<i>0.118</i>	
# COL-10.00x35.00-CL1-CSP	10.000	35.0	18.0	One Piece Clamp with Urethane Pad	Carbon Steel Black-Chromate	10.00	M6	3.0	+0.000/-0.015
	<i>0.394</i>	<i>1.378</i>	<i>0.709</i>			<i>0.394</i>		<i>0.118</i>	
# COL-10.00x35.00-CL2-CSP	10.000	35.0	18.0	Two Piece Clamp with Urethane Pad	Carbon St. - Black Chromate	10.00	M6	3.0	+0.000/-0.015
	<i>0.394</i>	<i>1.378</i>	<i>0.709</i>			<i>0.394</i>		<i>0.118</i>	
# 1LM011	11.000	28.0	11.0	One Piece Clamp	Steel 12L14 (9SMn Pb36)		M4	-	-
	<i>0.433</i>	<i>1.102</i>	<i>0.433</i>						
# 1SM011	11.000	28.0	11.0	One Piece Clamp	303 Stainless Steel		M4	-	-
	<i>0.433</i>	<i>1.102</i>	<i>0.433</i>						
# 2SM011	11.000	28.0	11.0	Two Piece Clamp	303 Stainless Steel		M4	-	-
	<i>0.433</i>	<i>1.102</i>	<i>0.433</i>						
# 2LM011	11.000	28.0	11.0	Two Piece Clamp	Steel 12L14 (9SMn Pb36)		M4	-	-
	<i>0.433</i>	<i>1.102</i>	<i>0.433</i>						
# 2SM012	12.000	28.0	11.0	Two Piece Clamp	303 Stainless Steel		M4	-	-
	<i>0.472</i>	<i>1.102</i>	<i>0.433</i>						

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Collars - Shaft - Clamp Type

Part Number	Shaft Size (d) mm	Outside Diameter (D) mm	Overall Width (S) mm	Collar Style	Material	Screw Centres (E) mm	Screw Size	Dampening Pad Thickness (L2) mm	Shaft Tolerance mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>			<i>inches</i>		<i>inches</i>	<i>inches</i>
# 1LM012	12.000 <i>0.472</i>	28.0 <i>1.102</i>	11.0 <i>0.433</i>	One Piece Clamp	Steel 12L14 (9SMn Pb36)		M4	-	-
# 2LM012	12.000 <i>0.472</i>	28.0 <i>1.102</i>	11.0 <i>0.433</i>	Two Piece Clamp	Steel 12L14 (9SMn Pb36)		M4	-	-
# 1SM012	12.000 <i>0.472</i>	28.0 <i>1.102</i>	11.0 <i>0.433</i>	One Piece Clamp	303 Stainless Steel		M4	-	-
COL-12.00x30.00-CL1-304	12.000 <i>0.472</i>	30.0 <i>1.181</i>	10.0 <i>0.394</i>	One Piece Clamp	304 Stainless Steel	10.00 <i>0.394</i>	M4	-	+0.000/-0.018
# COL-12.00x30.00-CL2-304	12.000 <i>0.472</i>	30.0 <i>1.181</i>	10.0 <i>0.394</i>	Two Piece Clamp	304 Stainless Steel	10.00 <i>0.394</i>	M4	-	+0.000/-0.018
# COL-12.00x35.00-CL1-304P	12.000 <i>0.472</i>	35.0 <i>1.378</i>	18.0 <i>0.709</i>	One Piece Clamp with Urethane Pad	304 Stainless Steel	11.00 <i>0.433</i>	M6	3.0 <i>0.118</i>	+0.000/-0.018
# COL-12.00x35.00-CL2-CSP	12.000 <i>0.472</i>	35.0 <i>1.378</i>	18.0 <i>0.709</i>	Two Piece Clamp with Urethane Pad	Carbon St. - Black Chromate	11.00 <i>0.433</i>	M6	3.0 <i>0.118</i>	+0.000/-0.018
# COL-12.00x35.00-CL1-CSP	12.000 <i>0.472</i>	35.0 <i>1.378</i>	18.0 <i>0.709</i>	One Piece Clamp with Urethane Pad	Carbon Steel Black-Chromate	11.00 <i>0.433</i>	M6	3.0 <i>0.118</i>	+0.000/-0.018

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Collars - Shaft - Clamp Type

Part Number	Shaft Size (d) mm	Outside Diameter (D) mm	Overall Width (S) mm	Collar Style	Material	Screw Centres (E) mm	Screw Size	Dampening Pad Thickness (L2) mm	Shaft Tolerance mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>			<i>inches</i>		<i>inches</i>	<i>inches</i>
# 8C008	12.700	28.6	10.0	Two Piece Clamp	316 Stainless Steel		8-32	-	-
	<i>0.500</i>	<i>1.126</i>	<i>0.394</i>						
# 7C008	12.700	28.6	10.0	One Piece Clamp	316 Stainless Steel		8-32	-	-
	<i>0.500</i>	<i>1.126</i>	<i>0.394</i>						
# COL-13.00x30.00-CL2-304	13.000	30.0	10.0	Two Piece Clamp	304 Stainless Steel	10.00	M4	-	+0.000/-0.018
	<i>0.512</i>	<i>1.181</i>	<i>0.394</i>			<i>0.394</i>			
# COL-13.00x30.00-CL1-304	13.000	30.0	10.0	One Piece Clamp	304 Stainless Steel	10.00	M4	-	+0.000/-0.018
	<i>0.512</i>	<i>1.181</i>	<i>0.394</i>			<i>0.394</i>			
# COL-13.00x35.00-CL1-CSP	13.000	35.0	18.0	One Piece Clamp with Urethane Pad	Carbon Steel Black-Chromate	11.00	M6	3.0	+0.000/-0.018
	<i>0.512</i>	<i>1.378</i>	<i>0.709</i>			<i>0.433</i>		<i>0.118</i>	
# COL-13.00x35.00-CL1-304P	13.000	35.0	18.0	One Piece Clamp with Urethane Pad	304 Stainless Steel	11.00	M6	3.0	+0.000/-0.018
	<i>0.512</i>	<i>1.378</i>	<i>0.709</i>			<i>0.433</i>		<i>0.118</i>	
# 2LM014	14.000	30.0	11.0	Two Piece Clamp	Steel 12L14 (9SMn Pb36)		M4	-	-
	<i>0.551</i>	<i>1.181</i>	<i>0.433</i>						
# 1LM014	14.000	30.0	11.0	One Piece Clamp	Steel 12L14 (9SMn Pb36)		M4	-	-
	<i>0.551</i>	<i>1.181</i>	<i>0.433</i>						

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Collars - Shaft - Clamp Type

Part Number	Shaft Size (d) mm	Outside Diameter (D) mm	Overall Width (S) mm	Collar Style	Material	Screw Centres (E) mm	Screw Size	Dampening Pad Thickness (L2) mm	Shaft Tolerance mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>			<i>inches</i>		<i>inches</i>	<i>inches</i>
# 1SM014	14.000	30.0	11.0	One Piece Clamp	303 Stainless Steel		M4	-	-
	<i>0.551</i>	<i>1.181</i>	<i>0.433</i>						
# 2SM014	14.000	30.0	11.0	Two Piece Clamp	303 Stainless Steel		M4	-	-
	<i>0.551</i>	<i>1.181</i>	<i>0.433</i>						
# 2SM015	15.000	34.0	13.0	Two Piece Clamp	303 Stainless Steel		M5	-	-
	<i>0.591</i>	<i>1.339</i>	<i>0.512</i>						
# 2LM015	15.000	34.0	13.0	Two Piece Clamp	Steel 12L14 (9SMn Pb36)		M5	-	-
	<i>0.591</i>	<i>1.339</i>	<i>0.512</i>						
# 1LM015	15.000	34.0	13.0	One Piece Clamp	Steel 12L14 (9SMn Pb36)		M5	-	-
	<i>0.591</i>	<i>1.339</i>	<i>0.512</i>						
# 1SM015	15.000	34.0	13.0	One Piece Clamp	303 Stainless Steel		M5	-	-
	<i>0.591</i>	<i>1.339</i>	<i>0.512</i>						
# COL-15.00x35.00-CL1-304	15.000	35.0	12.0	One Piece Clamp	304 Stainless Steel	12.00	M5	-	+0.000/-0.018
	<i>0.591</i>	<i>1.378</i>	<i>0.472</i>			<i>0.472</i>			
# COL-15.00x35.00-CL2-304	15.000	35.0	12.0	Two Piece Clamp	304 Stainless Steel	12.00	M5	-	+0.000/-0.018
	<i>0.591</i>	<i>1.378</i>	<i>0.472</i>			<i>0.472</i>			

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Collars - Shaft - Clamp Type

Part Number	Shaft Size (d) mm	Outside Diameter (D) mm	Overall Width (S) mm	Collar Style	Material	Screw Centres (E) mm	Screw Size	Dampening Pad Thickness (L2) mm	Shaft Tolerance mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>			<i>inches</i>		<i>inches</i>	<i>inches</i>
# COL-15.00x40.00-CL2-CSP	15.000	40.0	18.0	Two Piece Clamp with Urethane Pad	Carbon St. - Black Chromate	13.00	M6	3.0	+0.000/-0.018
	<i>0.591</i>	<i>1.575</i>	<i>0.709</i>			<i>0.512</i>		<i>0.118</i>	
# COL-15.00x40.00-CL1-304P	15.000	40.0	18.0	One Piece Clamp with Urethane Pad	304 Stainless Steel	13.00	M6	3.0	+0.000/-0.018
	<i>0.591</i>	<i>1.575</i>	<i>0.709</i>			<i>0.512</i>		<i>0.118</i>	
# COL-15.00x40.00-CL1-CSP	15.000	40.0	18.0	One Piece Clamp with Urethane Pad	Carbon Steel Black-Chromate	13.00	M6	3.0	+0.000/-0.018
	<i>0.591</i>	<i>1.575</i>	<i>0.709</i>			<i>0.512</i>		<i>0.118</i>	
# 7C010	15.880	33.3	11.1	One Piece Clamp	316 Stainless Steel		10-32	-	-
	<i>0.625</i>	<i>1.311</i>	<i>0.437</i>						
# 8C010	15.880	33.3	11.1	Two Piece Clamp	316 Stainless Steel		10-32	-	-
	<i>0.625</i>	<i>1.311</i>	<i>0.437</i>						
# 1LM016	16.000	34.0	13.0	One Piece Clamp	Steel 12L14 (9SMn Pb36)		M5	-	-
	<i>0.630</i>	<i>1.339</i>	<i>0.512</i>						
# 1SM016	16.000	34.0	13.0	One Piece Clamp	303 Stainless Steel		M5	-	-
	<i>0.630</i>	<i>1.339</i>	<i>0.512</i>						
# 2LM016	16.000	34.0	13.0	Two Piece Clamp	Steel 12L14 (9SMn Pb36)		M5	-	-
	<i>0.630</i>	<i>1.339</i>	<i>0.512</i>						

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Collars - Shaft - Clamp Type

Part Number	Shaft Size (d) mm	Outside Diameter (D) mm	Overall Width (S) mm	Collar Style	Material	Screw Centres (E) mm	Screw Size	Dampening Pad Thickness (L2) mm	Shaft Tolerance mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>			<i>inches</i>		<i>inches</i>	<i>inches</i>
# 2SM016	16.000	34.0	13.0	Two Piece Clamp	303 Stainless Steel		M5	-	-
	<i>0.630</i>	<i>1.339</i>	<i>0.512</i>						
# COL-16.00x35.00-CL2-304	16.000	35.0	12.0	Two Piece Clamp	304 Stainless Steel	12.00	M5	-	+0.000/-0.018
	<i>0.630</i>	<i>1.378</i>	<i>0.472</i>			<i>0.472</i>			
# COL-16.00x35.00-CL1-304	16.000	35.0	12.0	One Piece Clamp	304 Stainless Steel	12.00	M5	-	+0.000/-0.018
	<i>0.630</i>	<i>1.378</i>	<i>0.472</i>			<i>0.472</i>			
# COL-16.00x40.00-CL1-CSP	16.000	40.0	18.0	One Piece Clamp with Urethane Pad	Carbon Steel Black-Chromate	13.00	M6	3.0	+0.000/-0.018
	<i>0.630</i>	<i>1.575</i>	<i>0.709</i>			<i>0.512</i>		<i>0.118</i>	
# COL-16.00x40.00-CL1-304P	16.000	40.0	18.0	One Piece Clamp with Urethane Pad	304 Stainless Steel	13.00	M6	3.0	+0.000/-0.018
	<i>0.630</i>	<i>1.575</i>	<i>0.709</i>			<i>0.512</i>		<i>0.118</i>	
# 2SM017	17.000	36.0	13.0	Two Piece Clamp	303 Stainless Steel		M5	-	-
	<i>0.669</i>	<i>1.417</i>	<i>0.512</i>						
# 2LM017	17.000	36.0	13.0	Two Piece Clamp	Steel 12L14 (9SMn Pb36)		M5	-	-
	<i>0.669</i>	<i>1.417</i>	<i>0.512</i>						
# 1LM017	17.000	36.0	13.0	One Piece Clamp	Steel 12L14 (9SMn Pb36)		M5	-	-
	<i>0.669</i>	<i>1.417</i>	<i>0.512</i>						

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Collars - Shaft - Clamp Type

Part Number	Shaft Size (d) mm	Outside Diameter (D) mm	Overall Width (S) mm	Collar Style	Material	Screw Centres (E) mm	Screw Size	Dampening Pad Thickness (L2) mm	Shaft Tolerance mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>			<i>inches</i>		<i>inches</i>	<i>inches</i>
# 1SM017	17.000 <i>0.669</i>	36.0 <i>1.417</i>	13.0 <i>0.512</i>	One Piece Clamp	303 Stainless Steel		M5	-	-
# COL-17.00x40.00-CL1-304	17.000 <i>0.669</i>	40.0 <i>1.575</i>	15.0 <i>0.591</i>	One Piece Clamp	304 Stainless Steel	13.00 <i>0.512</i>	M6	-	+0.000/-0.018
# COL-17.00x40.00-CL2-304	17.000 <i>0.669</i>	40.0 <i>1.575</i>	15.0 <i>0.591</i>	Two Piece Clamp	304 Stainless Steel	13.00 <i>0.512</i>	M6	-	+0.000/-0.018
# COL-17.00x40.00-CL1-CSP	17.000 <i>0.669</i>	40.0 <i>1.575</i>	18.0 <i>0.709</i>	One Piece Clamp with Urethane Pad	Carbon Steel Black-Chromate	13.00 <i>0.512</i>	M6	3.0 <i>0.118</i>	+0.000/-0.018
# COL-17.00x40.00-CL1-304P	17.000 <i>0.669</i>	40.0 <i>1.575</i>	18.0 <i>0.709</i>	One Piece Clamp with Urethane Pad	304 Stainless Steel	13.00 <i>0.512</i>	M6	3.0 <i>0.118</i>	+0.000/-0.018
# 1SM018	18.000 <i>0.709</i>	36.0 <i>1.417</i>	13.0 <i>0.512</i>	One Piece Clamp	303 Stainless Steel		M5	-	-
# 1LM018	18.000 <i>0.709</i>	36.0 <i>1.417</i>	13.0 <i>0.512</i>	One Piece Clamp	Steel 12L14 (9SMn Pb36)		M5	-	-
# 2LM018	18.000 <i>0.709</i>	36.0 <i>1.417</i>	13.0 <i>0.512</i>	Two Piece Clamp	Steel 12L14 (9SMn Pb36)		M5	-	-

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Collars - Shaft - Clamp Type

Part Number	Shaft Size (d) mm	Outside Diameter (D) mm	Overall Width (S) mm	Collar Style	Material	Screw Centres (E) mm	Screw Size	Dampening Pad Thickness (L2) mm	Shaft Tolerance mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>			<i>inches</i>		<i>inches</i>	<i>inches</i>
# 2SM018	18.000 <i>0.709</i>	36.0 <i>1.417</i>	13.0 <i>0.512</i>	Two Piece Clamp	303 Stainless Steel		M5	-	-
# COL-18.00x45.00-CL1-304	18.000 <i>0.709</i>	45.0 <i>1.772</i>	15.0 <i>0.591</i>	One Piece Clamp	304 Stainless Steel	15.00 <i>0.591</i>	M6	-	+0.000/-0.018
# COL-18.00x45.00-CL2-304	18.000 <i>0.709</i>	45.0 <i>1.772</i>	15.0 <i>0.591</i>	Two Piece Clamp	304 Stainless Steel	15.00 <i>0.591</i>	M6	-	+0.000/-0.018
# COL-18.00x45.00-CL1-304P	18.000 <i>0.709</i>	45.0 <i>1.772</i>	18.0 <i>0.709</i>	One Piece Clamp with Urethane Pad	304 Stainless Steel	15.00 <i>0.591</i>	M6	3.0 <i>0.118</i>	+0.000/-0.018
# COL-18.00x45.00-CL1-CSP	18.000 <i>0.709</i>	45.0 <i>1.772</i>	18.0 <i>0.709</i>	One Piece Clamp with Urethane Pad	Carbon Steel Black-Chromate	15.00 <i>0.591</i>	M6	3.0 <i>0.118</i>	+0.000/-0.018
# 1LM019	19.000 <i>0.748</i>	40.0 <i>1.575</i>	15.0 <i>0.591</i>	One Piece Clamp	Steel 12L14 (9SMn Pb36)		M6	-	-
# 2LM019	19.000 <i>0.748</i>	40.0 <i>1.575</i>	15.0 <i>0.591</i>	Two Piece Clamp	Steel 12L14 (9SMn Pb36)		M6	-	-
# 1SM019	19.000 <i>0.748</i>	40.0 <i>1.575</i>	15.0 <i>0.591</i>	One Piece Clamp	303 Stainless Steel		M6	-	-

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Collars - Shaft - Clamp Type

Part Number	Shaft Size (d) mm	Outside Diameter (D) mm	Overall Width (S) mm	Collar Style	Material	Screw Centres (E) mm	Screw Size	Dampening Pad Thickness (L2) mm	Shaft Tolerance mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>			<i>inches</i>		<i>inches</i>	<i>inches</i>
# 2SM019	19.000	40.0	15.0	Two Piece Clamp	303 Stainless Steel		M6	-	-
	<i>0.748</i>	<i>1.575</i>	<i>0.591</i>						
# 8C012	19.050	38.1	12.7	Two Piece Clamp	316 Stainless Steel		1/4-28	-	-
	<i>0.750</i>	<i>1.500</i>	<i>0.500</i>						
# 7C012	19.050	38.1	12.7	One Piece Clamp	316 Stainless Steel		1/4-28	-	-
	<i>0.750</i>	<i>1.500</i>	<i>0.500</i>						
1SM020	20.000	40.0	15.0	One Piece Clamp	303 Stainless Steel		M6	-	-
	<i>0.787</i>	<i>1.575</i>	<i>0.591</i>						
# 2SM020	20.000	40.0	15.0	Two Piece Clamp	303 Stainless Steel		M6	-	-
	<i>0.787</i>	<i>1.575</i>	<i>0.591</i>						
# 2LM020	20.000	40.0	15.0	Two Piece Clamp	Steel 12L14 (9SMn Pb36)		M6	-	-
	<i>0.787</i>	<i>1.575</i>	<i>0.591</i>						
# 1LM020	20.000	40.0	15.0	One Piece Clamp	Steel 12L14 (9SMn Pb36)		M6	-	-
	<i>0.787</i>	<i>1.575</i>	<i>0.591</i>						
# COL-20.00x45.00-CL2-304	20.000	45.0	15.0	Two Piece Clamp	304 Stainless Steel	15.00	M6	-	+0.000/-0.021
	<i>0.787</i>	<i>1.772</i>	<i>0.591</i>			<i>0.591</i>			

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Collars - Shaft - Clamp Type

Part Number	Shaft Size (d) mm	Outside Diameter (D) mm	Overall Width (S) mm	Collar Style	Material	Screw Centres (E) mm	Screw Size	Dampening Pad Thickness (L2) mm	Shaft Tolerance mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>			<i>inches</i>		<i>inches</i>	<i>inches</i>
COL-20.00x45.00-CL1-304	20.000	45.0	15.0	One Piece Clamp	304 Stainless Steel	15.00	M6	-	+0.000/-0.021
	<i>0.787</i>	<i>1.772</i>	<i>0.591</i>			<i>0.591</i>			
# COL-20.00x45.00-CL1-304P	20.000	45.0	20.0	One Piece Clamp with Urethane Pad	304 Stainless Steel	15.00	M6	5.0	+0.000/-0.021
	<i>0.787</i>	<i>1.772</i>	<i>0.787</i>			<i>0.591</i>		<i>0.197</i>	
# COL-20.00x45.00-CL2-CSP	20.000	45.0	20.0	Two Piece Clamp with Urethane Pad	Carbon St. - Black Chromate	15.00	M6	5.0	+0.000/-0.021
	<i>0.787</i>	<i>1.772</i>	<i>0.787</i>			<i>0.591</i>		<i>0.197</i>	
# COL-20.00x45.00-CL1-CSP	20.000	45.0	20.0	One Piece Clamp with Urethane Pad	Carbon Steel Black-Chromate	15.00	M6	5.0	+0.000/-0.021
	<i>0.787</i>	<i>1.772</i>	<i>0.787</i>			<i>0.591</i>		<i>0.197</i>	
# 1LM022	22.000	42.0	15.0	One Piece Clamp	Steel 12L14 (9SMn Pb36)		M6	-	-
	<i>0.866</i>	<i>1.654</i>	<i>0.591</i>						
# 1SM022	22.000	42.0	15.0	One Piece Clamp	303 Stainless Steel		M6	-	-
	<i>0.866</i>	<i>1.654</i>	<i>0.591</i>						
# 2SM022	22.000	42.0	15.0	Two Piece Clamp	303 Stainless Steel		M6	-	-
	<i>0.866</i>	<i>1.654</i>	<i>0.591</i>						
# 2LM022	22.000	42.0	15.0	Two Piece Clamp	Steel 12L14 (9SMn Pb36)		M6	-	-
	<i>0.866</i>	<i>1.654</i>	<i>0.591</i>						

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Collars - Shaft - Clamp Type

Part Number	Shaft Size (d) mm	Outside Diameter (D) mm	Overall Width (S) mm	Collar Style	Material	Screw Centres (E) mm	Screw Size	Dampening Pad Thickness (L2) mm	Shaft Tolerance mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>			<i>inches</i>		<i>inches</i>	<i>inches</i>
# 1SM024	24.000	45.0	15.0	One Piece Clamp	303 Stainless Steel		M6	-	-
	<i>0.945</i>	<i>1.772</i>	<i>0.591</i>						
# 2LM024	24.000	45.0	15.0	Two Piece Clamp	Steel 12L14 (9SMn Pb36)		M6	-	-
	<i>0.945</i>	<i>1.772</i>	<i>0.591</i>						
# 1LM024	24.000	45.0	15.0	One Piece Clamp	Steel 12L14 (9SMn Pb36)		M6	-	-
	<i>0.945</i>	<i>1.772</i>	<i>0.591</i>						
# 2SM024	24.000	45.0	15.0	Two Piece Clamp	303 Stainless Steel		M6	-	-
	<i>0.945</i>	<i>1.772</i>	<i>0.591</i>						
# 2SM025	25.000	45.0	15.0	Two Piece Clamp	303 Stainless Steel		M6	-	-
	<i>0.984</i>	<i>1.772</i>	<i>0.591</i>						
# 2LM025	25.000	45.0	15.0	Two Piece Clamp	Steel 12L14 (9SMn Pb36)		M6	-	-
	<i>0.984</i>	<i>1.772</i>	<i>0.591</i>						
# 1SM025	25.000	45.0	15.0	One Piece Clamp	303 Stainless Steel		M6	-	-
	<i>0.984</i>	<i>1.772</i>	<i>0.591</i>						
# 1LM025	25.000	45.0	15.0	One Piece Clamp	Steel 12L14 (9SMn Pb36)		M6	-	-
	<i>0.984</i>	<i>1.772</i>	<i>0.591</i>						

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Collars - Shaft - Clamp Type

Part Number	Shaft Size (d) mm	Outside Diameter (D) mm	Overall Width (S) mm	Collar Style	Material	Screw Centres (E) mm	Screw Size	Dampening Pad Thickness (L2) mm	Shaft Tolerance mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>			<i>inches</i>		<i>inches</i>	<i>inches</i>
# COL-25.00x50.00-CL1-304	25.000	50.0	15.0	One Piece Clamp	304 Stainless Steel	18.00	M6	-	+0.000/-0.021
	<i>0.984</i>	<i>1.969</i>	<i>0.591</i>			<i>0.709</i>			
# COL-25.00x50.00-CL2-304	25.000	50.0	15.0	Two Piece Clamp	304 Stainless Steel	18.00	M6	-	+0.000/-0.021
	<i>0.984</i>	<i>1.969</i>	<i>0.591</i>			<i>0.709</i>			
# COL-25.00x50.00-CL1-304P	25.000	50.0	20.0	One Piece Clamp with Urethane Pad	304 Stainless Steel	18.00	M6	5.0	+0.000/-0.021
	<i>0.984</i>	<i>1.969</i>	<i>0.787</i>			<i>0.709</i>		<i>0.197</i>	
# COL-25.00x50.00-CL2-CSP	25.000	50.0	20.0	Two Piece Clamp with Urethane Pad	Carbon St. - Black Chromate	18.00	M6	5.0	+0.000/-0.021
	<i>0.984</i>	<i>1.969</i>	<i>0.787</i>			<i>0.709</i>		<i>0.197</i>	
# COL-25.00x50.00-CL1-CSP	25.000	50.0	20.0	One Piece Clamp with Urethane Pad	Carbon Steel Black-Chromate	18.00	M6	5.0	+0.000/-0.021
	<i>0.984</i>	<i>1.969</i>	<i>0.787</i>			<i>0.709</i>		<i>0.197</i>	
# 8C100	25.400	44.45	12.7	Two Piece Clamp	316 Stainless Steel		1/4-28	-	-
	<i>1.000</i>	<i>1.750</i>	<i>0.500</i>						
# 7C100	25.400	44.45	12.7	One Piece Clamp	316 Stainless Steel		1/4-28	-	-
	<i>1.000</i>	<i>1.750</i>	<i>0.500</i>						
# 1LM028	28.000	48.0	15.0	One Piece Clamp	Steel 12L14 (9SMn Pb36)		M6	-	-
	<i>1.102</i>	<i>1.890</i>	<i>0.591</i>						

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Collars - Shaft - Clamp Type

Part Number	Shaft Size (d) mm	Outside Diameter (D) mm	Overall Width (S) mm	Collar Style	Material	Screw Centres (E) mm	Screw Size	Dampening Pad Thickness (L2) mm	Shaft Tolerance mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>			<i>inches</i>		<i>inches</i>	<i>inches</i>
# 2SM028	28.000	48.0	15.0	Two Piece Clamp	303 Stainless Steel		M6	-	-
	<i>1.102</i>	<i>1.890</i>	<i>0.591</i>						
# 2LM028	28.000	48.0	15.0	Two Piece Clamp	Steel 12L14 (9SMn Pb36)		M6	-	-
	<i>1.102</i>	<i>1.890</i>	<i>0.591</i>						
# 1SM028	28.000	48.0	15.0	One Piece Clamp	303 Stainless Steel		M6	-	-
	<i>1.102</i>	<i>1.890</i>	<i>0.591</i>						
# 2LM030	30.000	54.0	15.0	Two Piece Clamp	Steel 12L14 (9SMn Pb36)		M6	-	-
	<i>1.181</i>	<i>2.126</i>	<i>0.591</i>						
# 1LM030	30.000	54.0	15.0	One Piece Clamp	Steel 12L14 (9SMn Pb36)		M6	-	-
	<i>1.181</i>	<i>2.126</i>	<i>0.591</i>						
# 2SM030	30.000	54.0	15.0	Two Piece Clamp	303 Stainless Steel		M6	-	-
	<i>1.181</i>	<i>2.126</i>	<i>0.591</i>						
# 1SM030	30.000	54.0	15.0	One Piece Clamp	303 Stainless Steel		M6	-	-
	<i>1.181</i>	<i>2.126</i>	<i>0.591</i>						
# 2SM032	32.000	54.0	15.0	Two Piece Clamp	303 Stainless Steel		M6	-	-
	<i>1.260</i>	<i>2.126</i>	<i>0.591</i>						

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Collars - Shaft - Clamp Type

Part Number	Shaft Size (d) mm	Outside Diameter (D) mm	Overall Width (S) mm	Collar Style	Material	Screw Centres (E) mm	Screw Size	Dampening Pad Thickness (L2) mm	Shaft Tolerance mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>			<i>inches</i>		<i>inches</i>	<i>inches</i>
# 1LM032	32.000	54.0	15.0	One Piece Clamp	Steel 12L14 (9SMn Pb36)		M6	-	-
	<i>1.260</i>	<i>2.126</i>	<i>0.591</i>						
# 1SM032	32.000	54.0	15.0	One Piece Clamp	303 Stainless Steel		M6	-	-
	<i>1.260</i>	<i>2.126</i>	<i>0.591</i>						
# 2LM032	32.000	54.0	15.0	Two Piece Clamp	Steel 12L14 (9SMn Pb36)		M6	-	-
	<i>1.260</i>	<i>2.126</i>	<i>0.591</i>						
# 2SM035	35.000	57.0	15.0	Two Piece Clamp	303 Stainless Steel		M6	-	-
	<i>1.378</i>	<i>2.244</i>	<i>0.591</i>						
# 2LM035	35.000	57.0	15.0	Two Piece Clamp	Steel 12L14 (9SMn Pb36)		M6	-	-
	<i>1.378</i>	<i>2.244</i>	<i>0.591</i>						
# 1SM035	35.000	57.0	15.0	One Piece Clamp	303 Stainless Steel		M6	-	-
	<i>1.378</i>	<i>2.244</i>	<i>0.591</i>						
# 1LM035	35.000	57.0	15.0	One Piece Clamp	Steel 12L14 (9SMn Pb36)		M6	-	-
	<i>1.378</i>	<i>2.244</i>	<i>0.591</i>						
# 2LM040	40.000	60.0	15.0	Two Piece Clamp	Steel 12L14 (9SMn Pb36)		M6	-	-
	<i>1.575</i>	<i>2.362</i>	<i>0.591</i>						

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Collars - Shaft - Clamp Type

Part Number	Shaft Size (d) mm	Outside Diameter (D) mm	Overall Width (S) mm	Collar Style	Material	Screw Centres (E) mm	Screw Size	Dampening Pad Thickness (L2) mm	Shaft Tolerance mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>			<i>inches</i>		<i>inches</i>	<i>inches</i>
# 1SM040	40.000	60.0	15.0	One Piece Clamp	303 Stainless Steel		M6	-	-
	<i>1.575</i>	<i>2.362</i>	<i>0.591</i>						
# 1LM040	40.000	60.0	15.0	One Piece Clamp	Steel 12L14 (9SMn Pb36)		M6	-	-
	<i>1.575</i>	<i>2.362</i>	<i>0.591</i>						
# 2SM040	40.000	60.0	15.0	Two Piece Clamp	303 Stainless Steel		M6	-	-
	<i>1.575</i>	<i>2.362</i>	<i>0.591</i>						
1LM045	45.000	73.0	19.0	One Piece Clamp	Steel 12L14 (9SMn Pb36)		M6	-	-
	<i>1.772</i>	<i>2.874</i>	<i>0.748</i>						
# 2LM045	45.000	73.0	19.0	Two Piece Clamp	Steel 12L14 (9SMn Pb36)		M6	-	-
	<i>1.772</i>	<i>2.874</i>	<i>0.748</i>						
# 2SM045	45.000	73.0	19.0	Two Piece Clamp	303 Stainless Steel		M6	-	-
	<i>1.772</i>	<i>2.874</i>	<i>0.748</i>						
# 1SM045	45.000	73.0	19.0	One Piece Clamp	303 Stainless Steel		M6	-	-
	<i>1.772</i>	<i>2.874</i>	<i>0.748</i>						
# 2SM050	50.000	78.0	19.0	Two Piece Clamp	303 Stainless Steel		M8	-	-
	<i>1.969</i>	<i>3.071</i>	<i>0.748</i>						

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Collars - Shaft - Clamp Type

Part Number	Shaft Size (d) mm	Outside Diameter (D) mm	Overall Width (S) mm	Collar Style	Material	Screw Centres (E) mm	Screw Size	Dampening Pad Thickness (L2) mm	Shaft Tolerance mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>			<i>inches</i>		<i>inches</i>	<i>inches</i>
# 2LM050	50.000	78.0	19.0	Two Piece Clamp	Steel 12L14 (9SMn Pb36)		M8	-	-
	<i>1.969</i>	<i>3.071</i>	<i>0.748</i>						
# 1LM050	50.000	78.0	19.0	One Piece Clamp	Steel 12L14 (9SMn Pb36)		M8	-	-
	<i>1.969</i>	<i>3.071</i>	<i>0.748</i>						
# 1SM050	50.000	78.0	19.0	One Piece Clamp	303 Stainless Steel		M8	-	-
	<i>1.969</i>	<i>3.071</i>	<i>0.748</i>						
# 2SM055	55.000	82.0	19.0	Two Piece Clamp	303 Stainless Steel		M8	-	-
	<i>2.165</i>	<i>3.228</i>	<i>0.748</i>						
# 2LM055	55.000	82.0	19.0	Two Piece Clamp	Steel 12L14 (9SMn Pb36)		M8	-	-
	<i>2.165</i>	<i>3.228</i>	<i>0.748</i>						
# 1LM055	55.000	82.0	19.0	One Piece Clamp	Steel 12L14 (9SMn Pb36)		M8	-	-
	<i>2.165</i>	<i>3.228</i>	<i>0.748</i>						
# 1SM055	55.000	82.0	19.0	One Piece Clamp	303 Stainless Steel		M8	-	-
	<i>2.165</i>	<i>3.228</i>	<i>0.748</i>						
# 1SM060	60.000	88.0	19.0	One Piece Clamp	303 Stainless Steel		M8	-	-
	<i>2.362</i>	<i>3.465</i>	<i>0.748</i>						

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Collars - Shaft - Clamp Type

Part Number	Shaft Size (d) mm	Outside Diameter (D) mm	Overall Width (S) mm	Collar Style	Material	Screw Centres (E) mm	Screw Size	Dampening Pad Thickness (L2) mm	Shaft Tolerance mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>			<i>inches</i>		<i>inches</i>	<i>inches</i>
# 2LM060	60.000 <i>2.362</i>	88.0 <i>3.465</i>	19.0 <i>0.748</i>	Two Piece Clamp	Steel 12L14 (9SMn Pb36)		M8	-	-
# 2SM060	60.000 <i>2.362</i>	88.0 <i>3.465</i>	19.0 <i>0.748</i>	Two Piece Clamp	303 Stainless Steel		M8	-	-
# 1LM060	60.000 <i>2.362</i>	88.0 <i>3.465</i>	19.0 <i>0.748</i>	One Piece Clamp	Steel 12L14 (9SMn Pb36)		M8	-	-
# 1SM065	65.000 <i>2.559</i>	93.0 <i>3.661</i>	19.0 <i>0.748</i>	One Piece Clamp	303 Stainless Steel		M8	-	-
# 2SM065	65.000 <i>2.559</i>	93.0 <i>3.661</i>	19.0 <i>0.748</i>	Two Piece Clamp	303 Stainless Steel		M8	-	-
# 2LM065	65.000 <i>2.559</i>	93.0 <i>3.661</i>	19.0 <i>0.748</i>	Two Piece Clamp	Steel 12L14 (9SMn Pb36)		M8	-	-
# 1LM065	65.000 <i>2.559</i>	93.0 <i>3.661</i>	19.0 <i>0.748</i>	One Piece Clamp	Steel 12L14 (9SMn Pb36)		M8	-	-
# 2LM070	70.000 <i>2.756</i>	98.0 <i>3.858</i>	19.0 <i>0.748</i>	Two Piece Clamp	Steel 12L14 (9SMn Pb36)		M8	-	-

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Collars - Shaft - Clamp Type

Part Number	Shaft Size (d) mm	Outside Diameter (D) mm	Overall Width (S) mm	Collar Style	Material	Screw Centres (E) mm	Screw Size	Dampening Pad Thickness (L2) mm	Shaft Tolerance mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>			<i>inches</i>		<i>inches</i>	<i>inches</i>
# 1SM070	70.000	98.0	19.0	One Piece Clamp	303 Stainless Steel		M8	-	-
	<i>2.756</i>	<i>3.858</i>	<i>0.748</i>						
# 2SM070	70.000	98.0	19.0	Two Piece Clamp	303 Stainless Steel		M8	-	-
	<i>2.756</i>	<i>3.858</i>	<i>0.748</i>						
# 1LM070	70.000	98.0	19.0	One Piece Clamp	Steel 12L14 (9SMn Pb36)		M8	-	-
	<i>2.756</i>	<i>3.858</i>	<i>0.748</i>						
# 2SM075	75.000	103.0	19.0	Two Piece Clamp	303 Stainless Steel		M8	-	-
	<i>2.953</i>	<i>4.055</i>	<i>0.748</i>						
# 2LM075	75.000	103.0	19.0	Two Piece Clamp	Steel 12L14 (9SMn Pb36)		M8	-	-
	<i>2.953</i>	<i>4.055</i>	<i>0.748</i>						
# 1LM075	75.000	103.0	19.0	One Piece Clamp	Steel 12L14 (9SMn Pb36)		M8	-	-
	<i>2.953</i>	<i>4.055</i>	<i>0.748</i>						
# 1SM075	75.000	103.0	19.0	One Piece Clamp	303 Stainless Steel		M8	-	-
	<i>2.953</i>	<i>4.055</i>	<i>0.748</i>						
# 1SM080	80.000	108.0	19.0	One Piece Clamp	303 Stainless Steel		M8	-	-
	<i>3.150</i>	<i>4.252</i>	<i>0.748</i>						

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Collars - Shaft - Clamp Type

Part Number	Shaft Size (d) mm	Outside Diameter (D) mm	Overall Width (S) mm	Collar Style	Material	Screw Centres (E) mm	Screw Size	Dampening Pad Thickness (L2) mm	Shaft Tolerance mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>			<i>inches</i>		<i>inches</i>	<i>inches</i>
# 1LM080	80.000	108.0	19.0	One Piece Clamp	Steel 12L14 (9SMn Pb36)		M8	-	-
	<i>3.150</i>	<i>4.252</i>	<i>0.748</i>						
# 2SM080	80.000	108.0	19.0	Two Piece Clamp	303 Stainless Steel		M8	-	-
	<i>3.150</i>	<i>4.252</i>	<i>0.748</i>						
# 2LM080	80.000	108.0	19.0	Two Piece Clamp	Steel 12L14 (9SMn Pb36)		M8	-	-
	<i>3.150</i>	<i>4.252</i>	<i>0.748</i>						

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to catalogues@minibearings.com.au

