




MBA

Collars - Shaft - Hinged Type



Precision machined. Convenient easy-to-assemble design.

Same axial load handling capabilities as standard two piece collars.

Captive clamp screw eliminates lost screws.

The collars have a smooth I.D., O.D. & sides with no protruding pins or screws.

Easily Machinable / Open Completely.

Non-marring / Use on hardened shafts / Use on tubing / Use on split hubs.

Collars - Shaft - Hinged Type

| Part Number | Shaft Size (d) mm | Outside Diameter (D) mm | Overall Width (S) mm | Material | Screw Size |
|-------------|-----------------------|-------------------------|----------------------|-------------------------|------------|
| | <i>inches</i> | <i>inches</i> | <i>inches</i> | | |
| # 2SM006H | 6.000 <i>0.236</i> | 16.00 <i>0.630</i> | 9.00 <i>0.354</i> | 303 Stainless Steel | |
| # 2LM006H | 6.000 <i>0.236</i> | 16.00 <i>0.630</i> | 9.00 <i>0.354</i> | Steel 12L14 (9SMn Pb36) | |
| # 2SM008H | 8.000 <i>0.315</i> | 18.00 <i>0.709</i> | 9.00 <i>0.354</i> | 303 Stainless Steel | |

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Collars - Shaft - Hinged Type

| Part Number | Shaft Size (d) mm | Outside Diameter (D) mm | Overall Width (S) mm | Material | Screw Size |
|-------------|------------------------|-------------------------|-----------------------|-------------------------|------------|
| | <i>inches</i> | <i>inches</i> | <i>inches</i> | | |
| # 2LM008H | 8.000 <i>0.315</i> | 18.00 <i>0.709</i> | 9.00 <i>0.354</i> | Steel 12L14 (9SMn Pb36) | |
| # 2SM009H | 9.000 <i>0.354</i> | 24.00 <i>0.945</i> | 9.00 <i>0.354</i> | 303 Stainless Steel | |
| # 2LM009H | 9.000 <i>0.354</i> | 24.00 <i>0.945</i> | 9.00 <i>0.354</i> | Steel 12L14 (9SMn Pb36) | |
| # 2SM010H | 10.000 <i>0.394</i> | 24.00 <i>0.945</i> | 9.00 <i>0.354</i> | 303 Stainless Steel | |
| # 2LM010H | 10.000 <i>0.394</i> | 24.00 <i>0.945</i> | 9.00 <i>0.354</i> | Steel 12L14 (9SMn Pb36) | |
| # 2SM012H | 12.000 <i>0.472</i> | 28.00 <i>1.102</i> | 11.00 <i>0.433</i> | 303 Stainless Steel | |
| # 2LM012H | 12.000 <i>0.472</i> | 28.00 <i>1.102</i> | 11.00 <i>0.433</i> | Steel 12L14 (9SMn Pb36) | |
| # 2SM014H | 14.000 <i>0.551</i> | 30.00 <i>1.181</i> | 11.00 <i>0.433</i> | 303 Stainless Steel | |
| # 2LM014H | 14.000 <i>0.551</i> | 30.00 <i>1.181</i> | 11.00 <i>0.433</i> | Steel 12L14 (9SMn Pb36) | |
| # 2LM015H | 15.000 <i>0.591</i> | 34.00 <i>1.339</i> | 13.00 <i>0.512</i> | Steel 12L14 (9SMn Pb36) | |

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Collars - Shaft - Hinged Type

| Part Number | Shaft Size (d) mm <i>inches</i> | Outside Diameter (D) mm <i>inches</i> | Overall Width (S) mm <i>inches</i> | Material | Screw Size |
|-------------|------------------------------------|--|---------------------------------------|-------------------------|------------|
| # 2SM015H | 15.000 <i>0.591</i> | 34.00 <i>1.339</i> | 13.00 <i>0.512</i> | 303 Stainless Steel | |
| # 2SM016H | 16.000 <i>0.630</i> | 34.00 <i>1.339</i> | 13.00 <i>0.512</i> | 303 Stainless Steel | |
| # 2LM016H | 16.000 <i>0.630</i> | 34.00 <i>1.339</i> | 13.00 <i>0.512</i> | Steel 12L14 (9SMn Pb36) | |
| # 2LM018H | 18.000 <i>0.709</i> | 36.00 <i>1.417</i> | 15.00 <i>0.591</i> | Steel 12L14 (9SMn Pb36) | |
| # 2SM018H | 18.000 <i>0.709</i> | 36.00 <i>1.417</i> | 15.00 <i>0.591</i> | 303 Stainless Steel | |
| # 2LM020H | 20.000 <i>0.787</i> | 40.00 <i>1.575</i> | 15.00 <i>0.591</i> | Steel 12L14 (9SMn Pb36) | |
| # 2SM020H | 20.000 <i>0.787</i> | 40.00 <i>1.575</i> | 15.00 <i>0.591</i> | 303 Stainless Steel | |
| # 2SM025H | 25.000 <i>0.984</i> | 45.00 <i>1.772</i> | 15.00 <i>0.591</i> | 303 Stainless Steel | |
| # 2LM025H | 25.000 <i>0.984</i> | 45.00 <i>1.772</i> | 15.00 <i>0.591</i> | Steel 12L14 (9SMn Pb36) | |
| # 2LM030H | 30.000 <i>1.181</i> | 54.00 <i>2.126</i> | 15.00 <i>0.591</i> | Steel 12L14 (9SMn Pb36) | |

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Collars - Shaft - Hinged Type

| Part Number | Shaft Size (d) mm | Outside Diameter (D) mm | Overall Width (S) mm | Material | Screw Size |
|-------------|------------------------|-------------------------|-----------------------|-------------------------|------------|
| | <i>inches</i> | <i>inches</i> | <i>inches</i> | | |
| # 2SM030H | 30.000 <i>1.181</i> | 54.00 <i>2.126</i> | 15.00 <i>0.591</i> | 303 Stainless Steel | |
| # 2SM035H | 35.000 <i>1.378</i> | 57.00 <i>2.244</i> | 15.00 <i>0.591</i> | 303 Stainless Steel | |
| # 2LM035H | 35.000 <i>1.378</i> | 57.00 <i>2.244</i> | 15.00 <i>0.591</i> | Steel 12L14 (9SMn Pb36) | |
| # 2LM040H | 40.000 <i>1.575</i> | 60.00 <i>2.362</i> | 15.00 <i>0.591</i> | Steel 12L14 (9SMn Pb36) | |
| # 2SM040H | 40.000 <i>1.575</i> | 60.00 <i>2.362</i> | 15.00 <i>0.591</i> | 303 Stainless Steel | |
| # 2SM045H | 45.000 <i>1.772</i> | 73.00 <i>2.874</i> | 19.00 <i>0.748</i> | 303 Stainless Steel | |
| # 2LM045H | 45.000 <i>1.772</i> | 73.00 <i>2.874</i> | 19.00 <i>0.748</i> | Steel 12L14 (9SMn Pb36) | |
| # 2SM050H | 50.000 <i>1.969</i> | 78.00 <i>3.071</i> | 19.00 <i>0.748</i> | 303 Stainless Steel | |
| # 2LM050H | 50.000 <i>1.969</i> | 78.00 <i>3.071</i> | 19.00 <i>0.748</i> | Steel 12L14 (9SMn Pb36) | |

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to catalogues@minibearings.com.au

