




MBA

Collars - Shaft - Stroke Adjustment



Recommended tolerances for mating shaft diameter : h6.

Use with rubber washers listed under WASHERS.

Collars - Shaft - Stroke Adjustment

Part Number	Inside Diameter mm <i>inches</i>	Outside Diameter mm <i>inches</i>	Min. Width mm <i>inches</i>	Max. Travel mm <i>inches</i>	Material	Screw 1	Screw 2	Max. Axial Load kgf
# COL-06.00-SADJ-303	6.000 <i>0.236</i>	15.90 <i>0.626</i>	12.00 <i>0.472</i>	4.80 <i>0.189</i>	303 Stainless Steel	M2.5	M2	170
# COL-06.00-SADJ	6.000 <i>0.236</i>	15.90 <i>0.626</i>	12.00 <i>0.472</i>	4.80 <i>0.189</i>	Carbon Steel, Black Oxide	M2.5	M2	300
# COL-08.00-SADJ	8.000 <i>0.315</i>	19.00 <i>0.748</i>	12.00 <i>0.472</i>	4.00 <i>0.157</i>	Carbon Steel, Black Oxide	M2.5	M2	280
# COL-08.00-SADJ-303	8.000 <i>0.315</i>	19.00 <i>0.748</i>	12.00 <i>0.472</i>	4.00 <i>0.157</i>	303 Stainless Steel	M2.5	M2	120

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Collars - Shaft - Stroke Adjustment

Part Number	Inside Diameter mm	Outside Diameter mm	Min. Width mm	Max. Travel mm	Material	Screw 1	Screw 2	Max. Axial Load kgf
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>				
# COL-10.00-SADJ	10.000	22.20	12.00	4.00	Carbon Steel, Black Oxide	M2.5	M2	310
	<i>0.394</i>	<i>0.874</i>	<i>0.472</i>	<i>0.157</i>				
# COL-10.00-SADJ-303	10.000	22.20	12.00	4.00	303 Stainless Steel	M2.5	M2	170
	<i>0.394</i>	<i>0.874</i>	<i>0.472</i>	<i>0.157</i>				
# COL-12.00-SADJ-303	12.000	28.60	19.10	7.90	303 Stainless Steel	M4	M2.5	260
	<i>0.472</i>	<i>1.126</i>	<i>0.752</i>	<i>0.311</i>				
# COL-12.00-SADJ	12.000	28.60	19.10	7.90	Carbon Steel, Black Oxide	M4	M2.5	890
	<i>0.472</i>	<i>1.126</i>	<i>0.752</i>	<i>0.311</i>				
# COL-16.00-SADJ-303	16.000	33.30	19.10	7.90	303 Stainless Steel	M4	M3	410
	<i>0.630</i>	<i>1.311</i>	<i>0.752</i>	<i>0.311</i>				
# COL-16.00-SADJ	16.000	33.30	19.10	7.90	Carbon Steel, Black Oxide	M4	M3	1230
	<i>0.630</i>	<i>1.311</i>	<i>0.752</i>	<i>0.311</i>				
# COL-20.00-SADJ	20.000	38.10	22.20	9.50	Carbon Steel, Black Oxide	M5	M3	1730
	<i>0.787</i>	<i>1.500</i>	<i>0.874</i>	<i>0.374</i>				
# COL-20.00-SADJ-303	20.000	38.10	22.20	9.50	303 Stainless Steel	M5	M3	670
	<i>0.787</i>	<i>1.500</i>	<i>0.874</i>	<i>0.374</i>				
# COL-25.00-SADJ	25.000	44.50	22.20	9.50	Carbon Steel, Black Oxide	M5	M4	1780
	<i>0.984</i>	<i>1.752</i>	<i>0.874</i>	<i>0.374</i>				

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Collars - Shaft - Stroke Adjustment

Part Number	Inside Diameter mm	Outside Diameter mm	Min. Width mm	Max. Travel mm	Material	Screw 1	Screw 2	Max. Axial Load kgf
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>				
# COL-25.00-SADJ-303	25.000 <i>0.984</i>	44.50 <i>1.752</i>	22.20 <i>0.874</i>	9.50 <i>0.374</i>	303 Stainless Steel	M5	M4	670
# COL-30.00-SADJ-303	30.000 <i>1.181</i>	52.40 <i>2.063</i>	25.40 <i>1.000</i>	11.10 <i>0.437</i>	303 Stainless Steel	M5	M4	750
# COL-30.00-SADJ	30.000 <i>1.181</i>	52.40 <i>2.063</i>	25.40 <i>1.000</i>	11.10 <i>0.437</i>	Carbon Steel, Black Oxide	M5	M4	1850

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to catalogues@minibearings.com.au

