



MBA

Couplings - Bellows - External Clamp - Brass

Zero Backlash - Tin Plate - Angular Misalignment up to 10 Degree (Refer Tables)


Phosphor Bronze Bellows

Beryllium Copper Hubs

Match with precision or commercial gear clamps - see link

This catalogue to be read in conjunction with information at <http://www.minibearings.com.au/categories/gear+clamps/all/pics/>

FOR CLAMPS,
SEE INDEX



CLAMP TYPE

Couplings - Bellows - External Clamp - Brass

Part Number	OD (D) mm	Bores (d1 / d2) mm	Overall Length (L) mm	Max. Torque N.m	Max. Speed RPM	Hub Diameter (D) mm	Angular Offset Deg.	Lateral Offset mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>			<i>inches</i>		<i>inches</i>
# CPB1225-0305-0317-BZC	11.9 <i>0.469</i>	3.048 / 3.170	25.4 <i>1.000</i>	1.06	2000	4.75 <i>0.187</i>	5.00	0.38 <i>0.015</i>
# CPB1225-0305-0476-BZC	11.9 <i>0.469</i>	3.048 / 4.757	25.4 <i>1.000</i>	1.06	2000	4.75 / 6.35	5.00	0.38 <i>0.015</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Couplings - Bellows - External Clamp - Brass

Part Number	OD (D) mm <i>inches</i>	Bores (d1 / d2) mm <i>inches</i>	Overall Length (L) mm <i>inches</i>	Max. Torque N.m	Max. Speed RPM	Hub Diameter (D) mm <i>inches</i>	Angular Offset Deg.	Lateral Offset mm <i>inches</i>
# CPB1225-0305-0635-BZC	11.9 <i>0.469</i>	3.048 / 6.345	25.4 <i>1.000</i>	1.06	2000	4.75 / 7.92	5.00	0.38 <i>0.015</i>
# CPB1225-0305-0305-BZC	11.9 <i>0.469</i>	3.048 / 3.048	25.4 <i>1.000</i>	1.06	2000	4.75 <i>0.187</i>	5.00	0.38 <i>0.015</i>
# CPB1238-0305-0305-BZC	11.9 <i>0.469</i>	3.048 / 3.048	38.1 <i>1.500</i>	1.06	2000	4.75 <i>0.187</i>	10.00	0.76 <i>0.030</i>
# CPB1238-0305-0635-BZC	11.9 <i>0.469</i>	3.048 / 6.345	38.1 <i>1.500</i>	1.06	2000	4.75 / 7.92	10.00	0.76 <i>0.030</i>
# CPB1238-0305-0476-BZC	11.9 <i>0.469</i>	3.048 / 4.757	38.1 <i>1.500</i>	1.06	2000	4.75 / 6.35	10.00	0.76 <i>0.030</i>
# CPB1238-0305-0317-BZC	11.9 <i>0.469</i>	3.048 / 3.170	38.1 <i>1.500</i>	1.06	2000	4.75 <i>0.187</i>	10.00	0.76 <i>0.030</i>
# CPB1225-0317-0317-BZC	11.9 <i>0.469</i>	3.170 / 3.170	25.4 <i>1.000</i>	1.06	2000	4.75 <i>0.187</i>	5.00	0.38 <i>0.015</i>
# CPB1225-0317-0476-BZC	11.9 <i>0.469</i>	3.170 / 4.757	25.4 <i>1.000</i>	1.06	2000	4.75 / 6.35	5.00	0.38 <i>0.015</i>
# CPB1225-0317-0635-BZC	11.9 <i>0.469</i>	3.170 / 6.345	25.4 <i>1.000</i>	1.06	2000	4.75 / 7.92	5.00	0.38 <i>0.015</i>
# CPB1238-0317-0635-BZC	11.9 <i>0.469</i>	3.170 / 6.345	38.1 <i>1.500</i>	1.06	2000	4.75 / 7.92	10.00	0.76 <i>0.030</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Couplings - Bellows - External Clamp - Brass

Part Number	OD (D) mm <i>inches</i>	Bores (d1 / d2) mm <i>inches</i>	Overall Length (L) mm <i>inches</i>	Max. Torque N.m	Max. Speed RPM	Hub Diameter (D) mm <i>inches</i>	Angular Offset Deg.	Lateral Offset mm <i>inches</i>
# CPB1238-0317-0476-BZC	11.9 <i>0.469</i>	3.170 / 4.757	38.1 <i>1.500</i>	1.06	2000	4.75 / 6.35	10.00	0.76 <i>0.030</i>
# CPB1238-0317-0317-BZC	11.9 <i>0.469</i>	3.170 / 3.170	38.1 <i>1.500</i>	1.06	2000	4.75 <i>0.187</i>	10.00	0.76 <i>0.030</i>
# CPB1225-0476-0476-BZC	11.9 <i>0.469</i>	4.757 / 4.757	25.4 <i>1.000</i>	1.06	2000	6.35 <i>0.250</i>	5.00	0.38 <i>0.015</i>
# CPB1225-0476-0635-BZC	11.9 <i>0.469</i>	4.757 / 6.345	25.4 <i>1.000</i>	1.06	2000	6.35 / 7.92	5.00	0.38 <i>0.015</i>
# CPB1238-0476-0476-BZC	11.9 <i>0.469</i>	4.757 / 4.757	38.1 <i>1.500</i>	1.06	2000	6.35 <i>0.250</i>	10.00	0.76 <i>0.030</i>
# CPB1238-0476-0635-BZC	11.9 <i>0.469</i>	4.757 / 6.345	38.1 <i>1.500</i>	1.06	2000	6.35 / 7.92	10.00	0.76 <i>0.030</i>
# CPB1225-0635-0635-BZC	11.9 <i>0.469</i>	6.345 / 6.345	25.4 <i>1.000</i>	1.06	2000	7.92 <i>0.312</i>	5.00	0.38 <i>0.015</i>
# CPB1238-0635-0635-BZC	11.9 <i>0.469</i>	6.345 / 6.345	38.1 <i>1.500</i>	1.06	2000	7.92 <i>0.312</i>	10.00	0.76 <i>0.030</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to catalogues@minibearings.com.au

