




MBA

Couplings - Bellows - Hiflex



Precise adjustment - Vibration resistance - Large misalignment capability. 0.01 to 9.17 Nm. 2000 rpm. - Zero Backlash

Wide torque range.

Zero cyclic speed variation during 360 Deg. Rotation.

Very low torsional deflection.

Couplings - Bellows - Hiflex

Part Number	OD (D) mm	Bores (d1 / d2) mm	Overall Length (L) mm	Max. Torque N.m	Max. Speed RPM	Hub Type and Diameter (H) mm	Bellows Material	Angular Offset Deg	Lateral Offset mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>			<i>inches</i>			<i>inches</i>
# CPBH06-02360236-17SG	6.4	2.362 / 2.362	16.9	0.04	2000	Stainless / Pin Hub / 6.223	Nickel	15	0.43
	<i>0.252</i>		<i>0.665</i>						<i>0.017</i>
# CPBH06-02360236-26SG	6.4	2.362 / 2.362	26.3	0.01	2000	Stainless / Pin Hub / 6.223	Nickel	31	1.93
	<i>0.252</i>		<i>1.035</i>						<i>0.076</i>
# CPBH06-03000300-14AG	6.4	3.000 / 3.000	14.2	0.05	2000	303 Stainless / Pin Hub / 6.25	Electrodeposited Nickel	9	0.18
	<i>0.252</i>		<i>0.559</i>						<i>0.007</i>

Indicates item not stocked at time of printing - Please enquire for lead time
 E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
 MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Couplings - Bellows - Hiflex

Part Number	OD (D) mm	Bores (d1 / d2) mm	Overall Length (L) mm	Max. Torque N.m	Max. Speed RPM	Hub Type and Diameter (H) mm	Bellows Material	Angular Offset Deg	Lateral Offset mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>			<i>inches</i>			<i>inches</i>
# CPBH06-03000300-17AG	6.4	3.000 / 3.000	17.4	0.04	2000	303 Stainless / Pin Hub / 6.25	Electrodeposited Nickel	15	0.43
	<i>0.252</i>		<i>0.685</i>						<i>0.017</i>
# CPBH06-03000300-27AG	6.4	3.000 / 3.000	26.8	0.01	2000	303 Stainless / Pin Hub / 6.25	Electrodeposited Nickel	31	1.93
	<i>0.252</i>		<i>1.055</i>						<i>0.076</i>
# CPBH06-03050305-12SG	6.4	3.048 / 3.048	12.2	0.06	2000	Stainless / Pin Hub / 6.223	Nickel	7	0.10
	<i>0.252</i>		<i>0.480</i>						<i>0.004</i>
# CPBH06-03050305-14SG	6.4	3.048 / 3.048	13.7	0.05	2000	Stainless / Pin Hub / 6.223	Nickel	9	0.18
	<i>0.252</i>		<i>0.539</i>						<i>0.007</i>
# CPBH06-03050305-17SC	6.4	3.048 / 3.048	17.4	0.06	2000	Stainless / Clamp Hub / 4.75	Nickel	9	0.18
	<i>0.252</i>		<i>0.685</i>						<i>0.007</i>
# CPBH06-03050305-19SC	6.4	3.048 / 3.048	18.9	0.05	2000	Stainless / Clamp Hub / 4.75	Nickel	9	0.18
	<i>0.252</i>		<i>0.744</i>						<i>0.007</i>
# CPBH06-03050305-21SC	6.4	3.048 / 3.048	20.6	0.06	2000	Stainless / Clamp Hub / 4.75	Nickel	7	0.10
	<i>0.252</i>		<i>0.811</i>						<i>0.004</i>
# CPBH06-03050305-22SC	6.4	3.048 / 3.048	22.1	0.05	2000	Stainless / Clamp Hub / 4.75	Nickel	7	0.10
	<i>0.252</i>		<i>0.870</i>						<i>0.004</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Couplings - Bellows - Hiflex

Part Number	OD (D) mm	Bores (d1 / d2) mm	Overall Length (L) mm	Max. Torque N.m	Max. Speed RPM	Hub Type and Diameter (H) mm	Bellows Material	Angular Offset Deg	Lateral Offset mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>			<i>inches</i>			<i>inches</i>
# CPBH10-03000300-09AC	9.5	3.000 / 3.000	9.4	0.07		Aluminum / Integral Clamp Hub	Electrodeposited Nickel	13	0.42
	<i>0.374</i>		<i>0.370</i>						<i>0.017</i>
# CPBH10-04000400-09AC	9.5	4.000 / 4.000	9.4	0.07		Aluminum / Integral Clamp Hub	Electrodeposited Nickel	13	0.42
	<i>0.374</i>		<i>0.370</i>						<i>0.017</i>
# CPBH10-03000400-09AC	9.5	3.000 / 4.000	9.4	0.07		Aluminum / Integral Clamp Hub	Electrodeposited Nickel	13	0.42
	<i>0.374</i>		<i>0.370</i>						<i>0.017</i>
# CPBH10-03000400-16AG	9.5	3.000 / 4.000	15.7	0.13	2000	303 Stainless / Pin Hub / 9.4	Electrodeposited Nickel	10	0.25
	<i>0.374</i>		<i>0.618</i>						<i>0.010</i>
# CPBH10-04000400-16AG	9.5	4.000 / 4.000	15.7	0.13	2000	303 Stainless / Pin Hub / 9.4	Electrodeposited Nickel	10	0.25
	<i>0.374</i>		<i>0.618</i>						<i>0.010</i>
# CPBH10-03000400-17AG	9.5	3.000 / 4.000	17.4	0.10	2000	303 Stainless / Pin Hub / 9.4	Electrodeposited Nickel	13	0.38
	<i>0.374</i>		<i>0.685</i>						<i>0.015</i>
# CPBH10-04000400-17AG	9.5	4.000 / 4.000	17.4	0.10	2000	303 Stainless / Pin Hub / 9.4	Electrodeposited Nickel	13	0.38
	<i>0.374</i>		<i>0.685</i>						<i>0.015</i>
# CPBH10-03000400-22AG	9.5	3.000 / 4.000	22.0	0.06	2000	303 Stainless / Pin Hub / 9.4	Electrodeposited Nickel	20	0.90
	<i>0.374</i>		<i>0.866</i>						<i>0.035</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Couplings - Bellows - Hiflex

Part Number	OD (D) mm	Bores (d1 / d2) mm	Overall Length (L) mm	Max. Torque N.m	Max. Speed RPM	Hub Type and Diameter (H) mm	Bellows Material	Angular Offset Deg	Lateral Offset mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>			<i>inches</i>			<i>inches</i>
# CPBH10-04000400-22AG	9.5 <i>0.374</i>	4.000 / 4.000	22.0 <i>0.866</i>	0.06	2000	303 Stainless / Pin Hub / 9.4	Electrodeposited Nickel	20	0.90 <i>0.035</i>
# CPBH10-04000400-27AG	9.5 <i>0.374</i>	4.000 / 4.000	26.8 <i>1.055</i>	0.05	2000	303 Stainless / Pin Hub / 9.4	Electrodeposited Nickel	27	1.65 <i>0.065</i>
# CPBH10-03000400-27AG	9.5 <i>0.374</i>	3.000 / 4.000	26.8 <i>1.055</i>	0.05	2000	303 Stainless / Pin Hub / 9.4	Electrodeposited Nickel	27	1.65 <i>0.065</i>
# CPBH10-04760476-15SG	9.5 <i>0.374</i>	4.763 / 4.763	15.2 <i>0.598</i>	0.13	2000	Stainless / Pin Hub / 9.271	Nickel	10	0.25 <i>0.010</i>
# CPBH10-04760476-17SG	9.5 <i>0.374</i>	4.763 / 4.763	16.9 <i>0.665</i>	0.10	2000	Stainless / Pin Hub / 9.271	Nickel	13	0.38 <i>0.015</i>
# CPBH10-04760476-21SG	9.5 <i>0.374</i>	4.763 / 4.763	21.5 <i>0.846</i>	0.06	2000	Stainless / Pin Hub / 9.271	Nickel	20	0.91 <i>0.036</i>
# CPBH10-04760476-24SC	9.5 <i>0.374</i>	4.763 / 4.763	23.6 <i>0.929</i>	0.13	2000	Stainless / Clamp Hub / 6.35	Nickel	10	0.25 <i>0.010</i>
# CPBH10-04760476-25SC	9.5 <i>0.374</i>	4.763 / 4.763	25.3 <i>0.996</i>	0.10	2000	Stainless / Clamp Hub / 6.35	Nickel	13	0.38 <i>0.015</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Couplings - Bellows - Hiflex

Part Number	OD (D) mm	Bores (d1 / d2) mm	Overall Length (L) mm	Max. Torque N.m	Max. Speed RPM	Hub Type and Diameter (H) mm	Bellows Material	Angular Offset Deg	Lateral Offset mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>			<i>inches</i>			<i>inches</i>
# CPBH10-04760476-26SG	9.5	4.763 / 4.763	26.3	0.05	2000	Stainless / Pin Hub / 9.271	Nickel	27	1.68
	<i>0.374</i>		<i>1.035</i>						<i>0.066</i>
# CPBH10-04760476-30SC	9.5	4.763 / 4.763	29.9	0.06	2000	Stainless / Clamp Hub / 6.35	Nickel	20	0.91
	<i>0.374</i>		<i>1.177</i>						<i>0.036</i>
# CPBH10-04760476-35SC	9.5	4.763 / 4.763	34.7	0.05	2000	Stainless / Clamp Hub / 6.35	Nickel	27	1.68
	<i>0.374</i>		<i>1.366</i>						<i>0.066</i>
# CPBH11-04000400-11AC	11.1	4.000 / 4.000	11.0	0.09		Aluminum / Integral Clamp Hub	Electrodeposited Nickel	14	0.53
	<i>0.437</i>		<i>0.433</i>						<i>0.021</i>
# CPBH11-04000600-11AC	11.1	4.000 / 6.000	11.0	0.10		Aluminum / Integral Clamp Hub	Electrodeposited Nickel	14	0.53
	<i>0.437</i>		<i>0.433</i>						<i>0.021</i>
# CPBH11-06000600-11AC	11.1	6.000 / 6.000	11.0	0.10		Aluminum / Integral Clamp Hub	Electrodeposited Nickel	14	0.53
	<i>0.437</i>		<i>0.433</i>						<i>0.021</i>
# CPBH12-03050305-34AC	12.0	3.048 / 3.048	34.1	0.23	2000	Aluminum / Integral Clamp Hub	Electrodeposited Nickel	18	1.14
	<i>0.472</i>		<i>1.343</i>						<i>0.045</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Couplings - Bellows - Hiflex

Part Number	OD (D) mm	Bores (d1 / d2) mm	Overall Length (L) mm	Max. Torque N.m	Max. Speed RPM	Hub Type and Diameter (H) mm	Bellows Material	Angular Offset Deg	Lateral Offset mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>			<i>inches</i>			<i>inches</i>
# CPBH12-03180318-32AC	12.0	3.175 / 3.175	31.6	0.23	2000	Aluminum / Integral Clamp Hub	Electrodeposited Nickel	13	0.71
	<i>0.472</i>		<i>1.244</i>						<i>0.028</i>
# CPBH12-03180318-34AC	12.0	3.175 / 3.175	34.1	0.29	2000	Aluminum / Integral Clamp Hub	Electrodeposited Nickel	18	1.14
	<i>0.472</i>		<i>1.343</i>						<i>0.045</i>
# CPBH13-06000300-19AG	12.7	6.000 / 3.000	19.4	0.46	2000	303 Stainless / Pin Hub / 12.5	Electrodeposited Nickel	9	0.25
	<i>0.500</i>		<i>0.764</i>						<i>0.010</i>
# CPBH13-06000300-22AG	12.7	6.000 / 3.000	22.4	0.35	2000	303 Stainless / Pin Hub / 12.5	Electrodeposited Nickel	12	0.45
	<i>0.500</i>		<i>0.882</i>						<i>0.018</i>
# CPBH13-06000300-29AG	12.7	6.000 / 3.000	28.8	0.23	2000	303 Stainless / Pin Hub / 12.5	Electrodeposited Nickel	18	1.11
	<i>0.500</i>		<i>1.134</i>						<i>0.044</i>
# CPBH13-06000400-19AG	12.7	6.000 / 4.000	19.4	0.46	2000	303 Stainless / Pin Hub / 12.5	Electrodeposited Nickel	9	0.25
	<i>0.500</i>		<i>0.764</i>						<i>0.010</i>
# CPBH13-06000400-22AG	12.7	6.000 / 4.000	22.4	0.35	2000	303 Stainless / Pin Hub / 12.5	Electrodeposited Nickel	12	0.45
	<i>0.500</i>		<i>0.882</i>						<i>0.018</i>
# CPBH13-06000400-29AG	12.7	6.000 / 4.000	28.8	0.23	2000	303 Stainless / Pin Hub / 12.5	Electrodeposited Nickel	18	1.11
	<i>0.500</i>		<i>1.134</i>						<i>0.044</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Couplings - Bellows - Hiflex

Part Number	OD (D) mm	Bores (d1 / d2) mm	Overall Length (L) mm	Max. Torque N.m	Max. Speed RPM	Hub Type and Diameter (H) mm	Bellows Material	Angular Offset Deg	Lateral Offset mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>			<i>inches</i>			<i>inches</i>
# CPBH13-06000600-19AG	12.7	6.000 / 6.000	19.4	0.46	2000	303 Stainless / Pin Hub / 12.5	Electrodeposited Nickel	9	0.25
	<i>0.500</i>		<i>0.764</i>						<i>0.010</i>
# CPBH13-06000600-22AG	12.7	6.000 / 6.000	22.4	0.35	2000	303 Stainless / Pin Hub / 12.5	Electrodeposited Nickel	12	0.45
	<i>0.500</i>		<i>0.882</i>						<i>0.018</i>
# CPBH13-06000600-29AG	12.7	6.000 / 6.000	28.8	0.23	2000	303 Stainless / Pin Hub / 12.5	Electrodeposited Nickel	18	1.11
	<i>0.500</i>		<i>1.134</i>						<i>0.044</i>
# CPBH13-06350635-18SG	12.7	6.350 / 6.350	18.2	0.46	2000	Stainless / Pin Hub / 12.497	Nickel	9	0.25
	<i>0.500</i>		<i>0.717</i>						<i>0.010</i>
# CPBH13-06350635-21SG	12.7	6.350 / 6.350	21.2	0.35	2000	Stainless / Pin Hub / 12.497	Nickel	12	0.46
	<i>0.500</i>		<i>0.835</i>						<i>0.018</i>
# CPBH13-06350635-25SC	12.7	6.350 / 6.350	25.3	0.46	2000	Stainless / Clamp Hub / 7.925	Nickel	9	0.25
	<i>0.500</i>		<i>0.996</i>						<i>0.010</i>
# CPBH13-06350635-28SG	12.7	6.350 / 6.350	27.6	0.23	2000	Stainless / Pin Hub / 12.497	Nickel	18	1.12
	<i>0.500</i>		<i>1.087</i>						<i>0.044</i>
# CPBH13-06350635-28SC	12.7	6.350 / 6.350	28.3	0.35	2000	Stainless / Clamp Hub / 7.925	Nickel	12	0.46
	<i>0.500</i>		<i>1.114</i>						<i>0.018</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Couplings - Bellows - Hiflex

Part Number	OD (D) mm <i>inches</i>	Bores (d1 / d2) mm <i>inches</i>	Overall Length (L) mm <i>inches</i>	Max. Torque N.m	Max. Speed RPM	Hub Type and Diameter (H) mm <i>inches</i>	Bellows Material	Angular Offset Deg	Lateral Offset mm <i>inches</i>
# CPBH13-06350635-35SC	12.7 <i>0.500</i>	6.350 / 6.350 <i>inches</i>	34.7 <i>1.366</i>	0.23	2000	Stainless / Clamp Hub / 7.925 <i>inches</i>	Nickel	18	1.12 <i>0.044</i>
# CPBH15-04780478-28AC	14.5 <i>0.571</i>	4.775 / 4.775	28.0 <i>1.102</i>	0.23	2000	Aluminum / Integral Clamp Hub	Electrodeposited Nickel	10	0.43 <i>0.017</i>
# CPBH15-04780478-32AC	14.5 <i>0.571</i>	4.775 / 4.775	31.6 <i>1.244</i>	0.29	2000	Aluminum / Integral Clamp Hub	Electrodeposited Nickel	13	0.71 <i>0.028</i>
# CPBH15-04780478-34AC	14.5 <i>0.571</i>	4.775 / 4.775	34.1 <i>1.343</i>	0.37	2000	Aluminum / Integral Clamp Hub	Electrodeposited Nickel	18	1.14 <i>0.045</i>
# CPBH15-06350635-28AC	14.5 <i>0.571</i>	6.350 / 6.350	28.0 <i>1.102</i>	0.37	2000	Aluminum / Integral Clamp Hub	Electrodeposited Nickel	10	0.43 <i>0.017</i>
# CPBH15-06350635-32AC	14.5 <i>0.571</i>	6.350 / 6.350	31.6 <i>1.244</i>	0.29	2000	Aluminum / Integral Clamp Hub	Electrodeposited Nickel	13	0.71 <i>0.028</i>
# CPBH15-06350635-34AC	14.5 <i>0.571</i>	6.350 / 6.350	34.1 <i>1.343</i>	0.23	2000	Aluminum / Integral Clamp Hub	Electrodeposited Nickel	18	1.14 <i>0.045</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Couplings - Bellows - Hiflex

Part Number	OD (D) mm	Bores (d1 / d2) mm	Overall Length (L) mm	Max. Torque N.m	Max. Speed RPM	Hub Type and Diameter (H) mm	Bellows Material	Angular Offset Deg	Lateral Offset mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>			<i>inches</i>			<i>inches</i>
# CPBH15-06350635-30AC	15.5	6.350 / 6.350	30.4	1.31	2000	Aluminum / Integral Clamp Hub	Electrodeposited Nickel	8	0.36
	<i>0.610</i>		<i>1.197</i>						<i>0.014</i>
# CPBH16-04000400-13AC	16.3	4.000 / 4.000	12.7	0.37		Aluminum / Integral Clamp Hub	Electrodeposited Nickel	10	0.43
	<i>0.642</i>		<i>0.500</i>						<i>0.017</i>
# CPBH16-04000600-13AC	16.3	4.000 / 6.000	12.7	0.37		Aluminum / Integral Clamp Hub	Electrodeposited Nickel	10	0.43
	<i>0.642</i>		<i>0.500</i>						<i>0.017</i>
# CPBH16-06000600-13AC	16.3	6.000 / 6.000	12.7	0.37		Aluminum / Integral Clamp Hub	Electrodeposited Nickel	10	0.43
	<i>0.642</i>		<i>0.500</i>						<i>0.017</i>
# CPBH19-06000600-24AG	19.0	6.000 / 6.000	23.7	0.13	2000	303 Stainless / Pin Hub / 12.5	Electrodeposited Nickel	8	0.35
	<i>0.748</i>		<i>0.933</i>						<i>0.014</i>
# CPBH19-06000600-29AG	19.0	6.000 / 6.000	28.5	0.99	2000	303 Stainless / Pin Hub / 12.5	Electrodeposited Nickel	11	0.66
	<i>0.748</i>		<i>1.122</i>						<i>0.026</i>
# CPBH19-06000600-35AG	19.0	6.000 / 6.000	34.9	0.74	2000	303 Stainless / Pin Hub / 12.5	Electrodeposited Nickel	14	1.11
	<i>0.748</i>		<i>1.374</i>						<i>0.044</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Couplings - Bellows - Hiflex

Part Number	OD (D) mm	Bores (d1 / d2) mm	Overall Length (L) mm	Max. Torque N.m	Max. Speed RPM	Hub Type and Diameter (H) mm	Bellows Material	Angular Offset Deg	Lateral Offset mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>			<i>inches</i>			<i>inches</i>
# CPBH19-06000600-14AC	19.1	6.000 / 6.000	13.7	1.31		Aluminum / Integral Clamp Hub	Electrodeposited Nickel	8	0.36
	<i>0.752</i>		<i>0.539</i>						<i>0.014</i>
# CPBH19-06350635-22SG	19.1	6.350 / 6.350	22.5	1.33	2000	Stainless / Pin Hub / 12.7	Nickel	8	0.36
	<i>0.752</i>		<i>0.886</i>						<i>0.014</i>
# CPBH19-06350635-27SG	19.1	6.350 / 6.350	27.3	0.99	2000	Stainless / Pin Hub / 12.7	Nickel	11	0.66
	<i>0.752</i>		<i>1.075</i>						<i>0.026</i>
# CPBH19-06350635-30SC	19.1	6.350 / 6.350	29.6	1.33	2000	Stainless / Clamp Hub / 7.925	Nickel	8	0.36
	<i>0.752</i>		<i>1.165</i>						<i>0.014</i>
# CPBH19-06350635-34SG	19.1	6.350 / 6.350	33.6	0.74	2000	Stainless / Pin Hub / 12.7	Nickel	14	1.17
	<i>0.752</i>		<i>1.323</i>						<i>0.046</i>
# CPBH19-06350635-34SC	19.1	6.350 / 6.350	34.4	0.99	2000	Stainless / Clamp Hub / 7.925	Nickel	11	0.66
	<i>0.752</i>		<i>1.354</i>						<i>0.026</i>
# CPBH19-06350635-41SC	19.1	6.350 / 6.350	40.8	0.74	2000	Stainless / Clamp Hub / 7.925	Nickel	14	1.17
	<i>0.752</i>		<i>1.606</i>						<i>0.046</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Couplings - Bellows - Hiflex

Part Number	OD (D) mm	Bores (d1 / d2) mm	Overall Length (L) mm	Max. Torque N.m	Max. Speed RPM	Hub Type and Diameter (H) mm	Bellows Material	Angular Offset Deg	Lateral Offset mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>			<i>inches</i>			<i>inches</i>
# CPBH19-10001000-14AC	19.1	10.000 / 10.000	13.7	1.31		Aluminum / Integral Clamp Hub	Electrodeposited Nickel	8	0.36
	<i>0.752</i>		<i>0.539</i>						<i>0.014</i>
# CPBH19-06001000-14AC	19.1	6.000 / 10.000	13.7	1.31		Aluminum / Integral Clamp Hub	Electrodeposited Nickel	8	0.36
	<i>0.752</i>		<i>0.539</i>						<i>0.014</i>
# CPBH22-07950795-35AC	22.0	7.950 / 7.950	35.1	2.46	2000	Aluminum / Integral Clamp Hub	Electrodeposited Nickel	8	0.46
	<i>0.866</i>		<i>1.382</i>						<i>0.018</i>
# CPBH22-07950795-48AC	22.0	7.950 / 7.950	47.9	1.06	2000	Aluminum / Integral Clamp Hub	Electrodeposited Nickel	16	1.73
	<i>0.866</i>		<i>1.886</i>						<i>0.068</i>
# CPBH22-09530953-48AC	22.0	9.525 / 9.525	47.9	1.06	2000	Aluminum / Integral Clamp Hub	Electrodeposited Nickel	16	1.73
	<i>0.866</i>		<i>1.886</i>						<i>0.068</i>
# CPBH24-09530953-29AC	23.5	9.525 / 9.525	29.4	7.05	2000	Aluminum / Integral Clamp Hub	Electrodeposited Nickel	1	0.03
	<i>0.925</i>		<i>1.157</i>						<i>0.001</i>
# CPBH25-08000400-31AG	24.5	8.000 / 4.000	30.5	1.97	2000	303 Stainless / Pin Hub / 16	Electrodeposited Nickel	9	0.50
	<i>0.965</i>		<i>1.201</i>						<i>0.020</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Couplings - Bellows - Hiflex

Part Number	OD (D) mm	Bores (d1 / d2) mm	Overall Length (L) mm	Max. Torque N.m	Max. Speed RPM	Hub Type and Diameter (H) mm	Bellows Material	Angular Offset Deg	Lateral Offset mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>			<i>inches</i>			<i>inches</i>
# CPBH25-08000400-43AG	24.5	8.000 / 4.000	43.2	1.07	2000	303 Stainless / Pin Hub / 16	Electrodeposited Nickel	17	1.72
	<i>0.965</i>		<i>1.701</i>						<i>0.068</i>
# CPBH25-08000600-31AG	24.5	8.000 / 6.000	30.5	1.97	2000	303 Stainless / Pin Hub / 16	Electrodeposited Nickel	9	0.50
	<i>0.965</i>		<i>1.201</i>						<i>0.020</i>
# CPBH25-08000600-43AG	24.5	8.000 / 6.000	43.2	1.07	2000	303 Stainless / Pin Hub / 16	Electrodeposited Nickel	17	1.72
	<i>0.965</i>		<i>1.701</i>						<i>0.068</i>
# CPBH25-08000800-31AG	24.5	8.000 / 8.000	30.5	1.97	2000	303 Stainless / Pin Hub / 16	Electrodeposited Nickel	9	0.50
	<i>0.965</i>		<i>1.201</i>						<i>0.020</i>
# CPBH25-08000800-43AG	24.5	8.000 / 8.000	43.2	1.07	2000	303 Stainless / Pin Hub / 16	Electrodeposited Nickel	17	1.72
	<i>0.965</i>		<i>1.701</i>						<i>0.068</i>
# CPBH25-10001000-19AC	25.0	10.000 / 10.000	18.5	2.46		Aluminum / Integral Clamp Hub	Electrodeposited Nickel	8	0.46
	<i>0.984</i>		<i>0.728</i>						<i>0.018</i>
# CPBH25-12001200-19AC	25.0	12.000 / 12.000	18.5	2.46		Aluminum / Integral Clamp Hub	Electrodeposited Nickel	8	0.46
	<i>0.984</i>		<i>0.728</i>						<i>0.018</i>
# CPBH25-10001200-19AC	25.0	10.000 / 12.000	18.5	2.46		Aluminum / Integral Clamp Hub	Electrodeposited Nickel	8	0.46
	<i>0.984</i>		<i>0.728</i>						<i>0.018</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Couplings - Bellows - Hiflex

Part Number	OD (D) mm	Bores (d1 / d2) mm	Overall Length (L) mm	Max. Torque N.m	Max. Speed RPM	Hub Type and Diameter (H) mm	Bellows Material	Angular Offset Deg	Lateral Offset mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>			<i>inches</i>			<i>inches</i>
# CPBH25-07940794-29SG	25.4	7.938 / 7.938	28.6	1.98	2000	Stainless / Pin Hub / 15.875	Nickel	9	0.51
	<i>1.000</i>		<i>1.126</i>						<i>0.020</i>
# CPBH25-07940794-38SC	25.4	7.938 / 7.938	37.6	1.98	2000	Stainless / Clamp Hub / 9.525	Nickel	9	0.51
	<i>1.000</i>		<i>1.480</i>						<i>0.020</i>
# CPBH25-07940794-41SG	25.4	7.938 / 7.938	41.3	1.07	2000	Stainless / Pin Hub / 15.875	Nickel	17	1.73
	<i>1.000</i>		<i>1.626</i>						<i>0.068</i>
# CPBH25-07940794-47SC	25.4	7.938 / 7.938	47.1	1.07	2000	Stainless / Clamp Hub / 9.525	Nickel	17	1.73
	<i>1.000</i>		<i>1.854</i>						<i>0.068</i>
# CPBH25-07940794-50SC	25.4	7.938 / 7.938	50.3	1.07	2000	Stainless / Clamp Hub / 9.525	Nickel	17	1.73
	<i>1.000</i>		<i>1.980</i>						<i>0.068</i>
# CPBH33-12701270-29AC	33.0	12.700 / 12.700	29.4	7.06	2000	Aluminum / Integral Clamp Hub	Electrodeposited Nickel	1	0.03
	<i>1.299</i>		<i>1.157</i>						<i>0.001</i>
# CPBH33-12701270-47AC	33.0	12.700 / 12.700	46.9	9.17	2000	Aluminum / Integral Clamp Hub	Electrodeposited Nickel	6	0.46
	<i>1.299</i>		<i>1.846</i>						<i>0.018</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to catalogues@minibearings.com.au

