




MBA

Couplings - Bellows - Integral Clamp - Brass

Zero Backlash - Constant Angular Velocity - Dampens vibration and noise - Tin plate finish

Phosphor Bronze Bellows

Brass Hubs



Couplings - Bellows - Integral Clamp - Brass

Part Number	Bellows Diameter (D1) mm	Bores (d1 / d2) mm	Overall Length (L) mm	Max. Torque N.m	Max. Speed RPM	Hub Diameter (D) mm	Hub Length (l) mm	Hub Type and Screw Size	Angular Offset Deg.	Lateral Offset mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>			<i>inches</i>	<i>inches</i>			<i>inches</i>
# CPB1223-0300-0300-BZF	11.9	3.000 / 3.000	23.4	0.85		11.000 mm	8.50	Brass / Fairloc Hub / M2 Cap Screw	5.00	0.38
	<i>0.469</i>		<i>0.921</i>				<i>0.335</i>			<i>0.015</i>
# CPB1223-0305-0305-BZF	11.9	3.048 / 3.048	23.4	0.20		10.998 mm	8.61	Brass / Fairloc Hub / 2-56 Cap Screw	5.00	0.38
	<i>0.469</i>		<i>0.921</i>				<i>0.339</i>			<i>0.015</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Couplings - Bellows - Integral Clamp - Brass

Part Number	Bellows Diameter (D1) mm <i>inches</i>	Bores (d1 / d2) mm <i>inches</i>	Overall Length (L) mm <i>inches</i>	Max. Torque N.m	Max. Speed RPM	Hub Diameter (D) mm <i>inches</i>	Hub Length (l) mm <i>inches</i>	Hub Type and Screw Size	Angular Offset Deg.	Lateral Offset mm <i>inches</i>
# CPB1223-0318-0318-BZF	11.9 <i>0.469</i>	3.175 / 3.175 <i>inches</i>	23.4 <i>0.921</i>	0.20		10.998 mm <i>inches</i>	8.61 <i>0.339</i>	Brass / Fairloc Hub / 2-56 Cap Screw	5.00	0.38 <i>0.015</i>
# CPB1223-0400-0400-BZF	11.9 <i>0.469</i>	4.000 / 4.000 <i>inches</i>	23.4 <i>0.921</i>	0.85		12.500 mm <i>inches</i>	8.50 <i>0.335</i>	Brass / Fairloc Hub / M2 Cap Screw	5.00	0.38 <i>0.015</i>
# CPB1223-0476-0476-BZF	11.9 <i>0.469</i>	4.762 / 4.762 <i>inches</i>	23.4 <i>0.921</i>	0.20		12.573 mm <i>inches</i>	8.61 <i>0.339</i>	Brass / Fairloc Hub / 2-56 Cap Screw	5.00	0.38 <i>0.015</i>
# CPB1226-0476-0476-BZF	11.9 <i>0.469</i>	4.762 / 4.762 <i>inches</i>	25.5 <i>1.004</i>	0.30		14.275 mm <i>inches</i>	9.78 <i>0.385</i>	Brass / Fairloc Hub / 4-40 Cap Screw	4.00	0.25 <i>0.010</i>
# CPB1730-0500-0500-BZF	16.7 <i>0.657</i>	5.000 / 5.000 <i>inches</i>	29.5 <i>1.161</i>	1.40		16.000 mm <i>inches</i>	10.50 <i>0.413</i>	Brass / Fairloc Hub / M2.5 Cap Screw	6.00	0.50 <i>0.020</i>
# CPB1730-0600-0600-BZF	16.7 <i>0.657</i>	6.000 / 6.000 <i>inches</i>	29.5 <i>1.161</i>	1.40		16.000 mm <i>inches</i>	10.50 <i>0.413</i>	Brass / Fairloc Hub / M2.5 Cap Screw	6.00	0.50 <i>0.020</i>
# CPB1730-0635-0635-BZF	16.7 <i>0.657</i>	6.350 / 6.350 <i>inches</i>	29.5 <i>1.161</i>	0.30		15.494 mm <i>inches</i>	10.60 <i>0.417</i>	Brass / Fairloc Hub / 4-40 Cap Screw	6.00	0.38 <i>0.015</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Couplings - Bellows - Integral Clamp - Brass

Part Number	Bellows Diameter (D1) mm <i>inches</i>	Bores (d1 / d2) mm <i>inches</i>	Overall Length (L) mm <i>inches</i>	Max. Torque N.m	Max. Speed RPM	Hub Diameter (D) mm <i>inches</i>	Hub Length (l) mm <i>inches</i>	Hub Type and Screw Size	Angular Offset Deg.	Lateral Offset mm <i>inches</i>
# CPB1730-0794-0794-BZF	16.7 <i>0.657</i>	7.938 / 7.938 <i>inches</i>	29.5 <i>1.161</i>	0.30		17.323 mm <i>0.417</i>	10.60 <i>inches</i>	Brass / Fairloc Hub / 4-40 Cap Screw	6.00	0.38 <i>0.015</i>
# CPB2133-0800-0800-BZF	21.4 <i>0.843</i>	8.000 / 8.000	33.3 <i>1.311</i>	2.12		22.000 mm <i>0.472</i>	12.00 <i>inches</i>	Brass / Fairloc Hub / M3 Cap Screw	6.00	0.65 <i>0.026</i>
# CPB2133-0953-0953-BZF	21.4 <i>0.843</i>	9.525 / 9.525	33.3 <i>1.311</i>	0.40		22.098 mm <i>0.479</i>	12.17 <i>inches</i>	Brass / Fairloc Hub / 6-32 Cap Screw	6.00	0.38 <i>0.015</i>
# CPB2133-1000-1000-BZF	21.4 <i>0.843</i>	10.000 / 10.000	33.3 <i>1.311</i>	2.12		25.000 mm <i>0.472</i>	12.00 <i>inches</i>	Brass / Fairloc Hub / M3 Cap Screw	6.00	0.65 <i>0.026</i>
# CPB2133-1200-1200-BZF	21.4 <i>0.843</i>	12.000 / 12.000	33.3 <i>1.311</i>	2.12		25.000 mm <i>0.472</i>	12.00 <i>inches</i>	Brass / Fairloc Hub / M3 Cap Screw	6.00	0.65 <i>0.026</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to catalogues@minibearings.com.au
