




# MBA

## Couplings - Bellows - Modular



Interchangeable bushings for a variety of bore sizes.

1 Coupling consists of: 2 Bushings - 2 Clamps - 1 Bellows.

Choose all 5 parts from any one size group.

Bushings may be interchanged within any size group.

This catalogue to be read in conjunction with information at [http://www.minibearings.com.au/ogue/tech/couplings/bellows\\_modular.pdf](http://www.minibearings.com.au/ogue/tech/couplings/bellows_modular.pdf)

### Couplings - Bellows - Modular

Part Number	Size Group	Description	Qty Req. for Complete coupling	Bore Size (d) mm	Material	OD mm	Length (L) mm	Hub OD (Bellows) mm	Assembled Length (AL) mm	Bellows Length (BL) mm
				<i>inches</i>		<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
# CBM1-CL	1	Clamp	2	31.0 (Suits Bellows Hub OD)	Aluminium	55.0	15.0	-	59.3	-
						<i>2.165</i>	<i>0.591</i>		<i>2.335</i>	
# CBM1-B-1600	1	Bush	2	16.00	Aluminium	30.0 (Suits Bellows ID)	18.0	-	59.3	-
				<i>0.630</i>			<i>0.709</i>		<i>2.335</i>	
# CBM1-B-1905	1	Bush	2	19.05	Aluminium	30.0 (Suits Bellows ID)	18.0	-	59.3	-
				<i>0.750</i>			<i>0.709</i>		<i>2.335</i>	

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Couplings - Bellows - Modular

Part Number	Size Group	Description	Qty Req. for Complete coupling	Bore Size (d) mm <i>inches</i>	Material	OD mm <i>inches</i>	Length (L) mm <i>inches</i>	Hub OD (Bellows) mm <i>inches</i>	Assembled Length (AL) mm <i>inches</i>	Bellows Length (BL) mm <i>inches</i>
# CBM1-B-2223	1	Bush	2	22.23 <i>0.875</i>	Aluminium	30.0 (Suits Bellows ID)	18.0 <i>0.709</i>	-	59.3 <i>2.335</i>	-
# CBM1-B-1900	1	Bush	2	19.00 <i>0.748</i>	Aluminium	30.0 (Suits Bellows ID)	18.0 <i>0.709</i>	-	59.3 <i>2.335</i>	-
# CBM1-B-1588	1	Bush	2	15.88 <i>0.625</i>	Aluminium	30.0 (Suits Bellows ID)	18.0 <i>0.709</i>	-	59.3 <i>2.335</i>	-
# CBM1-B-1270	1	Bush	2	12.70 <i>0.500</i>	Aluminium	30.0 (Suits Bellows ID)	18.0 <i>0.709</i>	-	59.3 <i>2.335</i>	-
# CBM1-B-1200	1	Bush	2	12.00 <i>0.472</i>	Aluminium	30.0 (Suits Bellows ID)	18.0 <i>0.709</i>	-	59.3 <i>2.335</i>	-
# CBM1-B-2200	1	Bush	2	22.00 <i>0.866</i>	Aluminium	30.0 (Suits Bellows ID)	18.0 <i>0.709</i>	-	59.3 <i>2.335</i>	-
# CBM1-BLW	1	Bellows (Body)	1	30.0 (Suits Bush OD)	Stainless Steel	N/A	54.0 <i>2.126</i>	31.0 (Suits Clamp ID)	59.3 <i>2.335</i>	29.5 <i>1.161</i>
# CBM2-CL	2	Clamp	2	43.0 (Suits Bellows Hub OD)	Aluminium	71.0 <i>2.795</i>	17.0 <i>0.669</i>	-	72.0 <i>2.835</i>	-

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Couplings - Bellows - Modular

Part Number	Size Group	Description	Qty Req. for Complete coupling	Bore Size (d) mm <i>inches</i>	Material	OD mm <i>inches</i>	Length (L) mm <i>inches</i>	Hub OD (Bellows) mm <i>inches</i>	Assembled Length (AL) mm <i>inches</i>	Bellows Length (BL) mm <i>inches</i>
# CBM2-B-2200	2	Bush	2	22.00 <i>0.866</i>	Aluminium	42.2 (Suits Bellows ID) <i>1.661</i>	20.0 <i>0.787</i>	-	72.0 <i>2.835</i>	-
# CBM2-B-1900	2	Bush	2	19.00 <i>0.748</i>	Aluminium	42.2 (Suits Bellows ID) <i>1.661</i>	20.0 <i>0.787</i>	-	72.0 <i>2.835</i>	-
# CBM2-B-1600	2	Bush	2	16.00 <i>0.630</i>	Aluminium	42.2 (Suits Bellows ID) <i>1.661</i>	20.0 <i>0.787</i>	-	72.0 <i>2.835</i>	-
# CBM2-B-3200	2	Bush	2	32.00 <i>1.260</i>	Aluminium	42.2 (Suits Bellows ID) <i>1.661</i>	20.0 <i>0.787</i>	-	72.0 <i>2.835</i>	-
# CBM2-B-2223	2	Bush	2	22.23 <i>0.875</i>	Aluminium	42.2 (Suits Bellows ID) <i>1.661</i>	20.0 <i>0.787</i>	-	72.0 <i>2.835</i>	-
# CBM2-B-3175	2	Bush	2	31.75 <i>1.250</i>	Aluminium	42.2 (Suits Bellows ID) <i>1.661</i>	20.0 <i>0.787</i>	-	72.0 <i>2.835</i>	-
# CBM2-B-1588	2	Bush	2	15.88 <i>0.625</i>	Aluminium	42.2 (Suits Bellows ID) <i>1.661</i>	20.0 <i>0.787</i>	-	72.0 <i>2.835</i>	-
# CBM2-B-1905	2	Bush	2	19.05 <i>0.750</i>	Aluminium	42.2 (Suits Bellows ID) <i>1.661</i>	20.0 <i>0.787</i>	-	72.0 <i>2.835</i>	-

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Couplings - Bellows - Modular

Part Number	Size Group	Description	Qty Req. for Complete coupling	Bore Size (d) mm <i>inches</i>	Material	OD mm <i>inches</i>	Length (L) mm <i>inches</i>	Hub OD (Bellows) mm <i>inches</i>	Assembled Length (AL) mm <i>inches</i>	Bellows Length (BL) mm <i>inches</i>
# CBM2-B-2540	2	Bush	2	25.40 <i>1.000</i>	Aluminium	42.2 (Suits Bellows ID) <i>1.661</i>	20.0 <i>0.787</i>	-	72.0 <i>2.835</i>	-
# CBM2-B-2500	2	Bush	2	25.00 <i>0.984</i>	Aluminium	42.2 (Suits Bellows ID) <i>1.661</i>	20.0 <i>0.787</i>	-	72.0 <i>2.835</i>	-
# CBM2-BLW	2	Bellows (Body)	1	42.2 (Suits Bush OD) <i>1.661</i>	Stainless Steel	N/A	65.5 <i>2.579</i>	43.0 (Suits Clamp ID) <i>1.693</i>	72.0 <i>2.835</i>	38.5 <i>1.516</i>
# CBM3-CL	3	Clamp	2	56.5 (Suits Bellows Hub OD) <i>2.228</i>	Aluminium	92.0 <i>3.622</i>	22.0 <i>0.866</i>	-	90.3 <i>3.555</i>	-
# CBM3-B-2540	3	Bush	2	25.40 <i>1.000</i>	Aluminium	55.0 (Suits Bellows ID) <i>2.165</i>	26.0 <i>1.024</i>	-	90.3 <i>3.555</i>	-
# CBM3-B-3810	3	Bush	2	38.10 <i>1.500</i>	Aluminium	55.0 (Suits Bellows ID) <i>2.165</i>	26.0 <i>1.024</i>	-	90.3 <i>3.555</i>	-
# CBM3-B-3800	3	Bush	2	38.00 <i>1.496</i>	Aluminium	55.0 (Suits Bellows ID) <i>2.165</i>	26.0 <i>1.024</i>	-	90.3 <i>3.555</i>	-
# CBM3-B-3175	3	Bush	2	31.75 <i>1.250</i>	Aluminium	55.0 (Suits Bellows ID) <i>2.165</i>	26.0 <i>1.024</i>	-	90.3 <i>3.555</i>	-

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Couplings - Bellows - Modular

Part Number	Size Group	Description	Qty Req. for Complete coupling	Bore Size (d) mm  <i>inches</i>	Material	OD mm  <i>inches</i>	Length (L) mm  <i>inches</i>	Hub OD (Bellows) mm  <i>inches</i>	Assembled Length (AL) mm  <i>inches</i>	Bellows Length (BL) mm  <i>inches</i>
# CBM3-B-4445	3	Bush	2	44.45  <i>1.750</i>	Aluminium	55.0 (Suits Bellows ID)  <i>1.024</i>	26.0  <i>1.024</i>	-	90.3  <i>3.555</i>	-
# CBM3-B-2000	3	Bush	2	20.00  <i>0.787</i>	Aluminium	55.0 (Suits Bellows ID)  <i>1.024</i>	26.0  <i>1.024</i>	-	90.3  <i>3.555</i>	-
# CBM3-B-3200	3	Bush	2	32.00  <i>1.260</i>	Aluminium	55.0 (Suits Bellows ID)  <i>1.024</i>	26.0  <i>1.024</i>	-	90.3  <i>3.555</i>	-
# CBM3-B-2500	3	Bush	2	25.00  <i>0.984</i>	Aluminium	55.0 (Suits Bellows ID)  <i>1.024</i>	26.0  <i>1.024</i>	-	90.3  <i>3.555</i>	-
# CBM3-B-2200	3	Bush	2	22.00  <i>0.866</i>	Aluminium	55.0 (Suits Bellows ID)  <i>1.024</i>	26.0  <i>1.024</i>	-	90.3  <i>3.555</i>	-
# CBM3-B-2223	3	Bush	2	22.23  <i>0.875</i>	Aluminium	55.0 (Suits Bellows ID)  <i>1.024</i>	26.0  <i>1.024</i>	-	90.3  <i>3.555</i>	-
# CBM3-B-1905	3	Bush	2	19.05  <i>0.750</i>	Aluminium	55.0 (Suits Bellows ID)  <i>1.024</i>	26.0  <i>1.024</i>	-	90.3  <i>3.555</i>	-
# CBM3-B-4500	3	Bush	2	45.00  <i>1.772</i>	Aluminium	55.0 (Suits Bellows ID)  <i>1.024</i>	26.0  <i>1.024</i>	-	90.3  <i>3.555</i>	-

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Couplings - Bellows - Modular

Part Number	Size Group	Description	Qty Req. for Complete coupling	Bore Size (d) mm <i>inches</i>	Material	OD mm <i>inches</i>	Length (L) mm <i>inches</i>	Hub OD (Bellows) mm <i>inches</i>	Assembled Length (AL) mm <i>inches</i>	Bellows Length (BL) mm <i>inches</i>
# CBM3-BLW	3	Bellows (Body)	1	55.0 (Suits Bush OD) <i>2.165</i>	Stainless Steel	N/A	80.5 <i>3.169</i>	56.5 (Suits Clamp ID)	90.3 <i>3.555</i>	45.5 <i>1.791</i>
# CBM0-CL	0	Clamp	2	23.0 (Suits Bellows Hub OD) <i>0.906</i>	Aluminium	43.0 <i>1.693</i>	13.0 <i>0.512</i>	-	49.3 <i>1.941</i>	-
# CBM0-B-0900	0	Bush	2	9.00 <i>0.354</i>	Aluminium	22.0 (Suits Bellows ID)	15.0 <i>0.591</i>	-	49.3 <i>1.941</i>	-
# CBM0-B-0953	0	Bush	2	9.53 <i>0.375</i>	Aluminium	22.0 (Suits Bellows ID)	15.0 <i>0.591</i>	-	49.3 <i>1.941</i>	-
# CBM0-B-1270	0	Bush	2	12.70 <i>0.500</i>	Aluminium	22.0 (Suits Bellows ID)	15.0 <i>0.591</i>	-	49.3 <i>1.941</i>	-
# CBM0-B-1900	0	Bush	2	19.00 <i>0.748</i>	Aluminium	22.0 (Suits Bellows ID)	15.0 <i>0.591</i>	-	49.3 <i>1.941</i>	-
# CBM0-B-1905	0	Bush	2	19.05 <i>0.750</i>	Aluminium	22.0 (Suits Bellows ID)	15.0 <i>0.591</i>	-	49.3 <i>1.941</i>	-
# CBM0-B-1200	0	Bush	2	12.00 <i>0.472</i>	Aluminium	22.0 (Suits Bellows ID)	15.0 <i>0.591</i>	-	49.3 <i>1.941</i>	-

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Couplings - Bellows - Modular

Part Number	Size Group	Description	Qty Req. for Complete coupling	Bore Size (d) mm	Material	OD mm	Length (L) mm	Hub OD (Bellows) mm	Assembled Length (AL) mm	Bellows Length (BL) mm
				<i>inches</i>		<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
# CBM0-B-1588	0	Bush	2	15.88	Aluminium	22.0 (Suits Bellows ID)	15.0	-	49.3	-
				<i>0.625</i>			<i>0.591</i>		<i>1.941</i>	
# CBM0-B-1600	0	Bush	2	16.00	Aluminium	22.0 (Suits Bellows ID)	15.0	-	49.3	-
				<i>0.630</i>			<i>0.591</i>		<i>1.941</i>	
# CBM0-BLW	0	Bellows (Body)	1	22.0 (Suits Bush OD)	Stainless Steel	N/A	44.5	23.0 (Suits Clamp ID)	49.3	23.5
							<i>1.752</i>		<i>1.941</i>	<i>0.925</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to [catalogues@minibearings.com.au](mailto:catalogues@minibearings.com.au)

