




MBA

Couplings - Bellows - Set Screw - Brass with Tin Plate Finish



Phosphor Bronze Bellows
Brass with Tin Plate Finish Hubs

Couplings - Bellows - Set Screw - Brass with Tin Plate Finish

Part Number	Bellows OD (D1) mm	Bores (d1 / d2) mm	Overall Length (L) mm	Max. Torque N.m	Max. Speed RPM	Hub Diameter (D) mm	Typical Hub Length (l) mm	Typical Screw Centres (s) mm	Angular Offset Deg.	Lateral Offset mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>			<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>
# CPB1219-0305-0317-BZS	11.9 <i>0.469</i>	3.048 / 3.170	19.1 <i>0.752</i>	1.06	2000	11.91 <i>0.469</i>	6.35 <i>0.250</i>	3.2 <i>0.126</i>	5	0.38 <i>0.015</i>
# CPB1219-0305-0476-BZS	11.9 <i>0.469</i>	3.048 / 4.757	19.1 <i>0.752</i>	1.06	2000	11.91 <i>0.469</i>	6.35 <i>0.250</i>	3.2 <i>0.126</i>	5	0.38 <i>0.015</i>
# CPB1219-0305-0635-BZS	11.9 <i>0.469</i>	3.048 / 6.345	19.1 <i>0.752</i>	1.06	2000	11.91 <i>0.469</i>	6.35 <i>0.250</i>	3.2 <i>0.126</i>	5	0.38 <i>0.015</i>
# CPB1219-0305-0305-BZS	11.9 <i>0.469</i>	3.048 / 3.048	19.1 <i>0.752</i>	1.06	2000	11.91 <i>0.469</i>	6.35 <i>0.250</i>	3.2 <i>0.126</i>	5	0.38 <i>0.015</i>

Indicates item not stocked at time of printing - Please enquire for lead time
E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Couplings - Bellows - Set Screw - Brass with Tin Plate Finish

Part Number	Bellows OD (D1) mm	Bores (d1 / d2) mm	Overall Length (L) mm	Max. Torque N.m	Max. Speed RPM	Hub Diameter (D) mm	Typical Hub Length (l) mm	Typical Screw Centres (s) mm	Angular Offset Deg.	Lateral Offset mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>			<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>
# CPB1232-0305-0635-BZS	11.9 <i>0.469</i>	3.048 / 6.345	31.8 <i>1.252</i>	1.06	2000	11.91 <i>0.469</i>	6.35 <i>0.250</i>	3.2 <i>0.126</i>	10	0.76 <i>0.030</i>
# CPB1232-0305-0305-BZS	11.9 <i>0.469</i>	3.048 / 3.048	31.8 <i>1.252</i>	1.06	2000	11.91 <i>0.469</i>	6.35 <i>0.250</i>	3.2 <i>0.126</i>	10	0.76 <i>0.030</i>
# CPB1232-0305-0317-BZS	11.9 <i>0.469</i>	3.048 / 3.170	31.8 <i>1.252</i>	1.06	2000	11.91 <i>0.469</i>	6.35 <i>0.250</i>	3.2 <i>0.126</i>	10	0.76 <i>0.030</i>
# CPB1232-0305-0476-BZS	11.9 <i>0.469</i>	3.048 / 4.757	31.8 <i>1.252</i>	1.06	2000	11.91 <i>0.469</i>	6.35 <i>0.250</i>	3.2 <i>0.126</i>	10	0.76 <i>0.030</i>
# CPB1219-0317-0317-BZS	11.9 <i>0.469</i>	3.170 / 3.170	19.1 <i>0.752</i>	1.06	2000	11.91 <i>0.469</i>	6.35 <i>0.250</i>	3.2 <i>0.126</i>	5	0.38 <i>0.015</i>
# CPB1219-0317-0476-BZS	11.9 <i>0.469</i>	3.170 / 4.757	19.1 <i>0.752</i>	1.06	2000	11.91 <i>0.469</i>	6.35 <i>0.250</i>	3.2 <i>0.126</i>	5	0.38 <i>0.015</i>
# CPB1219-0317-0635-BZS	11.9 <i>0.469</i>	3.170 / 6.345	19.1 <i>0.752</i>	1.06	2000	11.91 <i>0.469</i>	6.35 <i>0.250</i>	3.2 <i>0.126</i>	5	0.38 <i>0.015</i>
# CPB1232-0317-0635-BZS	11.9 <i>0.469</i>	3.170 / 6.345	31.8 <i>1.252</i>	1.06	2000	11.91 <i>0.469</i>	6.35 <i>0.250</i>	3.2 <i>0.126</i>	10	0.76 <i>0.030</i>
# CPB1232-0317-0476-BZS	11.9 <i>0.469</i>	3.170 / 4.757	31.8 <i>1.252</i>	1.06	2000	11.91 <i>0.469</i>	6.35 <i>0.250</i>	3.2 <i>0.126</i>	10	0.76 <i>0.030</i>
# CPB1232-0317-0317-BZS	11.9 <i>0.469</i>	3.170 / 3.170	31.8 <i>1.252</i>	1.06	2000	11.91 <i>0.469</i>	6.35 <i>0.250</i>	3.2 <i>0.126</i>	10	0.76 <i>0.030</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Couplings - Bellows - Set Screw - Brass with Tin Plate Finish

Part Number	Bellows OD (D1) mm	Bores (d1 / d2) mm	Overall Length (L) mm	Max. Torque N.m	Max. Speed RPM	Hub Diameter (D) mm	Typical Hub Length (l) mm	Typical Screw Centres (s) mm	Angular Offset Deg.	Lateral Offset mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>			<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>
# CPB1219-0476-0635-BZS	11.9 <i>0.469</i>	4.757 / 6.345	19.1 <i>0.752</i>	1.06	2000	11.91 <i>0.469</i>	6.35 <i>0.250</i>	3.2 <i>0.126</i>	5	0.38 <i>0.015</i>
# CPB1219-0476-0476-BZS	11.9 <i>0.469</i>	4.757 / 4.757	19.1 <i>0.752</i>	1.06	2000	11.91 <i>0.469</i>	6.35 <i>0.250</i>	3.2 <i>0.126</i>	5	0.38 <i>0.015</i>
# CPB1232-0476-0476-BZS	11.9 <i>0.469</i>	4.757 / 4.757	31.8 <i>1.252</i>	1.06	2000	11.91 <i>0.469</i>	6.35 <i>0.250</i>	3.2 <i>0.126</i>	10	0.76 <i>0.030</i>
# CPB1232-0476-0635-BZS	11.9 <i>0.469</i>	4.757 / 6.345	31.8 <i>1.252</i>	1.06	2000	11.91 <i>0.469</i>	6.35 <i>0.250</i>	3.2 <i>0.126</i>	10	0.76 <i>0.030</i>
# CPB1219-0635-0635-BZS	11.9 <i>0.469</i>	6.345 / 6.345	19.1 <i>0.752</i>	1.06	2000	11.91 <i>0.469</i>	6.35 <i>0.250</i>	3.2 <i>0.126</i>	5	0.38 <i>0.015</i>
# CPB1232-0635-0635-BZS	11.9 <i>0.469</i>	6.345 / 6.345	31.8 <i>1.252</i>	1.06	2000	11.91 <i>0.469</i>	6.35 <i>0.250</i>	3.2 <i>0.126</i>	10	0.76 <i>0.030</i>
# CPB1726-0476-0634-BZS	17.0 <i>0.669</i>	4.762 / 6.350	26.3 <i>1.035</i>	1.40		17 <i>0.669</i>	8.99 <i>0.354</i>	4.5 <i>0.177</i>	6.00	0.38 <i>0.015</i>
# CPB1726-0476-0476-BZS	17.0 <i>0.669</i>	4.762 / 4.762	26.3 <i>1.035</i>	1.40		17 <i>0.669</i>	8.99 <i>0.354</i>	4.5 <i>0.177</i>	6.00	0.38 <i>0.015</i>
# CPB1726-0634-0793-BZS	17.0 <i>0.669</i>	6.350 / 7.938	26.3 <i>1.035</i>	1.40		17 <i>0.669</i>	8.99 <i>0.354</i>	4.5 <i>0.177</i>	6.00	0.38 <i>0.015</i>
# CPB1726-0634-0634-BZS	17.0 <i>0.669</i>	6.350 / 6.350	26.3 <i>1.035</i>	1.40		17 <i>0.669</i>	8.99 <i>0.354</i>	4.5 <i>0.177</i>	6.00	0.38 <i>0.015</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Couplings - Bellows - Set Screw - Brass with Tin Plate Finish

Part Number	Bellows OD (D1) mm	Bores (d1 / d2) mm	Overall Length (L) mm	Max. Torque N.m	Max. Speed RPM	Hub Diameter (D) mm	Typical Hub Length (l) mm	Typical Screw Centres (s) mm	Angular Offset Deg.	Lateral Offset mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>			<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>
# CPB2227-0793-0952-BZS	22.0 <i>0.866</i>	7.938 / 9.525	27.0 <i>1.063</i>	2.10		22 <i>0.866</i>	8.99 <i>0.354</i>	4.5 <i>0.177</i>	6.00	0.38 <i>0.015</i>
# CPB2227-0952-1270-BZS	22.0 <i>0.866</i>	9.525 / 12.700	27.0 <i>1.063</i>	2.10		22 <i>0.866</i>	8.99 <i>0.354</i>	4.5 <i>0.177</i>	6.00	0.38 <i>0.015</i>
# CPB2227-0952-0952-BZS	22.0 <i>0.866</i>	9.525 / 9.525	27.0 <i>1.063</i>	2.10		22 <i>0.866</i>	8.99 <i>0.354</i>	4.5 <i>0.177</i>	6.00	0.38 <i>0.015</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to catalogues@minibearings.com.au

