




MBA

Couplings - BoWex - Junior



Nylon 2 piece and 3 piece couplings. 5 to 24 Nm. 6000 rpm max.

Approved distribution through the Australian Wholesaler (Deanquip).

Crowned gear teeth - No need for lubrication.

Chemical resistant nylon.

Electrically insulated.

Grub Screw opposite Keyway.

Couplings - BoWex - Junior

| Part Number | OD (D) mm | Bores (d1 / d2) mm | Overall Length (L) mm | Torque (Nom. / Max.) N.m | Max Speed RPM | Max. Hub Diameter (C / C1) mm | Length Through Hub Bore (H) mm | Insert Protrusion (M) mm | Approx. Hub Extension (N) mm |
|----------------------|--------------------|-----------------------|--------------------------|-----------------------------|---------------|-------------------------------------|--------------------------------------|--------------------------------|------------------------------------|
| | <i>inches</i> | <i>inches</i> | <i>inches</i> | | | <i>inches</i> | <i>inches</i> | <i>inches</i> | <i>inches</i> |
| Junior-14-06001200 | 40 <i>1.575</i> | 6.000 / 12.000 | 48.0 <i>1.890</i> | 5 / 10 | 6000 | 22 / 25 (2 Piece) | 23.0 <i>0.906</i> | 8.0 <i>0.315</i> | 17.0 <i>0.669</i> |
| # Junior-14-06000800 | 40 <i>1.575</i> | 6.000 / 8.000 | 48.0 <i>1.890</i> | 5 / 10 | 6000 | 22 / 25 (2 Piece) | 23.0 <i>0.906</i> | 8.0 <i>0.315</i> | 17.0 <i>0.669</i> |
| # Junior-14-06001100 | 40 <i>1.575</i> | 6.000 / 11.000 | 48.0 <i>1.890</i> | 5 / 10 | 6000 | 22 / 25 (2 Piece) | 23.0 <i>0.906</i> | 8.0 <i>0.315</i> | 17.0 <i>0.669</i> |

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Couplings - BoWex - Junior

| Part Number | OD (D) mm | Bores (d1 / d2) mm | Overall Length (L) mm | Torque (Nom. / Max.) N.m | Max Speed RPM | Max. Hub Diameter (C / C1) mm | Length Through Hub Bore (H) mm | Insert Protrusion (M) mm | Approx. Hub Extension (N) mm |
|------------------------|--------------------|-----------------------|--------------------------|-----------------------------|---------------|-------------------------------------|--------------------------------------|--------------------------------|------------------------------------|
| | <i>inches</i> | <i>inches</i> | <i>inches</i> | | | <i>inches</i> | <i>inches</i> | <i>inches</i> | <i>inches</i> |
| # Junior-14-06001400 | 40 <i>1.575</i> | 6.000 / 14.000 | 48.0 <i>1.890</i> | 5 / 10 | 6000 | 22 / 25 (2 Piece) | 23.0 <i>0.906</i> | 8.0 <i>0.315</i> | 17.0 <i>0.669</i> |
| # Junior-M-14-06000800 | 40 <i>1.575</i> | 6.000 / 8.000 | 50.0 <i>1.969</i> | 5 / 10 | 6000 | 22 (3 Piece) | 23.0 <i>0.906</i> | 6.5 <i>0.256</i> | 6.5 <i>0.256</i> |
| # Junior-M-14-06001400 | 40 <i>1.575</i> | 6.000 / 14.000 | 50.0 <i>1.969</i> | 5 / 10 | 6000 | 22 (3 Piece) | 23.0 <i>0.906</i> | 6.5 <i>0.256</i> | 6.5 <i>0.256</i> |
| # Junior-M-14-06001200 | 40 <i>1.575</i> | 6.000 / 12.000 | 50.0 <i>1.969</i> | 5 / 10 | 6000 | 22 (3 Piece) | 23.0 <i>0.906</i> | 6.5 <i>0.256</i> | 6.5 <i>0.256</i> |
| # Junior-M-14-06000700 | 40 <i>1.575</i> | 6.000 / 7.000 | 50.0 <i>1.969</i> | 5 / 10 | 6000 | 22 (3 Piece) | 23.0 <i>0.906</i> | 6.5 <i>0.256</i> | 6.5 <i>0.256</i> |
| # Junior-M-14-06001000 | 40 <i>1.575</i> | 6.000 / 10.000 | 50.0 <i>1.969</i> | 5 / 10 | 6000 | 22 (3 Piece) | 23.0 <i>0.906</i> | 6.5 <i>0.256</i> | 6.5 <i>0.256</i> |
| # Junior-M-14-06000900 | 40 <i>1.575</i> | 6.000 / 9.000 | 50.0 <i>1.969</i> | 5 / 10 | 6000 | 22 (3 Piece) | 23.0 <i>0.906</i> | 6.5 <i>0.256</i> | 6.5 <i>0.256</i> |
| Junior-M-14-06000600 | 40 <i>1.575</i> | 6.000 / 6.000 | 50.0 <i>1.969</i> | 5 / 10 | 6000 | 22 (3 Piece) | 23.0 <i>0.906</i> | 6.5 <i>0.256</i> | 6.5 <i>0.256</i> |
| # Junior-M-14-06001100 | 40 <i>1.575</i> | 6.000 / 11.000 | 50.0 <i>1.969</i> | 5 / 10 | 6000 | 22 (3 Piece) | 23.0 <i>0.906</i> | 6.5 <i>0.256</i> | 6.5 <i>0.256</i> |
| # Junior-14-07000800 | 40 <i>1.575</i> | 7.000 / 8.000 | 48.0 <i>1.890</i> | 5 / 10 | 6000 | 22 / 25 (2 Piece) | 23.0 <i>0.906</i> | 8.0 <i>0.315</i> | 17.0 <i>0.669</i> |

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Couplings - BoWex - Junior

| Part Number | OD (D) mm | Bores (d1 / d2) mm | Overall Length (L) mm | Torque (Nom. / Max.) N.m | Max Speed RPM | Max. Hub Diameter (C / C1) mm | Length Through Hub Bore (H) mm | Insert Protrusion (M) mm | Approx. Hub Extension (N) mm |
|------------------------|--------------------|-----------------------|--------------------------|-----------------------------|---------------|-------------------------------------|--------------------------------------|--------------------------------|------------------------------------|
| | <i>inches</i> | <i>inches</i> | <i>inches</i> | | | <i>inches</i> | <i>inches</i> | <i>inches</i> | <i>inches</i> |
| # Junior-14-07001100 | 40 <i>1.575</i> | 7.000 / 11.000 | 48.0 <i>1.890</i> | 5 / 10 | 6000 | 22 / 25 (2 Piece) | 23.0 <i>0.906</i> | 8.0 <i>0.315</i> | 17.0 <i>0.669</i> |
| # Junior-14-07001400 | 40 <i>1.575</i> | 7.000 / 14.000 | 48.0 <i>1.890</i> | 5 / 10 | 6000 | 22 / 25 (2 Piece) | 23.0 <i>0.906</i> | 8.0 <i>0.315</i> | 17.0 <i>0.669</i> |
| # Junior-14-07001200 | 40 <i>1.575</i> | 7.000 / 12.000 | 48.0 <i>1.890</i> | 5 / 10 | 6000 | 22 / 25 (2 Piece) | 23.0 <i>0.906</i> | 8.0 <i>0.315</i> | 17.0 <i>0.669</i> |
| # Junior-14-07001000 | 40 <i>1.575</i> | 7.000 / 10.000 | 48.0 <i>1.890</i> | 5 / 10 | 6000 | 22 / 25 (2 Piece) | 23.0 <i>0.906</i> | 8.0 <i>0.315</i> | 17.0 <i>0.669</i> |
| # Junior-M-14-07001100 | 40 <i>1.575</i> | 7.000 / 11.000 | 50.0 <i>1.969</i> | 5 / 10 | 6000 | 22 (3 Piece) | 23.0 <i>0.906</i> | 6.5 <i>0.256</i> | 6.5 <i>0.256</i> |
| # Junior-M-14-07001400 | 40 <i>1.575</i> | 7.000 / 14.000 | 50.0 <i>1.969</i> | 5 / 10 | 6000 | 22 (3 Piece) | 23.0 <i>0.906</i> | 6.5 <i>0.256</i> | 6.5 <i>0.256</i> |
| # Junior-M-14-07001200 | 40 <i>1.575</i> | 7.000 / 12.000 | 50.0 <i>1.969</i> | 5 / 10 | 6000 | 22 (3 Piece) | 23.0 <i>0.906</i> | 6.5 <i>0.256</i> | 6.5 <i>0.256</i> |
| # Junior-M-14-07000800 | 40 <i>1.575</i> | 7.000 / 8.000 | 50.0 <i>1.969</i> | 5 / 10 | 6000 | 22 (3 Piece) | 23.0 <i>0.906</i> | 6.5 <i>0.256</i> | 6.5 <i>0.256</i> |
| # Junior-M-14-07000700 | 40 <i>1.575</i> | 7.000 / 7.000 | 50.0 <i>1.969</i> | 5 / 10 | 6000 | 22 (3 Piece) | 23.0 <i>0.906</i> | 6.5 <i>0.256</i> | 6.5 <i>0.256</i> |
| # Junior-M-14-07000900 | 40 <i>1.575</i> | 7.000 / 9.000 | 50.0 <i>1.969</i> | 5 / 10 | 6000 | 22 (3 Piece) | 23.0 <i>0.906</i> | 6.5 <i>0.256</i> | 6.5 <i>0.256</i> |

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Couplings - BoWex - Junior

| Part Number | OD (D) mm <i>inches</i> | Bores (d1 / d2) mm <i>inches</i> | Overall Length (L) mm <i>inches</i> | Torque (Nom. / Max.) N.m | Max Speed RPM | Max. Hub Diameter (C / C1) mm <i>inches</i> | Length Through Hub Bore (H) mm <i>inches</i> | Insert Protrusion (M) mm <i>inches</i> | Approx. Hub Extension (N) mm <i>inches</i> |
|------------------------|----------------------------|--|---|-----------------------------|---------------|--|---|---|---|
| # Junior-M-14-07001000 | 40 <i>1.575</i> | 7.000 / 10.000 <i>inches</i> | 50.0 <i>1.969</i> | 5 / 10 | 6000 | 22 (3 Piece) <i>inches</i> | 23.0 <i>0.906</i> | 6.5 <i>0.256</i> | 6.5 <i>0.256</i> |
| # Junior-14-08001400 | 40 <i>1.575</i> | 8.000 / 14.000 <i>inches</i> | 48.0 <i>1.890</i> | 5 / 10 | 6000 | 22 / 25 (2 Piece) <i>inches</i> | 23.0 <i>0.906</i> | 8.0 <i>0.315</i> | 17.0 <i>0.669</i> |
| # Junior-14-08001100 | 40 <i>1.575</i> | 8.000 / 11.000 <i>inches</i> | 48.0 <i>1.890</i> | 5 / 10 | 6000 | 22 / 25 (2 Piece) <i>inches</i> | 23.0 <i>0.906</i> | 8.0 <i>0.315</i> | 17.0 <i>0.669</i> |
| # Junior-14-08001200 | 40 <i>1.575</i> | 8.000 / 12.000 <i>inches</i> | 48.0 <i>1.890</i> | 5 / 10 | 6000 | 22 / 25 (2 Piece) <i>inches</i> | 23.0 <i>0.906</i> | 8.0 <i>0.315</i> | 17.0 <i>0.669</i> |
| # Junior-14-08000800 | 40 <i>1.575</i> | 8.000 / 8.000 <i>inches</i> | 48.0 <i>1.890</i> | 5 / 10 | 6000 | 22 / 25 (2 Piece) <i>inches</i> | 23.0 <i>0.906</i> | 8.0 <i>0.315</i> | 17.0 <i>0.669</i> |
| # Junior-M-14-08000900 | 40 <i>1.575</i> | 8.000 / 9.000 <i>inches</i> | 50.0 <i>1.969</i> | 5 / 10 | 6000 | 22 (3 Piece) <i>inches</i> | 23.0 <i>0.906</i> | 6.5 <i>0.256</i> | 6.5 <i>0.256</i> |
| # Junior-M-14-08001400 | 40 <i>1.575</i> | 8.000 / 14.000 <i>inches</i> | 50.0 <i>1.969</i> | 5 / 10 | 6000 | 22 (3 Piece) <i>inches</i> | 23.0 <i>0.906</i> | 6.5 <i>0.256</i> | 6.5 <i>0.256</i> |
| # Junior-M-14-08001200 | 40 <i>1.575</i> | 8.000 / 12.000 <i>inches</i> | 50.0 <i>1.969</i> | 5 / 10 | 6000 | 22 (3 Piece) <i>inches</i> | 23.0 <i>0.906</i> | 6.5 <i>0.256</i> | 6.5 <i>0.256</i> |
| # Junior-M-14-08001000 | 40 <i>1.575</i> | 8.000 / 10.000 <i>inches</i> | 50.0 <i>1.969</i> | 5 / 10 | 6000 | 22 (3 Piece) <i>inches</i> | 23.0 <i>0.906</i> | 6.5 <i>0.256</i> | 6.5 <i>0.256</i> |
| Junior-M-14-08000800 | 40 <i>1.575</i> | 8.000 / 8.000 <i>inches</i> | 50.0 <i>1.969</i> | 5 / 10 | 6000 | 22 (3 Piece) <i>inches</i> | 23.0 <i>0.906</i> | 6.5 <i>0.256</i> | 6.5 <i>0.256</i> |

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Couplings - BoWex - Junior

| Part Number | OD (D) mm <i>inches</i> | Bores (d1 / d2) mm <i>inches</i> | Overall Length (L) mm <i>inches</i> | Torque (Nom. / Max.) N.m | Max Speed RPM | Max. Hub Diameter (C / C1) mm <i>inches</i> | Length Through Hub Bore (H) mm <i>inches</i> | Insert Protrusion (M) mm <i>inches</i> | Approx. Hub Extension (N) mm <i>inches</i> |
|------------------------|----------------------------|--|---|-----------------------------|---------------|--|---|---|---|
| # Junior-M-14-08001100 | 40 <i>1.575</i> | 8.000 / 11.000 | 50.0 <i>1.969</i> | 5 / 10 | 6000 | 22 (3 Piece) | 23.0 <i>0.906</i> | 6.5 <i>0.256</i> | 6.5 <i>0.256</i> |
| # Junior-14-09000800 | 40 <i>1.575</i> | 9.000 / 8.000 | 48.0 <i>1.890</i> | 5 / 10 | 6000 | 22 / 25 (2 Piece) | 23.0 <i>0.906</i> | 8.0 <i>0.315</i> | 17.0 <i>0.669</i> |
| # Junior-14-09001000 | 40 <i>1.575</i> | 9.000 / 10.000 | 48.0 <i>1.890</i> | 5 / 10 | 6000 | 22 / 25 (2 Piece) | 23.0 <i>0.906</i> | 8.0 <i>0.315</i> | 17.0 <i>0.669</i> |
| # Junior-14-09001400 | 40 <i>1.575</i> | 9.000 / 14.000 | 48.0 <i>1.890</i> | 5 / 10 | 6000 | 22 / 25 (2 Piece) | 23.0 <i>0.906</i> | 8.0 <i>0.315</i> | 17.0 <i>0.669</i> |
| # Junior-14-09001100 | 40 <i>1.575</i> | 9.000 / 11.000 | 48.0 <i>1.890</i> | 5 / 10 | 6000 | 22 / 25 (2 Piece) | 23.0 <i>0.906</i> | 8.0 <i>0.315</i> | 17.0 <i>0.669</i> |
| # Junior-14-09001200 | 40 <i>1.575</i> | 9.000 / 12.000 | 48.0 <i>1.890</i> | 5 / 10 | 6000 | 22 / 25 (2 Piece) | 23.0 <i>0.906</i> | 8.0 <i>0.315</i> | 17.0 <i>0.669</i> |
| # Junior-M-14-09001000 | 40 <i>1.575</i> | 9.000 / 10.000 | 50.0 <i>1.969</i> | 5 / 10 | 6000 | 22 (3 Piece) | 23.0 <i>0.906</i> | 6.5 <i>0.256</i> | 6.5 <i>0.256</i> |
| # Junior-M-14-09000900 | 40 <i>1.575</i> | 9.000 / 9.000 | 50.0 <i>1.969</i> | 5 / 10 | 6000 | 22 (3 Piece) | 23.0 <i>0.906</i> | 6.5 <i>0.256</i> | 6.5 <i>0.256</i> |
| # Junior-M-14-09001200 | 40 <i>1.575</i> | 9.000 / 12.000 | 50.0 <i>1.969</i> | 5 / 10 | 6000 | 22 (3 Piece) | 23.0 <i>0.906</i> | 6.5 <i>0.256</i> | 6.5 <i>0.256</i> |
| # Junior-M-14-09001100 | 40 <i>1.575</i> | 9.000 / 11.000 | 50.0 <i>1.969</i> | 5 / 10 | 6000 | 22 (3 Piece) | 23.0 <i>0.906</i> | 6.5 <i>0.256</i> | 6.5 <i>0.256</i> |

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Couplings - BoWex - Junior

| Part Number | OD (D) mm | Bores (d1 / d2) mm | Overall Length (L) mm | Torque (Nom. / Max.) N.m | Max Speed RPM | Max. Hub Diameter (C / C1) mm | Length Through Hub Bore (H) mm | Insert Protrusion (M) mm | Approx. Hub Extension (N) mm |
|------------------------|--------------------|-----------------------|--------------------------|-----------------------------|---------------|-------------------------------------|--------------------------------------|--------------------------------|------------------------------------|
| | <i>inches</i> | <i>inches</i> | <i>inches</i> | | | <i>inches</i> | <i>inches</i> | <i>inches</i> | <i>inches</i> |
| # Junior-M-14-09001400 | 40 <i>1.575</i> | 9.000 / 14.000 | 50.0 <i>1.969</i> | 5 / 10 | 6000 | 22 (3 Piece) | 23.0 <i>0.906</i> | 6.5 <i>0.256</i> | 6.5 <i>0.256</i> |
| Junior-14-08001000 | 40 <i>1.575</i> | 8.000 / 10.000 | 48.0 <i>1.890</i> | 5 / 10 | 6000 | 22 / 25 (2 Piece) | 23.0 <i>0.906</i> | 8.0 <i>0.315</i> | 17.0 <i>0.669</i> |
| # Junior-14-10001200 | 40 <i>1.575</i> | 10.000 / 12.000 | 48.0 <i>1.890</i> | 5 / 10 | 6000 | 22 / 25 (2 Piece) | 23.0 <i>0.906</i> | 8.0 <i>0.315</i> | 17.0 <i>0.669</i> |
| # Junior-14-10001400 | 40 <i>1.575</i> | 10.000 / 14.000 | 48.0 <i>1.890</i> | 5 / 10 | 6000 | 22 / 25 (2 Piece) | 23.0 <i>0.906</i> | 8.0 <i>0.315</i> | 17.0 <i>0.669</i> |
| # Junior-14-10001100 | 40 <i>1.575</i> | 10.000 / 11.000 | 48.0 <i>1.890</i> | 5 / 10 | 6000 | 22 / 25 (2 Piece) | 23.0 <i>0.906</i> | 8.0 <i>0.315</i> | 17.0 <i>0.669</i> |
| Junior-14-10001000 | 40 <i>1.575</i> | 10.000 / 10.000 | 48.0 <i>1.890</i> | 5 / 10 | 6000 | 25 / 25 (2 Piece) | 23.0 <i>0.906</i> | 8.0 <i>0.315</i> | 17.0 <i>0.669</i> |
| Junior-14-06001000 | 40 <i>1.575</i> | 6.000 / 10.000 | 48.0 <i>1.890</i> | 5 / 10 | 6000 | 22 / 25 (2 Piece) | 23.0 <i>0.906</i> | 8.0 <i>0.315</i> | 17.0 <i>0.669</i> |
| # Junior-M-14-10001000 | 40 <i>1.575</i> | 10.000 / 10.000 | 50.0 <i>1.969</i> | 5 / 10 | 6000 | 25 (3 Piece) | 23.0 <i>0.906</i> | 6.5 <i>0.256</i> | 6.5 <i>0.256</i> |
| # Junior-M-14-10001400 | 40 <i>1.575</i> | 10.000 / 14.000 | 50.0 <i>1.969</i> | 5 / 10 | 6000 | 22 (3 Piece) | 23.0 <i>0.906</i> | 6.5 <i>0.256</i> | 6.5 <i>0.256</i> |
| # Junior-M-14-10001100 | 40 <i>1.575</i> | 10.000 / 11.000 | 50.0 <i>1.969</i> | 5 / 10 | 6000 | 22 (3 Piece) | 23.0 <i>0.906</i> | 6.5 <i>0.256</i> | 6.5 <i>0.256</i> |

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Couplings - BoWex - Junior

| Part Number | OD (D) mm | Bores (d1 / d2) mm | Overall Length (L) mm | Torque (Nom. / Max.) N.m | Max Speed RPM | Max. Hub Diameter (C / C1) mm | Length Through Hub Bore (H) mm | Insert Protrusion (M) mm | Approx. Hub Extension (N) mm |
|------------------------|--------------------|-----------------------|--------------------------|-----------------------------|---------------|-------------------------------------|--------------------------------------|--------------------------------|------------------------------------|
| | <i>inches</i> | <i>inches</i> | <i>inches</i> | | | <i>inches</i> | <i>inches</i> | <i>inches</i> | <i>inches</i> |
| # Junior-M-14-10001200 | 40 <i>1.575</i> | 10.000 / 12.000 | 50.0 <i>1.969</i> | 5 / 10 | 6000 | 22 (3 Piece) | 23.0 <i>0.906</i> | 6.5 <i>0.256</i> | 6.5 <i>0.256</i> |
| # Junior-14-11001200 | 40 <i>1.575</i> | 11.000 / 12.000 | 48.0 <i>1.890</i> | 5 / 10 | 6000 | 22 / 25 (2 Piece) | 23.0 <i>0.906</i> | 8.0 <i>0.315</i> | 17.0 <i>0.669</i> |
| # Junior-14-11001400 | 40 <i>1.575</i> | 11.000 / 14.000 | 48.0 <i>1.890</i> | 5 / 10 | 6000 | 22 / 25 (2 Piece) | 23.0 <i>0.906</i> | 8.0 <i>0.315</i> | 17.0 <i>0.669</i> |
| # Junior-M-14-11001100 | 40 <i>1.575</i> | 11.000 / 11.000 | 50.0 <i>1.969</i> | 5 / 10 | 6000 | 22 (3 Piece) | 23.0 <i>0.906</i> | 6.5 <i>0.256</i> | 6.5 <i>0.256</i> |
| # Junior-M-14-11001200 | 40 <i>1.575</i> | 11.000 / 12.000 | 50.0 <i>1.969</i> | 5 / 10 | 6000 | 22 (3 Piece) | 23.0 <i>0.906</i> | 6.5 <i>0.256</i> | 6.5 <i>0.256</i> |
| # Junior-14-12001200 | 40 <i>1.575</i> | 12.000 / 12.000 | 48.0 <i>1.890</i> | 5 / 10 | 6000 | 26 / 26 (2 Piece) | 23.0 <i>0.906</i> | 8.0 <i>0.315</i> | 17.0 <i>0.669</i> |
| # Junior-M-14-12001200 | 40 <i>1.575</i> | 12.000 / 12.000 | 50.0 <i>1.969</i> | 5 / 10 | 6000 | 26 (3 Piece) | 23.0 <i>0.906</i> | 6.5 <i>0.256</i> | 6.5 <i>0.256</i> |
| # Junior-M-14-12001400 | 40 <i>1.575</i> | 12.000 / 14.000 | 50.0 <i>1.969</i> | 5 / 10 | 6000 | 22 (3 Piece) | 23.0 <i>0.906</i> | 6.5 <i>0.256</i> | 6.5 <i>0.256</i> |
| Junior-14-12001400 | 40 <i>1.575</i> | 12.000 / 14.000 | 48.0 <i>1.890</i> | 5 / 10 | 6000 | 26 / 26 (2 Piece) | 23.0 <i>0.906</i> | 8.0 <i>0.315</i> | 17.0 <i>0.669</i> |
| Junior-14-14001400 | 40 <i>1.575</i> | 14.000 / 14.000 | 48.0 <i>1.890</i> | 5 / 10 | 6000 | 26 / 26 (2 Piece) | 23.0 <i>0.906</i> | 8.0 <i>0.315</i> | 17.0 <i>0.669</i> |

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Couplings - BoWex - Junior

| Part Number | OD (D) mm | Bores (d1 / d2) mm | Overall Length (L) mm | Torque (Nom. / Max.) N.m | Max Speed RPM | Max. Hub Diameter (C / C1) mm | Length Through Hub Bore (H) mm | Insert Protrusion (M) mm | Approx. Hub Extension (N) mm |
|------------------------|--------------------|-----------------------|--------------------------|-----------------------------|---------------|-------------------------------------|--------------------------------------|--------------------------------|------------------------------------|
| | <i>inches</i> | <i>inches</i> | <i>inches</i> | | | <i>inches</i> | <i>inches</i> | <i>inches</i> | <i>inches</i> |
| # Junior-M-14-14001400 | 40 <i>1.575</i> | 14.000 / 14.000 | 50.0 <i>1.969</i> | 5 / 10 | 6000 | 26 (3 Piece) | 23.0 <i>0.906</i> | 6.5 <i>0.256</i> | 6.5 <i>0.256</i> |
| # Junior-19-12001900 | 48 <i>1.890</i> | 12.000 / 19.000 | 52.0 <i>2.047</i> | 8 / 16 | 6000 | 27 / 29 (2 Piece) | 25.0 <i>0.984</i> | 10.0 <i>0.394</i> | 19.0 <i>0.748</i> |
| # Junior-19-12001500 | 48 <i>1.890</i> | 12.000 / 15.000 | 52.0 <i>2.047</i> | 8 / 16 | 6000 | 27 / 29 (2 Piece) | 25.0 <i>0.984</i> | 10.0 <i>0.394</i> | 19.0 <i>0.748</i> |
| # Junior-M-19-12001200 | 48 <i>1.890</i> | 12.000 / 12.000 | 54.0 <i>2.126</i> | 8 / 16 | 6000 | 27 (3 Piece) | 25.0 <i>0.984</i> | 8.5 <i>0.335</i> | 8.5 <i>0.335</i> |
| # Junior-M-19-12001900 | 48 <i>1.890</i> | 12.000 / 19.000 | 54.0 <i>2.126</i> | 8 / 16 | 6000 | 27 (3 Piece) | 25.0 <i>0.984</i> | 8.5 <i>0.335</i> | 8.5 <i>0.335</i> |
| # Junior-M-19-12001600 | 48 <i>1.890</i> | 12.000 / 16.000 | 54.0 <i>2.126</i> | 8 / 16 | 6000 | 27 (3 Piece) | 25.0 <i>0.984</i> | 8.5 <i>0.335</i> | 8.5 <i>0.335</i> |
| # Junior-M-19-12001400 | 48 <i>1.890</i> | 12.000 / 14.000 | 54.0 <i>2.126</i> | 8 / 16 | 6000 | 27 (3 Piece) | 25.0 <i>0.984</i> | 8.5 <i>0.335</i> | 8.5 <i>0.335</i> |
| Junior-19-16001400 | 48 <i>1.890</i> | 16.000 / 14.000 | 52.0 <i>2.047</i> | 8 / 16 | 6000 | 30 / 29 (2 Piece) | 25.0 <i>0.984</i> | 10.0 <i>0.394</i> | 19.0 <i>0.748</i> |
| # Junior-19-12001400 | 48 <i>1.890</i> | 12.000 / 14.000 | 52.0 <i>2.047</i> | 8 / 16 | 6000 | 27 / 29 (2 Piece) | 25.0 <i>0.984</i> | 10.0 <i>0.394</i> | 19.0 <i>0.748</i> |
| # Junior-19-14001900 | 48 <i>1.890</i> | 14.000 / 19.000 | 52.0 <i>2.047</i> | 8 / 16 | 6000 | 27 / 29 (2 Piece) | 25.0 <i>0.984</i> | 10.0 <i>0.394</i> | 19.0 <i>0.748</i> |

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Couplings - BoWex - Junior

| Part Number | OD (D) mm | Bores (d1 / d2) mm | Overall Length (L) mm | Torque (Nom. / Max.) N.m | Max Speed RPM | Max. Hub Diameter (C / C1) mm | Length Through Hub Bore (H) mm | Insert Protrusion (M) mm | Approx. Hub Extension (N) mm |
|------------------------|--------------------|-----------------------|--------------------------|-----------------------------|---------------|-------------------------------------|--------------------------------------|--------------------------------|------------------------------------|
| | <i>inches</i> | <i>inches</i> | <i>inches</i> | | | <i>inches</i> | <i>inches</i> | <i>inches</i> | <i>inches</i> |
| # Junior-19-14001400 | 48 <i>1.890</i> | 14.000 / 14.000 | 52.0 <i>2.047</i> | 8 / 16 | 6000 | 27 / 29 (2 Piece) | 25.0 <i>0.984</i> | 10.0 <i>0.394</i> | 19.0 <i>0.748</i> |
| # Junior-19-14001500 | 48 <i>1.890</i> | 14.000 / 15.000 | 52.0 <i>2.047</i> | 8 / 16 | 6000 | 27 / 29 (2 Piece) | 25.0 <i>0.984</i> | 10.0 <i>0.394</i> | 19.0 <i>0.748</i> |
| # Junior-M-19-14001900 | 48 <i>1.890</i> | 14.000 / 19.000 | 54.0 <i>2.126</i> | 8 / 16 | 6000 | 27 (3 Piece) | 25.0 <i>0.984</i> | 8.5 <i>0.335</i> | 8.5 <i>0.335</i> |
| # Junior-M-19-14001600 | 48 <i>1.890</i> | 14.000 / 16.000 | 54.0 <i>2.126</i> | 8 / 16 | 6000 | 27 (3 Piece) | 25.0 <i>0.984</i> | 8.5 <i>0.335</i> | 8.5 <i>0.335</i> |
| # Junior-M-19-14001400 | 48 <i>1.890</i> | 14.000 / 14.000 | 54.0 <i>2.126</i> | 8 / 16 | 6000 | 27 (3 Piece) | 25.0 <i>0.984</i> | 8.5 <i>0.335</i> | 8.5 <i>0.335</i> |
| # Junior-19-16001900 | 48 <i>1.890</i> | 16.000 / 19.000 | 52.0 <i>2.047</i> | 8 / 16 | 6000 | 27 / 29 (2 Piece) | 25.0 <i>0.984</i> | 10.0 <i>0.394</i> | 19.0 <i>0.748</i> |
| # Junior-19-16001500 | 48 <i>1.890</i> | 16.000 / 15.000 | 52.0 <i>2.047</i> | 8 / 16 | 6000 | 27 / 29 (2 Piece) | 25.0 <i>0.984</i> | 10.0 <i>0.394</i> | 19.0 <i>0.748</i> |
| # Junior-M-19-16001900 | 48 <i>1.890</i> | 16.000 / 19.000 | 54.0 <i>2.126</i> | 8 / 16 | 6000 | 27 (3 Piece) | 25.0 <i>0.984</i> | 8.5 <i>0.335</i> | 8.5 <i>0.335</i> |
| Junior-M-19-16001600 | 48 <i>1.890</i> | 16.000 / 16.000 | 54.0 <i>2.126</i> | 8 / 16 | 6000 | 30 (3 Piece) | 25.0 <i>0.984</i> | 8.5 <i>0.335</i> | 8.5 <i>0.335</i> |
| # Junior-19-19001500 | 48 <i>1.890</i> | 19.000 / 15.000 | 52.0 <i>2.047</i> | 8 / 16 | 6000 | 27 / 29 (2 Piece) | 25.0 <i>0.984</i> | 10.0 <i>0.394</i> | 19.0 <i>0.748</i> |

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Couplings - BoWex - Junior

| Part Number | OD (D) mm | Bores (d1 / d2) mm | Overall Length (L) mm | Torque (Nom. / Max.) N.m | Max Speed RPM | Max. Hub Diameter (C / C1) mm | Length Through Hub Bore (H) mm | Insert Protrusion (M) mm | Approx. Hub Extension (N) mm |
|------------------------|--------------------|-----------------------|--------------------------|-----------------------------|---------------|-------------------------------------|--------------------------------------|--------------------------------|------------------------------------|
| | <i>inches</i> | <i>inches</i> | <i>inches</i> | | | <i>inches</i> | <i>inches</i> | <i>inches</i> | <i>inches</i> |
| # Junior-19-19001400 | 48 <i>1.890</i> | 19.000 / 14.000 | 52.0 <i>2.047</i> | 8 / 16 | 6000 | 27 / 29 (2 Piece) | 25.0 <i>0.984</i> | 10.0 <i>0.394</i> | 19.0 <i>0.748</i> |
| # Junior-19-19001900 | 48 <i>1.890</i> | 19.000 / 19.000 | 52.0 <i>2.047</i> | 8 / 16 | 6000 | 27 / 29 (2 Piece) | 25.0 <i>0.984</i> | 10.0 <i>0.394</i> | 19.0 <i>0.748</i> |
| # Junior-M-19-19001900 | 48 <i>1.890</i> | 19.000 / 19.000 | 54.0 <i>2.126</i> | 8 / 16 | 6000 | 27 (3 Piece) | 25.0 <i>0.984</i> | 8.5 <i>0.335</i> | 8.5 <i>0.335</i> |
| # Junior-24-10001900 | 52 <i>2.047</i> | 10.000 / 19.000 | 54.0 <i>2.126</i> | 12 / 24 | 6000 | 26 / 32 (2 Piece) | 26.0 <i>1.024</i> | 9.0 <i>0.354</i> | 20.0 <i>0.787</i> |
| # Junior-24-10002400 | 52 <i>2.047</i> | 10.000 / 24.000 | 54.0 <i>2.126</i> | 12 / 24 | 6000 | 26 / 32 (2 Piece) | 26.0 <i>1.024</i> | 9.0 <i>0.354</i> | 20.0 <i>0.787</i> |
| # Junior-24-10001600 | 52 <i>2.047</i> | 10.000 / 16.000 | 54.0 <i>2.126</i> | 12 / 24 | 6000 | 26 / 32 (2 Piece) | 26.0 <i>1.024</i> | 9.0 <i>0.354</i> | 20.0 <i>0.787</i> |
| # Junior-24-10002000 | 52 <i>2.047</i> | 10.000 / 20.000 | 54.0 <i>2.126</i> | 12 / 24 | 6000 | 26 / 32 (2 Piece) | 26.0 <i>1.024</i> | 9.0 <i>0.354</i> | 20.0 <i>0.787</i> |
| # Junior-M-24-10001800 | 52 <i>2.047</i> | 10.000 / 18.000 | 56.0 <i>2.205</i> | 12 / 24 | 6000 | 26 (3 Piece) | 26.0 <i>1.024</i> | 7.5 <i>0.295</i> | 7.5 <i>0.295</i> |
| # Junior-M-24-10001200 | 52 <i>2.047</i> | 10.000 / 12.000 | 56.0 <i>2.205</i> | 12 / 24 | 6000 | 26 (3 Piece) | 26.0 <i>1.024</i> | 7.5 <i>0.295</i> | 7.5 <i>0.295</i> |
| # Junior-M-24-10001900 | 52 <i>2.047</i> | 10.000 / 19.000 | 56.0 <i>2.205</i> | 12 / 24 | 6000 | 26 (3 Piece) | 26.0 <i>1.024</i> | 7.5 <i>0.295</i> | 7.5 <i>0.295</i> |

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Couplings - BoWex - Junior

| Part Number | OD (D) mm | Bores (d1 / d2) mm | Overall Length (L) mm | Torque (Nom. / Max.) N.m | Max Speed RPM | Max. Hub Diameter (C / C1) mm | Length Through Hub Bore (H) mm | Insert Protrusion (M) mm | Approx. Hub Extension (N) mm |
|------------------------|--------------------|-----------------------|--------------------------|-----------------------------|---------------|-------------------------------------|--------------------------------------|--------------------------------|------------------------------------|
| | <i>inches</i> | <i>inches</i> | <i>inches</i> | | | <i>inches</i> | <i>inches</i> | <i>inches</i> | <i>inches</i> |
| # Junior-M-24-10001500 | 52 <i>2.047</i> | 10.000 / 15.000 | 56.0 <i>2.205</i> | 12 / 24 | 6000 | 26 (3 Piece) | 26.0 <i>1.024</i> | 7.5 <i>0.295</i> | 7.5 <i>0.295</i> |
| # Junior-M-24-10001000 | 52 <i>2.047</i> | 10.000 / 10.000 | 56.0 <i>2.205</i> | 12 / 24 | 6000 | 26 (3 Piece) | 26.0 <i>1.024</i> | 7.5 <i>0.295</i> | 7.5 <i>0.295</i> |
| # Junior-M-24-10002000 | 52 <i>2.047</i> | 10.000 / 20.000 | 56.0 <i>2.205</i> | 12 / 24 | 6000 | 26 (3 Piece) | 26.0 <i>1.024</i> | 7.5 <i>0.295</i> | 7.5 <i>0.295</i> |
| # Junior-M-24-10001400 | 52 <i>2.047</i> | 10.000 / 14.000 | 56.0 <i>2.205</i> | 12 / 24 | 6000 | 26 (3 Piece) | 26.0 <i>1.024</i> | 7.5 <i>0.295</i> | 7.5 <i>0.295</i> |
| # Junior-M-24-10001100 | 52 <i>2.047</i> | 10.000 / 11.000 | 56.0 <i>2.205</i> | 12 / 24 | 6000 | 26 (3 Piece) | 26.0 <i>1.024</i> | 7.5 <i>0.295</i> | 7.5 <i>0.295</i> |
| # Junior-M-24-10001600 | 52 <i>2.047</i> | 10.000 / 16.000 | 56.0 <i>2.205</i> | 12 / 24 | 6000 | 26 (3 Piece) | 26.0 <i>1.024</i> | 7.5 <i>0.295</i> | 7.5 <i>0.295</i> |
| # Junior-M-24-10002400 | 52 <i>2.047</i> | 10.000 / 24.000 | 56.0 <i>2.205</i> | 12 / 24 | 6000 | 26 (3 Piece) | 26.0 <i>1.024</i> | 7.5 <i>0.295</i> | 7.5 <i>0.295</i> |
| # Junior-24-11002000 | 52 <i>2.047</i> | 11.000 / 20.000 | 54.0 <i>2.126</i> | 12 / 24 | 6000 | 26 / 32 (2 Piece) | 26.0 <i>1.024</i> | 9.0 <i>0.354</i> | 20.0 <i>0.787</i> |
| # Junior-24-11001400 | 52 <i>2.047</i> | 11.000 / 14.000 | 54.0 <i>2.126</i> | 12 / 24 | 6000 | 26 / 32 (2 Piece) | 26.0 <i>1.024</i> | 9.0 <i>0.354</i> | 20.0 <i>0.787</i> |
| # Junior-24-11001900 | 52 <i>2.047</i> | 11.000 / 19.000 | 54.0 <i>2.126</i> | 12 / 24 | 6000 | 26 / 32 (2 Piece) | 26.0 <i>1.024</i> | 9.0 <i>0.354</i> | 20.0 <i>0.787</i> |

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Couplings - BoWex - Junior

| Part Number | OD (D) mm | Bores (d1 / d2) mm | Overall Length (L) mm | Torque (Nom. / Max.) N.m | Max Speed RPM | Max. Hub Diameter (C / C1) mm | Length Through Hub Bore (H) mm | Insert Protrusion (M) mm | Approx. Hub Extension (N) mm |
|------------------------|--------------------|-----------------------|--------------------------|-----------------------------|---------------|-------------------------------------|--------------------------------------|--------------------------------|------------------------------------|
| | <i>inches</i> | <i>inches</i> | <i>inches</i> | | | <i>inches</i> | <i>inches</i> | <i>inches</i> | <i>inches</i> |
| # Junior-24-11001600 | 52 <i>2.047</i> | 11.000 / 16.000 | 54.0 <i>2.126</i> | 12 / 24 | 6000 | 26 / 32 (2 Piece) | 26.0 <i>1.024</i> | 9.0 <i>0.354</i> | 20.0 <i>0.787</i> |
| # Junior-24-11002400 | 52 <i>2.047</i> | 11.000 / 24.000 | 54.0 <i>2.126</i> | 12 / 24 | 6000 | 26 / 32 (2 Piece) | 26.0 <i>1.024</i> | 9.0 <i>0.354</i> | 20.0 <i>0.787</i> |
| # Junior-M-24-11002400 | 52 <i>2.047</i> | 11.000 / 24.000 | 56.0 <i>2.205</i> | 12 / 24 | 6000 | 26 (3 Piece) | 26.0 <i>1.024</i> | 7.5 <i>0.295</i> | 7.5 <i>0.295</i> |
| # Junior-M-24-11001100 | 52 <i>2.047</i> | 11.000 / 11.000 | 56.0 <i>2.205</i> | 12 / 24 | 6000 | 26 (3 Piece) | 26.0 <i>1.024</i> | 7.5 <i>0.295</i> | 7.5 <i>0.295</i> |
| # Junior-M-24-11001500 | 52 <i>2.047</i> | 11.000 / 15.000 | 56.0 <i>2.205</i> | 12 / 24 | 6000 | 26 (3 Piece) | 26.0 <i>1.024</i> | 7.5 <i>0.295</i> | 7.5 <i>0.295</i> |
| # Junior-M-24-11001400 | 52 <i>2.047</i> | 11.000 / 14.000 | 56.0 <i>2.205</i> | 12 / 24 | 6000 | 26 (3 Piece) | 26.0 <i>1.024</i> | 7.5 <i>0.295</i> | 7.5 <i>0.295</i> |
| # Junior-M-24-11001900 | 52 <i>2.047</i> | 11.000 / 19.000 | 56.0 <i>2.205</i> | 12 / 24 | 6000 | 26 (3 Piece) | 26.0 <i>1.024</i> | 7.5 <i>0.295</i> | 7.5 <i>0.295</i> |
| # Junior-M-24-11001200 | 52 <i>2.047</i> | 11.000 / 12.000 | 56.0 <i>2.205</i> | 12 / 24 | 6000 | 26 (3 Piece) | 26.0 <i>1.024</i> | 7.5 <i>0.295</i> | 7.5 <i>0.295</i> |
| # Junior-M-24-11001600 | 52 <i>2.047</i> | 11.000 / 16.000 | 56.0 <i>2.205</i> | 12 / 24 | 6000 | 26 (3 Piece) | 26.0 <i>1.024</i> | 7.5 <i>0.295</i> | 7.5 <i>0.295</i> |
| # Junior-M-24-11001800 | 52 <i>2.047</i> | 11.000 / 18.000 | 56.0 <i>2.205</i> | 12 / 24 | 6000 | 26 (3 Piece) | 26.0 <i>1.024</i> | 7.5 <i>0.295</i> | 7.5 <i>0.295</i> |

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Couplings - BoWex - Junior

| Part Number | OD (D) mm | Bores (d1 / d2) mm | Overall Length (L) mm | Torque (Nom. / Max.) N.m | Max Speed RPM | Max. Hub Diameter (C / C1) mm | Length Through Hub Bore (H) mm | Insert Protrusion (M) mm | Approx. Hub Extension (N) mm |
|------------------------|--------------------|-----------------------|--------------------------|-----------------------------|---------------|-------------------------------------|--------------------------------------|--------------------------------|------------------------------------|
| | <i>inches</i> | <i>inches</i> | <i>inches</i> | | | <i>inches</i> | <i>inches</i> | <i>inches</i> | <i>inches</i> |
| # Junior-M-24-11002000 | 52 <i>2.047</i> | 11.000 / 20.000 | 56.0 <i>2.205</i> | 12 / 24 | 6000 | 26 (3 Piece) | 26.0 <i>1.024</i> | 7.5 <i>0.295</i> | 7.5 <i>0.295</i> |
| # Junior-24-12001900 | 52 <i>2.047</i> | 12.000 / 19.000 | 54.0 <i>2.126</i> | 12 / 24 | 6000 | 26 / 32 (2 Piece) | 26.0 <i>1.024</i> | 9.0 <i>0.354</i> | 20.0 <i>0.787</i> |
| # Junior-24-12001600 | 52 <i>2.047</i> | 12.000 / 16.000 | 54.0 <i>2.126</i> | 12 / 24 | 6000 | 26 / 32 (2 Piece) | 26.0 <i>1.024</i> | 9.0 <i>0.354</i> | 20.0 <i>0.787</i> |
| # Junior-24-12002400 | 52 <i>2.047</i> | 12.000 / 24.000 | 54.0 <i>2.126</i> | 12 / 24 | 6000 | 26 / 32 (2 Piece) | 26.0 <i>1.024</i> | 9.0 <i>0.354</i> | 20.0 <i>0.787</i> |
| # Junior-24-12002000 | 52 <i>2.047</i> | 12.000 / 20.000 | 54.0 <i>2.126</i> | 12 / 24 | 6000 | 26 / 32 (2 Piece) | 26.0 <i>1.024</i> | 9.0 <i>0.354</i> | 20.0 <i>0.787</i> |
| # Junior-M-24-12001400 | 52 <i>2.047</i> | 12.000 / 14.000 | 56.0 <i>2.205</i> | 12 / 24 | 6000 | 26 (3 Piece) | 26.0 <i>1.024</i> | 7.5 <i>0.295</i> | 7.5 <i>0.295</i> |
| # Junior-M-24-12001600 | 52 <i>2.047</i> | 12.000 / 16.000 | 56.0 <i>2.205</i> | 12 / 24 | 6000 | 26 (3 Piece) | 26.0 <i>1.024</i> | 7.5 <i>0.295</i> | 7.5 <i>0.295</i> |
| # Junior-M-24-12001800 | 52 <i>2.047</i> | 12.000 / 18.000 | 56.0 <i>2.205</i> | 12 / 24 | 6000 | 26 (3 Piece) | 26.0 <i>1.024</i> | 7.5 <i>0.295</i> | 7.5 <i>0.295</i> |
| # Junior-M-24-12002000 | 52 <i>2.047</i> | 12.000 / 20.000 | 56.0 <i>2.205</i> | 12 / 24 | 6000 | 26 (3 Piece) | 26.0 <i>1.024</i> | 7.5 <i>0.295</i> | 7.5 <i>0.295</i> |
| # Junior-M-24-12001900 | 52 <i>2.047</i> | 12.000 / 19.000 | 56.0 <i>2.205</i> | 12 / 24 | 6000 | 26 (3 Piece) | 26.0 <i>1.024</i> | 7.5 <i>0.295</i> | 7.5 <i>0.295</i> |

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Couplings - BoWex - Junior

| Part Number | OD (D) mm | Bores (d1 / d2) mm | Overall Length (L) mm | Torque (Nom. / Max.) N.m | Max Speed RPM | Max. Hub Diameter (C / C1) mm | Length Through Hub Bore (H) mm | Insert Protrusion (M) mm | Approx. Hub Extension (N) mm |
|------------------------|--------------------|-----------------------|--------------------------|-----------------------------|---------------|-------------------------------------|--------------------------------------|--------------------------------|------------------------------------|
| | <i>inches</i> | <i>inches</i> | <i>inches</i> | | | <i>inches</i> | <i>inches</i> | <i>inches</i> | <i>inches</i> |
| # Junior-M-24-12001500 | 52 <i>2.047</i> | 12.000 / 15.000 | 56.0 <i>2.205</i> | 12 / 24 | 6000 | 26 (3 Piece) | 26.0 <i>1.024</i> | 7.5 <i>0.295</i> | 7.5 <i>0.295</i> |
| # Junior-M-24-12002400 | 52 <i>2.047</i> | 12.000 / 24.000 | 56.0 <i>2.205</i> | 12 / 24 | 6000 | 26 (3 Piece) | 26.0 <i>1.024</i> | 7.5 <i>0.295</i> | 7.5 <i>0.295</i> |
| # Junior-M-24-12001200 | 52 <i>2.047</i> | 12.000 / 12.000 | 56.0 <i>2.205</i> | 12 / 24 | 6000 | 26 (3 Piece) | 26.0 <i>1.024</i> | 7.5 <i>0.295</i> | 7.5 <i>0.295</i> |
| # Junior-24-14002000 | 52 <i>2.047</i> | 14.000 / 20.000 | 54.0 <i>2.126</i> | 12 / 24 | 6000 | 26 / 32 (2 Piece) | 26.0 <i>1.024</i> | 9.0 <i>0.354</i> | 20.0 <i>0.787</i> |
| # Junior-24-14002400 | 52 <i>2.047</i> | 14.000 / 24.000 | 54.0 <i>2.126</i> | 12 / 24 | 6000 | 26 / 32 (2 Piece) | 26.0 <i>1.024</i> | 9.0 <i>0.354</i> | 20.0 <i>0.787</i> |
| # Junior-24-16001400 | 52 <i>2.047</i> | 16.000 / 14.000 | 54.0 <i>2.126</i> | 12 / 24 | 6000 | 32 / 32 (2 Piece) | 26.0 <i>1.024</i> | 9.0 <i>0.354</i> | 20.0 <i>0.787</i> |
| # Junior-24-14001600 | 52 <i>2.047</i> | 14.000 / 16.000 | 54.0 <i>2.126</i> | 12 / 24 | 6000 | 26 / 32 (2 Piece) | 26.0 <i>1.024</i> | 9.0 <i>0.354</i> | 20.0 <i>0.787</i> |
| Junior-24-10001400 | 52 <i>2.047</i> | 10.000 / 14.000 | 54.0 <i>2.126</i> | 12 / 24 | 6000 | 26 / 32 (2 Piece) | 26.0 <i>1.024</i> | 9.0 <i>0.354</i> | 20.0 <i>0.787</i> |
| # Junior-24-12001400 | 52 <i>2.047</i> | 12.000 / 14.000 | 54.0 <i>2.126</i> | 12 / 24 | 6000 | 26 / 32 (2 Piece) | 26.0 <i>1.024</i> | 9.0 <i>0.354</i> | 20.0 <i>0.787</i> |
| # Junior-24-14001400 | 52 <i>2.047</i> | 14.000 / 14.000 | 54.0 <i>2.126</i> | 12 / 24 | 6000 | 32 / 32 (2 Piece) | 26.0 <i>1.024</i> | 9.0 <i>0.354</i> | 20.0 <i>0.787</i> |

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Couplings - BoWex - Junior

| Part Number | OD (D) mm | Bores (d1 / d2) mm | Overall Length (L) mm | Torque (Nom. / Max.) N.m | Max Speed RPM | Max. Hub Diameter (C / C1) mm | Length Through Hub Bore (H) mm | Insert Protrusion (M) mm | Approx. Hub Extension (N) mm |
|------------------------|--------------------|-----------------------|--------------------------|-----------------------------|---------------|-------------------------------------|--------------------------------------|--------------------------------|------------------------------------|
| | <i>inches</i> | <i>inches</i> | <i>inches</i> | | | <i>inches</i> | <i>inches</i> | <i>inches</i> | <i>inches</i> |
| # Junior-24-14001900 | 52 <i>2.047</i> | 14.000 / 19.000 | 54.0 <i>2.126</i> | 12 / 24 | 6000 | 26 / 32 (2 Piece) | 26.0 <i>1.024</i> | 9.0 <i>0.354</i> | 20.0 <i>0.787</i> |
| # Junior-M-24-14001500 | 52 <i>2.047</i> | 14.000 / 15.000 | 56.0 <i>2.205</i> | 12 / 24 | 6000 | 26 (3 Piece) | 26.0 <i>1.024</i> | 7.5 <i>0.295</i> | 7.5 <i>0.295</i> |
| # Junior-M-24-14001600 | 52 <i>2.047</i> | 14.000 / 16.000 | 56.0 <i>2.205</i> | 12 / 24 | 6000 | 26 (3 Piece) | 26.0 <i>1.024</i> | 7.5 <i>0.295</i> | 7.5 <i>0.295</i> |
| # Junior-M-24-14001900 | 52 <i>2.047</i> | 14.000 / 19.000 | 56.0 <i>2.205</i> | 12 / 24 | 6000 | 26 (3 Piece) | 26.0 <i>1.024</i> | 7.5 <i>0.295</i> | 7.5 <i>0.295</i> |
| # Junior-M-24-14001800 | 52 <i>2.047</i> | 14.000 / 18.000 | 56.0 <i>2.205</i> | 12 / 24 | 6000 | 26 (3 Piece) | 26.0 <i>1.024</i> | 7.5 <i>0.295</i> | 7.5 <i>0.295</i> |
| # Junior-M-24-14002400 | 52 <i>2.047</i> | 14.000 / 24.000 | 56.0 <i>2.205</i> | 12 / 24 | 6000 | 26 (3 Piece) | 26.0 <i>1.024</i> | 7.5 <i>0.295</i> | 7.5 <i>0.295</i> |
| # Junior-M-24-14001400 | 52 <i>2.047</i> | 14.000 / 14.000 | 56.0 <i>2.205</i> | 12 / 24 | 6000 | 32 (3 Piece) | 26.0 <i>1.024</i> | 7.5 <i>0.295</i> | 7.5 <i>0.295</i> |
| # Junior-M-24-14002000 | 52 <i>2.047</i> | 14.000 / 20.000 | 56.0 <i>2.205</i> | 12 / 24 | 6000 | 26 (3 Piece) | 26.0 <i>1.024</i> | 7.5 <i>0.295</i> | 7.5 <i>0.295</i> |
| # Junior-24-15001600 | 52 <i>2.047</i> | 15.000 / 16.000 | 54.0 <i>2.126</i> | 12 / 24 | 6000 | 26 / 32 (2 Piece) | 26.0 <i>1.024</i> | 9.0 <i>0.354</i> | 20.0 <i>0.787</i> |
| # Junior-24-15001400 | 52 <i>2.047</i> | 15.000 / 14.000 | 54.0 <i>2.126</i> | 12 / 24 | 6000 | 26 / 32 (2 Piece) | 26.0 <i>1.024</i> | 9.0 <i>0.354</i> | 20.0 <i>0.787</i> |

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Couplings - BoWex - Junior

| Part Number | OD (D) mm | Bores (d1 / d2) mm | Overall Length (L) mm | Torque (Nom. / Max.) N.m | Max Speed RPM | Max. Hub Diameter (C / C1) mm | Length Through Hub Bore (H) mm | Insert Protrusion (M) mm | Approx. Hub Extension (N) mm |
|------------------------|--------------------|-----------------------|--------------------------|-----------------------------|---------------|-------------------------------------|--------------------------------------|--------------------------------|------------------------------------|
| | <i>inches</i> | <i>inches</i> | <i>inches</i> | | | <i>inches</i> | <i>inches</i> | <i>inches</i> | <i>inches</i> |
| # Junior-24-15002400 | 52 <i>2.047</i> | 15.000 / 24.000 | 54.0 <i>2.126</i> | 12 / 24 | 6000 | 26 / 32 (2 Piece) | 26.0 <i>1.024</i> | 9.0 <i>0.354</i> | 20.0 <i>0.787</i> |
| # Junior-24-15002000 | 52 <i>2.047</i> | 15.000 / 20.000 | 54.0 <i>2.126</i> | 12 / 24 | 6000 | 26 / 32 (2 Piece) | 26.0 <i>1.024</i> | 9.0 <i>0.354</i> | 20.0 <i>0.787</i> |
| # Junior-24-15001900 | 52 <i>2.047</i> | 15.000 / 19.000 | 54.0 <i>2.126</i> | 12 / 24 | 6000 | 26 / 32 (2 Piece) | 26.0 <i>1.024</i> | 9.0 <i>0.354</i> | 20.0 <i>0.787</i> |
| # Junior-M-24-15001600 | 52 <i>2.047</i> | 15.000 / 16.000 | 56.0 <i>2.205</i> | 12 / 24 | 6000 | 26 (3 Piece) | 26.0 <i>1.024</i> | 7.5 <i>0.295</i> | 7.5 <i>0.295</i> |
| # Junior-M-24-15001900 | 52 <i>2.047</i> | 15.000 / 19.000 | 56.0 <i>2.205</i> | 12 / 24 | 6000 | 26 (3 Piece) | 26.0 <i>1.024</i> | 7.5 <i>0.295</i> | 7.5 <i>0.295</i> |
| # Junior-M-24-15001800 | 52 <i>2.047</i> | 15.000 / 18.000 | 56.0 <i>2.205</i> | 12 / 24 | 6000 | 26 (3 Piece) | 26.0 <i>1.024</i> | 7.5 <i>0.295</i> | 7.5 <i>0.295</i> |
| # Junior-M-24-15002000 | 52 <i>2.047</i> | 15.000 / 20.000 | 56.0 <i>2.205</i> | 12 / 24 | 6000 | 26 (3 Piece) | 26.0 <i>1.024</i> | 7.5 <i>0.295</i> | 7.5 <i>0.295</i> |
| # Junior-M-24-15001500 | 52 <i>2.047</i> | 15.000 / 15.000 | 56.0 <i>2.205</i> | 12 / 24 | 6000 | 26 (3 Piece) | 26.0 <i>1.024</i> | 7.5 <i>0.295</i> | 7.5 <i>0.295</i> |
| # Junior-M-24-15002400 | 52 <i>2.047</i> | 15.000 / 24.000 | 56.0 <i>2.205</i> | 12 / 24 | 6000 | 26 (3 Piece) | 26.0 <i>1.024</i> | 7.5 <i>0.295</i> | 7.5 <i>0.295</i> |
| # Junior-24-16001900 | 52 <i>2.047</i> | 16.000 / 19.000 | 54.0 <i>2.126</i> | 12 / 24 | 6000 | 26 / 32 (2 Piece) | 26.0 <i>1.024</i> | 9.0 <i>0.354</i> | 20.0 <i>0.787</i> |

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Couplings - BoWex - Junior

| Part Number | OD (D) mm | Bores (d1 / d2) mm | Overall Length (L) mm | Torque (Nom. / Max.) N.m | Max Speed RPM | Max. Hub Diameter (C / C1) mm | Length Through Hub Bore (H) mm | Insert Protrusion (M) mm | Approx. Hub Extension (N) mm |
|------------------------|--------------------|-----------------------|--------------------------|-----------------------------|---------------|-------------------------------------|--------------------------------------|--------------------------------|------------------------------------|
| | <i>inches</i> | <i>inches</i> | <i>inches</i> | | | <i>inches</i> | <i>inches</i> | <i>inches</i> | <i>inches</i> |
| # Junior-24-16001600 | 52 <i>2.047</i> | 16.000 / 16.000 | 54.0 <i>2.126</i> | 12 / 24 | 6000 | 26 / 32 (2 Piece) | 26.0 <i>1.024</i> | 9.0 <i>0.354</i> | 20.0 <i>0.787</i> |
| # Junior-24-16002400 | 52 <i>2.047</i> | 16.000 / 24.000 | 54.0 <i>2.126</i> | 12 / 24 | 6000 | 26 / 32 (2 Piece) | 26.0 <i>1.024</i> | 9.0 <i>0.354</i> | 20.0 <i>0.787</i> |
| # Junior-24-16002000 | 52 <i>2.047</i> | 16.000 / 20.000 | 54.0 <i>2.126</i> | 12 / 24 | 6000 | 26 / 32 (2 Piece) | 26.0 <i>1.024</i> | 9.0 <i>0.354</i> | 20.0 <i>0.787</i> |
| # Junior-M-24-16001800 | 52 <i>2.047</i> | 16.000 / 18.000 | 56.0 <i>2.205</i> | 12 / 24 | 6000 | 26 (3 Piece) | 26.0 <i>1.024</i> | 7.5 <i>0.295</i> | 7.5 <i>0.295</i> |
| # Junior-M-24-16001900 | 52 <i>2.047</i> | 16.000 / 19.000 | 56.0 <i>2.205</i> | 12 / 24 | 6000 | 26 (3 Piece) | 26.0 <i>1.024</i> | 7.5 <i>0.295</i> | 7.5 <i>0.295</i> |
| # Junior-M-24-16001600 | 52 <i>2.047</i> | 16.000 / 16.000 | 56.0 <i>2.205</i> | 12 / 24 | 6000 | 32 (3 Piece) | 26.0 <i>1.024</i> | 7.5 <i>0.295</i> | 7.5 <i>0.295</i> |
| # Junior-M-24-16002000 | 52 <i>2.047</i> | 16.000 / 20.000 | 56.0 <i>2.205</i> | 12 / 24 | 6000 | 26 (3 Piece) | 26.0 <i>1.024</i> | 7.5 <i>0.295</i> | 7.5 <i>0.295</i> |
| # Junior-M-24-16002400 | 52 <i>2.047</i> | 16.000 / 24.000 | 56.0 <i>2.205</i> | 12 / 24 | 6000 | 26 (3 Piece) | 26.0 <i>1.024</i> | 7.5 <i>0.295</i> | 7.5 <i>0.295</i> |
| # Junior-24-18001900 | 52 <i>2.047</i> | 18.000 / 19.000 | 54.0 <i>2.126</i> | 12 / 24 | 6000 | 26 / 32 (2 Piece) | 26.0 <i>1.024</i> | 9.0 <i>0.354</i> | 20.0 <i>0.787</i> |
| # Junior-24-18001600 | 52 <i>2.047</i> | 18.000 / 16.000 | 54.0 <i>2.126</i> | 12 / 24 | 6000 | 26 / 32 (2 Piece) | 26.0 <i>1.024</i> | 9.0 <i>0.354</i> | 20.0 <i>0.787</i> |

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Couplings - BoWex - Junior

| Part Number | OD (D) mm | Bores (d1 / d2) mm | Overall Length (L) mm | Torque (Nom. / Max.) N.m | Max Speed RPM | Max. Hub Diameter (C / C1) mm | Length Through Hub Bore (H) mm | Insert Protrusion (M) mm | Approx. Hub Extension (N) mm |
|------------------------|--------------------|-----------------------|--------------------------|-----------------------------|---------------|-------------------------------------|--------------------------------------|--------------------------------|------------------------------------|
| | <i>inches</i> | <i>inches</i> | <i>inches</i> | | | <i>inches</i> | <i>inches</i> | <i>inches</i> | <i>inches</i> |
| # Junior-24-18002400 | 52 <i>2.047</i> | 18.000 / 24.000 | 54.0 <i>2.126</i> | 12 / 24 | 6000 | 26 / 32 (2 Piece) | 26.0 <i>1.024</i> | 9.0 <i>0.354</i> | 20.0 <i>0.787</i> |
| # Junior-24-18001400 | 52 <i>2.047</i> | 18.000 / 14.000 | 54.0 <i>2.126</i> | 12 / 24 | 6000 | 26 / 32 (2 Piece) | 26.0 <i>1.024</i> | 9.0 <i>0.354</i> | 20.0 <i>0.787</i> |
| Junior-M-24-18001800 | 52 <i>2.047</i> | 18.000 / 18.000 | 56.0 <i>2.205</i> | 12 / 24 | 6000 | 36 (3 Piece) | 26.0 <i>1.024</i> | 7.5 <i>0.295</i> | 7.5 <i>0.295</i> |
| # Junior-M-24-18001900 | 52 <i>2.047</i> | 18.000 / 19.000 | 56.0 <i>2.205</i> | 12 / 24 | 6000 | 26 (3 Piece) | 26.0 <i>1.024</i> | 7.5 <i>0.295</i> | 7.5 <i>0.295</i> |
| # Junior-M-24-18002400 | 52 <i>2.047</i> | 18.000 / 24.000 | 56.0 <i>2.205</i> | 12 / 24 | 6000 | 26 (3 Piece) | 26.0 <i>1.024</i> | 7.5 <i>0.295</i> | 7.5 <i>0.295</i> |
| # Junior-M-24-18002000 | 52 <i>2.047</i> | 18.000 / 20.000 | 56.0 <i>2.205</i> | 12 / 24 | 6000 | 26 (3 Piece) | 26.0 <i>1.024</i> | 7.5 <i>0.295</i> | 7.5 <i>0.295</i> |
| # Junior-24-19002400 | 52 <i>2.047</i> | 19.000 / 24.000 | 54.0 <i>2.126</i> | 12 / 24 | 6000 | 26 / 32 (2 Piece) | 26.0 <i>1.024</i> | 9.0 <i>0.354</i> | 20.0 <i>0.787</i> |
| # Junior-24-19001900 | 52 <i>2.047</i> | 19.000 / 19.000 | 54.0 <i>2.126</i> | 12 / 24 | 6000 | 26 / 32 (2 Piece) | 26.0 <i>1.024</i> | 9.0 <i>0.354</i> | 20.0 <i>0.787</i> |
| # Junior-24-19001600 | 52 <i>2.047</i> | 19.000 / 16.000 | 54.0 <i>2.126</i> | 12 / 24 | 6000 | 26 / 32 (2 Piece) | 26.0 <i>1.024</i> | 9.0 <i>0.354</i> | 20.0 <i>0.787</i> |
| # Junior-24-19001400 | 52 <i>2.047</i> | 19.000 / 14.000 | 54.0 <i>2.126</i> | 12 / 24 | 6000 | 26 / 32 (2 Piece) | 26.0 <i>1.024</i> | 9.0 <i>0.354</i> | 20.0 <i>0.787</i> |

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Couplings - BoWex - Junior

| Part Number | OD (D) mm | Bores (d1 / d2) mm | Overall Length (L) mm | Torque (Nom. / Max.) N.m | Max Speed RPM | Max. Hub Diameter (C / C1) mm | Length Through Hub Bore (H) mm | Insert Protrusion (M) mm | Approx. Hub Extension (N) mm |
|------------------------|--------------------|-----------------------|--------------------------|-----------------------------|---------------|-------------------------------------|--------------------------------------|--------------------------------|------------------------------------|
| | <i>inches</i> | <i>inches</i> | <i>inches</i> | | | <i>inches</i> | <i>inches</i> | <i>inches</i> | <i>inches</i> |
| # Junior-24-19002000 | 52 <i>2.047</i> | 19.000 / 20.000 | 54.0 <i>2.126</i> | 12 / 24 | 6000 | 26 / 32 (2 Piece) | 26.0 <i>1.024</i> | 9.0 <i>0.354</i> | 20.0 <i>0.787</i> |
| # Junior-M-24-19001900 | 52 <i>2.047</i> | 19.000 / 19.000 | 56.0 <i>2.205</i> | 12 / 24 | 6000 | 26 (3 Piece) | 26.0 <i>1.024</i> | 7.5 <i>0.295</i> | 7.5 <i>0.295</i> |
| # Junior-M-24-19002400 | 52 <i>2.047</i> | 19.000 / 24.000 | 56.0 <i>2.205</i> | 12 / 24 | 6000 | 26 (3 Piece) | 26.0 <i>1.024</i> | 7.5 <i>0.295</i> | 7.5 <i>0.295</i> |
| # Junior-M-24-19002000 | 52 <i>2.047</i> | 19.000 / 20.000 | 56.0 <i>2.205</i> | 12 / 24 | 6000 | 26 (3 Piece) | 26.0 <i>1.024</i> | 7.5 <i>0.295</i> | 7.5 <i>0.295</i> |
| # Junior-24-20001900 | 52 <i>2.047</i> | 20.000 / 19.000 | 54.0 <i>2.126</i> | 12 / 24 | 6000 | 26 / 32 (2 Piece) | 26.0 <i>1.024</i> | 9.0 <i>0.354</i> | 20.0 <i>0.787</i> |
| Junior-24-20002000 | 52 <i>2.047</i> | 20.000 / 20.000 | 54.0 <i>2.126</i> | 12 / 24 | 6000 | 36 / 36 (2 Piece) | 26.0 <i>1.024</i> | 9.0 <i>0.354</i> | 20.0 <i>0.787</i> |
| # Junior-24-20001400 | 52 <i>2.047</i> | 20.000 / 14.000 | 54.0 <i>2.126</i> | 12 / 24 | 6000 | 26 / 32 (2 Piece) | 26.0 <i>1.024</i> | 9.0 <i>0.354</i> | 20.0 <i>0.787</i> |
| # Junior-24-20002400 | 52 <i>2.047</i> | 20.000 / 24.000 | 54.0 <i>2.126</i> | 12 / 24 | 6000 | 26 / 32 (2 Piece) | 26.0 <i>1.024</i> | 9.0 <i>0.354</i> | 20.0 <i>0.787</i> |
| # Junior-24-20001600 | 52 <i>2.047</i> | 20.000 / 16.000 | 54.0 <i>2.126</i> | 12 / 24 | 6000 | 26 / 32 (2 Piece) | 26.0 <i>1.024</i> | 9.0 <i>0.354</i> | 20.0 <i>0.787</i> |
| Junior-24-18002000 | 52 <i>2.047</i> | 18.000 / 20.000 | 54.0 <i>2.126</i> | 12 / 24 | 6000 | 36 / 36 (2 Piece) | 26.0 <i>1.024</i> | 9.0 <i>0.354</i> | 20.0 <i>0.787</i> |

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Couplings - BoWex - Junior

| Part Number | OD (D) mm | Bores (d1 / d2) mm | Overall Length (L) mm | Torque (Nom. / Max.) N.m | Max Speed RPM | Max. Hub Diameter (C / C1) mm | Length Through Hub Bore (H) mm | Insert Protrusion (M) mm | Approx. Hub Extension (N) mm |
|------------------------|--------------------|-----------------------|--------------------------|-----------------------------|---------------|-------------------------------------|--------------------------------------|--------------------------------|------------------------------------|
| | <i>inches</i> | <i>inches</i> | <i>inches</i> | | | <i>inches</i> | <i>inches</i> | <i>inches</i> | <i>inches</i> |
| # Junior-M-24-20002000 | 52 <i>2.047</i> | 20.000 / 20.000 | 56.0 <i>2.205</i> | 12 / 24 | 6000 | 36 (3 Piece) | 26.0 <i>1.024</i> | 7.5 <i>0.295</i> | 7.5 <i>0.295</i> |
| # Junior-M-24-20002400 | 52 <i>2.047</i> | 20.000 / 24.000 | 56.0 <i>2.205</i> | 12 / 24 | 6000 | 26 (3 Piece) | 26.0 <i>1.024</i> | 7.5 <i>0.295</i> | 7.5 <i>0.295</i> |
| # Junior-24-24002400 | 52 <i>2.047</i> | 24.000 / 24.000 | 54.0 <i>2.126</i> | 12 / 24 | 6000 | 26 / 32 (2 Piece) | 26.0 <i>1.024</i> | 9.0 <i>0.354</i> | 20.0 <i>0.787</i> |
| # Junior-24-24001900 | 52 <i>2.047</i> | 24.000 / 19.000 | 54.0 <i>2.126</i> | 12 / 24 | 6000 | 26 / 32 (2 Piece) | 26.0 <i>1.024</i> | 9.0 <i>0.354</i> | 20.0 <i>0.787</i> |
| # Junior-24-24002000 | 52 <i>2.047</i> | 24.000 / 20.000 | 54.0 <i>2.126</i> | 12 / 24 | 6000 | 26 / 32 (2 Piece) | 26.0 <i>1.024</i> | 9.0 <i>0.354</i> | 20.0 <i>0.787</i> |
| # Junior-24-24001600 | 52 <i>2.047</i> | 24.000 / 16.000 | 54.0 <i>2.126</i> | 12 / 24 | 6000 | 26 / 32 (2 Piece) | 26.0 <i>1.024</i> | 9.0 <i>0.354</i> | 20.0 <i>0.787</i> |
| # Junior-24-24001400 | 52 <i>2.047</i> | 24.000 / 14.000 | 54.0 <i>2.126</i> | 12 / 24 | 6000 | 26 / 32 (2 Piece) | 26.0 <i>1.024</i> | 9.0 <i>0.354</i> | 20.0 <i>0.787</i> |
| # Junior-M-24-24002400 | 52 <i>2.047</i> | 24.000 / 24.000 | 56.0 <i>2.205</i> | 12 / 24 | 6000 | 26 (3 Piece) | 26.0 <i>1.024</i> | 7.5 <i>0.295</i> | 7.5 <i>0.295</i> |

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to catalogues@minibearings.com.au

