




# MBA

## Couplings - Clutch - Flange Mounted



0.565 to 14 N.m. For in-line loads.

24 Volt DC.

Zero Backlash Armature.

For in-line loads.

Dynamic torque is 80% of static torque.

0.565 N.m Models have no set screws in rotor - pin hole only.

### Couplings - Clutch - Flange Mounted

Part Number	Bore Armature (R) D10 mm	Bore Rotor (G) H8 mm	Overall Width (K) mm	Min. Static Torque N.m	Voltage V	Max. Wattage	Keyway Dimension / Bore Config	Outside Diameter (A) mm	Mech. Response msec	Mounting Plate (E) mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>					<i>inches</i>		<i>inches</i>
# CCFM-32-06.00	6.000	6.000	29.0	0.565	24	5.000	2.000 / With Keyway	31.8	18	29.8
	<i>0.236</i>	<i>0.236</i>	<i>1.142</i>					<i>1.252</i>		<i>1.173</i>
# CCFM-32-06.36	6.363	6.401	29.0	0.565	24	5.000	1.588 / With Keyway	31.8	18	29.8
	<i>0.251</i>	<i>0.252</i>	<i>1.142</i>					<i>1.252</i>		<i>1.173</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Couplings - Clutch - Flange Mounted

Part Number	Bore Armature (R) D10 mm	Bore Rotor (G) H8 mm	Overall Width (K) mm	Min. Static Torque N.m	Voltage V	Max. Wattage	Keyway Dimension / Bore Config	Outside Diameter (A) mm	Mech. Response msec	Mounting Plate (E) mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>					<i>inches</i>		<i>inches</i>
# CCFM-45-06.36	6.363	6.401	34.3	1.695	24	6.000	1.588 / With Keyway	45.2	27	46.3
	<i>0.251</i>	<i>0.252</i>	<i>1.350</i>					<i>1.780</i>		<i>1.823</i>
# CCFM-39-06.36	6.363	6.401	35.0	1.130	24	5.000	1.588 / With Keyway	38.9	22	39.6
	<i>0.251</i>	<i>0.252</i>	<i>1.378</i>					<i>1.531</i>		<i>1.559</i>
# CCFM-45-07.95	7.950	7.976	34.3	1.695	24	6.000	2.383 / With Keyway	45.2	27	46.3
	<i>0.313</i>	<i>0.314</i>	<i>1.350</i>					<i>1.780</i>		<i>1.823</i>
# CCFM-32-08.00	8.000	8.000	29.0	0.565	24	5.000	3.000 / With Keyway	31.8	18	29.8
	<i>0.315</i>	<i>0.315</i>	<i>1.142</i>					<i>1.252</i>		<i>1.173</i>
# CCFM-45-08.00	8.000	8.000	34.3	1.695	24	6.000	3.000 / With Keyway	45.3	27	46.3
	<i>0.315</i>	<i>0.315</i>	<i>1.350</i>					<i>1.783</i>		<i>1.823</i>
# CCFM-57-09.53	9.525	9.550	45.2	4.520	24	8.500	2.383 / With Keyway	57.4	32	59.2
	<i>0.375</i>	<i>0.376</i>	<i>1.780</i>					<i>2.260</i>		<i>2.331</i>
# CCFM-67-09.53	9.525	9.550	46.7	9.040	24	9.500	2.383 / With Keyway	66.7	35	66.8
	<i>0.375</i>	<i>0.376</i>	<i>1.839</i>					<i>2.626</i>		<i>2.630</i>
# CCFM-67-10.00	10.000	10.000	46.8	9.039	24	9.500	3.000 / With Keyway	66.7	35	66.8
	<i>0.394</i>	<i>0.394</i>	<i>1.843</i>					<i>2.626</i>		<i>2.630</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Couplings - Clutch - Flange Mounted

Part Number	Bore Armature (R) D10 mm	Bore Rotor (G) H8 mm	Overall Width (K) mm	Min. Static Torque N.m	Voltage V	Max. Wattage	Keyway Dimension / Bore Config	Outside Diameter (A) mm	Mech. Response msec	Mounting Plate (E) mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>					<i>inches</i>		<i>inches</i>
# CCFM-67-12.70	12.700	12.751	46.7	9.040	24	9.500	3.180 / With Keyway	66.7	35	66.8
	<i>0.500</i>	<i>0.502</i>	<i>1.839</i>					<i>2.626</i>		<i>2.630</i>
# CCFM-83-15.87	15.870	15.926	49.0	14.124	24	12.000	4.775 / With Keyway	83.0	45	82.6
	<i>0.625</i>	<i>0.627</i>	<i>1.929</i>					<i>3.268</i>		<i>3.252</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to [catalogues@minibearings.com.au](mailto:catalogues@minibearings.com.au)

