




MBA

Couplings - Geargrip



0.67 to 6.78 Nm. Max speed 3000 rpm.

Sleeve - Neoprene with Ground OD; Hub - Zinc Alloy Die Casting.

Suitable operating temperature is -28 to 70 Deg. Celsius.

Features: no lubrication, electrically isolated, dampens shock and vibration.

Couplings - Geargrip

Part Number	Sleeve OD mm	Bore mm	Overall Length mm	Description	Max Speed RPM	Nominal Torque N.m	Angular Misalignment Deg.	Parallel Offset mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>					<i>inches</i>
# CPG18-0318-HUB	17.78	3.175	25.40 When Complete	Single Hub	3500	0.678	1	0.381
	<i>0.700</i>	<i>0.125</i>						<i>0.015</i>
# CPG18-0318	17.78	3.175	25.40	Complete Coupling - Sleeve and 2 hubs	3500	0.678	1	0.381
	<i>0.700</i>	<i>0.125</i>	<i>1.000</i>					<i>0.015</i>
# CPG18-0478	17.78	4.775	25.40	Complete Coupling - Sleeve and 2 hubs	3500	0.678	1	0.381
	<i>0.700</i>	<i>0.188</i>	<i>1.000</i>					<i>0.015</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Couplings - Geargrip

Part Number	Sleeve OD mm	Bore mm	Overall Length mm	Description	Max Speed RPM	Nominal Torque N.m	Angular Misalignment Deg.	Parallel Offset mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>					<i>inches</i>
# CPG18-0478-HUB	17.78	4.775	25.40 When Complete	Single Hub	3500	0.678	1	0.381
	<i>0.700</i>	<i>0.188</i>						<i>0.015</i>
# CPG18-0635	17.78	6.350	25.40	Complete Coupling - Sleeve and 2 hubs	3500	0.678	1	0.381
	<i>0.700</i>	<i>0.250</i>	<i>1.000</i>					<i>0.015</i>
# CPG18-0635-HUB	17.78	6.350	25.40 When Complete	Single Hub	3500	0.678	1	0.381
	<i>0.700</i>	<i>0.250</i>						<i>0.015</i>
# CPG18-0793-HUB	17.78	7.925	25.40 When Complete	Single Hub	3500	0.678	1	0.381
	<i>0.700</i>	<i>0.312</i>						<i>0.015</i>
# CPG18-0793	17.78	7.925	25.40	Complete Coupling - Sleeve and 2 hubs	3500	0.678	1	0.381
	<i>0.700</i>	<i>0.312</i>	<i>1.000</i>					<i>0.015</i>
# CPG18-0953	17.78	9.525	25.40	Complete Coupling - Sleeve and 2 hubs	3500	0.678	1	0.381
	<i>0.700</i>	<i>0.375</i>	<i>1.000</i>					<i>0.015</i>
# CPG18-0953-HUB	17.78	9.525	25.40 When Complete	Single Hub	3500	0.678	1	0.381
	<i>0.700</i>	<i>0.375</i>						<i>0.015</i>
# CPG18-SLV	17.78	All	25.40 When Complete	Sleeve Only	3500	0.678	1	0.381
	<i>0.700</i>							<i>0.015</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Couplings - Geargrip

Part Number	Sleeve OD mm <i>inches</i>	Bore mm <i>inches</i>	Overall Length mm <i>inches</i>	Description	Max Speed RPM	Nominal Torque N.m	Angular Misalignment Deg.	Parallel Offset mm <i>inches</i>
# CPG29S-0793-HUB	29.21 Short Series	7.925 <i>0.312</i>	38.10 When Complete	Single Hub	3500	1.356	1	0.381 <i>0.015</i>
# CPG29S-0793	29.21 Short Series	7.925 <i>0.312</i>	38.10 <i>1.500</i>	Complete Coupling - Sleeve and 2 hubs	3500	1.356	1	0.381 <i>0.015</i>
# CPG29S-0953-HUB	29.21 Short Series	9.525 <i>0.375</i>	38.10 When Complete	Single Hub	3500	1.356	1	0.381 <i>0.015</i>
# CPG29S-0953	29.21 Short Series	9.525 <i>0.375</i>	38.10 <i>1.500</i>	Complete Coupling - Sleeve and 2 hubs	3500	1.356	1	0.381 <i>0.015</i>
# CPG29S-1113	29.21 Short Series	11.125 <i>0.438</i>	38.10 <i>1.500</i>	Complete Coupling - Sleeve and 2 hubs	3500	1.356	1	0.381 <i>0.015</i>
# CPG29S-1113-HUB	29.21 Short Series	11.125 <i>0.438</i>	38.10 When Complete	Single Hub	3500	1.356	1	0.381 <i>0.015</i>
# CPG29S-1270	29.21 Short Series	12.700 <i>0.500</i>	38.10 <i>1.500</i>	Complete Coupling - Sleeve and 2 hubs	3500	1.356	1	0.381 <i>0.015</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Couplings - Geargrip

Part Number	Sleeve OD mm <i>inches</i>	Bore mm <i>inches</i>	Overall Length mm <i>inches</i>	Description	Max Speed RPM	Nominal Torque N.m	Angular Misalignment Deg.	Parallel Offset mm <i>inches</i>
# CPG29S-1270-HUB	29.21 Short Series	12.700 <i>0.500</i>	38.10 When Complete	Single Hub	3500	1.356	1	0.381 <i>0.015</i>
# CPG29S-SLV	29.21 Short Series	All	38.10 When Complete	Sleeve Only	3500	1.356	1	0.381 <i>0.015</i>
# CPG29L-0793-HUB	29.21 Long Series	7.925 <i>0.312</i>	57.15 When Complete	Single Hub	3500	2.034	1.5	0.508 <i>0.020</i>
# CPG29L-0793	29.21 Long Series	7.925 <i>0.312</i>	57.15 <i>2.250</i>	Complete Coupling - Sleeve and 2 hubs	3500	2.034	1.5	0.508 <i>0.020</i>
# CPG29L-0953-HUB	29.21 Long Series	9.525 <i>0.375</i>	57.15 When Complete	Single Hub	3500	2.034	1.5	0.508 <i>0.020</i>
# CPG29L-0953	29.21 Long Series	9.525 <i>0.375</i>	57.15 <i>2.250</i>	Complete Coupling - Sleeve and 2 hubs	3500	2.034	1.5	0.508 <i>0.020</i>
# CPG29L-1113-HUB	29.21 Long Series	11.125 <i>0.438</i>	57.15 When Complete	Single Hub	3500	2.034	1.5	0.508 <i>0.020</i>
# CPG29L-1113	29.21 Long Series	11.125 <i>0.438</i>	57.15 <i>2.250</i>	Complete Coupling - Sleeve and 2 hubs	3500	2.034	1.5	0.508 <i>0.020</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Couplings - Geargrip

Part Number	Sleeve OD mm	Bore mm	Overall Length mm	Description	Max Speed RPM	Nominal Torque N.m	Angular Misalignment Deg.	Parallel Offset mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>					<i>inches</i>
# CPG29L-1270-HUB	29.21 Long Series	12.700	57.15 When Complete	Single Hub	3500	2.034	1.5	0.508
		<i>0.500</i>						<i>0.020</i>
# CPG29L-1270	29.21 Long Series	12.700	57.15	Complete Coupling - Sleeve and 2 hubs	3500	2.034	1.5	0.508
		<i>0.500</i>	<i>2.250</i>					<i>0.020</i>
# CPG29L-SLV	29.21 Long Series	All	57.15 When Complete	Sleeve Only	3500	2.034	1.5	0.508
								<i>0.020</i>
# CPG37-0953	36.83	9.525	60.33	Complete Coupling - Sleeve and 2 hubs	3500	6.780	2	0.635
	<i>1.450</i>	<i>0.375</i>	<i>2.375</i>					<i>0.025</i>
# CPG37-0953-HUB	36.83	9.525	60.33 When Complete	Single Hub	3500	6.780	2	0.635
	<i>1.450</i>	<i>0.375</i>						<i>0.025</i>
# CPG37-1113	36.83	11.125	60.33	Complete Coupling - Sleeve and 2 hubs	3500	6.780	2	0.635
	<i>1.450</i>	<i>0.438</i>	<i>2.375</i>					<i>0.025</i>
# CPG37-1113-HUB	36.83	11.125	60.33 When Complete	Single Hub	3500	6.780	2	0.635
	<i>1.450</i>	<i>0.438</i>						<i>0.025</i>
# CPG37-SLV	36.83	All	60.33 When Complete	Sleeve Only	3500	6.780	2	0.635
	<i>1.450</i>							<i>0.025</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to catalogues@minibearings.com.au

