




MBA

Couplings - Oldham - Complete



0.06 to 44 Nm. Max Speed: 3000 RPM.

Max Speed: 3000 RPM.

Parallel out of line compensation.

Temp Range -20 Deg C to +60 Deg C.

Disk Material: Acetal.

Couplings - Oldham - Complete

Part Number	OD (D) mm	Bore (A / B) mm	Length (L) mm	Max Bore mm	Locking Type	Hub Material	Static Break Torque N.m	Peak Torque N.m	Parallel Offset mm	Angular Offset Deg
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>					<i>inches</i>	
CPOL0613-0200-BG	6.35	2.000 / 2.000	12.70	3.18	Set Screw	Brass - Chromate Finish	0.70	0.06	0.08	0.50
	<i>0.250</i>		<i>0.500</i>	<i>0.125</i>					<i>0.003</i>	
# CPOL0613-0300-BG	6.35	3.000 / 3.000	12.70	3.18	Set Screw	Brass - Chromate Finish	0.70	0.06	0.08	0.50
	<i>0.250</i>		<i>0.500</i>	<i>0.125</i>					<i>0.003</i>	

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Couplings - Oldham - Complete

Part Number	OD (D) mm <i>inches</i>	Bore (A / B) mm <i>inches</i>	Length (L) mm <i>inches</i>	Max Bore mm <i>inches</i>	Locking Type	Hub Material	Static Break Torque N.m	Peak Torque N.m	Parallel Offset mm <i>inches</i>	Angular Offset Deg
# CPOL0613-0318-BG	6.35 <i>0.250</i>	3.175 / 3.175 <i>0.500</i>	12.70 <i>0.500</i>	3.18 <i>0.125</i>	Set Screw	Brass - Chromate Finish	0.70	0.06	0.76 <i>0.030</i>	0.50
# CPOL0613-0200-0300-BG	6.35 <i>0.250</i>	2.000 / 3.000 <i>0.500</i>	12.70 <i>0.500</i>	3.18 <i>0.125</i>	Set Screw	Brass - Chromate Finish	0.70	0.06	0.10 <i>0.004</i>	0.50
# CPOL1013-0300-BG	9.53 <i>0.375</i>	3.000 / 3.000 <i>0.500</i>	12.70 <i>0.500</i>	5.00 <i>0.197</i>	Set Screw	Brass - Chromate Finish	0.70	0.06	1.30 <i>0.051</i>	0.50
# CPOL1013-0318-BG	9.53 <i>0.375</i>	3.175 / 3.175 <i>0.500</i>	12.70 <i>0.500</i>	5.00 <i>0.197</i>	Set Screw	Brass - Chromate Finish	0.70	0.06	1.27 <i>0.050</i>	0.50
# CPOL1013-0400-BG	9.53 <i>0.375</i>	4.000 / 4.000 <i>0.500</i>	12.70 <i>0.500</i>	5.00 <i>0.197</i>	Set Screw	Brass - Chromate Finish	0.70	0.06	1.30 <i>0.051</i>	0.50
# CPOL1013-0476-BG	9.53 <i>0.375</i>	4.763 / 4.763 <i>0.500</i>	12.70 <i>0.500</i>	5.00 <i>0.197</i>	Set Screw	Brass - Chromate Finish	0.70	0.06	1.27 <i>0.050</i>	0.50
# CPOL10/13-0300-0500-BG	9.53 <i>0.375</i>	3.000 / 5.000 <i>0.500</i>	12.70 <i>0.500</i>	5.00 <i>0.197</i>	Set Screw	Brass - Chromate Finish	2.00	0.21	0.10 <i>0.004</i>	0.50

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Couplings - Oldham - Complete

Part Number	OD (D) mm <i>inches</i>	Bore (A / B) mm <i>inches</i>	Length (L) mm <i>inches</i>	Max Bore mm <i>inches</i>	Locking Type	Hub Material	Static Break Torque N.m	Peak Torque N.m	Parallel Offset mm <i>inches</i>	Angular Offset Deg
# CPOL1013-0300-0400-BG	9.53 <i>0.375</i>	3.000 / 4.000 <i>0.500</i>	12.70 <i>0.500</i>	5.00 <i>0.197</i>	Set Screw	Brass - Chromate Finish	2.00	0.21	0.10 <i>0.004</i>	0.50
# CPOL1013-0400-0500-BG	9.53 <i>0.375</i>	4.000 / 5.000 <i>0.500</i>	12.70 <i>0.500</i>	5.00 <i>0.197</i>	Set Screw	Brass - Chromate Finish	2.00	0.21	0.10 <i>0.004</i>	0.50
# CPOL1013-0500-0500-BG	9.53 <i>0.375</i>	5.000 / 5.000 <i>0.500</i>	12.70 <i>0.500</i>	5.00 <i>0.197</i>	Set Screw	Brass - Chromate Finish	2.00	0.21	0.10 <i>0.004</i>	0.50
# CPOL1316-0400-BG	12.70 <i>0.500</i>	4.000 / 4.000 <i>0.626</i>	15.90 <i>0.626</i>	6.35 <i>0.250</i>	Set Screw	Brass - Chromate Finish	4.00	0.50	1.60 <i>0.063</i>	0.75
# CPOL1316-0476-BG	12.70 <i>0.500</i>	4.763 / 4.763 <i>0.630</i>	16.00 <i>0.630</i>	6.35 <i>0.250</i>	Set Screw	Brass - Chromate Finish	4.00	0.50	1.52 <i>0.060</i>	0.75
# CPOL1316-0600-BG	12.70 <i>0.500</i>	6.000 / 6.000 <i>0.626</i>	15.90 <i>0.626</i>	6.35 <i>0.250</i>	Set Screw	Brass - Chromate Finish	4.00	0.50	1.60 <i>0.063</i>	0.75
# CPOL1316-0635-BG	12.70 <i>0.500</i>	6.350 / 6.350 <i>0.630</i>	16.00 <i>0.630</i>	6.35 <i>0.250</i>	Set Screw	Brass - Chromate Finish	4.00	0.50	1.52 <i>0.060</i>	0.75

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Couplings - Oldham - Complete

Part Number	OD (D) mm <i>inches</i>	Bore (A / B) mm <i>inches</i>	Length (L) mm <i>inches</i>	Max Bore mm <i>inches</i>	Locking Type	Hub Material	Static Break Torque N.m	Peak Torque N.m	Parallel Offset mm <i>inches</i>	Angular Offset Deg
# CPOL1316-0300-BG	12.70 <i>0.500</i>	3.000 / 3.000 <i>0.626</i>	15.90 <i>0.250</i>	6.35	Set Screw	Brass - Chromate Finish	4.00	0.50	0.10 <i>0.004</i>	0.50
# CPOL1316-0300-0400-BG	12.70 <i>0.500</i>	3.000 / 4.000 <i>0.626</i>	15.90 <i>0.250</i>	6.35	Set Screw	Brass - Chromate Finish	4.00	0.50	0.10 <i>0.004</i>	0.50
# CPOL1316-0300-0600-BG	12.70 <i>0.500</i>	3.000 / 6.000 <i>0.626</i>	15.90 <i>0.250</i>	6.35	Set Screw	Brass - Chromate Finish	4.00	0.50	0.10 <i>0.004</i>	0.50
# CPOL1316-0300-0635-BG	12.70 <i>0.500</i>	3.000 / 6.350 <i>0.626</i>	15.90 <i>0.250</i>	6.35	Set Screw	Brass - Chromate Finish	4.00	0.50	0.10 <i>0.004</i>	0.50
# CPOL1316-0400-0600-BG	12.70 <i>0.500</i>	4.000 / 6.000 <i>0.626</i>	15.90 <i>0.250</i>	6.35	Set Screw	Brass - Chromate Finish	4.00	0.50	0.10 <i>0.004</i>	0.50
# CPOL1316-0400-0635-BG	12.70 <i>0.500</i>	4.000 / 6.350 <i>0.626</i>	15.90 <i>0.250</i>	6.35	Set Screw	Brass - Chromate Finish	4.00	0.50	0.10 <i>0.004</i>	0.50
# CPOL1316-0600-0635-BG	12.70 <i>0.500</i>	6.000 / 6.350 <i>0.626</i>	15.90 <i>0.250</i>	6.35	Set Screw	Brass - Chromate Finish	4.00	0.50	0.10 <i>0.004</i>	0.50

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Couplings - Oldham - Complete

Part Number	OD (D) mm <i>inches</i>	Bore (A / B) mm <i>inches</i>	Length (L) mm <i>inches</i>	Max Bore mm <i>inches</i>	Locking Type	Hub Material	Static Break Torque N.m	Peak Torque N.m	Parallel Offset mm <i>inches</i>	Angular Offset Deg
# CPOL1526-0300-AS	15.00 <i>0.591</i>	3.000 / 3.000 <i>inches</i>	25.90 <i>1.020</i>	7.00 <i>0.276</i>	Cap Screw Clamping	Aluminum - Chemical Film	6.00	0.90	1.80 <i>0.071</i>	0.75
# CPOL1526-0318-AS	15.00 <i>0.591</i>	3.175 / 3.175 <i>inches</i>	25.91 <i>1.020</i>	7.00 <i>0.276</i>	Cap Screw Clamping	Aluminum - Chemical Film	6.00	0.90	1.78 <i>0.070</i>	0.75
CPOL1526-0400-AG	15.00 <i>0.591</i>	4.000 / 4.000 <i>inches</i>	25.90 <i>1.020</i>	7.00 <i>0.276</i>	Set Screw	Aluminum - Chemical Film	6.00	0.90	1.80 <i>0.071</i>	0.75
# CPOL1526-0400-AS	15.00 <i>0.591</i>	4.000 / 4.000 <i>inches</i>	25.90 <i>1.020</i>	7.00 <i>0.276</i>	Cap Screw Clamping	Aluminum - Chemical Film	6.00	0.90	1.80 <i>0.071</i>	0.75
# CPOL1526-0476-AS	15.00 <i>0.591</i>	4.763 / 4.763 <i>inches</i>	25.91 <i>1.020</i>	7.00 <i>0.276</i>	Cap Screw Clamping	Aluminum - Chemical Film	6.00	0.90	1.78 <i>0.070</i>	0.75
# CPOL1526-0476-AG	15.00 <i>0.591</i>	4.763 / 4.763 <i>inches</i>	25.91 <i>1.020</i>	7.00 <i>0.276</i>	Set Screw	Aluminum - Chemical Film	6.00	0.90	1.78 <i>0.070</i>	0.75
# CPOL1526-0600-AG	15.00 <i>0.591</i>	6.000 / 6.000 <i>inches</i>	25.90 <i>1.020</i>	7.00 <i>0.276</i>	Set Screw	Aluminum - Chemical Film	6.00	0.90	1.80 <i>0.071</i>	0.75
# CPOL1526-0600-AS	15.00 <i>0.591</i>	6.000 / 6.000 <i>inches</i>	25.90 <i>1.020</i>	7.00 <i>0.276</i>	Cap Screw Clamping	Aluminum - Chemical Film	6.00	0.90	1.80 <i>0.071</i>	0.75

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Couplings - Oldham - Complete

Part Number	OD (D) mm <i>inches</i>	Bore (A / B) mm <i>inches</i>	Length (L) mm <i>inches</i>	Max Bore mm <i>inches</i>	Locking Type	Hub Material	Static Break Torque N.m	Peak Torque N.m	Parallel Offset mm <i>inches</i>	Angular Offset Deg
# CPOL1526-0635-AG	15.00 <i>0.591</i>	6.350 / 6.350	25.91 <i>1.020</i>	7.00 <i>0.276</i>	Set Screw	Aluminum - Chemical Film	6.00	0.90	1.78 <i>0.070</i>	0.75
# CPOL1526-0635-AS	15.00 <i>0.591</i>	6.350 / 6.350	25.91 <i>1.020</i>	7.00 <i>0.276</i>	Cap Screw Clamping	Aluminum - Chemical Film	6.00	0.90	1.78 <i>0.070</i>	0.75
# CPOL1922-0300-AS	19.05 <i>0.750</i>	3.000 / 3.000	22.00 <i>0.866</i>	8.00 <i>0.315</i>	Cap Screw Clamping	Aluminum - Chemical Film	10.00	1.70	2.40 <i>0.094</i>	0.75
# CPOL1922-0318-AS	19.05 <i>0.750</i>	3.175 / 3.175	22.10 <i>0.870</i>	8.00 <i>0.315</i>	Cap Screw Clamping	Aluminum - Chemical Film	10.00	1.70	2.29 <i>0.090</i>	0.75
# CPOL1922-0400-AS	19.05 <i>0.750</i>	4.000 / 4.000	22.00 <i>0.866</i>	8.00 <i>0.315</i>	Cap Screw Clamping	Aluminum - Chemical Film	10.00	1.70	2.40 <i>0.094</i>	0.75
# CPOL1922-0400-0635-AS	19.05 <i>0.750</i>	4.000 / 6.350	22.00 <i>0.866</i>	8.00 <i>0.315</i>	Cap Screw Clamping	Aluminum - Chemical Film	10.00	1.70	0.20 <i>0.008</i>	0.50
# CPOL1922-0400-0800-AS	19.05 <i>0.750</i>	4.000 / 8.000	22.00 <i>0.866</i>	8.00 <i>0.315</i>	Cap Screw Clamping	Aluminum - Chemical Film	10.00	1.70	0.20 <i>0.008</i>	0.50
# CPOL1922-0400-0800-AG	19.05 <i>0.750</i>	4.000 / 8.000	22.00 <i>0.866</i>	8.00 <i>0.315</i>	Set Screw	Aluminum - Chemical Film	10.00	1.70	0.20 <i>0.008</i>	0.50

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Couplings - Oldham - Complete

Part Number	OD (D) mm <i>inches</i>	Bore (A / B) mm <i>inches</i>	Length (L) mm <i>inches</i>	Max Bore mm <i>inches</i>	Locking Type	Hub Material	Static Break Torque N.m	Peak Torque N.m	Parallel Offset mm <i>inches</i>	Angular Offset Deg
# CPOL1922-0400-0600-AS	19.05 <i>0.750</i>	4.000 / 6.000 <i>0.866</i>	22.00 <i>0.866</i>	8.00 <i>0.315</i>	Cap Screw Clamping	Aluminum - Chemical Film	10.00	1.70	0.20 <i>0.008</i>	0.50
# CPOL1922-0400-0600-AG	19.05 <i>0.750</i>	4.000 / 6.000 <i>0.866</i>	22.00 <i>0.866</i>	8.00 <i>0.315</i>	Set Screw	Aluminum - Chemical Film	10.00	1.70	0.20 <i>0.008</i>	0.50
# CPOL1922-0400-AG	19.05 <i>0.750</i>	4.000 / 4.000 <i>0.866</i>	22.00 <i>0.866</i>	8.00 <i>0.315</i>	Set Screw	Aluminum - Chemical Film	10.00	1.70	0.20 <i>0.008</i>	0.50
# CPOL1922-0400-0500-AG	19.05 <i>0.750</i>	4.000 / 5.000 <i>0.866</i>	22.00 <i>0.866</i>	8.00 <i>0.315</i>	Set Screw	Aluminum - Chemical Film	10.00	1.70	0.20 <i>0.008</i>	0.50
# CPOL1922-0400-0635-AG	19.05 <i>0.750</i>	4.000 / 6.350 <i>0.866</i>	22.00 <i>0.866</i>	8.00 <i>0.315</i>	Set Screw	Aluminum - Chemical Film	10.00	1.70	0.20 <i>0.008</i>	0.50
# CPOL1922-0476-AG	19.05 <i>0.750</i>	4.763 / 4.763 <i>0.870</i>	22.10 <i>0.870</i>	8.00 <i>0.315</i>	Set Screw	Aluminum - Chemical Film	10.00	1.70	2.29 <i>0.090</i>	0.75
# CPOL1922-0476-AS	19.05 <i>0.750</i>	4.763 / 4.763 <i>0.870</i>	22.10 <i>0.870</i>	8.00 <i>0.315</i>	Cap Screw Clamping	Aluminum - Chemical Film	10.00	1.70	2.29 <i>0.090</i>	0.75
# CPOL1922-0500-AG	19.05 <i>0.750</i>	5.000 / 5.000 <i>0.866</i>	22.00 <i>0.866</i>	8.00 <i>0.315</i>	Set Screw	Aluminum - Chemical Film	10.00	1.70	0.20 <i>0.008</i>	0.50

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Couplings - Oldham - Complete

Part Number	OD (D) mm <i>inches</i>	Bore (A / B) mm <i>inches</i>	Length (L) mm <i>inches</i>	Max Bore mm <i>inches</i>	Locking Type	Hub Material	Static Break Torque N.m	Peak Torque N.m	Parallel Offset mm <i>inches</i>	Angular Offset Deg
# CPOL1922-0500-0600-AG	19.05 <i>0.750</i>	5.000 / 6.000 <i>inches</i>	22.00 <i>0.866</i>	8.00 <i>0.315</i>	Set Screw	Aluminum - Chemical Film	10.00	1.70	0.20 <i>0.008</i>	0.50
# CPOL1922-0500-0635-AG	19.05 <i>0.750</i>	5.000 / 6.350 <i>inches</i>	22.00 <i>0.866</i>	8.00 <i>0.315</i>	Set Screw	Aluminum - Chemical Film	10.00	1.70	0.20 <i>0.008</i>	0.50
# CPOL1922-0500-0800-AG	19.05 <i>0.750</i>	5.000 / 8.000 <i>inches</i>	22.00 <i>0.866</i>	8.00 <i>0.315</i>	Set Screw	Aluminum - Chemical Film	10.00	1.70	0.20 <i>0.008</i>	0.50
# CPOL19/22-0500-0635-AS	19.05 <i>0.750</i>	5.000 / 6.350 <i>inches</i>	22.00 <i>0.866</i>	8.00 <i>0.315</i>	Cap Screw Clamping	Aluminum - Chemical Film	10.00	1.70	0.20 <i>0.008</i>	0.50
CPOL1922-0600-AS	19.05 <i>0.750</i>	6.000 / 6.000 <i>inches</i>	22.00 <i>0.866</i>	8.00 <i>0.315</i>	Cap Screw Clamping	Aluminum - Chemical Film	10.00	1.70	2.40 <i>0.094</i>	0.75
# CPOL1922-0600-AG	19.05 <i>0.750</i>	6.000 / 6.000 <i>inches</i>	22.00 <i>0.866</i>	8.00 <i>0.315</i>	Set Screw	Aluminum - Chemical Film	10.00	1.70	2.40 <i>0.094</i>	0.75
# CPOL1922-0600-0800-AS	19.05 <i>0.750</i>	6.000 / 8.000 <i>inches</i>	22.00 <i>0.866</i>	8.00 <i>0.315</i>	Cap Screw Clamping	Aluminum - Chemical Film	10.00	1.70	0.20 <i>0.008</i>	0.50
# CPOL1922-0600-0800-AG	19.05 <i>0.750</i>	6.000 / 8.000 <i>inches</i>	22.00 <i>0.866</i>	8.00 <i>0.315</i>	Set Screw	Aluminum - Chemical Film	10.00	1.70	0.20 <i>0.008</i>	0.50

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Couplings - Oldham - Complete

Part Number	OD (D) mm <i>inches</i>	Bore (A / B) mm <i>inches</i>	Length (L) mm <i>inches</i>	Max Bore mm <i>inches</i>	Locking Type	Hub Material	Static Break Torque N.m	Peak Torque N.m	Parallel Offset mm <i>inches</i>	Angular Offset Deg
# CPOL1922-0600-0635-AG	19.05 <i>0.750</i>	6.000 / 6.350 <i>0.236 / 0.250</i>	22.00 <i>0.866</i>	8.00 <i>0.315</i>	Set Screw	Aluminum - Chemical Film	10.00	1.70	0.20 <i>0.008</i>	0.50
# CPOL1922-0600-0635-AS	19.05 <i>0.750</i>	6.000 / 6.350 <i>0.236 / 0.250</i>	22.00 <i>0.866</i>	8.00 <i>0.315</i>	Cap Screw Clamping	Aluminum - Chemical Film	10.00	1.70	0.20 <i>0.008</i>	0.50
# CPOL1922-0635-AG	19.05 <i>0.750</i>	6.350 / 6.350 <i>0.250 / 0.250</i>	22.10 <i>0.870</i>	8.00 <i>0.315</i>	Set Screw	Aluminum - Chemical Film	10.00	1.70	2.29 <i>0.090</i>	0.75
# CPOL1922-0635-AS	19.05 <i>0.750</i>	6.350 / 6.350 <i>0.250 / 0.250</i>	22.10 <i>0.870</i>	8.00 <i>0.315</i>	Cap Screw Clamping	Aluminum - Chemical Film	10.00	1.70	2.29 <i>0.090</i>	0.75
# CPOL1922-0635-0800-AG	19.05 <i>0.750</i>	6.350 / 8.000 <i>0.250 / 0.315</i>	22.00 <i>0.866</i>	8.00 <i>0.315</i>	Set Screw	Aluminum - Chemical Film	10.00	1.70	0.20 <i>0.008</i>	0.50
# CPOL1922-0635-0800-AS	19.05 <i>0.750</i>	6.350 / 8.000 <i>0.250 / 0.315</i>	22.00 <i>0.866</i>	8.00 <i>0.315</i>	Cap Screw Clamping	Aluminum - Chemical Film	10.00	1.70	0.20 <i>0.008</i>	0.50
# CPOL1922-0794-AG	19.05 <i>0.750</i>	7.938 / 7.938 <i>0.313 / 0.313</i>	22.10 <i>0.870</i>	8.00 <i>0.315</i>	Set Screw	Aluminum - Chemical Film	10.00	1.70	2.29 <i>0.090</i>	0.75
# CPOL1922-0800-AG	19.05 <i>0.750</i>	8.000 / 8.000 <i>0.315 / 0.315</i>	22.00 <i>0.866</i>	8.00 <i>0.315</i>	Set Screw	Aluminum - Chemical Film	10.00	1.70	2.40 <i>0.094</i>	0.75

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Couplings - Oldham - Complete

Part Number	OD (D) mm <i>inches</i>	Bore (A / B) mm <i>inches</i>	Length (L) mm <i>inches</i>	Max Bore mm <i>inches</i>	Locking Type	Hub Material	Static Break Torque N.m	Peak Torque N.m	Parallel Offset mm <i>inches</i>	Angular Offset Deg
# CPOL1922-0800-AS	19.05 <i>0.750</i>	8.000 / 8.000	22.00 <i>0.866</i>	8.00 <i>0.315</i>	Cap Screw Clamping	Aluminum - Chemical Film	10.00	1.70	0.20 <i>0.008</i>	0.50
# CPOL2528-0600-AS	25.40 <i>1.000</i>	6.000 / 6.000	28.40 <i>1.118</i>	12.00 <i>0.472</i>	Cap Screw Clamping	Aluminum - Chemical Film	13.00	4.00	3.00 <i>0.118</i>	1.00
# CPOL2528-0635-AG	25.40 <i>1.000</i>	6.350 / 6.350	28.45 <i>1.120</i>	12.00 <i>0.472</i>	Set Screw	Aluminum - Chemical Film	13.00	4.00	3.05 <i>0.120</i>	1.00
# CPOL2528-0635-AS	25.40 <i>1.000</i>	6.350 / 6.350	28.45 <i>1.120</i>	12.00 <i>0.472</i>	Cap Screw Clamping	Aluminum - Chemical Film	13.00	4.00	3.05 <i>0.120</i>	1.00
# CPOL2528-0794-AG	25.40 <i>1.000</i>	7.938 / 7.938	28.45 <i>1.120</i>	12.00 <i>0.472</i>	Set Screw	Aluminum - Chemical Film	13.00	4.00	3.05 <i>0.120</i>	1.00
# CPOL2528-0794-AS	25.40 <i>1.000</i>	7.938 / 7.938	28.45 <i>1.120</i>	12.00 <i>0.472</i>	Cap Screw Clamping	Aluminum - Chemical Film	13.00	4.00	3.05 <i>0.120</i>	1.00
# CPOL2528-0800-AS	25.40 <i>1.000</i>	8.000 / 8.000	28.40 <i>1.118</i>	12.00 <i>0.472</i>	Cap Screw Clamping	Aluminum - Chemical Film	13.00	4.00	3.00 <i>0.118</i>	1.00
# CPOL2528-0800-AG	25.40 <i>1.000</i>	8.000 / 8.000	28.40 <i>1.118</i>	12.00 <i>0.472</i>	Set Screw	Aluminum - Chemical Film	13.00	4.00	3.00 <i>0.118</i>	1.00

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Couplings - Oldham - Complete

Part Number	OD (D) mm	Bore (A / B) mm	Length (L) mm	Max Bore mm	Locking Type	Hub Material	Static Break Torque N.m	Peak Torque N.m	Parallel Offset mm	Angular Offset Deg
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>					<i>inches</i>	
# CPOL2528-0953-AG	25.40	9.525 / 9.525	28.45	12.00	Set Screw	Aluminum - Chemical Film	13.00	4.00	3.05	1.00
	<i>1.000</i>		<i>1.120</i>	<i>0.472</i>					<i>0.120</i>	
# CPOL2528-0953-AS	25.40	9.525 / 9.525	28.45	12.00	Cap Screw Clamping	Aluminum - Chemical Film	13.00	4.00	3.05	1.00
	<i>1.000</i>		<i>1.120</i>	<i>0.472</i>					<i>0.120</i>	
# CPOL2528-1000-AG	25.40	10.000 / 10.000	28.40	12.00	Set Screw	Aluminum - Chemical Film	13.00	4.00	3.00	1.00
	<i>1.000</i>		<i>1.118</i>	<i>0.472</i>					<i>0.118</i>	
# CPOL2528-1000-AS	25.40	10.000 / 10.000	28.40	12.00	Cap Screw Clamping	Aluminum - Chemical Film	13.00	4.00	3.00	1.00
	<i>1.000</i>		<i>1.118</i>	<i>0.472</i>					<i>0.118</i>	
# CPOL2528-0600-0800-AG	25.40	6.000 / 8.000	28.40	12.00	Set Screw	Aluminum - Chemical Film	13.00	4.00	0.20	0.50
	<i>1.000</i>		<i>1.118</i>	<i>0.472</i>					<i>0.008</i>	
# CPOL2528-0600-1200-AG	25.40	6.000 / 12.000	28.40	12.00	Set Screw	Aluminum - Chemical Film	13.00	4.00	0.20	0.50
	<i>1.000</i>		<i>1.118</i>	<i>0.472</i>					<i>0.008</i>	
# CPOL2528-0600-AG	25.40	6.000 / 6.000	28.40	12.00	Set Screw	Aluminum - Chemical Film	13.00	4.00	0.20	0.50
	<i>1.000</i>		<i>1.118</i>	<i>0.472</i>					<i>0.008</i>	
# CPOL2528-0600-1200-AS	25.40	6.000 / 12.000	28.40	12.00	Cap Screw Clamping	Aluminum - Chemical Film	13.00	4.00	0.20	0.50
	<i>1.000</i>		<i>1.118</i>	<i>0.472</i>					<i>0.008</i>	

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Couplings - Oldham - Complete

Part Number	OD (D) mm <i>inches</i>	Bore (A / B) mm <i>inches</i>	Length (L) mm <i>inches</i>	Max Bore mm <i>inches</i>	Locking Type	Hub Material	Static Break Torque N.m	Peak Torque N.m	Parallel Offset mm <i>inches</i>	Angular Offset Deg
# CPOL2528-0600-1000-AS	25.40 <i>1.000</i>	6.000 / 10.000 <i>inches</i>	28.40 <i>1.118</i>	12.00 <i>0.472</i>	Cap Screw Clamping	Aluminum - Chemical Film	13.00	4.00	0.20 <i>0.008</i>	0.50
# CPOL2528-0600-1000-AG	25.40 <i>1.000</i>	6.000 / 10.000 <i>inches</i>	28.40 <i>1.118</i>	12.00 <i>0.472</i>	Set Screw	Aluminum - Chemical Film	13.00	4.00	0.20 <i>0.008</i>	0.50
# CPOL2528-0600-0953-AS	25.40 <i>1.000</i>	6.000 / 9.530 <i>inches</i>	28.40 <i>1.118</i>	12.00 <i>0.472</i>	Cap Screw Clamping	Aluminum - Chemical Film	13.00	4.00	0.20 <i>0.008</i>	0.50
# CPOL2528-0600-0800-AS	25.40 <i>1.000</i>	6.000 / 8.000 <i>inches</i>	28.40 <i>1.118</i>	12.00 <i>0.472</i>	Cap Screw Clamping	Aluminum - Chemical Film	13.00	4.00	0.20 <i>0.008</i>	0.50
# CPOL2528-0600-0635-AS	25.40 <i>1.000</i>	6.000 / 6.350 <i>inches</i>	28.40 <i>1.118</i>	12.00 <i>0.472</i>	Cap Screw Clamping	Aluminum - Chemical Film	13.00	4.00	0.20 <i>0.008</i>	0.50
# CPOL2528-0600-0635-AG	25.40 <i>1.000</i>	6.000 / 6.350 <i>inches</i>	28.40 <i>1.118</i>	12.00 <i>0.472</i>	Set Screw	Aluminum - Chemical Film	13.00	4.00	0.20 <i>0.008</i>	0.50
# CPOL2528-0600-0953-AG	25.40 <i>1.000</i>	6.000 / 9.530 <i>inches</i>	28.40 <i>1.118</i>	12.00 <i>0.472</i>	Set Screw	Aluminum - Chemical Film	13.00	4.00	0.20 <i>0.008</i>	0.50
CPOL2528-0635-1200-AG	25.40 <i>1.000</i>	6.350 / 12.000 <i>inches</i>	28.40 <i>1.118</i>	12.00 <i>0.472</i>	Set Screw	Aluminum - Chemical Film	13.00	4.00	0.20 <i>0.008</i>	0.50

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Couplings - Oldham - Complete

Part Number	OD (D) mm	Bore (A / B) mm	Length (L) mm	Max Bore mm	Locking Type	Hub Material	Static Break Torque N.m	Peak Torque N.m	Parallel Offset mm	Angular Offset Deg
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>					<i>inches</i>	
# CPOL25/28-0635-0953-AS	25.40	6.350 / 9.530	28.40	12.00	Set Screw	Aluminum - Chemical Film	13.00	4.00	0.20	0.50
	<i>1.000</i>		<i>1.118</i>	<i>0.472</i>					<i>0.008</i>	
# CPOL2528-0635-0800-AG	25.40	6.350 / 8.000	28.40	12.00	Set Screw	Aluminum - Chemical Film	13.00	4.00	0.20	0.50
	<i>1.000</i>		<i>1.118</i>	<i>0.472</i>					<i>0.008</i>	
# CPOL2528-0635-1000-AG	25.40	6.350 / 10.000	28.40	12.00	Set Screw	Aluminum - Chemical Film	13.00	4.00	0.20	0.50
	<i>1.000</i>		<i>1.118</i>	<i>0.472</i>					<i>0.008</i>	
# CPOL2528-0635-0800-AS	25.40	6.350 / 8.000	28.40	12.00	Cap Screw Clamping	Aluminum - Chemical Film	13.00	4.00	0.20	0.50
	<i>1.000</i>		<i>1.118</i>	<i>0.472</i>					<i>0.008</i>	
# CPOL25/28-0635-1200-AS	25.40	6.350 / 12.000	28.40	12.00	Cap Screw Clamping	Aluminum - Chemical Film	13.00	4.00	0.20	0.50
	<i>1.000</i>		<i>1.118</i>	<i>0.472</i>					<i>0.008</i>	
# CPOL25/28-0635-1000-AS	25.40	6.350 / 10.000	28.40	12.00	Cap Screw Clamping	Aluminum - Chemical Film	13.00	4.00	0.20	0.50
	<i>1.000</i>		<i>1.118</i>	<i>0.472</i>					<i>0.008</i>	
# CPOL2528-0794-0800-AG	25.40	7.940 / 8.000	28.40	12.00	Set Screw	Aluminum - Chemical Film	13.00	4.00	0.20	0.50
	<i>1.000</i>		<i>1.118</i>	<i>0.472</i>					<i>0.008</i>	
# CPOL2528-0794-1000-AG	25.40	7.940 / 10.000	28.40	12.00	Set Screw	Aluminum - Chemical Film	13.00	4.00	0.20	0.50
	<i>1.000</i>		<i>1.118</i>	<i>0.472</i>					<i>0.008</i>	

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Couplings - Oldham - Complete

Part Number	OD (D) mm <i>inches</i>	Bore (A / B) mm <i>inches</i>	Length (L) mm <i>inches</i>	Max Bore mm <i>inches</i>	Locking Type	Hub Material	Static Break Torque N.m	Peak Torque N.m	Parallel Offset mm <i>inches</i>	Angular Offset Deg
# CPOL25/28-0794-0953-AG	25.40 <i>1.000</i>	7.940 / 9.530 <i>inches</i>	28.40 <i>1.118</i>	12.00 <i>0.472</i>	Set Screw	Aluminum - Chemical Film	13.00	4.00	0.20 <i>0.008</i>	0.50
# CPOL25/28-0794-1200-AG	25.40 <i>1.000</i>	7.940 / 12.000 <i>inches</i>	28.40 <i>1.118</i>	12.00 <i>0.472</i>	Set Screw	Aluminum - Chemical Film	13.00	4.00	0.20 <i>0.008</i>	0.50
# CPOL2528-0800-1000-AG	25.40 <i>1.000</i>	8.000 / 10.000 <i>inches</i>	28.40 <i>1.118</i>	12.00 <i>0.472</i>	Set Screw	Aluminum - Chemical Film	13.00	4.00	0.20 <i>0.008</i>	0.50
# CPOL2528-0800-1200-AS	25.40 <i>1.000</i>	8.000 / 12.000 <i>inches</i>	28.40 <i>1.118</i>	12.00 <i>0.472</i>	Cap Screw Clamping	Aluminum - Chemical Film	13.00	4.00	0.20 <i>0.008</i>	0.50
# CPOL2528-0800-1000-AS	25.40 <i>1.000</i>	8.000 / 10.000 <i>inches</i>	28.40 <i>1.118</i>	12.00 <i>0.472</i>	Cap Screw Clamping	Aluminum - Chemical Film	13.00	4.00	0.20 <i>0.008</i>	0.50
# CPOL2528-0800-0953-AS	25.40 <i>1.000</i>	8.000 / 9.530 <i>inches</i>	28.40 <i>1.118</i>	12.00 <i>0.472</i>	Cap Screw Clamping	Aluminum - Chemical Film	13.00	4.00	0.20 <i>0.008</i>	0.50
# CPOL2528-0800-0953-AG	25.40 <i>1.000</i>	8.000 / 9.530 <i>inches</i>	28.40 <i>1.118</i>	12.00 <i>0.472</i>	Set Screw	Aluminum - Chemical Film	13.00	4.00	0.20 <i>0.008</i>	0.50
# CPOL2528-0800-1200-AG	25.40 <i>1.000</i>	8.000 / 12.000 <i>inches</i>	28.40 <i>1.118</i>	12.00 <i>0.472</i>	Set Screw	Aluminum - Chemical Film	13.00	4.00	0.20 <i>0.008</i>	0.50

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Couplings - Oldham - Complete

Part Number	OD (D) mm	Bore (A / B) mm	Length (L) mm	Max Bore mm	Locking Type	Hub Material	Static Break Torque N.m	Peak Torque N.m	Parallel Offset mm	Angular Offset Deg
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>					<i>inches</i>	
# CPOL25/28-0953-1200-AG	25.40	9.530 / 12.000	28.40	12.00	Set Screw	Aluminum - Chemical Film	13.00	4.00	0.20	0.50
	<i>1.000</i>		<i>1.118</i>	<i>0.472</i>					<i>0.008</i>	
# CPOL25/28-0953-1000-AS	25.40	9.530 / 10.000	28.40	12.00	Cap Screw Clamping	Aluminum - Chemical Film	13.00	4.00	0.20	0.50
	<i>1.000</i>		<i>1.118</i>	<i>0.472</i>					<i>0.008</i>	
# CPOL2528-0953-1000-AG	25.40	9.530 / 10.000	28.40	12.00	Set Screw	Aluminum - Chemical Film	13.00	4.00	0.20	0.50
	<i>1.000</i>		<i>1.118</i>	<i>0.472</i>					<i>0.008</i>	
# CPOL25/28-0953-1200-AS	25.40	9.530 / 12.000	28.40	12.00	Cap Screw Clamping	Aluminum - Chemical Film	13.00	4.00	0.20	0.50
	<i>1.000</i>		<i>1.118</i>	<i>0.472</i>					<i>0.008</i>	
# CPOL2528-1000-1200-AG	25.40	10.000 / 12.000	28.40	12.00	Set Screw	Aluminum - Chemical Film	13.00	4.00	0.20	0.50
	<i>1.000</i>		<i>1.118</i>	<i>0.472</i>					<i>0.008</i>	
# CPOL2528-1000-1200-AS	25.40	10.000 / 12.000	28.40	12.00	Cap Screw Clamping	Aluminum - Chemical Film	13.00	4.00	0.20	0.50
	<i>1.000</i>		<i>1.118</i>	<i>0.472</i>					<i>0.008</i>	
# CPOL2528-1200-AG	25.40	12.000 / 12.000	28.40	12.00	Set Screw	Aluminum - Chemical Film	13.00	4.00	0.20	0.50
	<i>1.000</i>		<i>1.118</i>	<i>0.472</i>					<i>0.008</i>	
# CPOL2528-1200-AS	25.40	12.000 / 12.000	28.40	12.00	Cap Screw Clamping	Aluminum - Chemical Film	13.00	4.00	0.20	0.50
	<i>1.000</i>		<i>1.118</i>	<i>0.472</i>					<i>0.008</i>	

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Couplings - Oldham - Complete

Part Number	OD (D) mm <i>inches</i>	Bore (A / B) mm <i>inches</i>	Length (L) mm <i>inches</i>	Max Bore mm <i>inches</i>	Locking Type	Hub Material	Static Break Torque N.m	Peak Torque N.m	Parallel Offset mm <i>inches</i>	Angular Offset Deg
# CPOL3348-0794-AS	33.30 <i>1.311</i>	7.938 / 7.938 <i>inches</i>	48.01 <i>1.890</i>	16.00 <i>0.630</i>	Cap Screw Clamping	Aluminum - Chemical Film	53.00	9.00	3.81 <i>0.150</i>	1.25
# CPOL3348-0794-AG	33.30 <i>1.311</i>	7.938 / 7.938 <i>inches</i>	48.01 <i>1.890</i>	16.00 <i>0.630</i>	Set Screw	Aluminum - Chemical Film	53.00	9.00	3.81 <i>0.150</i>	1.25
# CPOL3348-0800-AS	33.30 <i>1.311</i>	8.000 / 8.000 <i>inches</i>	48.00 <i>1.890</i>	16.00 <i>0.630</i>	Cap Screw Clamping	Aluminum - Chemical Film	53.00	9.00	3.80 <i>0.150</i>	1.25
# CPOL3348-0800-1400-AS	33.30 <i>1.311</i>	8.000 / 14.000 <i>inches</i>	48.00 <i>1.890</i>	16.00 <i>0.630</i>	Cap Screw Clamping	Aluminum - Chemical Film	53.00	9.00	0.20 <i>0.008</i>	0.50
# CPOL3348-0800-0953-AG	33.30 <i>1.311</i>	8.000 / 9.530 <i>inches</i>	48.00 <i>1.890</i>	16.00 <i>0.630</i>	Set Screw	Aluminum - Chemical Film	53.00	9.00	0.20 <i>0.008</i>	0.50
# CPOL3348-0800-1000-AG	33.30 <i>1.311</i>	8.000 / 10.000 <i>inches</i>	48.00 <i>1.890</i>	16.00 <i>0.630</i>	Set Screw	Aluminum - Chemical Film	53.00	9.00	0.20 <i>0.008</i>	0.50
# CPOL3348-0800-0953-AS	33.30 <i>1.311</i>	8.000 / 9.530 <i>inches</i>	48.00 <i>1.890</i>	16.00 <i>0.630</i>	Cap Screw Clamping	Aluminum - Chemical Film	53.00	9.00	0.20 <i>0.008</i>	0.50
# CPOL3348-0800-1200-AG	33.30 <i>1.311</i>	8.000 / 12.000 <i>inches</i>	48.00 <i>1.890</i>	16.00 <i>0.630</i>	Set Screw	Aluminum - Chemical Film	53.00	9.00	0.20 <i>0.008</i>	0.50

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Couplings - Oldham - Complete

Part Number	OD (D) mm	Bore (A / B) mm	Length (L) mm	Max Bore mm	Locking Type	Hub Material	Static Break Torque N.m	Peak Torque N.m	Parallel Offset mm	Angular Offset Deg
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>					<i>inches</i>	
# CPOL3348-0800-1400-AG	33.30	8.000 / 14.000	48.00	16.00	Set Screw	Aluminum - Chemical Film	53.00	9.00	0.20	0.50
	<i>1.311</i>		<i>1.890</i>	<i>0.630</i>					<i>0.008</i>	
# CPOL3348-0800-1500-AG	33.30	8.000 / 15.000	48.00	16.00	Set Screw	Aluminum - Chemical Film	53.00	9.00	0.20	0.50
	<i>1.311</i>		<i>1.890</i>	<i>0.630</i>					<i>0.008</i>	
# CPOL3348-0800-1500-AS	33.30	8.000 / 15.000	48.00	16.00	Cap Screw Clamping	Aluminum - Chemical Film	53.00	9.00	0.20	0.50
	<i>1.311</i>		<i>1.890</i>	<i>0.630</i>					<i>0.008</i>	
# CPOL3348-0800-1600-AS	33.30	8.000 / 16.000	48.00	16.00	Cap Screw Clamping	Aluminum - Chemical Film	53.00	9.00	0.20	0.50
	<i>1.311</i>		<i>1.890</i>	<i>0.630</i>					<i>0.008</i>	
# CPOL3348-0800-AG	33.30	8.000 / 8.000	48.00	16.00	Cap Screw Clamping	Aluminum - Chemical Film	53.00	9.00	0.20	0.50
	<i>1.311</i>		<i>1.890</i>	<i>0.630</i>					<i>0.008</i>	
# CPOL3348-0800-1200-AS	33.30	8.000 / 12.000	48.00	16.00	Cap Screw Clamping	Aluminum - Chemical Film	53.00	9.00	0.20	0.50
	<i>1.311</i>		<i>1.890</i>	<i>0.630</i>					<i>0.008</i>	
# CPOL33/48-0800-1600-AG	33.30	8.000 / 16.000	48.00	16.00	Set Screw	Aluminum - Chemical Film	53.00	9.00	0.20	0.50
	<i>1.311</i>		<i>1.890</i>	<i>0.630</i>					<i>0.008</i>	
# CPOL3348-0800-1000-AS	33.30	8.000 / 10.000	48.00	16.00	Cap Screw Clamping	Aluminum - Chemical Film	53.00	9.00	0.20	0.50
	<i>1.311</i>		<i>1.890</i>	<i>0.630</i>					<i>0.008</i>	

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Couplings - Oldham - Complete

Part Number	OD (D) mm <i>inches</i>	Bore (A / B) mm <i>inches</i>	Length (L) mm <i>inches</i>	Max Bore mm <i>inches</i>	Locking Type	Hub Material	Static Break Torque N.m	Peak Torque N.m	Parallel Offset mm <i>inches</i>	Angular Offset Deg
# CPOL33/48-0800-0900-AG	33.30 <i>1.311</i>	8.000 / 9.000 <i>inches</i>	48.00 <i>1.890</i>	16.00 <i>0.630</i>	Set Screw	Aluminum - Chemical Film	53.00	9.00	0.20 <i>0.008</i>	0.50
# CPOL3348-0953-AS	33.30 <i>1.311</i>	9.525 / 9.525	48.01 <i>1.890</i>	16.00 <i>0.630</i>	Cap Screw Clamping	Aluminum - Chemical Film	53.00	9.00	3.81 <i>0.150</i>	1.25
# CPOL3348-0953-AG	33.30 <i>1.311</i>	9.525 / 9.525	48.01 <i>1.890</i>	16.00 <i>0.630</i>	Set Screw	Aluminum - Chemical Film	53.00	9.00	3.81 <i>0.150</i>	1.25
# CPOL3348-0953-1200-AG	33.30 <i>1.311</i>	9.530 / 12.000	48.00 <i>1.890</i>	16.00 <i>0.630</i>	Set Screw	Aluminum - Chemical Film	53.00	9.00	0.20 <i>0.008</i>	0.50
# CPOL3348-0953-1000-AG	33.30 <i>1.311</i>	9.530 / 10.000	48.00 <i>1.890</i>	16.00 <i>0.630</i>	Set Screw	Aluminum - Chemical Film	53.00	9.00	0.20 <i>0.008</i>	0.50
# CPOL33/48-0953-1200-AS	33.30 <i>1.311</i>	9.530 / 12.000	48.00 <i>1.890</i>	16.00 <i>0.630</i>	Cap Screw Clamping	Aluminum - Chemical Film	53.00	9.00	0.20 <i>0.008</i>	0.50
# CPOL33/48-0953-1400-AG	33.30 <i>1.311</i>	9.530 / 14.000	48.00 <i>1.890</i>	16.00 <i>0.630</i>	Set Screw	Aluminum - Chemical Film	53.00	9.00	0.20 <i>0.008</i>	0.50
# CPOL33/48-0953-1400-AS	33.30 <i>1.311</i>	9.530 / 14.000	48.00 <i>1.890</i>	16.00 <i>0.630</i>	Cap Screw Clamping	Aluminum - Chemical Film	53.00	9.00	0.20 <i>0.008</i>	0.50

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Couplings - Oldham - Complete

Part Number	OD (D) mm <i>inches</i>	Bore (A / B) mm <i>inches</i>	Length (L) mm <i>inches</i>	Max Bore mm <i>inches</i>	Locking Type	Hub Material	Static Break Torque N.m	Peak Torque N.m	Parallel Offset mm <i>inches</i>	Angular Offset Deg
# CPOL33/48-0953-1500-AG	33.30 <i>1.311</i>	9.530 / 15.000 <i>inches</i>	48.00 <i>1.890</i>	16.00 <i>0.630</i>	Set Screw	Aluminum - Chemical Film	53.00	9.00	0.20 <i>0.008</i>	0.50
# CPOL33/48-0953-1500-AS	33.30 <i>1.311</i>	9.530 / 15.000 <i>inches</i>	48.00 <i>1.890</i>	16.00 <i>0.630</i>	Cap Screw Clamping	Aluminum - Chemical Film	53.00	9.00	0.20 <i>0.008</i>	0.50
# CPOL33/48-0953-1600-AG	33.30 <i>1.311</i>	9.530 / 16.000 <i>inches</i>	48.00 <i>1.890</i>	16.00 <i>0.630</i>	Set Screw	Aluminum - Chemical Film	53.00	9.00	0.20 <i>0.008</i>	0.50
# CPOL33/48-0953-1600-AS	33.30 <i>1.311</i>	9.530 / 16.000 <i>inches</i>	48.00 <i>1.890</i>	16.00 <i>0.630</i>	Cap Screw Clamping	Aluminum - Chemical Film	53.00	9.00	0.20 <i>0.008</i>	0.50
# CPOL33/48-0953-1000-AS	33.30 <i>1.311</i>	9.530 / 10.000 <i>inches</i>	48.00 <i>1.890</i>	16.00 <i>0.630</i>	Cap Screw Clamping	Aluminum - Chemical Film	53.00	9.00	0.20 <i>0.008</i>	0.50
# CPOL3348-1000-AG	33.30 <i>1.311</i>	10.000 / 10.000 <i>inches</i>	48.00 <i>1.890</i>	16.00 <i>0.630</i>	Set Screw	Aluminum - Chemical Film	53.00	9.00	3.80 <i>0.150</i>	1.25
# CPOL3348-1000-AS	33.30 <i>1.311</i>	10.000 / 10.000 <i>inches</i>	48.00 <i>1.890</i>	16.00 <i>0.630</i>	Cap Screw Clamping	Aluminum - Chemical Film	53.00	9.00	3.80 <i>0.150</i>	1.25
# CPOL3348-1000-1400-AS	33.30 <i>1.311</i>	10.000 / 14.000 <i>inches</i>	48.00 <i>1.890</i>	16.00 <i>0.630</i>	Cap Screw Clamping	Aluminum - Chemical Film	53.00	9.00	0.20 <i>0.008</i>	0.50

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Couplings - Oldham - Complete

Part Number	OD (D) mm <i>inches</i>	Bore (A / B) mm <i>inches</i>	Length (L) mm <i>inches</i>	Max Bore mm <i>inches</i>	Locking Type	Hub Material	Static Break Torque N.m	Peak Torque N.m	Parallel Offset mm <i>inches</i>	Angular Offset Deg
# CPOL3348-1000-1400-AG	33.30 <i>1.311</i>	10.000 / 14.000 <i>inches</i>	48.00 <i>1.890</i>	16.00 <i>0.630</i>	Set Screw	Aluminum - Chemical Film	53.00	9.00	0.20 <i>0.008</i>	0.50
# CPOL3348-1000-1500-AS	33.30 <i>1.311</i>	10.000 / 15.000 <i>inches</i>	48.00 <i>1.890</i>	16.00 <i>0.630</i>	Cap Screw Clamping	Aluminum - Chemical Film	53.00	9.00	0.20 <i>0.008</i>	0.50
# CPOL3348-1000-1600-AS	33.30 <i>1.311</i>	10.000 / 16.000 <i>inches</i>	48.00 <i>1.890</i>	16.00 <i>0.630</i>	Cap Screw Clamping	Aluminum - Chemical Film	53.00	9.00	0.20 <i>0.008</i>	0.50
# CPOL3348-1000-1200-AG	33.30 <i>1.311</i>	10.000 / 12.000 <i>inches</i>	48.00 <i>1.890</i>	16.00 <i>0.630</i>	Set Screw	Aluminum - Chemical Film	53.00	9.00	0.20 <i>0.008</i>	0.50
# CPOL33/48-1000-1500-AG	33.30 <i>1.311</i>	10.000 / 15.000 <i>inches</i>	48.00 <i>1.890</i>	16.00 <i>0.630</i>	Set Screw	Aluminum - Chemical Film	53.00	9.00	0.20 <i>0.008</i>	0.50
# CPOL3348-1000-1200-AS	33.30 <i>1.311</i>	10.000 / 12.000 <i>inches</i>	48.00 <i>1.890</i>	16.00 <i>0.630</i>	Cap Screw Clamping	Aluminum - Chemical Film	53.00	9.00	0.20 <i>0.008</i>	0.50
# CPOL3348-1200-AG	33.30 <i>1.311</i>	12.000 / 12.000 <i>inches</i>	48.00 <i>1.890</i>	16.00 <i>0.630</i>	Set Screw	Aluminum - Chemical Film	53.00	9.00	3.80 <i>0.150</i>	1.25
# CPOL3348-1200-AS	33.30 <i>1.311</i>	12.000 / 12.000 <i>inches</i>	48.00 <i>1.890</i>	16.00 <i>0.630</i>	Cap Screw Clamping	Aluminum - Chemical Film	53.00	9.00	3.80 <i>0.150</i>	1.25

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Couplings - Oldham - Complete

Part Number	OD (D) mm <i>inches</i>	Bore (A / B) mm <i>inches</i>	Length (L) mm <i>inches</i>	Max Bore mm <i>inches</i>	Locking Type	Hub Material	Static Break Torque N.m	Peak Torque N.m	Parallel Offset mm <i>inches</i>	Angular Offset Deg
# CPOL3348-1200-1400-AS	33.30 <i>1.311</i>	12.000 / 14.000 <i>inches</i>	48.00 <i>1.890</i>	16.00 <i>0.630</i>	Cap Screw Clamping	Aluminum - Chemical Film	53.00	9.00	0.20 <i>0.008</i>	0.50
# CPOL3348-1200-1500-AG	33.30 <i>1.311</i>	12.000 / 15.000 <i>inches</i>	48.00 <i>1.890</i>	16.00 <i>0.630</i>	Set Screw	Aluminum - Chemical Film	53.00	9.00	0.20 <i>0.008</i>	0.50
# CPOL3348-1200-1600-AG	33.30 <i>1.311</i>	12.000 / 16.000 <i>inches</i>	48.00 <i>1.890</i>	16.00 <i>0.630</i>	Set Screw	Aluminum - Chemical Film	53.00	9.00	0.20 <i>0.008</i>	0.50
# CPOL3348-1200-1600-AS	33.30 <i>1.311</i>	12.000 / 16.000 <i>inches</i>	48.00 <i>1.890</i>	16.00 <i>0.630</i>	Cap Screw Clamping	Aluminum - Chemical Film	53.00	9.00	0.20 <i>0.008</i>	0.50
# CPOL33/48-1200-1500-AS	33.30 <i>1.311</i>	12.000 / 15.000 <i>inches</i>	48.00 <i>1.890</i>	16.00 <i>0.630</i>	Cap Screw Clamping	Aluminum - Chemical Film	53.00	9.00	0.20 <i>0.008</i>	0.50
# CPOL3348-1200-1400-AG	33.30 <i>1.311</i>	12.000 / 14.000 <i>inches</i>	48.00 <i>1.890</i>	16.00 <i>0.630</i>	Set Screw	Aluminum - Chemical Film	53.00	9.00	0.20 <i>0.008</i>	0.50
# CPOL3348-1270-AS	33.30 <i>1.311</i>	12.700 / 12.700 <i>inches</i>	48.01 <i>1.890</i>	16.00 <i>0.630</i>	Cap Screw Clamping	Aluminum - Chemical Film	53.00	9.00	3.81 <i>0.150</i>	1.25
# CPOL3348-1270-AG	33.30 <i>1.311</i>	12.700 / 12.700 <i>inches</i>	48.01 <i>1.890</i>	16.00 <i>0.630</i>	Set Screw	Aluminum - Chemical Film	53.00	9.00	3.81 <i>0.150</i>	1.25

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Couplings - Oldham - Complete

Part Number	OD (D) mm <i>inches</i>	Bore (A / B) mm <i>inches</i>	Length (L) mm <i>inches</i>	Max Bore mm <i>inches</i>	Locking Type	Hub Material	Static Break Torque N.m	Peak Torque N.m	Parallel Offset mm <i>inches</i>	Angular Offset Deg
# CPOL3348-1400-AS	33.30 <i>1.311</i>	14.000 / 14.000	48.00 <i>1.890</i>	16.00 <i>0.630</i>	Cap Screw Clamping	Aluminum - Chemical Film	53.00	9.00	0.20 <i>0.008</i>	0.50
# CPOL3348-1400-AG	33.30 <i>1.311</i>	14.000 / 14.000	48.00 <i>1.890</i>	16.00 <i>0.630</i>	Set Screw	Aluminum - Chemical Film	53.00	9.00	0.20 <i>0.008</i>	0.50
# CPOL3348-1400-1600-AS	33.30 <i>1.311</i>	14.000 / 16.000	48.00 <i>1.890</i>	16.00 <i>0.630</i>	Cap Screw Clamping	Aluminum - Chemical Film	53.00	9.00	0.20 <i>0.008</i>	0.50
# CPOL3348-1400-1500-AS	33.30 <i>1.311</i>	14.000 / 15.000	48.00 <i>1.890</i>	16.00 <i>0.630</i>	Cap Screw Clamping	Aluminum - Chemical Film	53.00	9.00	0.20 <i>0.008</i>	0.50
# CPOL33/48-1400-1500-AG	33.30 <i>1.311</i>	14.000 / 15.000	48.00 <i>1.890</i>	16.00 <i>0.630</i>	Set Screw	Aluminum - Chemical Film	53.00	9.00	0.20 <i>0.008</i>	0.50
# CPOL3348-1400-1600-AG	33.30 <i>1.311</i>	14.000 / 16.000	48.00 <i>1.890</i>	16.00 <i>0.630</i>	Set Screw	Aluminum - Chemical Film	53.00	9.00	0.20 <i>0.008</i>	0.50
# CPOL3348-1500-AS	33.30 <i>1.311</i>	15.000 / 15.000	48.00 <i>1.890</i>	16.00 <i>0.630</i>	Cap Screw Clamping	Aluminum - Chemical Film	53.00	9.00	0.20 <i>0.008</i>	0.50
# CPOL3348-1500-1600-AG	33.30 <i>1.311</i>	15.000 / 16.000	48.00 <i>1.890</i>	16.00 <i>0.630</i>	Set Screw	Aluminum - Chemical Film	53.00	9.00	0.20 <i>0.008</i>	0.50

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Couplings - Oldham - Complete

Part Number	OD (D) mm <i>inches</i>	Bore (A / B) mm <i>inches</i>	Length (L) mm <i>inches</i>	Max Bore mm <i>inches</i>	Locking Type	Hub Material	Static Break Torque N.m	Peak Torque N.m	Parallel Offset mm <i>inches</i>	Angular Offset Deg
# CPOL3348-1500-1600-AS	33.30 <i>1.311</i>	15.000 / 16.000 <i>inches</i>	48.00 <i>1.890</i>	16.00 <i>0.630</i>	Cap Screw Clamping	Aluminum - Chemical Film	53.00	9.00	0.20 <i>0.008</i>	0.50
# CPOL3348-1500-AG	33.30 <i>1.311</i>	15.000 / 15.000 <i>inches</i>	48.00 <i>1.890</i>	16.00 <i>0.630</i>	Set Screw	Aluminum - Chemical Film	53.00	9.00	0.20 <i>0.008</i>	0.50
# CPOL33/48-1600-AS	33.30 <i>1.311</i>	16.000 / 16.000 <i>inches</i>	48.00 <i>1.890</i>	16.00 <i>0.630</i>	Cap Screw Clamping	Aluminum - Chemical Film	53.00	9.00	0.20 <i>0.008</i>	0.50
# CPOL3348-1600-AG	33.30 <i>1.311</i>	16.000 / 16.000 <i>inches</i>	48.00 <i>1.890</i>	16.00 <i>0.630</i>	Set Screw	Aluminum - Chemical Film	53.00	9.00	0.20 <i>0.008</i>	0.50
# CPOL4151-1000-AG	41.15 <i>1.620</i>	10.000 / 10.000 <i>inches</i>	50.80 <i>2.000</i>	20.00 <i>0.787</i>	Set Screw	Aluminum - Chemical Film	57.00	17.00	5.00 <i>0.197</i>	1.25
# CPOL4151-1200-AG	41.15 <i>1.620</i>	12.000 / 12.000 <i>inches</i>	50.80 <i>2.000</i>	20.00 <i>0.787</i>	Set Screw	Aluminum - Chemical Film	57.00	17.00	5.00 <i>0.197</i>	1.25
# CPOL4151-1270-AG	41.15 <i>1.620</i>	12.700 / 12.700 <i>inches</i>	50.80 <i>2.000</i>	20.00 <i>0.787</i>	Set Screw	Aluminum - Chemical Film	57.00	17.00	5.08 <i>0.200</i>	1.25
# CPOL4151-1588-AG	41.15 <i>1.620</i>	15.875 / 15.875 <i>inches</i>	50.80 <i>2.000</i>	20.00 <i>0.787</i>	Set Screw	Aluminum - Chemical Film	57.00	17.00	5.08 <i>0.200</i>	1.25

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Couplings - Oldham - Complete

Part Number	OD (D) mm <i>inches</i>	Bore (A / B) mm <i>inches</i>	Length (L) mm <i>inches</i>	Max Bore mm <i>inches</i>	Locking Type	Hub Material	Static Break Torque N.m	Peak Torque N.m	Parallel Offset mm <i>inches</i>	Angular Offset Deg
# CPOL41/51-0953-2000-AS	41.15 <i>1.620</i>	9.530 / 20.000 <i>inches</i>	50.80 <i>2.000</i>	20.00 <i>0.787</i>	Cap Screw Clamping	Aluminum - Chemical Film	57.00	17.00	0.25 <i>0.010</i>	0.50
# CPOL41/51-0953-AG	41.15 <i>1.620</i>	9.530 / 9.530 <i>inches</i>	50.80 <i>2.000</i>	20.00 <i>0.787</i>	Set Screw	Aluminum - Chemical Film	57.00	17.00	0.25 <i>0.010</i>	0.50
# CPOL41/51-0953-2000-AG	41.15 <i>1.620</i>	9.530 / 20.000 <i>inches</i>	50.80 <i>2.000</i>	20.00 <i>0.787</i>	Set Screw	Aluminum - Chemical Film	57.00	17.00	0.25 <i>0.010</i>	0.50
# CPOL41/51-0953-1900-AS	41.15 <i>1.620</i>	9.530 / 19.000 <i>inches</i>	50.80 <i>2.000</i>	20.00 <i>0.787</i>	Cap Screw Clamping	Aluminum - Chemical Film	57.00	17.00	0.25 <i>0.010</i>	0.50
# CPOL41/51-0953-1900-AG	41.15 <i>1.620</i>	9.530 / 19.000 <i>inches</i>	50.80 <i>2.000</i>	20.00 <i>0.787</i>	Set Screw	Aluminum - Chemical Film	57.00	17.00	0.25 <i>0.010</i>	0.50
# CPOL41/51-0953-0953-AS	41.15 <i>1.620</i>	9.530 / 9.530 <i>inches</i>	50.80 <i>2.000</i>	20.00 <i>0.787</i>	Cap Screw Clamping	Aluminum - Chemical Film	57.00	17.00	0.25 <i>0.010</i>	0.50
# CPOL41/51-0953-1000-AG	41.15 <i>1.620</i>	9.530 / 10.000 <i>inches</i>	50.80 <i>2.000</i>	20.00 <i>0.787</i>	Set Screw	Aluminum - Chemical Film	57.00	17.00	0.25 <i>0.010</i>	0.50
# CPOL41/51-0953-1200-AG	41.15 <i>1.620</i>	9.530 / 12.000 <i>inches</i>	50.80 <i>2.000</i>	20.00 <i>0.787</i>	Set Screw	Aluminum - Chemical Film	57.00	17.00	0.25 <i>0.010</i>	0.50

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Couplings - Oldham - Complete

Part Number	OD (D) mm <i>inches</i>	Bore (A / B) mm <i>inches</i>	Length (L) mm <i>inches</i>	Max Bore mm <i>inches</i>	Locking Type	Hub Material	Static Break Torque N.m	Peak Torque N.m	Parallel Offset mm <i>inches</i>	Angular Offset Deg
# CPOL41/51-0953-1800-AS	41.15 <i>1.620</i>	9.530 / 18.000 <i>inches</i>	50.80 <i>2.000</i>	20.00 <i>0.787</i>	Cap Screw Clamping	Aluminum - Chemical Film	57.00	17.00	0.25 <i>0.010</i>	0.50
# CPOL41/51-0953-1200-AS	41.15 <i>1.620</i>	9.530 / 12.000 <i>inches</i>	50.80 <i>2.000</i>	20.00 <i>0.787</i>	Cap Screw Clamping	Aluminum - Chemical Film	57.00	17.00	0.25 <i>0.010</i>	0.50
# CPOL41/51-0953-1400-AG	41.15 <i>1.620</i>	9.530 / 14.000 <i>inches</i>	50.80 <i>2.000</i>	20.00 <i>0.787</i>	Set Screw	Aluminum - Chemical Film	57.00	17.00	0.25 <i>0.010</i>	0.50
# CPOL41/51-0953-1400-AS	41.15 <i>1.620</i>	9.530 / 14.000 <i>inches</i>	50.80 <i>2.000</i>	20.00 <i>0.787</i>	Cap Screw Clamping	Aluminum - Chemical Film	57.00	17.00	0.25 <i>0.010</i>	0.50
# CPOL41/51-0953-1600-AG	41.15 <i>1.620</i>	9.530 / 16.000 <i>inches</i>	50.80 <i>2.000</i>	20.00 <i>0.787</i>	Set Screw	Aluminum - Chemical Film	57.00	17.00	0.25 <i>0.010</i>	0.50
# CPOL41/51-0953-1600-AS	41.15 <i>1.620</i>	9.530 / 16.000 <i>inches</i>	50.80 <i>2.000</i>	20.00 <i>0.787</i>	Cap Screw Clamping	Aluminum - Chemical Film	57.00	17.00	0.25 <i>0.010</i>	0.50
# CPOL41/51-0953-1800-AG	41.15 <i>1.620</i>	9.530 / 18.000 <i>inches</i>	50.80 <i>2.000</i>	20.00 <i>0.787</i>	Set Screw	Aluminum - Chemical Film	57.00	17.00	0.25 <i>0.010</i>	0.50
# CPOL41/51-1000-1900-AG	41.15 <i>1.620</i>	10.000 / 19.000 <i>inches</i>	50.80 <i>2.000</i>	20.00 <i>0.787</i>	Set Screw	Aluminum - Chemical Film	57.00	17.00	0.25 <i>0.010</i>	0.50

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Couplings - Oldham - Complete

Part Number	OD (D) mm	Bore (A / B) mm	Length (L) mm	Max Bore mm	Locking Type	Hub Material	Static Break Torque N.m	Peak Torque N.m	Parallel Offset mm	Angular Offset Deg
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>					<i>inches</i>	
# CPOL4151-1000-1400-AG	41.15	10.000 / 14.000	50.80	20.00	Set Screw	Aluminum - Chemical Film	57.00	17.00	0.25	0.50
	<i>1.620</i>		<i>2.000</i>	<i>0.787</i>					<i>0.010</i>	
# CPOL4151-1000-1800-AG	41.15	10.000 / 18.000	50.80	20.00	Set Screw	Aluminum - Chemical Film	57.00	17.00	0.25	0.50
	<i>1.620</i>		<i>2.000</i>	<i>0.787</i>					<i>0.010</i>	
# CPOL4151-1000-2000-AG	41.15	10.000 / 20.000	50.80	20.00	Set Screw	Aluminum - Chemical Film	57.00	17.00	0.25	0.50
	<i>1.620</i>		<i>2.000</i>	<i>0.787</i>					<i>0.010</i>	
# CPOL4151-1000-1600-AG	41.15	10.000 / 16.000	50.80	20.00	Set Screw	Aluminum - Chemical Film	57.00	17.00	0.25	0.50
	<i>1.620</i>		<i>2.000</i>	<i>0.787</i>					<i>0.010</i>	
# CPOL4151-1000-1200-AG	41.15	10.000 / 12.000	50.80	20.00	Set Screw	Aluminum - Chemical Film	57.00	17.00	0.25	0.50
	<i>1.620</i>		<i>2.000</i>	<i>0.787</i>					<i>0.010</i>	
# CPOL4151-1200-1400-AS	41.15	12.000 / 14.000	50.80	20.00	Cap Screw Clamping	Aluminum - Chemical Film	57.00	17.00	0.25	0.50
	<i>1.620</i>		<i>2.000</i>	<i>0.787</i>					<i>0.010</i>	
# CPOL4151-1200-1600-AG	41.15	12.000 / 16.000	50.80	20.00	Set Screw	Aluminum - Chemical Film	57.00	17.00	0.25	0.50
	<i>1.620</i>		<i>2.000</i>	<i>0.787</i>					<i>0.010</i>	
# CPOL4151-1200-1400-AG	41.15	12.000 / 14.000	50.80	20.00	Set Screw	Aluminum - Chemical Film	57.00	17.00	0.25	0.50
	<i>1.620</i>		<i>2.000</i>	<i>0.787</i>					<i>0.010</i>	

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Couplings - Oldham - Complete

Part Number	OD (D) mm <i>inches</i>	Bore (A / B) mm <i>inches</i>	Length (L) mm <i>inches</i>	Max Bore mm <i>inches</i>	Locking Type	Hub Material	Static Break Torque N.m	Peak Torque N.m	Parallel Offset mm <i>inches</i>	Angular Offset Deg
# CPOL4151-1200-1800-AS	41.15 <i>1.620</i>	12.000 / 18.000	50.80 <i>2.000</i>	20.00 <i>0.787</i>	Cap Screw Clamping	Aluminum - Chemical Film	57.00	17.00	0.25 <i>0.010</i>	0.50
# CPOL4151-1200-1900-AS	41.15 <i>1.620</i>	12.000 / 19.000	50.80 <i>2.000</i>	20.00 <i>0.787</i>	Cap Screw Clamping	Aluminum - Chemical Film	57.00	17.00	0.25 <i>0.010</i>	0.50
# CPOL4151-1200-2000-AG	41.15 <i>1.620</i>	12.000 / 20.000	50.80 <i>2.000</i>	20.00 <i>0.787</i>	Set Screw	Aluminum - Chemical Film	57.00	17.00	0.25 <i>0.010</i>	0.50
# CPOL4151-1200-2000-AS	41.15 <i>1.620</i>	12.000 / 20.000	50.80 <i>2.000</i>	20.00 <i>0.787</i>	Cap Screw Clamping	Aluminum - Chemical Film	57.00	17.00	0.25 <i>0.010</i>	0.50
# CPOL4151-1200-AS	41.15 <i>1.620</i>	12.000 / 12.000	50.80 <i>2.000</i>	20.00 <i>0.787</i>	Cap Screw Clamping	Aluminum - Chemical Film	57.00	17.00	0.25 <i>0.010</i>	0.50
# CPOL4151-1200-1600-AS	41.15 <i>1.620</i>	12.000 / 16.000	50.80 <i>2.000</i>	20.00 <i>0.787</i>	Cap Screw Clamping	Aluminum - Chemical Film	57.00	17.00	0.25 <i>0.010</i>	0.50
# CPOL41/51-1200-1800-AG	41.15 <i>1.620</i>	12.000 / 18.000	50.80 <i>2.000</i>	20.00 <i>0.787</i>	Set Screw	Aluminum - Chemical Film	57.00	17.00	0.25 <i>0.010</i>	0.50
# CPOL41/51-1200-1900-AG	41.15 <i>1.620</i>	12.000 / 19.000	50.80 <i>2.000</i>	20.00 <i>0.787</i>	Set Screw	Aluminum - Chemical Film	57.00	17.00	0.25 <i>0.010</i>	0.50

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Couplings - Oldham - Complete

Part Number	OD (D) mm <i>inches</i>	Bore (A / B) mm <i>inches</i>	Length (L) mm <i>inches</i>	Max Bore mm <i>inches</i>	Locking Type	Hub Material	Static Break Torque N.m	Peak Torque N.m	Parallel Offset mm <i>inches</i>	Angular Offset Deg
# CPOL4151-1400-AS	41.15 <i>1.620</i>	14.000 / 14.000	50.80 <i>2.000</i>	20.00 <i>0.787</i>	Cap Screw Clamping	Aluminum - Chemical Film	57.00	17.00	0.25 <i>0.010</i>	0.50
# CPOL4151-1400-1600-AG	41.15 <i>1.620</i>	14.000 / 16.000	50.80 <i>2.000</i>	20.00 <i>0.787</i>	Set Screw	Aluminum - Chemical Film	57.00	17.00	0.25 <i>0.010</i>	0.50
# CPOL4151-1400-1600-AS	41.15 <i>1.620</i>	14.000 / 16.000	50.80 <i>2.000</i>	20.00 <i>0.787</i>	Cap Screw Clamping	Aluminum - Chemical Film	57.00	17.00	0.25 <i>0.010</i>	0.50
# CPOL4151-1400-1900-AG	41.15 <i>1.620</i>	14.000 / 19.000	50.80 <i>2.000</i>	20.00 <i>0.787</i>	Set Screw	Aluminum - Chemical Film	57.00	17.00	0.25 <i>0.010</i>	0.50
# CPOL4151-1400-2000-AG	41.15 <i>1.620</i>	14.000 / 20.000	50.80 <i>2.000</i>	20.00 <i>0.787</i>	Set Screw	Aluminum - Chemical Film	57.00	17.00	0.25 <i>0.010</i>	0.50
# CPOL4151-1400-AG	41.15 <i>1.620</i>	14.000 / 14.000	50.80 <i>2.000</i>	20.00 <i>0.787</i>	Set Screw	Aluminum - Chemical Film	57.00	17.00	0.25 <i>0.010</i>	0.50
# CPOL4151-1400-2000-AS	41.15 <i>1.620</i>	14.000 / 20.000	50.80 <i>2.000</i>	20.00 <i>0.787</i>	Cap Screw Clamping	Aluminum - Chemical Film	57.00	17.00	0.25 <i>0.010</i>	0.50
# CPOL41/51-1400-1800-AS	41.15 <i>1.620</i>	14.000 / 18.000	50.80 <i>2.000</i>	20.00 <i>0.787</i>	Cap Screw Clamping	Aluminum - Chemical Film	57.00	17.00	0.25 <i>0.010</i>	0.50

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Couplings - Oldham - Complete

Part Number	OD (D) mm <i>inches</i>	Bore (A / B) mm <i>inches</i>	Length (L) mm <i>inches</i>	Max Bore mm <i>inches</i>	Locking Type	Hub Material	Static Break Torque N.m	Peak Torque N.m	Parallel Offset mm <i>inches</i>	Angular Offset Deg
# CPOL41/51-1400-1800-AG	41.15 <i>1.620</i>	14.000 / 18.000	50.80 <i>2.000</i>	20.00 <i>0.787</i>	Set Screw	Aluminum - Chemical Film	57.00	17.00	0.25 <i>0.010</i>	0.50
# CPOL41/51-1400-1900-AS	41.15 <i>1.620</i>	14.000 / 19.000	50.80 <i>2.000</i>	20.00 <i>0.787</i>	Cap Screw Clamping	Aluminum - Chemical Film	57.00	17.00	0.25 <i>0.010</i>	0.50
# CPOL4151-1600-AG	41.15 <i>1.620</i>	16.000 / 16.000	50.80 <i>2.000</i>	20.00 <i>0.787</i>	Set Screw	Aluminum - Chemical Film	57.00	17.00	0.25 <i>0.010</i>	0.50
# CPOL4151-1600-1800-AS	41.15 <i>1.620</i>	16.000 / 18.000	50.80 <i>2.000</i>	20.00 <i>0.787</i>	Cap Screw Clamping	Aluminum - Chemical Film	57.00	17.00	0.25 <i>0.010</i>	0.50
# CPOL4151-1600-AS	41.15 <i>1.620</i>	16.000 / 16.000	50.80 <i>2.000</i>	20.00 <i>0.787</i>	Cap Screw Clamping	Aluminum - Chemical Film	57.00	17.00	0.25 <i>0.010</i>	0.50
# CPOL4151-1600-2000-AS	41.15 <i>1.620</i>	16.000 / 20.000	50.80 <i>2.000</i>	20.00 <i>0.787</i>	Cap Screw Clamping	Aluminum - Chemical Film	57.00	17.00	0.25 <i>0.010</i>	0.50
# CPOL4151-1600-1900-AS	41.15 <i>1.620</i>	16.000 / 19.000	50.80 <i>2.000</i>	20.00 <i>0.787</i>	Cap Screw Clamping	Aluminum - Chemical Film	57.00	17.00	0.25 <i>0.010</i>	0.50
# CPOL41/51-1600-1900-AG	41.15 <i>1.620</i>	16.000 / 19.000	50.80 <i>2.000</i>	20.00 <i>0.787</i>	Set Screw	Aluminum - Chemical Film	57.00	17.00	0.25 <i>0.010</i>	0.50

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Couplings - Oldham - Complete

Part Number	OD (D) mm <i>inches</i>	Bore (A / B) mm <i>inches</i>	Length (L) mm <i>inches</i>	Max Bore mm <i>inches</i>	Locking Type	Hub Material	Static Break Torque N.m	Peak Torque N.m	Parallel Offset mm <i>inches</i>	Angular Offset Deg
# CPOL41/51-1600-2000-AG	41.15 <i>1.620</i>	16.000 / 20.000	50.80 <i>2.000</i>	20.00 <i>0.787</i>	Set Screw	Aluminum - Chemical Film	57.00	17.00	0.25 <i>0.010</i>	0.50
# CPOL41/51-1600-1800-AG	41.15 <i>1.620</i>	16.000 / 18.000	50.80 <i>2.000</i>	20.00 <i>0.787</i>	Set Screw	Aluminum - Chemical Film	57.00	17.00	0.25 <i>0.010</i>	0.50
# CPOL4151-1800-AS	41.15 <i>1.620</i>	18.000 / 18.000	50.80 <i>2.000</i>	20.00 <i>0.787</i>	Cap Screw Clamping	Aluminum - Chemical Film	57.00	17.00	0.25 <i>0.010</i>	0.50
# CPOL41/51-1800-1900-AG	41.15 <i>1.620</i>	18.000 / 19.000	50.80 <i>2.000</i>	20.00 <i>0.787</i>	Set Screw	Aluminum - Chemical Film	57.00	17.00	0.25 <i>0.010</i>	0.50
# CPOL41/51-1800-2000-AG	41.15 <i>1.620</i>	18.000 / 20.000	50.80 <i>2.000</i>	20.00 <i>0.787</i>	Set Screw	Aluminum - Chemical Film	57.00	17.00	0.25 <i>0.010</i>	0.50
# CPOL41/51-1800-1900-AS	41.15 <i>1.620</i>	18.000 / 19.000	50.80 <i>2.000</i>	20.00 <i>0.787</i>	Cap Screw Clamping	Aluminum - Chemical Film	57.00	17.00	0.25 <i>0.010</i>	0.50
# CPOL4151-1800-AG	41.15 <i>1.620</i>	18.000 / 18.000	50.80 <i>2.000</i>	20.00 <i>0.787</i>	Set Screw	Aluminum - Chemical Film	57.00	17.00	0.25 <i>0.010</i>	0.50
# CPOL4151-1800-2000-AS	41.15 <i>1.620</i>	18.000 / 20.000	50.80 <i>2.000</i>	20.00 <i>0.787</i>	Cap Screw Clamping	Aluminum - Chemical Film	57.00	17.00	0.25 <i>0.010</i>	0.50

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Couplings - Oldham - Complete

Part Number	OD (D) mm <i>inches</i>	Bore (A / B) mm <i>inches</i>	Length (L) mm <i>inches</i>	Max Bore mm <i>inches</i>	Locking Type	Hub Material	Static Break Torque N.m	Peak Torque N.m	Parallel Offset mm <i>inches</i>	Angular Offset Deg
# CPOL41/51-1900-2000-AG	41.15 <i>1.620</i>	19.000 / 20.000	50.80 <i>2.000</i>	20.00 <i>0.787</i>	Set Screw	Aluminum - Chemical Film	57.00	17.00	0.25 <i>0.010</i>	0.50
# CPOL4151-1900-AS	41.15 <i>1.620</i>	19.000 / 19.000	50.80 <i>2.000</i>	20.00 <i>0.787</i>	Cap Screw Clamping	Aluminum - Chemical Film	57.00	17.00	0.25 <i>0.010</i>	0.50
# CPOL4151-1900-2000-AS	41.15 <i>1.620</i>	19.000 / 20.000	50.80 <i>2.000</i>	20.00 <i>0.787</i>	Cap Screw Clamping	Aluminum - Chemical Film	57.00	17.00	0.25 <i>0.010</i>	0.50
# CPOL4151-1900-AG	41.15 <i>1.620</i>	19.000 / 19.000	50.80 <i>2.000</i>	20.00 <i>0.787</i>	Set Screw	Aluminum - Chemical Film	57.00	17.00	0.25 <i>0.010</i>	0.50
# CPOL4151-2000-AG	41.15 <i>1.620</i>	20.000 / 20.000	50.80 <i>2.000</i>	20.00 <i>0.787</i>	Set Screw	Aluminum - Chemical Film	57.00	17.00	0.25 <i>0.010</i>	0.50
# CPOL4151-2000-AS	41.15 <i>1.620</i>	20.000 / 20.000	50.80 <i>2.000</i>	20.00 <i>0.787</i>	Cap Screw Clamping	Aluminum - Chemical Film	57.00	17.00	0.25 <i>0.010</i>	0.50
# CPOL50/60-0953-1900-AS	50.00 <i>1.969</i>	9.530 / 19.000	59.60 <i>2.346</i>	25.40 <i>1.000</i>	Cap Screw Clamping	Aluminum - Chemical Film	95.00	30.00	0.25 <i>0.010</i>	0.50
# CPOL50/60-0953-AG	50.00 <i>1.969</i>	9.530 / 9.530	59.60 <i>2.346</i>	25.40 <i>1.000</i>	Set Screw	Aluminum - Chemical Film	95.00	30.00	0.25 <i>0.010</i>	0.50

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Couplings - Oldham - Complete

Part Number	OD (D) mm	Bore (A / B) mm	Length (L) mm	Max Bore mm	Locking Type	Hub Material	Static Break Torque N.m	Peak Torque N.m	Parallel Offset mm	Angular Offset Deg
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>					<i>inches</i>	
# CPOL50/60-0953-2500-AS	50.00	9.530 / 25.000	59.60	25.40	Cap Screw Clamping	Aluminum - Chemical Film	95.00	30.00	0.25	0.50
	<i>1.969</i>		<i>2.346</i>	<i>1.000</i>					<i>0.010</i>	
# CPOL50/60-0953-2000-AG	50.00	9.530 / 20.000	59.60	25.40	Set Screw	Aluminum - Chemical Film	95.00	30.00	0.25	0.50
	<i>1.969</i>		<i>2.346</i>	<i>1.000</i>					<i>0.010</i>	
# CPOL50/60-0953-2000-AS	50.00	9.530 / 20.000	59.60	25.40	Cap Screw Clamping	Aluminum - Chemical Film	95.00	30.00	0.25	0.50
	<i>1.969</i>		<i>2.346</i>	<i>1.000</i>					<i>0.010</i>	
# CPOL50/60-0953-AS	50.00	9.530 / 9.530	59.60	25.40	Cap Screw Clamping	Aluminum - Chemical Film	95.00	30.00	0.25	0.50
	<i>1.969</i>		<i>2.346</i>	<i>1.000</i>					<i>0.010</i>	
# CPOL50/60-0953-1500-AS	50.00	9.530 / 15.000	59.60	25.40	Cap Screw Clamping	Aluminum - Chemical Film	95.00	30.00	0.25	0.50
	<i>1.969</i>		<i>2.346</i>	<i>1.000</i>					<i>0.010</i>	
# CPOL50/60-0953-1500-AG	50.00	9.530 / 15.000	59.60	25.40	Set Screw	Aluminum - Chemical Film	95.00	30.00	0.25	0.50
	<i>1.969</i>		<i>2.346</i>	<i>1.000</i>					<i>0.010</i>	
# CPOL50/60-0953-1400-AS	50.00	9.530 / 14.000	59.60	25.40	Cap Screw Clamping	Aluminum - Chemical Film	95.00	30.00	0.25	0.50
	<i>1.969</i>		<i>2.346</i>	<i>1.000</i>					<i>0.010</i>	
# CPOL50/60-0953-1400-AG	50.00	9.530 / 14.000	59.60	25.40	Set Screw	Aluminum - Chemical Film	95.00	30.00	0.25	0.50
	<i>1.969</i>		<i>2.346</i>	<i>1.000</i>					<i>0.010</i>	

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Couplings - Oldham - Complete

Part Number	OD (D) mm	Bore (A / B) mm	Length (L) mm	Max Bore mm	Locking Type	Hub Material	Static Break Torque N.m	Peak Torque N.m	Parallel Offset mm	Angular Offset Deg
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>					<i>inches</i>	
# CPOL50/60-0953-1200-AS	50.00	9.530 / 12.000	59.60	25.40	Cap Screw Clamping	Aluminum - Chemical Film	95.00	30.00	0.25	0.50
	<i>1.969</i>		<i>2.346</i>	<i>1.000</i>					<i>0.010</i>	
# CPOL50/60-0953-1200-AG	50.00	9.530 / 12.000	59.60	25.40	Set Screw	Aluminum - Chemical Film	95.00	30.00	0.25	0.50
	<i>1.969</i>		<i>2.346</i>	<i>1.000</i>					<i>0.010</i>	
# CPOL50/60-0953-2500-AG	50.00	9.530 / 25.000	59.60	25.40	Set Screw	Aluminum - Chemical Film	95.00	30.00	0.25	0.50
	<i>1.969</i>		<i>2.346</i>	<i>1.000</i>					<i>0.010</i>	
# CPOL50/60-0953-1900-AG	50.00	9.530 / 19.000	59.60	25.40	Set Screw	Aluminum - Chemical Film	95.00	30.00	0.25	0.50
	<i>1.969</i>		<i>2.346</i>	<i>1.000</i>					<i>0.010</i>	
# CPOL5060-1200-AS	50.00	12.000 / 12.000	59.60	25.40	Cap Screw Clamping	Aluminum - Chemical Film	95.00	30.00	0.25	0.50
	<i>1.969</i>		<i>2.346</i>	<i>1.000</i>					<i>0.010</i>	
# CPOL5060-1200-1500-AS	50.00	12.000 / 15.000	59.60	25.40	Cap Screw Clamping	Aluminum - Chemical Film	95.00	30.00	0.25	0.50
	<i>1.969</i>		<i>2.346</i>	<i>1.000</i>					<i>0.010</i>	
# CPOL5060-1200-1900-AS	50.00	12.000 / 19.000	59.60	25.40	Cap Screw Clamping	Aluminum - Chemical Film	95.00	30.00	0.25	0.50
	<i>1.969</i>		<i>2.346</i>	<i>1.000</i>					<i>0.010</i>	
# CPOL5060-1200-2000-AG	50.00	12.000 / 20.000	59.60	25.40	Set Screw	Aluminum - Chemical Film	95.00	30.00	0.25	0.50
	<i>1.969</i>		<i>2.346</i>	<i>1.000</i>					<i>0.010</i>	

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Couplings - Oldham - Complete

Part Number	OD (D) mm	Bore (A / B) mm	Length (L) mm	Max Bore mm	Locking Type	Hub Material	Static Break Torque N.m	Peak Torque N.m	Parallel Offset mm	Angular Offset Deg
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>					<i>inches</i>	
# CPOL5060-1200-2000-AS	50.00	12.000 / 20.000	59.60	25.40	Cap Screw Clamping	Aluminum - Chemical Film	95.00	30.00	0.25	0.50
	<i>1.969</i>		<i>2.346</i>	<i>1.000</i>					<i>0.010</i>	
# CPOL5060-1200-2500-AG	50.00	12.000 / 25.000	59.60	25.40	Set Screw	Aluminum - Chemical Film	95.00	30.00	0.25	0.50
	<i>1.969</i>		<i>2.346</i>	<i>1.000</i>					<i>0.010</i>	
# CPOL5060-1200-AG	50.00	12.000 / 12.000	59.60	25.40	Set Screw	Aluminum - Chemical Film	95.00	30.00	0.25	0.50
	<i>1.969</i>		<i>2.346</i>	<i>1.000</i>					<i>0.010</i>	
# CPOL5060-1200-1400-AS	50.00	12.000 / 14.000	59.60	25.40	Cap Screw Clamping	Aluminum - Chemical Film	95.00	30.00	0.25	0.50
	<i>1.969</i>		<i>2.346</i>	<i>1.000</i>					<i>0.010</i>	
# CPOL5060-1200-2500-AS	50.00	12.000 / 25.000	59.60	25.40	Cap Screw Clamping	Aluminum - Chemical Film	95.00	30.00	0.25	0.50
	<i>1.969</i>		<i>2.346</i>	<i>1.000</i>					<i>0.010</i>	
# CPOL50/60-1200-1500-AG	50.00	12.000 / 15.000	59.60	25.40	Set Screw	Aluminum - Chemical Film	95.00	30.00	0.25	0.50
	<i>1.969</i>		<i>2.346</i>	<i>1.000</i>					<i>0.010</i>	
# CPOL5060-1200-1400-AG	50.00	12.000 / 14.000	59.60	25.40	Set Screw	Aluminum - Chemical Film	95.00	30.00	0.25	0.50
	<i>1.969</i>		<i>2.346</i>	<i>1.000</i>					<i>0.010</i>	
# CPOL5060-1200-1900-AG	50.00	12.000 / 19.000	59.60	25.40	Set Screw	Aluminum - Chemical Film	95.00	30.00	0.25	0.50
	<i>1.969</i>		<i>2.346</i>	<i>1.000</i>					<i>0.010</i>	

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Couplings - Oldham - Complete

Part Number	OD (D) mm <i>inches</i>	Bore (A / B) mm <i>inches</i>	Length (L) mm <i>inches</i>	Max Bore mm <i>inches</i>	Locking Type	Hub Material	Static Break Torque N.m	Peak Torque N.m	Parallel Offset mm <i>inches</i>	Angular Offset Deg
# CPOL5060-1400-AS	50.00 <i>1.969</i>	14.000 / 14.000	59.60 <i>2.346</i>	25.40 <i>1.000</i>	Cap Screw Clamping	Aluminum - Chemical Film	95.00	30.00	0.25 <i>0.010</i>	0.50
# CPOL5060-1400-AG	50.00 <i>1.969</i>	14.000 / 14.000	59.60 <i>2.346</i>	25.40 <i>1.000</i>	Set Screw	Aluminum - Chemical Film	95.00	30.00	0.25 <i>0.010</i>	0.50
# CPOL5060-1400-2500-AS	50.00 <i>1.969</i>	14.000 / 25.000	59.60 <i>2.346</i>	25.40 <i>1.000</i>	Cap Screw Clamping	Aluminum - Chemical Film	95.00	30.00	0.25 <i>0.010</i>	0.50
# CPOL5060-1400-2500-AG	50.00 <i>1.969</i>	14.000 / 25.000	59.60 <i>2.346</i>	25.40 <i>1.000</i>	Set Screw	Aluminum - Chemical Film	95.00	30.00	0.25 <i>0.010</i>	0.50
# CPOL5060-1400-2000-AS	50.00 <i>1.969</i>	14.000 / 20.000	59.60 <i>2.346</i>	25.40 <i>1.000</i>	Cap Screw Clamping	Aluminum - Chemical Film	95.00	30.00	0.25 <i>0.010</i>	0.50
# CPOL5060-1400-2000-AG	50.00 <i>1.969</i>	14.000 / 20.000	59.60 <i>2.346</i>	25.40 <i>1.000</i>	Set Screw	Aluminum - Chemical Film	95.00	30.00	0.25 <i>0.010</i>	0.50
# CPOL5060-1400-1900-AS	50.00 <i>1.969</i>	14.000 / 19.000	59.60 <i>2.346</i>	25.40 <i>1.000</i>	Cap Screw Clamping	Aluminum - Chemical Film	95.00	30.00	0.25 <i>0.010</i>	0.50
# CPOL5060-1400-1500-AS	50.00 <i>1.969</i>	14.000 / 15.000	59.60 <i>2.346</i>	25.40 <i>1.000</i>	Cap Screw Clamping	Aluminum - Chemical Film	95.00	30.00	0.25 <i>0.010</i>	0.50

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Couplings - Oldham - Complete

Part Number	OD (D) mm <i>inches</i>	Bore (A / B) mm <i>inches</i>	Length (L) mm <i>inches</i>	Max Bore mm <i>inches</i>	Locking Type	Hub Material	Static Break Torque N.m	Peak Torque N.m	Parallel Offset mm <i>inches</i>	Angular Offset Deg
# CPOL50/60-1400-1500-AG	50.00 <i>1.969</i>	14.000 / 15.000 <i>inches</i>	59.60 <i>2.346</i>	25.40 <i>1.000</i>	Set Screw	Aluminum - Chemical Film	95.00	30.00	0.25 <i>0.010</i>	0.50
# CPOL5060-1400-1900-AG	50.00 <i>1.969</i>	14.000 / 19.000 <i>inches</i>	59.60 <i>2.346</i>	25.40 <i>1.000</i>	Set Screw	Aluminum - Chemical Film	95.00	30.00	0.25 <i>0.010</i>	0.50
# CPOL5060-1500-AS	50.00 <i>1.969</i>	15.000 / 15.000 <i>inches</i>	59.60 <i>2.346</i>	25.40 <i>1.000</i>	Cap Screw Clamping	Aluminum - Chemical Film	95.00	30.00	0.25 <i>0.010</i>	0.50
# CPOL5060-1500-2500-AS	50.00 <i>1.969</i>	15.000 / 25.000 <i>inches</i>	59.60 <i>2.346</i>	25.40 <i>1.000</i>	Cap Screw Clamping	Aluminum - Chemical Film	95.00	30.00	0.25 <i>0.010</i>	0.50
# CPOL50/60-1500-1900-AG	50.00 <i>1.969</i>	15.000 / 19.000 <i>inches</i>	59.60 <i>2.346</i>	25.40 <i>1.000</i>	Set Screw	Aluminum - Chemical Film	95.00	30.00	0.25 <i>0.010</i>	0.50
# CPOL5060-1500-2000-AS	50.00 <i>1.969</i>	15.000 / 20.000 <i>inches</i>	59.60 <i>2.346</i>	25.40 <i>1.000</i>	Cap Screw Clamping	Aluminum - Chemical Film	95.00	30.00	0.25 <i>0.010</i>	0.50
# CPOL5060-1500-1900-AS	50.00 <i>1.969</i>	15.000 / 19.000 <i>inches</i>	59.60 <i>2.346</i>	25.40 <i>1.000</i>	Cap Screw Clamping	Aluminum - Chemical Film	95.00	30.00	0.25 <i>0.010</i>	0.50
# CPOL50/60-1500-AG	50.00 <i>1.969</i>	15.000 / 15.000 <i>inches</i>	59.60 <i>2.346</i>	25.40 <i>1.000</i>	Set Screw	Aluminum - Chemical Film	95.00	30.00	0.25 <i>0.010</i>	0.50

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Couplings - Oldham - Complete

Part Number	OD (D) mm	Bore (A / B) mm	Length (L) mm	Max Bore mm	Locking Type	Hub Material	Static Break Torque N.m	Peak Torque N.m	Parallel Offset mm	Angular Offset Deg
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>					<i>inches</i>	
# CPOL50/60-1500-2000-AG	50.00	15.000 / 20.000	59.60	25.40	Set Screw	Aluminum - Chemical Film	95.00	30.00	0.25	0.50
	<i>1.969</i>		<i>2.346</i>	<i>1.000</i>					<i>0.010</i>	
# CPOL50/60-1500-2500-AG	50.00	15.000 / 25.000	59.60	25.40	Set Screw	Aluminum - Chemical Film	95.00	30.00	0.25	0.50
	<i>1.969</i>		<i>2.346</i>	<i>1.000</i>					<i>0.010</i>	
# CPOL5060-1800-AG	50.00	18.000 / 18.000	59.60	25.40	Set Screw	Aluminum - Chemical Film	95.00	30.00	0.25	0.50
	<i>1.969</i>		<i>2.346</i>	<i>1.000</i>					<i>0.010</i>	
# CPOL5060-1800-AS	50.00	18.000 / 18.000	59.60	25.40	Cap Screw Clamping	Aluminum - Chemical Film	95.00	30.00	0.25	0.50
	<i>1.969</i>		<i>2.346</i>	<i>1.000</i>					<i>0.010</i>	
# CPOL5060-1900-2500-AS	50.00	19.000 / 25.000	59.60	25.40	Cap Screw Clamping	Aluminum - Chemical Film	95.00	30.00	0.25	0.50
	<i>1.969</i>		<i>2.346</i>	<i>1.000</i>					<i>0.010</i>	
# CPOL5060-1900-AG	50.00	19.000 / 19.000	59.60	25.40	Set Screw	Aluminum - Chemical Film	95.00	30.00	0.25	0.50
	<i>1.969</i>		<i>2.346</i>	<i>1.000</i>					<i>0.010</i>	
# CPOL5060-1900-2500-AG	50.00	19.000 / 25.000	59.60	25.40	Set Screw	Aluminum - Chemical Film	95.00	30.00	0.25	0.50
	<i>1.969</i>		<i>2.346</i>	<i>1.000</i>					<i>0.010</i>	
# CPOL5060-1900-2000-AS	50.00	19.000 / 20.000	59.60	25.40	Cap Screw Clamping	Aluminum - Chemical Film	95.00	30.00	0.25	0.50
	<i>1.969</i>		<i>2.346</i>	<i>1.000</i>					<i>0.010</i>	

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Couplings - Oldham - Complete

Part Number	OD (D) mm	Bore (A / B) mm	Length (L) mm	Max Bore mm	Locking Type	Hub Material	Static Break Torque N.m	Peak Torque N.m	Parallel Offset mm	Angular Offset Deg
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>					<i>inches</i>	
# CPOL5060-1900-2000-AG	50.00	19.000 / 20.000	59.60	25.40	Set Screw	Aluminum - Chemical Film	95.00	30.00	0.25	0.50
	<i>1.969</i>		<i>2.346</i>	<i>1.000</i>					<i>0.010</i>	
# CPOL5060-1900-1900-AS	50.00	19.000 / 19.000	59.60	25.40	Cap Screw Clamping	Aluminum - Chemical Film	95.00	30.00	0.25	0.50
	<i>1.969</i>		<i>2.346</i>	<i>1.000</i>					<i>0.010</i>	
# CPOL5060-2000-2500-AS	50.00	20.000 / 25.000	59.60	25.40	Cap Screw Clamping	Aluminum - Chemical Film	95.00	30.00	0.25	0.50
	<i>1.969</i>		<i>2.346</i>	<i>1.000</i>					<i>0.010</i>	
# CPOL5060-2000-AG	50.00	20.000 / 20.000	59.60	25.40	Set Screw	Aluminum - Chemical Film	95.00	30.00	0.25	0.50
	<i>1.969</i>		<i>2.346</i>	<i>1.000</i>					<i>0.010</i>	
# CPOL5060-2000-AS	50.00	20.000 / 20.000	59.60	25.40	Cap Screw Clamping	Aluminum - Chemical Film	95.00	30.00	0.25	0.50
	<i>1.969</i>		<i>2.346</i>	<i>1.000</i>					<i>0.010</i>	
# CPOL5060-2000-2500-AG	50.00	20.000 / 25.000	59.60	25.40	Set Screw	Aluminum - Chemical Film	95.00	30.00	0.25	0.50
	<i>1.969</i>		<i>2.346</i>	<i>1.000</i>					<i>0.010</i>	
# CPOL5060-2500-AG	50.00	25.000 / 25.000	59.60	25.40	Set Screw	Aluminum - Chemical Film	95.00	30.00	0.25	0.50
	<i>1.969</i>		<i>2.346</i>	<i>1.000</i>					<i>0.010</i>	
# CPOL50/60-2500-2000-AS	50.00	25.000 / 20.000	59.60	25.40	Cap Screw Clamping	Aluminum - Chemical Film	95.00	30.00	0.25	0.50
	<i>1.969</i>		<i>2.346</i>	<i>1.000</i>					<i>0.010</i>	

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Couplings - Oldham - Complete

Part Number	OD (D) mm	Bore (A / B) mm	Length (L) mm	Max Bore mm	Locking Type	Hub Material	Static Break Torque N.m	Peak Torque N.m	Parallel Offset mm	Angular Offset Deg
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>					<i>inches</i>	
# CPOL5778-1200-1900-AS	57.10	12.000 / 19.000	78.00	30.00	Cap Screw Clamping	Aluminum - Chemical Film	150.00	44.00	0.25	0.50
	<i>2.248</i>		<i>3.071</i>	<i>1.181</i>					<i>0.010</i>	
# CPOL5778-1200-AS	57.10	12.000 / 12.000	78.00	30.00	Cap Screw Clamping	Aluminum - Chemical Film	150.00	44.00	0.25	0.50
	<i>2.248</i>		<i>3.071</i>	<i>1.181</i>					<i>0.010</i>	
# CPOL5778-1200-AG	57.10	12.000 / 12.000	78.00	30.00	Set Screw	Aluminum - Chemical Film	150.00	44.00	0.25	0.50
	<i>2.248</i>		<i>3.071</i>	<i>1.181</i>					<i>0.010</i>	
# CPOL5778-1200-3000-AS	57.10	12.000 / 30.000	78.00	30.00	Cap Screw Clamping	Aluminum - Chemical Film	150.00	44.00	0.25	0.50
	<i>2.248</i>		<i>3.071</i>	<i>1.181</i>					<i>0.010</i>	
# CPOL5778-1200-3000-AG	57.10	12.000 / 30.000	78.00	30.00	Set Screw	Aluminum - Chemical Film	150.00	44.00	0.25	0.50
	<i>2.248</i>		<i>3.071</i>	<i>1.181</i>					<i>0.010</i>	
# CPOL5778-1200-2500-AS	57.10	12.000 / 25.000	78.00	30.00	Cap Screw Clamping	Aluminum - Chemical Film	150.00	44.00	0.25	0.50
	<i>2.248</i>		<i>3.071</i>	<i>1.181</i>					<i>0.010</i>	
# CPOL5778-1200-1900-AG	57.10	12.000 / 19.000	78.00	30.00	Set Screw	Aluminum - Chemical Film	150.00	44.00	0.25	0.50
	<i>2.248</i>		<i>3.071</i>	<i>1.181</i>					<i>0.010</i>	
# CPOL5778-1200-1600-AS	57.10	12.000 / 16.000	78.00	30.00	Cap Screw Clamping	Aluminum - Chemical Film	150.00	44.00	0.25	0.50
	<i>2.248</i>		<i>3.071</i>	<i>1.181</i>					<i>0.010</i>	

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Couplings - Oldham - Complete

Part Number	OD (D) mm <i>inches</i>	Bore (A / B) mm <i>inches</i>	Length (L) mm <i>inches</i>	Max Bore mm <i>inches</i>	Locking Type	Hub Material	Static Break Torque N.m	Peak Torque N.m	Parallel Offset mm <i>inches</i>	Angular Offset Deg
# CPOL5778-1200-1600-AG	57.10 <i>2.248</i>	12.000 / 16.000	78.00 <i>3.071</i>	30.00 <i>1.181</i>	Set Screw	Aluminum - Chemical Film	150.00	44.00	0.25 <i>0.010</i>	0.50
# CPOL5778-1200-1400-AS	57.10 <i>2.248</i>	12.000 / 14.000	78.00 <i>3.071</i>	30.00 <i>1.181</i>	Cap Screw Clamping	Aluminum - Chemical Film	150.00	44.00	0.25 <i>0.010</i>	0.50
# CPOL5778-1200-2500-AG	57.10 <i>2.248</i>	12.000 / 25.000	78.00 <i>3.071</i>	30.00 <i>1.181</i>	Set Screw	Aluminum - Chemical Film	150.00	44.00	0.25 <i>0.010</i>	0.50
# CPOL5778-1200-1400-AG	57.10 <i>2.248</i>	12.000 / 14.000	78.00 <i>3.071</i>	30.00 <i>1.181</i>	Set Screw	Aluminum - Chemical Film	150.00	44.00	0.25 <i>0.010</i>	0.50
# CPOL5778-1400-3000-AG	57.10 <i>2.248</i>	14.000 / 30.000	78.00 <i>3.071</i>	30.00 <i>1.181</i>	Set Screw	Aluminum - Chemical Film	150.00	44.00	0.25 <i>0.010</i>	0.50
# CPOL5778-1400-1600-AG	57.10 <i>2.248</i>	14.000 / 16.000	78.00 <i>3.071</i>	30.00 <i>1.181</i>	Set Screw	Aluminum - Chemical Film	150.00	44.00	0.25 <i>0.010</i>	0.50
# CPOL5778-1400-AG	57.10 <i>2.248</i>	14.000 / 14.000	78.00 <i>3.071</i>	30.00 <i>1.181</i>	Set Screw	Aluminum - Chemical Film	150.00	44.00	0.25 <i>0.010</i>	0.50
# CPOL5778-1400-AS	57.10 <i>2.248</i>	14.000 / 14.000	78.00 <i>3.071</i>	30.00 <i>1.181</i>	Cap Screw Clamping	Aluminum - Chemical Film	150.00	44.00	0.25 <i>0.010</i>	0.50

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Couplings - Oldham - Complete

Part Number	OD (D) mm	Bore (A / B) mm	Length (L) mm	Max Bore mm	Locking Type	Hub Material	Static Break Torque N.m	Peak Torque N.m	Parallel Offset mm	Angular Offset Deg
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>					<i>inches</i>	
# CPOL5778-1400-3000-AS	57.10	14.000 / 30.000	78.00	30.00	Cap Screw Clamping	Aluminum - Chemical Film	150.00	44.00	0.25	0.50
	<i>2.248</i>		<i>3.071</i>	<i>1.181</i>					<i>0.010</i>	
# CPOL5778-1400-2500-AG	57.10	14.000 / 25.000	78.00	30.00	Set Screw	Aluminum - Chemical Film	150.00	44.00	0.25	0.50
	<i>2.248</i>		<i>3.071</i>	<i>1.181</i>					<i>0.010</i>	
# CPOL5778-1400-1900-AS	57.10	14.000 / 19.000	78.00	30.00	Cap Screw Clamping	Aluminum - Chemical Film	150.00	44.00	0.25	0.50
	<i>2.248</i>		<i>3.071</i>	<i>1.181</i>					<i>0.010</i>	
# CPOL5778-1400-1600-AS	57.10	14.000 / 16.000	78.00	30.00	Cap Screw Clamping	Aluminum - Chemical Film	150.00	44.00	0.25	0.50
	<i>2.248</i>		<i>3.071</i>	<i>1.181</i>					<i>0.010</i>	
# CPOL5778-1400-1900-AG	57.10	14.000 / 19.000	78.00	30.00	Set Screw	Aluminum - Chemical Film	150.00	44.00	0.25	0.50
	<i>2.248</i>		<i>3.071</i>	<i>1.181</i>					<i>0.010</i>	
# CPOL5778-1400-2500-AS	57.10	14.000 / 25.000	78.00	30.00	Cap Screw Clamping	Aluminum - Chemical Film	150.00	44.00	0.25	0.50
	<i>2.248</i>		<i>3.071</i>	<i>1.181</i>					<i>0.010</i>	
# CPOL5778-1600-2500-AG	57.10	16.000 / 25.000	78.00	30.00	Set Screw	Aluminum - Chemical Film	150.00	44.00	0.25	0.50
	<i>2.248</i>		<i>3.071</i>	<i>1.181</i>					<i>0.010</i>	
# CPOL5778-1600-AG	57.10	16.000 / 16.000	78.00	30.00	Set Screw	Aluminum - Chemical Film	150.00	44.00	0.25	0.50
	<i>2.248</i>		<i>3.071</i>	<i>1.181</i>					<i>0.010</i>	

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Couplings - Oldham - Complete

Part Number	OD (D) mm	Bore (A / B) mm	Length (L) mm	Max Bore mm	Locking Type	Hub Material	Static Break Torque N.m	Peak Torque N.m	Parallel Offset mm	Angular Offset Deg
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>					<i>inches</i>	
# CPOL5778-1600-3000-AS	57.10	16.000 / 30.000	78.00	30.00	Cap Screw Clamping	Aluminum - Chemical Film	150.00	44.00	0.25	0.50
	<i>2.248</i>		<i>3.071</i>	<i>1.181</i>					<i>0.010</i>	
# CPOL5778-1600-2500-AS	57.10	16.000 / 25.000	78.00	30.00	Cap Screw Clamping	Aluminum - Chemical Film	150.00	44.00	0.25	0.50
	<i>2.248</i>		<i>3.071</i>	<i>1.181</i>					<i>0.010</i>	
# CPOL5778-1600-AS	57.10	16.000 / 16.000	78.00	30.00	Cap Screw Clamping	Aluminum - Chemical Film	150.00	44.00	0.25	0.50
	<i>2.248</i>		<i>3.071</i>	<i>1.181</i>					<i>0.010</i>	
# CPOL5778-1600-1900-AS	57.10	16.000 / 19.000	78.00	30.00	Cap Screw Clamping	Aluminum - Chemical Film	150.00	44.00	0.25	0.50
	<i>2.248</i>		<i>3.071</i>	<i>1.181</i>					<i>0.010</i>	
# CPOL5778-1600-1900-AG	57.10	16.000 / 19.000	78.00	30.00	Set Screw	Aluminum - Chemical Film	150.00	44.00	0.25	0.50
	<i>2.248</i>		<i>3.071</i>	<i>1.181</i>					<i>0.010</i>	
# CPOL5778-1600-3000-AG	57.10	16.000 / 30.000	78.00	30.00	Set Screw	Aluminum - Chemical Film	150.00	44.00	0.25	0.50
	<i>2.248</i>		<i>3.071</i>	<i>1.181</i>					<i>0.010</i>	
# CPOL5778-1900-2500-AS	57.10	19.000 / 25.000	78.00	30.00	Cap Screw Clamping	Aluminum - Chemical Film	150.00	44.00	0.25	0.50
	<i>2.248</i>		<i>3.071</i>	<i>1.181</i>					<i>0.010</i>	
# CPOL5778-1900-3000-AG	57.10	19.000 / 30.000	78.00	30.00	Set Screw	Aluminum - Chemical Film	150.00	44.00	0.25	0.50
	<i>2.248</i>		<i>3.071</i>	<i>1.181</i>					<i>0.010</i>	

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Couplings - Oldham - Complete

Part Number	OD (D) mm <i>inches</i>	Bore (A / B) mm <i>inches</i>	Length (L) mm <i>inches</i>	Max Bore mm <i>inches</i>	Locking Type	Hub Material	Static Break Torque N.m	Peak Torque N.m	Parallel Offset mm <i>inches</i>	Angular Offset Deg
# CPOL5778-1900-3000-AS	57.10 <i>2.248</i>	19.000 / 30.000 <i>inches</i>	78.00 <i>3.071</i>	30.00 <i>1.181</i>	Cap Screw Clamping	Aluminum - Chemical Film	150.00	44.00	0.25 <i>0.010</i>	0.50
# CPOL5778-1900-2500-AG	57.10 <i>2.248</i>	19.000 / 25.000 <i>inches</i>	78.00 <i>3.071</i>	30.00 <i>1.181</i>	Set Screw	Aluminum - Chemical Film	150.00	44.00	0.25 <i>0.010</i>	0.50
# CPOL5778-1900-1900-AG	57.10 <i>2.248</i>	19.000 / 19.000 <i>inches</i>	78.00 <i>3.071</i>	30.00 <i>1.181</i>	Set Screw	Aluminum - Chemical Film	150.00	44.00	0.25 <i>0.010</i>	0.50
# CPOL5778-1900-1900-AS	57.10 <i>2.248</i>	19.000 / 19.000 <i>inches</i>	78.00 <i>3.071</i>	30.00 <i>1.181</i>	Cap Screw Clamping	Aluminum - Chemical Film	150.00	44.00	0.25 <i>0.010</i>	0.50
# CPOL5778-2000-AG	57.10 <i>2.248</i>	20.000 / 20.000 <i>inches</i>	78.00 <i>3.071</i>	30.00 <i>1.181</i>	Set Screw	Aluminum - Chemical Film	150.00	44.00	0.25 <i>0.010</i>	0.50
# CPOL5778-2000-AS	57.10 <i>2.248</i>	20.000 / 20.000 <i>inches</i>	78.00 <i>3.071</i>	30.00 <i>1.181</i>	Cap Screw Clamping	Aluminum - Chemical Film	150.00	44.00	0.25 <i>0.010</i>	0.50
# CPOL5778-2500-2500-AS	57.10 <i>2.248</i>	25.000 / 25.000 <i>inches</i>	78.00 <i>3.071</i>	30.00 <i>1.181</i>	Cap Screw Clamping	Aluminum - Chemical Film	150.00	44.00	0.25 <i>0.010</i>	0.50
# CPOL5778-2500-3000-AG	57.10 <i>2.248</i>	25.000 / 30.000 <i>inches</i>	78.00 <i>3.071</i>	30.00 <i>1.181</i>	Set Screw	Aluminum - Chemical Film	150.00	44.00	0.25 <i>0.010</i>	0.50

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Couplings - Oldham - Complete

Part Number	OD (D) mm <i>inches</i>	Bore (A / B) mm <i>inches</i>	Length (L) mm <i>inches</i>	Max Bore mm <i>inches</i>	Locking Type	Hub Material	Static Break Torque N.m	Peak Torque N.m	Parallel Offset mm <i>inches</i>	Angular Offset Deg
# CPOL5778-2500-3000-AS	57.10 <i>2.248</i>	25.000 / 30.000 <i>inches</i>	78.00 <i>3.071</i>	30.00 <i>1.181</i>	Cap Screw Clamping	Aluminum - Chemical Film	150.00	44.00	0.25 <i>0.010</i>	0.50
# CPOL5778-2500-AG	57.10 <i>2.248</i>	25.000 / 25.000 <i>inches</i>	78.00 <i>3.071</i>	30.00 <i>1.181</i>	Set Screw	Aluminum - Chemical Film	150.00	44.00	0.25 <i>0.010</i>	0.50
# CPOL5778-3000-AS	57.10 <i>2.248</i>	30.000 / 30.000 <i>inches</i>	78.00 <i>3.071</i>	30.00 <i>1.181</i>	Cap Screw Clamping	Aluminum - Chemical Film	150.00	44.00	0.25 <i>0.010</i>	0.50
# CPOL5778-3000-AG	57.10 <i>2.248</i>	30.000 / 30.000 <i>inches</i>	78.00 <i>3.071</i>	30.00 <i>1.181</i>	Set Screw	Aluminum - Chemical Film	150.00	44.00	0.25 <i>0.010</i>	0.50

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to catalogues@minibearings.com.au

